


1982/83

Sears specialog



GT

Please mention the key letter
at left when ordering by
phone from this catalog

INDEX ON PAGE 92

Last date to order from this
catalog is AUGUST 15, 1983

SEARS, ROEBUCK
AND CO.



Shop
By Phone



Use
Sears Credit




TRY HOME
DELIVERY

You can count on Sears... Satisfaction Guaranteed or Your Money Back



\$119⁹⁵

New at Sears!
Our best Miter Box gives the narrowest cut of any miter box you can buy, so you can cut even expensive molding . . . tubular guides provide greater accuracy



QUALITY BY DESIGN

...features like these on our best professional-quality Miter Box represent the quality that's built into every CRAFTSMAN® tool

- A** 22-inch cutting blade has 18 teeth per inch and provides the narrowest cut of any miter box on the market, so you can safely cut expensive molding completely through the workpiece
- B** Free-floating guides control saw
- C** Twin tubular saw guides give 5 inches of contact for accuracy, extra-smooth operation
- D** One-piece die-cast metal base and back is precision-machined flat for accuracy, and electrostatically epoxy-paint-coated for maximum wear-protection
- E** Polyurethane work support helps protect saw teeth
- F** Angle index is located 5 inches from the pivot point for extended accuracy
- G** Cam lock quick-angle-setting is accuracy-tested to $\frac{1}{2}^\circ$
- H** Saw stops allow depth control for dado work and duplicating cuts
- J** Patented swivel saw handle delivers straight strokes, reduces side torque on the blade

Make accurate angle



Cut molding



Cut 45° angles on edge for shadow box

New at Sears! Our premium Miter Box Has a 22-inch Kromedge® miter saw and tension-controlled jumbo guide rollers for extreme accuracy

\$79⁹⁵



New at Sears! Our fine-quality Miter Box Has a 16-inch Kromedge® miter saw and roller guiding system for smooth operation

\$59⁹⁵



CRAFTSMAN® Professional-quality Miter Boxes

The angle index is located 5 inches from pivot point for extended accuracy . . . cam lock quick-angle-setting is accuracy-tested to $\frac{1}{2}^\circ$

(1) Our best professional-quality Miter Box

CUTTING RANGE, SAW: Maximum depth 4 inches. Takes pieces up to 5 inches wide at 90°, 3¾ inches wide at 45°. 22x1½-inch hardened steel blade has 18 teeth per inch for extra-fine cut; replaceable. Cuts wood, plastics, soft metals. Exclusive swivel saw handle. Saw frame is built into miter box.

SAW GUIDES: Independent front/rear system. Free-floating. Twin tubular saw guides. Saw stops allow depth control for dado work, duplicating cuts.

BASE: 1-pc. die-cast metal alloy base, back; machined flat. Electrostatically epoxy-paint-coated. Polyurethane work support helps protect saw teeth. Wide-stance off-set steel legs with mounting holes. 18x9x10¼ in. high.

ORDER INFO: See warranty on page 32. Extra blades on page 106.
9 GT 36306C—Shipping weight 14 pounds . . . \$119.95

(2) Our premium professional-quality Miter Box

CUTTING RANGE, SAW: Max. depth 4 in. Takes pieces to 5 in. wide at 90°, 3¾ in. at 45°. 22x4-in. hollow-ground, high-carbon steel Kromedge® miter saw; 11 pts. per in. Chrome-plated to resist rust. Hardwood handle.

SAW GUIDES: Free-floating guides control saw completely through workpiece. Independent front/rear system. 8 inches apart. Tension-controlled jumbo nylon guide rollers adjust to any saw thickness. Saw stops allow depth control and dado work. Saw hangers allow 2-hand positioning of workpiece.

BASE: 1-pc. die-cast metal alloy base, back; machined flat. Electrostatically epoxy-paint-coated. Polyurethane work support helps protect saw teeth. Wide-stance off-set steel legs with mounting holes. 18x9x14¼ in. high.

ORDER INFO: See warranty on page 32.
9 GT 36305C—Shipping weight 12 pounds 8 ounces . . . \$79.95

(3) Our fine professional-quality Miter Box

CUTTING RANGE, SAW: Max. depth 3½ in. Takes pieces to 6 in. wide at 90°, 5 in. at 45°. 16x3½-in. hollow-ground high-carbon steel Kromedge® miter saw; 11 pts. per in. Chrome-plated to resist rust. Hardwood handle.

SAW GUIDES: Free-floating guides control saw completely through workpiece; 11½ inches apart. Four nylon rollers. Adjust to any saw thickness.

BASE: 1-pc. die-cast metal alloy base, back; machined flat. Electrostatically epoxy-paint-coated. Polyurethane work support helps protect saw teeth. Wide-stance off-set steel legs with mounting holes. 18x9x12¼ in. high.

ORDER INFO: See warranty on page 32.
9 GT 36304—Shipping weight 10 pounds 8 ounces . . . \$59.95

cuts with our Miter Boxes and Miter Saws



Cut 60° angles
for frames



Cut 45° angles
for picture frames

There's a mitering tool to suit your specific needs . . . from our professional-quality miter boxes, which are accuracy-tested to $\frac{1}{2}^\circ$, to our motorized miter saws that also bevel cut. They let you cut a variety of angles for picture frames, shadow boxes, molding and many other projects



Miter Box
with indexing system for any
angle from 45°
right to 45°
left; full-size
back for added
control with
large pieces

4

\$29⁹⁹



Miter Box
with indexing
system for the
11 most common
angle cuts

5

\$16⁹⁹



Tough
ABS plastic
Miter Box
even lets you
bevel cut at 45°

6

\$4⁹⁹

(4) Miter Box with full-range indexing system, full-size back
CUTTING RANGE: Cuts any angle from 45° left to 45° right. Maximum $3\frac{3}{4}$ inches deep. Maximum $5\frac{1}{2}$ inches wide at 90°, $4\frac{1}{2}$ inches wide at 45°.

SAW GUIDE: Free-floating; guides saw completely through workpiece. Adjustable to any saw thickness. Indexing system makes angle selection quick and easy.

BASE: Full-size mach. steel back with tough epoxy finish. Fiberwood base with raised rubber bumpers on bottom to help prevent creeping. $16\frac{1}{2} \times 7\frac{1}{2} \times 10\frac{1}{2}$ in. high.

ORDER INFO: Saw not included. 9 GT 36331—Wt. 5 lbs. . \$29.99

(5) **New at Sears!** Miter Box with indexing system for the 11 most often used angle cuts

CUTTING RANGE: Cuts 90°, left and right 45°, 36°, 30°, $22\frac{1}{2}^\circ$ and 9°.

SAW GUIDE: Adjust to any saw thickness. Indexing system makes angle selection quick and easy. Tough epoxy finish.

BASE: Machined steel back with tough epoxy finish for long wear. Fiberwood base with raised rubber bumpers to help prevent creeping. Measures $13\frac{3}{4} \times 5\frac{1}{2} \times 9\frac{3}{4}$ inches high.

ORDER INFO: Saw not included. Shipping weight 3 lbs. 11 oz. 9 GT 36326 . . . \$16.99

(6) **Tough ABS plastic Miter Box** lets you bevel cut at 45°

CUTTING RANGE: Conventional 45° and 90° angles, plus a unique 45° diagonal slot to bevel cut materials up to $3\frac{3}{16}$ in. high.

BASE: ABS plastic, engineered for extreme rigidity. Front lip bears against workbench to secure miter box. Screwholes for permanent mounting. Measures $11\frac{1}{2} \times 5\frac{3}{4} \times 3\frac{1}{4}$ inches high.

ORDER INFO: Saw not included. 9 GT 36315—Wt. 13 oz. . \$4.99



CRAFTSMAN®
7 1/2-inch
Compound-cut Radial
Miter Saw

Has the versatility
to let you bevel and
crosscut or miter
in one action

7

\$259⁹⁹



CRAFTSMAN®
10-inch
Miter Saw

Lets you
crosscut
or miter
with workpiece
on surface;
bevel with
workpiece
on edge

8

\$209⁹⁹

CRAFTSMAN® motorized Miter Saws

(7 and 8) UL listed. Meet "UL Standard 987 for Safety".

MOTOR: Develops maximum $1\frac{1}{2}$ HP. No-load speed of 5,000 rpm. Ball and roller bearings for smooth operation and long tool life. Blade brake stops blade quickly.

CONSTRUCTION: Aluminum. Thermoset motor housing. Thermoplastic handle. Table slot rotates so table never needs replacing due to cutting. Table $5\frac{1}{2} \times 20\frac{1}{2}$ inches wide. Includes wrench and instructions.

ELEC INFO: See electrical note on page 23. Trigger-type switch.

(7) **CRAFTSMAN® 7 1/2-inch motorized Compound-cut Radial Miter Saw.** Makes accurate crosscuts, miter, bevel and compound cuts in wood, plastics and composition materials.

CUTTING BLADE, CAPACITIES: 7 1/2-in. Kromedge® blade with $\frac{5}{16}$ -inch arbor. See-thru blade guard. Blade locks at any angle from 0° to $47\frac{1}{2}^\circ$, right or left. Positive stops at 0° and 45°, right or left. Quick-release miter lock. Column support pivots from 0° to 45° for bevel and compound cuts. Crosscuts stock up to $8\frac{3}{4} \times 2\frac{1}{2}$ inches thick at 90°; miters stock up to $6\frac{3}{16} \times 2\frac{1}{2}$ inches thick at 45°; bevels stock up to $8\frac{3}{4} \times 1\frac{3}{4}$ inches thick at 45°.

ORDER INFO: See warranty on page 62, "N" suffix note on page 91. 9 GT 2374N—Wt. 65 lbs. . \$259.99

(8) **CRAFTSMAN® 10-inch motorized Miter Saw**

Chop action cuts through wood, plastics and composition materials.

CUTTING BLADE, CAPACITIES: 10-inch Kromedge® blade with $\frac{5}{16}$ -inch arbor. See-thru blade guard. Blade locks at any angle from 0° to $47\frac{1}{2}^\circ$, right or left. Positive stops at 0° and 45°, right or left. Quick-release miter lock. Crosscuts stock up to $5\frac{1}{2} \times 2\frac{1}{8}$ inches thick at 90°; bevels stock up to $3\frac{3}{4} \times 1\frac{1}{2}$ inches thick on edge.

ORDER INFO: See warranty on page 62, "N" suffix note on page 91. Shpg. wt. 46 lbs. 9 GT 2345N . . . \$209.99

QUALITY BY DESIGN

As you look through this catalog, watch for special blueprints labeled "QUALITY BY DESIGN". Examine the features that represent the quality built into every CRAFTSMAN® tool.

In the tradition of the name itself, each CRAFTSMAN® tool is carefully designed, manufactured and tested to give you optimum performance, durability and convenience.

For example, our Contractor's Transit on page 40 is designed for precision performance. It features rack-and-pinion focusing for smooth, responsive control . . . precision-machined fine-motion parts avoid side-play to give proper image control.

Turn to page 27 for our best Leather Work Apron, an example of how durability is built into our products. It is double-stitched for extra strength at stress points. On page 4, our best Circular Saw features a spindle lock to make changing blades fast and easy. Convenience is an integral part of our designs.

Our buying staff evaluates each tool to suggest new features in product design. These suggestions are implemented by our manufacturers, using the finest, most innovative materials and technology available.

And look for our warranties on CRAFTSMAN® tools . . . they clearly indicate our confidence in their superior quality.

New at Sears!

Watch for this phrase
as you shop this specialog

Every year we introduce innovative items to help make your life in the workshop, around the house or on the job site, easier and more rewarding.

For instance, see our entire new line of Professional-quality Miter Boxes on page 2. They include an angle index located 5 inches from the pivot point for extended accuracy. On page 82 you'll find our new Industrial-quality Wet-Dry Vac that even lets you clean up corrosive liquids . . . a "must" for the garage. Anyone who does welding should be sure to check p. 88 for our revolutionary MIG-Welder that feeds wire through the torch. It's economical and gives a better-quality weld than conventional welders. On page 29 we have a new Dual-power Electric Stapler that even lets you staple delicate materials. These are just a few of the many new items you'll find on these pages.

As you can see, we're constantly working to bring you what is expected from "America's Most Complete Tool Catalog" . . . a wide selection of quality tools to help you complete projects with professional-looking results.



See our Clamps on
page 91 for invaluable
help in assembling
your mitered
workpieces



Put cutting power in your hand with a quality CRAFTSMAN® Circular Saw

We have a saw with the power to handle nearly any cutting job from fiberboard to flagstone

CRAFTSMAN® Circular Saws. See electrical note on page 23.

SAW	(1) 5½-inch, ¾-HP Saw	(2) 7-inch, 1¼-HP Saw	7¼-in., 1½-HP Saw (not shown)	(3) 7½-inch, 1½-HP Saw	(4) 7½-inch, 2-HP Saw	(5) 7½-inch, 2½-HP Saw
MOTOR	Develops maximum ¾ HP. No-load speed of 4000 rpm.	Develops maximum 1¼ HP. No-load speed of 4800 rpm.	Develops maximum 1½ HP. No-load speed of 4800 rpm.	Develops maximum 1½ HP. No-load speed of 5200 rpm.	Develops maximum 2 HP. No-load speed of 5400 rpm.	Develops maximum 2½ HP. No-load speed of 5400 rpm.
BEARINGS	Permanently lubricated sleeve bearings		Permanently lubricated ball and sleeve bearings			Perm. lubed ball and roller bearings
GEARS	Spur gearing					Precision helical gearing
BLADE	5½-inch combination blade	7-inch combination blade	7¼-inch combination blade			7½-inch combination blade
CUTTING CAPACITY	Cuts wood to 1¾ in. thick at 90°, 1½ in. thick at 45°	Cuts wood to 2½ in. thick at 90°, 1¾ in. thick at 45°	Cuts wood to 2¼ in. thick at 90°, 1¾ in. thick at 45°	Cuts wood up to 2¼ inches thick at 90°, up to 2 inches at 45°		Cuts wood to 2¾ in. thick at 90°, 2½ in. thick at 45°
HOUSING	High-impact poly- mer gear and motor housing, blade and swing guards. Steel wrap-around base	Thermoset polyester gear and motor housing. Polymer blade guards. Steel wrap-around base with depth adjust- ment. Rear sawdust chute helps keep cutting line clear		Die-cast aluminum gear housing, upper blade guard. Ther- moset polyester mo- tor housing. Dura- ble polymer lower blade guard, han- dle and auxiliary grip for firm 2- hand control. Steel wrap-around base with depth control. Rear sawdust chute	Die-cast aluminum gear housing, blade and swing guards. Thermoset polyester motor housing. High-impact polymer handle with auxiliary grip for 2-hand control. Steel wrap-around base with depth adjustment. Rear sawdust chute helps keep cutting line clear	
ACCESSORIES	Includes blade and wrench	Includes blade and wrench. Order rip guide separately below		Incl. blade, wrench and rip guide	Includes blade, wrench and edge guide with 4-inch face. Can be used with cut-off wheels sold on next page	
WARRANTY	(B) on page 22	(B) on page 22	(B) on page 22	(A) on page 22	(A) on page 22	(A) on page 22
CATALOG NO.	9 GT 1089	9 GT 1090	9 GT 1091	9 GT 1092	9 GT 1095	9 GT 1096
SHPG. WT.	7 lbs.	11 lbs. 8 oz.	9 lbs. 2 oz.	12 lbs. 10 oz.	13 lbs. 5 oz.	14 lbs.
PRICE	\$34.99	\$44.99	\$54.99	\$64.99	\$74.99	\$89.99

Rip Guide for 1¼ and 1½-HP circular saws

9 GT 27679—Shipping weight 7 ounces \$2.99



5½-inch,
¾-HP Saw
\$34.99



7-inch,
1¼-HP Saw
\$44.99




7¼-inch,
1½-HP Saw
\$64.99



7½-inch,
2-HP Saw
\$74.99

QUALITY BY DESIGN
... features like these on
our best Circular Saw
represent the quality
that's built into every
CRAFTSMAN® tool



Rugged 7½-inch, 2½-HP Saw

Makes a deeper cut and
delivers more power than
any other saw on this page

\$89.99

*Sears * Best*



- A** Motor develops maximum 2½ HP so you can cut even masonry, flagstone or metal with the proper blades
- B** Permanently lubricated ball and roller bearings for long tool life
- C** Precision helical gears provide smooth power transfer and maximum power transmission
- D** Die-cast aluminum upper and lower blade guards for durability
- E** Edge guide for accurate straight cuts
- F** Spindle lock helps make changing blades fast and easy

With these accessories you can make precision cuts that used to require a table or radial saw



Miter boards flat or on edge with (1), (4) and (6)

Rip with (1), (3), (4), (5)

Crosscut with (1), (3), (4), (5), (6)

Bevel with (1), (4), (5)

Make joints with (4)

(1) Circular Saw/Router Table Guide

- Lets you rip any length of board, crosscut up to 50 inches
- Adjustable wood fence locks for angle cuts from 0° to 45°
- Provides support for accurate cuts in pieces as large as 4x8 feet

CONSTRUCTION: 45-lb. density fiberboard top, 22¼x60x¾ in. thick. 13-in. square steel sawplate rides on nylon glides between two 60-in. aluminum guide bars. Two removable kerf cut insert strips guide tool. 42-in. long adjustable wood fence locks for angle cuts from 0° to 45°. Maximum cut 1½ in. deep. Steel "A" frame, orange baked-enamel finish. 33½ in. high. Frame folds for convenient storage.

ORDER INFO: For most saws up to 8¼ inches. Circular saw, router not included. Shipped unassembled. See "N" suffix note on page 91.
9 GT 17158N—Shipping weight 59 pounds\$109.99

(2) Outrigger Extension for (1). 12x48x¾-in. thick fiberboard extends to 48 in. from table guide. Steel leg, orange baked-enamel finish. Folds.

ORDER INFO: Brackets, nuts incl. Unassembled.
9 GT 17159C—Shipping weight 15 pounds\$17.99

(3) Cutter's Edge

Acts as a straight guide for making precise straight cuts to 8 ft. long.
CONSTR: Aluminum. Includes 2 rugged locking clamps to keep edge in place and a specially designed joining system for accurate cuts.

ORDER INFO: Use with power tools including circular saws, sabre saws and routers, or with cutting knives; tools not included.
9 GT 17153C—Shipping weight 5 pounds\$19.99

(4) CRAFTSMAN® Circular Saw Table

Holds saw steady to let you make joints, notches, angle and straight cuts with the accuracy of a bench saw.

CONSTRUCTION: Die-cast aluminum table. Provides sturdier support than steel. Table top has ridges to collect sawdust and help keep workpiece flat on table for precise cuts. Two steel table extensions provide large 551-square-inch work surface. 2-inch high self-aligning rip fence. Includes miter gauge for exact angle cuts; polycarbonate see-through blade guard and built-in on/off switch. 19x29x11 inches high. Saw mounts easily beneath table.

ORDER INFO: Fits most Sears saws under 8 inches. Saw not included.
9 GT 25965C—Shipping weight 25 pounds\$72.99

(5) CRAFTSMAN® Saw Guide

18½-in. cutting reach accurately repeats square, bevel or angle cuts. Circular saw (not included) moves along guide for precise cuts. Cutting capacity of 15 inches on 90° cut. Any angle adjustment to 45° left or right. Steel.

ORDER INFO: Hardware included. Won't fit worm-drive saws.
9 GT 1720—Shipping weight 3 pounds 7 ounces\$29.99

(6) CRAFTSMAN® Miter Maker

- Makes fast, accurate cuts in stock up to 2 inches thick
- Easy-to-read scales let you adjust for 0° to 45° angle cuts
- Built-in stop-length gauge for repetitive cuts

Use with your circular saw for fast, accurate mitering. Ideal for picture frames and window moldings. Makes 0° to 45° miter cuts. Maximum cut 3½ inches with 7½-inch blade (not included).

CONSTRUCTION: Structural foam base with aluminum fence. 10½x14-inch long steel sawplate. Saw fastens to sawplate with quick-fastening clamps, included. Sawplate locks in "up" position for easy placement of work and adjustment of fences. Includes two adjustable guide fences, easy-to-read scale for 0° to 45° angle cuts, stop-length gauge for easy repetitive cutting. Ridges on surface to collect sawdust and help keep workpiece flat for accurate cuts. Measures 21x17½x7¼ inches high.

ORDER INFO: Fits Sears, most other circular saws. Circular saw not included. Unassembled.
9 GT 17164C—Shipping weight 11 pounds 2 ounces\$32.99

(7) ¼-inch thick circular saw Cut-off Wheels

Cut-off wheels are designed to cut through tough materials like metals, flagstone or masonry. Fit ½-in. and ¾-in. arbors.

ORDER INFO: Cut-off wheels are not for use on table saws or for cutting wood.

Diameter	Catalog Number	Shipping wt.	Price
Aluminum oxide—for metals			
6 inches	9 GT 64683	7 oz.	\$4.29
7 inches	9 GT 64684	9 oz.	4.69
8 inches	9 GT 64685	11 oz.	4.99
Silicon carbide—for flagstone or masonry			
6 inches	9 GT 64661	6 oz.	\$4.59
7 inches	9 GT 64662	8 oz.	4.79
8 inches	9 GT 64663	9 oz.	5.09

(8) Circular Saw Carrying Case

Permanex® polyethylene case with sturdy double-wall construction, split integral handle. 2 heavy-duty latches. Storage compartment for saw, rip guide. Extra compartment for wrench, blades. 17x14x8 in. wide.

ORDER INFO: 9 GT 1464—Shipping weight 4 pounds\$16.99



CRAFTSMAN® Sabre Saws . . . designed to handle almost all your home or shop cutting jobs and give you years of dependable service




CRAFTSMAN® Sabre Saws let you make these cuts and more:

Guide saw independently or use attachments to make accurate circle or straight-line fine cuts or rips


Tilt base up to 45° left or right for easy bevel cuts

Make intricate scroll cuts easily with scrolling saws (1) and (2)



1/2-HP, Variable-speed Sabre Saw with automatic scrolling mechanism

\$74.99 without blade



QUALITY BY DESIGN

... Features like these on our best Sabre Saw represent the quality that's built into every CRAFTSMAN® tool

- A** 1/2-HP motor delivers the power for faster, easier cuts
- B** Automatic scrolling mechanism allows blade to pivot freely up to 360° in any direction you guide saw, to make cutting intricate patterns almost as easy as cutting straight lines
- C** 1-inch blade stroke allows saw to cut faster and prolongs life of blade
- D** Counterbalance design reduces vibrations for easier, less tiring operation
- E** Ball, roller and sleeve bearings strategically placed to ensure proper tool operation and longer tool life
- F** Reversible base with second, smaller blade opening for finish cuts with less splintering

CRAFTSMAN® Sabre Saws

Blade not included. See electrical note on page 23. Help protect your eyes with safety goggles sold on page 88.

SABRE SAW	(1)	(2)	(3)	(4)	(5)	(not shown)
HP	1/2	1/4		1/2	1/2	
SPEEDS/STROKES PER MIN.	Variable/0-3400	Variable/0-3600		Variable/0-3200	Two/2600, 3200	One/3200
SCROLLING MECHANISM	Automatic; blade swivels 360° in any direction you guide saw	Manual; blade swivels 360° in any direction you turn top knob	None			
SWITCH	Trigger with lock			Slide		
BLADE STROKE	1 inch	3/4 inch		1/2 inch		
STEEL BASE	Tilts up to 45° left or right for bevel cuts; 2 blade openings		Tilts up to 45° left or right for bevel cuts; 1 blade opening			
BEVEL SCALE	Lets you make repetitive bevel cuts quickly and accurately					
PERMANENTLY LUBRICATED BEARINGS	Ball, roller, sleeve for dependable operation	Ball and sleeve		Sleeve		
COUNTERBALANCE DESIGN	For easier, less tiring work			No		
HOUSING	Polymer motor housing, aluminum gear housing. Bend-relief cord.	Thermoset polyester motor and gear housing. Bend-relief cord.		Thermoset polyester motor and gear housing.		
SAWDUST BLOWER	Built-in to help keep cutting line clear					
ACCESSORIES (INCLUDED)	Circle-cutting and straight-edge guide			Straight-edge guide	None	
WARRANTY, PAGE 22	(A)	(A)	(B)	(B)	(B)	(B)
CATALOG NUMBER	9 GT 1729	9 GT 1072	9 GT 1070	9 GT 17215	9 GT 1718	9 GT 1717
SHIPPING WEIGHT	7 lbs. 3 oz.	5 lbs. 13 oz.	5 lbs. 8 oz.	4 lbs. 13 oz.	4 lbs. 11 oz.	4 lbs. 8 oz.
PRICE	\$74.99	\$59.99	\$49.99	\$34.99	\$19.99	\$15.99



Use Sears Credit



1/4-HP, Variable-speed Sabre Saw with manual scrolling mechanism

Just turn top knob to make blade pivot up to 360° in any direction **\$59⁹⁹** without blade



1/4-HP Variable-speed Sabre Saw
\$49⁹⁹ without blade



1/5-HP Variable-speed Sabre Saw
\$34⁹⁹ without blade




1/6-HP Sabre Saws
Two-speed
\$19⁹⁹
without blade
One-speed
\$15⁹⁹
without blade

CRAFTSMAN® Sabre Saw Blades

There's a CRAFTSMAN® blade specially built for almost any home or shop cutting job

- Unlike most other sabre saw blades, CRAFTSMAN® blades are carefully designed to handle specific cutting jobs so you can get more dependable and longer-lasting cutting action
- Wood-cutting blades are made of high-carbon steel, heat-treated and austempered for greater durability
- Metal-cutting blades are made of tough, heat-treated, M-2 high-speed steel
- Teeth on all blades are individually ground to provide the sharpest possible edge for faster, cleaner cuts
- Blades fit all CRAFTSMAN®, Skil, Black and Decker and most other major brand sabre saws



Regular Blades for rough, straight cuts in wood

Finish Blades for fine straight or scroll cuts in wood, plastic or laminate

New at Sears!
Angled Rip Blades for fast cuts in wood; cut 30% faster in soft woods



Metal-cutting Blades for cuts through ferrous and non-ferrous metals

Special-material Blades for cuts in materials from wallboard to leather

Special-purpose Blades for angle, flush wall or joint cuts

(6 thru 19) CRAFTSMAN® Sabre Saw Blades

Type Cut	Item	Teeth per in.	Uses	Length in.	Pkg. of	Catalog Number	Wt. oz.	Per pkg.
Regular cuts	(6)	7	Wood up to 5 inches thick including 4x4's	6	1	9 GT 2875	1	\$1.59
	(7)	7	Wood up to 3 inches thick including 1x4's and 2x4's	3 1/2	2	9 GT 28711	1	1.29
	(8)	10	Smoother cuts in wood up to 3 inches thick	3 1/2	10	9 GT 28715	2	5.99
Finish cuts	(9)	10	Fine cuts in wood, plywood or veneer up to 1 1/2 in. thick	3 1/2	2	9 GT 28712	1	1.49
	(10)	10	Fine, intricate scroll cuts in wood, plastic, laminate to 1 1/2 in. thick	3	2	9 GT 28716	2	6.99
	(11)	20	Extra-fine cuts in wood, plastic or laminate up to 1 1/2 in. thick	3	10	9 GT 2876	1	1.69
Rip cuts	(12)	7	Fast cuts in wood up to 3 inches thick	3 1/2	2	9 GT 28764	2	7.99
	(13)	10	Smoother fast cuts in wood up to 3 inches thick	3	2	9 GT 2876	1	1.89
	(14)	32	Mild ferrous metals, steel rods, pipe, sheet metal up to 1/4 inch thick	3	2	9 GT 28761	1	2.09
Metal cuts	(15)	24	Non-ferrous metals, brass, copper and aluminum from 1/4 to 1/2 inch thick	3	2	9 GT 28725	1	1.29
	(16)	Knife edge	Smooth cuts in wallboard, cardboard, tile, leather, rubber or carpet up to 1/2 inch thick	3 1/2	2	9 GT 28726	1	1.49
	(17)	14	All-purpose; wood or plywood up to 3 inches thick, non-ferrous metals and plastics 1/2 to 2 inches thick	3 1/2	10	9 GT 28701	1	1.69
Special-purpose cuts	(18)	3	Angle cuts in wood up to 5 inches thick by saws with 1-inch or longer blade stroke	3	10	9 GT 28706	2	7.99
	(19)	7	Flush wall or joint cuts and general wood cuts up to 3 in.	3	2	9 GT 28702	1	1.69
	(19)	7	Flush wall or joint cuts and general wood cuts up to 3 in.	3 1/2	1	9 GT 28705	2	7.99
						9 GT 2873	1	1.39
						9 GT 2874	1	1.69
						9 GT 28745	2	7.99
						9 GT 2879	1	1.69
						9 GT 2877	1	1.79

(20) **50-blade Assortment Set with carrying case**
Includes 10 each of these blades shown above: regular-cut (7), finish-cut (9), finish-cut (10), non-ferrous metal (15) and all-purpose (17). Includes plastic carrying case.
9 GT 28574—Wt. 10 oz.Set \$26.99

(21) **14-blade Assortment Set.** Includes these blades shown above: 2 regular-cut (7), 2 regular-cut (8), 2 finish-cut (9), 2 ferrous metal (14), 2 non-ferrous metal (15), 1 knife-edge (16), 2 all-purpose (17), 1 angle-cut (18).
9 GT 28576—Wt. 3 oz.Set \$9.99


Blade Sets



(22) **Blade or Bit Holder**
Keeps extra sabre saw blades or drill bits easy to reach as you work. Attaches to power cord. Snap-open lid. For any Craftsman sabre saw or drill.
ORDER INFO:
Shipping weight 2 oz.
9 GT 2871\$1.99

(23) **Circle-cutting and Straight-edge Guide**
Helps you make accurate circles, intricate curves or straight lines. Use with any Craftsman sabre saw.
ORDER INFO:
Shipping weight 7 oz.
9 GT 27959\$3.99

(24) **Side Cutter Attachment**
Lets you make cuts flush to wall. Fits former sabre saws 9-1726 and 9-1728 only.
ORDER INFO: Shipping weight 5 ounces.
9 GT 27715\$7.99



ALL **Sears** 7

CRAFTSMAN® Routers . . . whether you need a router for light hobby work or heavy-duty woodworking, there's a router here built with features to make your work easier and faster, plus all accept accessories that let you do an almost limitless variety of cutting, grooving or carving jobs




5/8-HP Light-duty Router
\$34.99



3/4-HP Medium-duty Router
\$59.99



1-HP Heavy-duty Router
\$84.99




1 1/2-HP Super Router
With our exclusive dust pick-up system
\$109.99

Without dust pick-up system
\$99.99



MOTOR: Generates no-load speed of 25,000 rpm for clean cuts even in hard woods.
DEPTH GAUGE, CHUCK: Ring-type depth-adjustment gauge with 1/64-in. graduations on all except (1) and (2). All cut from 0 to 1 1/2 in. deep. Collet-type chuck grips bits with 1/4-in. diam. shanks, is designed for easy bit changes. Collet wrench included.
CONSTR: Durable top end-cap provides stable surface for bit changes. Automatic shaft lock on housing holds shaft securely in place so your hands are free for quick, easy bit changes, also helps prevent accidental starts. Large, contoured-grip handles allow easy maneuvering. Smooth-gliding polymer sub-base will not scratch or mar workpiece.
ORDER INFO: See electrical note on page 23, router accessories on pages 9 thru 15.

ROUTER	(1)	(2)	(3)	(not shown)	(4)
HP	5/8	3/4	1		1 1/2
DUST PICK-UP	No				Yes
BEARINGS	Ball, sleeve	100% ball bearings for long, dependable operation			
SWITCH	Slide on housing		Locking trigger on handle		
ZERO-RESET	No		Lets you set depth for quick repetitive cuts		
HOUSING AND BASE	Thermo-plastic	Glass-reinforced thermoset polyester motor housing and end-cap, high-impact thermoplastic handles. Non-glare aluminum base			
WORKLIGHT	No		Helps you view work clearly		
CHIP DEFLECTORS	One		Two		
WARRANTY, P. 22	(B)	(A)	(A)	(A)	(A)
CATALOG NO.	9 GT 1730	9 GT 1731	9 GT 1746	9 GT 1749	9 GT 1743
SHPG. WT.	5 lbs. 6 oz.	7 lbs. 4 oz.	8 lbs. 12 oz.	9 lbs.	9 lbs. 12 oz.
PRICE	\$34.99	\$59.99	\$84.99	\$99.99	\$109.99




QUALITY BY DESIGN

... features like these on our best Router represent the quality that's built into every CRAFTSMAN® tool

- A** 1 1/2-HP motor is powerful enough to cut even the hardest woods
- B** Our exclusive dust pick-up system draws up to 80% of surface dust up through handle and into bag so you can see your work clearly and clean up quickly
- C** Shaft lock automatically holds shaft securely in place so both your hands are free for changing bits... also helps prevent accidental starts
- D** Depth gauge with 1/64-inch graduations has zero-reset feature that lets you make accurate repetitive cuts quickly and easily
- E** 100% ball bearing construction for long, dependable tool operation
- F** Internal worklight illuminates workpiece so you can see work easily
- G** Chip deflectors on both sides of router let you view work closely and help protect you from dust and chips

CRAFTSMAN® Router Accessories

On this and the next 6 pages, you'll find one of the largest selections of router accessories sold anywhere... many are sold exclusively at Sears and can help you turn rough wood stock into a variety of useful and decorative pieces like these:



Picture frames and table tops



Simple or ornate spindles

Decorative doors or panels



TALL FOREST

Multi-dimensional signs or figurines



Joints and moldings

Only at Sears . . .

Our newest CRAFTSMAN® Router Accessories

Easy-to-use Bowl Crafter lets you make these projects with professional-like results

Move template over guide pin to reproduce exact cuts



Make precise repetitive cuts including intricate designs for cabinetwork or simple shapes for plaques on any number of workpieces . . . design your own cut or use template and 10 template patterns included

CRAFTSMAN® Pin Router

Lets you make repetitive cuts on a large number of workpieces easier, faster and more accurately

Use for straight or irregular cuts on cabinetwork, mortise or dovetail joints, furniture repair or any project that requires exact repetitive cuts at least $\frac{3}{16}$ inch deep.

HOW TO USE: Attach back of template to blank piece of wood with blind screws (not included). Place template face down on pin table so groove or cut rests directly on guide pin. Lower router carriage to wood, set desired depth of cut. Move template over pin. Pin will follow only contour of cut so workpiece will move under router in exact pattern as cut on template.

CONSTR: 20x27x1 $\frac{1}{2}$ -in. thick melamine plastic laminated particleboard work table can be mounted to work surface. Adjustable steel guide pin extends $\frac{3}{16}$ in. above work surface, locks in position. Steel carriage arm is welded for extra strength. Cast aluminum router carriage has holes for mounting router. Operating lever has depth indicator for precise depths. Convenient depth-stop gauge controls depth for accurate plunge cuts. Adjustable clear plastic guard lets you view work.

ACCESS: 1 template, 10 template designs, hardware, instr.
ORDER INFO: Fits any Sears router and other routers with 6-in. diameter base. Router and bit not included. Partially assembled. See "N" suffix note on page 91.
9 GT 25153N—Shpg. wt. 42 lbs. \$179.99

CRAFTSMAN® Bowl Crafter

Turns your router into a unique tool for making an almost limitless variety of practical or decorative workpieces

Make bowls in a variety of shapes and diameters from as small as 2 $\frac{1}{2}$ inches (maximum 5 $\frac{1}{4}$ inches high) to as large as 10 inches (maximum 3 $\frac{1}{2}$ inches high).

HOW TO USE: Attach router to carriage and wood stock to motor housing. Motor rotates wood stock slowly (4 rpms). As wood rotates, trace fence and template attached to fence with guide on bottom of router carriage. Router cuts template pattern into wood. Use only with bits at right.

CONSTR: 22x23-inch wide particleboard base with holes for bolting to work surface (bolts incl.). Steel fence, fence support. Depth gauge on fence. Aluminum router carriage with holes for mounting router. Plastic guide with metal support. Aluminum motor housing with plastic cover attaches to base. Motor operates on 110-v., 60-Hz. AC. On/off switch on back of motor housing. Transparent Butyrate plastic shield.

ACCESS: Template patterns for large and small salad bowl with curved or straight sides, dinner plate, candlestick holder, water glass, candy dish and stand, champagne glass, egg cup, and salt and pepper shakers; hardware and instructions.

ORDER INFO: Fits all Sears and other routers with 8-in. diam. base. Router and bits not included. Shipped unassembled.
9 GT 25194L—Shpg. wt. 21 lbs. \$79.99

3-piece Bowl Crafter Bit Set

CONSTRUCTION: Kromedge® bits made of high-speed steel.
SET COMP: Concave, convex and straight-turning bits.

ORDER INFO: For Bowl Crafter only. Sep. prices \$14.97. Wt. 3 oz.
9 GT 21235 Set \$13.99

Outside-convex turning Bit
9 GT 21238—Wt. 1 oz. . \$4.99

Inside-concave turning Bit
9 GT 21236—Wt. 1 oz. . \$4.99

Straight-turning Bit
9 GT 21236—Wt. 1 oz. . \$4.99




CRAFTSMAN® Deluxe Router Table

QUALITY BY DESIGN

... features like these on our best Router Table represent the quality that's built into every CRAFTSMAN® tool

A Sturdy die-cast aluminum table top has ridges that collect sawdust to help keep workpiece flat as you work



Use your router with your router table to make groove and rabbet cuts or shape edges and molding with greater ease and accuracy

11-piece Bit Set

(1) Sears Best CRAFTSMAN® Router Table. Holds router steady for easier, more accurate edging and cutting operations. Router mounts beneath table.

TABLE: Heavy-duty, die-cast aluminum top mounted on stamped steel legs. Cast reinforced ribs underneath top for extra support. 13 1/4 x 18 x 11 in. high.

SAWDUST COLLECTOR: Hooks up to home or workshop vacuum system with 1 1/4 or 2 1/2-inch diameter hose (vacuum and hose are not included).

FENCES: Unitized fences made of die-cast aluminum have holes for mounting wood fences (included); adjust easily together or independently to guide workpiece.

ROLLER PILOT: Built-in adjustable pilot lets you guide workpiece smoothly for precise intricate cuts.

GUARD: Transparent, hinged guard covers moving bit as it rides over workpiece so you can see work easily.

MITER GAUGE: Lets you guide workpiece over bit at exact angle you set. Guided by 3/4-in. slot on tabletop.

ORDER INFO: Hold-down clamp, router and bit not included. Protect your eyes with safety goggles sold on page 88. Shipped unassembled.

9 GT 25443—Shpg. wt. 12 lbs. 2 oz. \$59.99

(2) Hold-down Clamp. Securely holds stock flat on table. Attaches to miter gauge included with tables (1) and (3).

9 GT 29504—Wt. 6 oz. \$5.99

(3) CRAFTSMAN® Heavy-duty Router Table

Like (1), but no roller pilot or sawdust pick-up. Fences adjust independently.

ORDER INFO: Shipping weight 11 lbs. 2 oz.

9 GT 25444 \$49.99

CRAFTSMAN® Steel Router Table (not shown). Steel top, legs. Metal fences have holes for wood fences (not incl.), adj. independently. 13 1/4 x 18 x 11 in. high. Unassembled.

9 GT 25456—Wt. 8 lbs. 6 oz. \$17.99

(4) 11-piece Router Bit Set for decorative edging

CONSTR: Kromedge® bits, steel. 1/4-in. diam. shanks. **SET COMPOSITION:** 3/8-inch cove bit; rabbet bit with pilot for 1/4, 5/16 and 3/8-inch rabbet cuts and 1 5/8-inch surface cuts; 3/16-inch ogee bits; 1/4-inch Roman ogee bit; 3/8-inch and 1/2-inch bead and quarter-round bits; 1/4-inch interchangeable arbor with 7/16 and 1/2-in. solid-type pilots; plastic case.

ORDER INFO: Separate prices total \$44.92, pages 14, 15.

9 GT 25422—Wt. 1 lb. 6 oz. Set \$30.99

Only at Sears . . . CRAFTSMAN® Edge-crafter lets you create round or wavy-edged table-tops or frames

Design your own pattern or use one of these 4 templates included:



(5) Create piecrust table tops, round or oval picture and mirror frames with decorative edges up to 30 inches in diameter.

HOW TO USE: Fits on router table. Remove fence; attach base and overarm assembly to table. Attach adjustable outboard work support to front of table. Center guide and template to pre-cut workpiece. Place workpiece on overarm assembly. Roller-follower assembly traces the outline of template to create interesting, decorative designs.

CONSTR: Steel base and overarm assembly. Nylatron® plastic center bearing assembly. Aluminum overarm slide. Steel adjustable outboard support for work on large pieces.

ACCESS: 4 templates (8-sided scallop, smooth oval, wavy oval, wavy round), instructions.

ORDER INFO: For use with tables (1) and (3) above. Router, table and bits not included.

9 GT 25188—Shipping weight 4 pounds \$28.99

5-piece Bit Set



CONSTR: Kromedge® bits, steel. 1/4-in. diam. shanks.

SET COMP: 1/2-in. core box; 1/4-in. veining; 3/4-in. ogee end-cutter; 1/2-in. edge-rounding; 1/2-in. dbl-bead edging; plastic case.

ORDER INFO: Separate prices total \$22.75 on page 15. Wt. 5 oz.

9 GT 21214 .Set \$18.99

CRAFTSMAN® Dovetail Joint Fixtures


Help you make strong drawer joints that have the quality, hand-made look

Make these joints:


1/4 or 1/2-inch flush joints

1/2-inch offset joints

1/2-inch rabbeted joints



For drawers up to 12 inches deep



(7 and 8) Dovetail Joint Fixtures

HOW TO USE: Guide router through comb teeth. Fixture holds both pieces to be joined for simultaneous cutting.

ORDER INFO: Includes channel plate, comb, clamps and guide bushings.

(7) For drawers up to 12 inches deep Make drawer sides and fronts from 7/16 to 1 in. thick. Makes 1/2-in. flush, offset and rabbeted dovetail joints. Requires bit (43) sold, p. 15. Made of metal and plastic.

9 GT 2571—Wt. 7 lbs. 2 oz. \$44.99

1/4-inch Finger Template (not shown). Adapts (7) for 1/4-inch flush and offset dovetail joints. Requires bit (44) sold on page 15.

9 GT 2574—Wt. 1 lb. 2 oz. \$12.99

(8) For drawers up to 8 inches deep Make drawer sides and fronts from 7/16 to 1 1/8 inch thick. Make 1/2 and 1/4-inch flush and 1/2-inch offset and rabbeted dovetail joints. Requires bits (43) and (44) sold on page 15. Made of fiberglass, steel and plastic.


9 GT 2570—Wt. 3 lbs. 2 oz. \$29.99

Guide Bushing Set (not shown). Black-oxide-coated steel plate with sleeve for bit. Acts as a guide for bit as it moves over templates. Includes 5/16, 7/16 and 5/8-inch diameter sizes.

ORDER INFO: Shipping weight 10 oz.

9 GT 25079 Set \$6.99





Only at Sears . . . CRAFTSMAN® Door and Panel Decorating Kit

Carve a variety of designs, including arcs, on doors and panels up to 36x36 inches wide

(1) Create a variety of designs in doors, panels or drawers up to 36x36 inches wide. Makes repetitive cuts easily.

HOW TO USE: Just snap in corner templates and guide router along rails. Sets up quickly for repetitive cuts. For arcs, place router on radius arm; set radius from 5 to 17½ inches and rotate arm attachment.

CONSTRUCTION: Four 36-inch long extruded anodized-aluminum guide rails; 8 clamps with alignment guides; radius arm attachment.

ACCESSORIES: 7 sets of template corners (four corners per set) and 1 set of blank corners for your own designs.

ORDER INFO: Requires ⅝-inch guide bushings sold on bottom of opposite page. Fits any router with minimum ½ HP motor. Router not included. 9 GT 25472C—Shipping weight 10 pounds 1 ounce Kit \$79.99

(2) 3-piece Decorating Kit Bit Set

CONSTR: High-speed steel bits with carbide tips. ¼-in. diam. shanks.

SET COMP: ½-in. ogee bit, ½-in. classic bit; ½-in. V-groove chamfering bit.

ORDER INFO: Sep. total \$35.27, p. 14. 9 GT 22115—Wt. 6 oz. Set \$29.99

Individual Decorating Kit Bits

See construction at left.

ORDER INFO: Wt. 1 oz.

½-inch Ogee Bit (not shown), 9 GT 25584 \$13.29

½-inch Classic Bit (not shown), 9 GT 25595 \$12.99



Only at Sears . . . CRAFTSMAN® Decorout-or-Planer

Create decorative designs on doors and panels and plane workpieces, including glued-together pieces for table tops, up to 21x42 inches long

Use to carve designs on doors, panels or drawers or to plane a single workpiece or multiple workpieces at one time for flush fitting. Makes repetitive cuts easily. Accepts workpieces up to 21x42 inches long.

HOW TO USE: Guide router carriage assembly on machine rails. For carving designs: router floats freely in carriage along surface of workpiece; move square template bars forward or back and adjust position of corner templates to alter pattern. For planing: lock router into carriage for accurate flat, parallel planing with rabbet bit (not included).


CONSTRUCTION: Durable structural foam carriage assembly with rollers at each corner for moving over template. Round tubular steel machine rails. Square tubular steel template bars. Mounts on plywood or particleboard (not included).

ACCESS: 4 different size templates in 2 styles (provincial and reverse-provincial).

ORDER INFO: For planing, order rabbet bit (30) on page 15. Fits all Sears routers (except 9-1735) and other routers with 6-inch diameter or smaller base. Router not included. See "N" suffix note on page 91. Shipped unassembled.

9 GT 25191N—Wt. 25 lbs. \$94.99

CRAFTSMAN® 3-section Template Clamps plus Butt-hinge Templates



(3) Lets you quickly and accurately mortise doors and jambs; make square or rounded hinges up to 5 in. long on 2 or 3-hinged doors up to 7 ft. high, ¾ to 2½ in. thick; set butt hinges on pre-rabbet door jambs.

HOW TO USE: Attach template clamps to workpiece. Trace templates with a router.

CONSTRUCTION: 3-section template clamp. 3½ and 4-inch butt-hinge templates. Steel bars and aluminum templates.

ORDER INFO: For any router. Requires guide bushings sold on bottom of opposite page. 9 GT 2564C—Shpg. wt. 9 lbs. \$58.99

(4) Butt-hinge Templates alone

See description above. Includes one 3½-inch and one 4-inch long template.

ORDER INFO: Require guide bushings sold at bottom of opposite page.

9 GT 2575—Shpg. wt. 11 oz. \$7.99

(5) Ideal for making chair and table legs or decorative posts up to 3 in. square and 36 in. long. Sets up easily for making exact repetitive cuts.

HOW TO USE: Mount workpiece between headstock and tailstock. Attach router to sliding platform. Set dial for uniform spacing and crank handle to move router. To make full-length cuts, order drive adapter (6) sold separately below.

CONSTR: Die-cast aluminum headstock, tailstock and router platform. Chrome-plated steel tubes and crank. Steel cable. Measures 45x8½x7 inches high.

ACCESSORIES: Includes screws for mounting router and complete instructions.

ORDER INFO: Fits all routers that accept ¼-inch diameter bits. Router not included.

Shipping weight 13 pounds 15 ounces. 9 GT 2525C \$74.99

(6) Drive Adapter for router-crafter (5)

Allows cuts over full length of workpiece. Includes spindle and removable drive center for locating workpiece. Drive adapter is interchangeable with original spindle equipment.

ORDER INFO: Shipping weight 12 ounces. 9 GT 25256 \$10.99

(7) 11-piece Router-Crafter Bit Set

CONSTRUCTION: Kromedge® bits made of high-speed steel. ¼-inch diameter shanks.


SET COMPOSITION: Rabbet bit with pilot for ¼, ⅝ and ¾-inch rabbet cuts and ⅝-inch surface cut; panel-raising bit; ⅝-inch V-groove chamfering bit; ⅝-inch point-cutting ogee bit; ⅝-inch point-cutting quarter-round bit; ½-inch core box bit; ¼-inch veining bit; ¼-inch interchangeable arbor with ⅝ and ¾-inch solid-type pilots.

ORDER INFO: Separate prices total \$43.42 on pages 14 and 15.

Shipping weight 8 ounces. 9 GT 21227 Set \$36.99

CRAFTSMAN® Router-Crafter

Lets your router perform the precision woodworking of a lathe without the need for chisels or intricate measuring



Use Sears Credit



Only at Sears . . . CRAFTSMAN® Rout-A-Signer

Lets you carve block letters and numerals in any height from $\frac{3}{4}$ to $4\frac{1}{2}$ inches . . . includes storage space for templates and bits

(1) Make letters and numbers in any height from $\frac{3}{4}$ to $4\frac{1}{2}$ inches. HOW TO USE: Attach router to unit. Place wood against fence and secure with locking knob. Insert template into frame. Adjust height of character from $\frac{3}{4}$ to $4\frac{1}{2}$ inches and space between characters. (Characters will slant to right depending on size). Trace template with stylus; router carves character. Accepts boards 2 to 10 in. wide, $\frac{1}{2}$ to 2 in. thick, any length (longer boards may need supports, not incl.).

CONSTR: Polystyrene work surface with storage area for 7-piece bit set (2). Quick-release screw-clamping mechanism. Polystyrene router-adaptor and letter frame. Steel bars. Bolts or clamps to workbench (bolts and clamps not included). 30x22x2 $\frac{1}{2}$ in. high.

ACCESS: 26 upper-case block letters and 10 numerals in $1\frac{1}{2}$ and $2\frac{1}{2}$ -inch heights. Polystyrene organizing carousel holds all templates for easy access and storage. Instruction and idea book incl.

ORDER INFO: Fits all Sears routers and other brand routers with 6-in. diam. or smaller base. Router, bits not incl. Partially assembled. 9 GT 2572C—Wt. 10 lbs. 4 oz. \$37.99

(2) 7-piece Router-A-Signer Bit Set

CONSTR: Kromedge® bits made of high-speed steel. $\frac{1}{4}$ -inch diameter shanks.

SET COMPOSITION: $\frac{3}{8}$, $\frac{1}{4}$, $\frac{1}{8}$ -in. straight-face bits; $\frac{1}{2}$ -inch V-groove chamfering bit; $\frac{1}{2}$ -inch core box bit; $\frac{3}{16}$ -inch veining bit; double-end, 45°/60° V-groove bit.

ORDER INFO: Separate prices total \$24.03 on page 15. Shpg. wt. 4 oz.

9 GT 21218 . . . Set \$19.99

(4) Carve letters and numbers in $1\frac{1}{2}$ and $2\frac{1}{2}$ -inch sizes for signs or plaques.

HOW TO USE: Attach clamp to wood, insert template and trace letter with router.

CONSTRUCTION: Steel template holder with quick-release clamp. $\frac{1}{16}$ and $\frac{3}{16}$ -inch diameter bushings.


ACCESSORIES: 26 upper-case block letters and 10 numerals in $1\frac{1}{2}$ and $2\frac{1}{2}$ -inch heights. ORDER INFO: Fits all Sears routers and other brand routers. 9 GT 2573—Wt. 2 lbs. 13 oz. \$14.99

Replacement Template Set (not shown). Includes 26 upper-case block letters in $1\frac{1}{2}$ and $2\frac{1}{2}$ -in. heights; $\frac{1}{16}$ and $\frac{3}{16}$ -in. diam. bushings. ORDER INFO: For (4) and former 9-25182. 9 GT 25181—Wt. 2 lbs. Set \$10.99

Only at Sears . . . CRAFTSMAN® Router-Recreator turns your router into a versatile carving tool for reproducing signs, shapes or figurines in their original sizes



12 Sears ALL



(5) Make exact-size reproductions that look hand-made, including 3-dimensional figurines up to 8x8 in. tall, signs or decorative edges on plaques up to 10x24 in. long, designs on spin-dies up to 24 in. long or gun stocks.

HOW TO USE: Attach router (screws incl.). Mount master and rough stock; trace master with stylus. 3-D masters and rough stock can be mounted vertically or horizontally for 360° cuts.

CONSTR: Steel yoke assembly and pulleys, plastic pulley-guard covers. Particleboard shelf supports. Counter-weight balances unit and assembly travels length of unit so stylus can be moved easily. 27 $\frac{1}{2}$ x23 $\frac{3}{4}$ in. wide.

ACCESS: Two 4x4-in. particleboard mounting blocks. 2 stylus rods provide 3 tips ($\frac{1}{16}$, $\frac{1}{8}$, $\frac{1}{4}$ in.). $\frac{3}{4}$ -in. sleeve, hardware and instructions.

ORDER INFO: Fits all Sears routers and most other routers with 3 to 3 $\frac{3}{4}$ -in. diam. motor body. Router, masters not incl. Unassembled. 9 GT 25189L—Shpg. wt. 38 lbs. . . . \$119.99

(6) 5-piece Router-Recreator Bit Set

CONSTR: Kromedge steel. $\frac{1}{4}$ -in. diam. shank. SET COMP: $\frac{3}{4}$, $\frac{1}{4}$ and $\frac{1}{8}$ -in. straight-face; double-end, 45°/60° V-groove; extra-long carving bit.

ORDER INFO: Shipping weight 4 oz. 9 GT 21216 Set \$16.99

Only at Sears . . .

CRAFTSMAN® Router

Pantograph

Helps you carve 3-dimensional forms and 2-dimensional line drawings, letters and numbers in 40, 50 or 60% size reductions



Includes stencils for 5 distinct letter styles



(3) Make 3-dimensional shapes, 2-dimensional line drawings, letters and numbers in 40, 50 or 60% size reductions from original patterns (letters and numbers can be 3 $\frac{1}{2}$, 4 $\frac{1}{2}$ or 5 $\frac{1}{2}$ inches high with stencils included).

HOW TO USE: Attach router to pantograph base and trace pattern with easy-to-guide stylus.

CONSTRUCTION: Styrene base, 6 $\frac{1}{2}$ x16x $\frac{1}{4}$ in. thick. Tubular steel bars.

ACCESS: 5 letter styles: Old English, Oriental, Script, Modern and Computer. Each style has 26 upper-case and lower-case letters, except Computer style with only upper-case letters. 10 numerals. 10 line drawings. Instruction book. Patterns for 3-dimensional forms not included.

ORDER INFO: Fits all Sears routers and other routers with 6-in. diam. or smaller base. Router not incl. Unassembled. 9 GT 25187C—Shpg. wt. 7 lbs. 8 oz. \$32.99

2-dimensional Router Pantograph (not shown). Similar to (3) except will not carve 3-dimensional forms; use to make line drawings, letters and numbers in 42, 50 and 58% size reductions. Plastic base measures 6 $\frac{1}{2}$ x10x $\frac{1}{4}$ inch thick. Includes 26 Modern-style upper and lower-case letters, 10 numerals and 2 line drawings.

ORDER INFO: Fits all Sears routers and other routers with a 6-inch diameter or smaller base. Router not included. Shipped unassembled.

9 GT 25183C—Shpg. wt. 3 lbs. 11 oz. \$15.99

Replacement Stencil Set (not shown). Includes 5 letter styles: Old English, Oriental, Script, Modern and Computer. Each style has 26 upper and lower case letters except Computer style which has upper-case letters only.

ORDER INFO: For 3-dimensional pantograph (9 GT 25187C) and 2-dimensional pantograph (9 GT 25183C). 9 GT 2518—Shpg. wt. 1 lb. 13 oz. \$9.99



Edge Guide

Laminate Trimmer

Contour Guide

Trammel Point

CRAFTSMAN® Multi-purpose Router Guide

One accessory that can help you perform 4 different cutting jobs

Lets you make accurate edging, contour and full-circle cuts, plus trim or bevel laminate with a single accessory. HOW TO USE: Attach unit to router. Detachable portion of guide replaces router sub-base. Sets up easily for the following operations: butt edge-guide along edge of work-piece and follow along workpiece for straight edging cuts; follow curved edges for contour cuts and grooves; use bracket assembly arm for straight trimming and beveling on laminates; use trammel point attachment to make circle cuts up to 24 inches in diameter.

CONSTRUCTION: Parts of all accessories are made of high-impact-resistant polymer and sturdy steel.

ORDER INFO: Multi-purpose Router Guide fits all Sears routers (except 9-1735). Router and necessary bits are not included. Shpg. wt. 1 lb. 8 oz. 9 GT 25179 \$14.99



We provide the wood for 1 table, plans for eight different table designs and a list of tools you'll need. ... you provide the craftsmanship

Woodworker's Table Kit

Use your CRAFTSMAN® tools and accessories to make one of eight cherry wood tables

KIT INCLUDES: Wood (described below); construction plans for eight table designs (shown above and at left): Pembroke, Butler Tray, Queen Anne with trim (as shown) or without trim, Night Stand with bottom shelf (as shown) or without bottom shelf, Lamp Table and Curio boxed-in (as shown) or open.

WOOD INCLUDED: All the quality kiln-dried solid cherry wood necessary to make one of the eight tables: 2 wood pieces for side rails; 2 pieces for end drawer rails; 2 pieces for end rail and drawer front; 3 pieces for drawer guide; 2 pieces for drawer support; 3 pieces for drawer sides and back; two 20x24-inch glued-up panels, planed and ready to shape as top, drop leaves, etc.; four 2x2x24-inch long stock for legs. Birch plywood provided for drawer bottom.

TOOLS REQUIRED: Power tools, portable electric tools and some hand tools required to complete project. Complete list included.

ORDER INFO: Hardware, glue, glass and finish not included. 9 GT 3066C—Shipping weight 36 pounds Kit \$79.99

Table Plans alone (not shown).

Construction plans for all 8 tables above and at left.

9 GT 3076—Shipping weight 8 ounces \$4.99



Maple

Cherry

Cedar

Ash

Red Oak

Pre-cut Wood for use with routers, shapers and table saws

WOOD: Kiln-dried to 6% moisture content for maximum quality.

SIZES: Package of 4 boards, except cedar with pkg. of 5. Each piece 36 in. long, 1 1/8 in. thick; 5 board feet. Variable widths; one 3 1/2 to 5 in. wide; two 5 1/2 to 7 in. wide; one 7 to 8 in. wide; except cedar with three 3 1/2 to 5 in. wide and two 5 1/2 to 7 in. wide.

Wood	Catalog Number	Wt. lbs.	Pkg.
Maple ...	9 GT 3063C	19	\$16.99
Cherry ...	9 GT 3062C	16	22.99
Cedar ...	9 GT 3067C	14	18.99
Ash ...	9 GT 3061C	19	18.99
Red Oak ...	9 GT 3064C	19	18.99

On this and the next 2 pages . . .

CRAFTSMAN® Router Bits


Fit all CRAFTSMAN® and most other brand routers that accept bits with 1/4-inch diameter shanks

Professional Production-quality CARBIDE-tipped Bits

QUALITY BY DESIGN

... features like these on our best Router Bits represent the quality that's built into every CRAFTSMAN® tool

- A Bits have thicker carbide tips than our conventional carbide-tipped bits (on following page) to make these our most durable, longest-lasting bits
- B Two-flute, high-shear angle design provides faster, smoother cuts
- C Tough, alloy steel bit body provides years of dependable use



(1-16) Professional, Production-quality Carbide-tipped Bits

CONSTR: All bits have an integral 1/4-inch diameter steel shank. All edging bits (1 thru 12) have a ball-bearing pilot for easier cuts.


Bit	Bit Description	Size	Catalog Number	Wt.	Price
(1)	Cove.....	1/2-in.	9 GT 25554	1 oz.	\$24.99
(2)	45° Chamfering.....	3/8-in.	9 GT 25464	1 oz.	23.99
(3)	Rabbet.....	3/8-in.	9 GT 25556	1 oz.	22.99
(4)	Corner Round.....	3/8-in.	9 GT 25536	2 oz.	24.99
(5)	Corner Round.....	1/2-in.	9 GT 25538	1 oz.	23.99
(6)	Corner Round.....	3/8-in.	9 GT 25555	1 oz.	22.99
(7)	Corner Round.....	3/8-in.	9 GT 25537	1 oz.	21.99
(8)	Ogee with Fillet.....	1 1/2-in.	9 GT 25534	1 oz.	29.99
(9)	Roman Ogee.....	1/2-in.	9 GT 25535	1 oz.	27.99
(10)	Roman Ogee.....	3/8-in.	9 GT 25557	1 oz.	29.99
(11)	Classic.....	1 1/4-in.	9 GT 25532	1 oz.	28.99
(12)	Classic.....	1 1/2-in.	9 GT 25533	1 oz.	29.99
(13)	Ogee end-cutting.....	3/4-in.	9 GT 25825	1 oz.	14.99
(14)	Classic.....	3/4-in.	9 GT 25463	1 oz.	14.99
(15)	Panel-raising.....		9 GT 25465	1 oz.	21.99
(16)	Core box.....	3/4-in.	9 GT 25829	1 oz.	14.99

3/4-inch diameter Ball-bearing Pilot (not shown). For converting bits (4 thru 7) sold separately in chart above from corner-rounding bits into beading bits for extra versatility. Steel ball bearing.

ORDER INFO: Shipping weight 1 ounce. 9 GT 25553 \$4.99

QUALITY BY DESIGN

...features like these on our Edging-bit Arbor Sets represent the quality that's built into every CRAFTSMAN® tool



CRAFTSMAN® Edging-bit Arbor Sets

Provide a money-saving way of connecting your edging bits to your router, plus increase the versatility of your edging bits



For Carbide-tipped Bits (4) thru (12) sold below Includes 2 ball-bearing pilots

(1) Includes $\frac{1}{4}$ -inch interchangeable steel arbor, $\frac{5}{16}$ and $\frac{1}{2}$ -inch ball-bearing pilots for easier cuts, slinger, nut and bearing adapter. For use with all Carbide-tipped edging bits (4) thru (12) below. Bits not included. Wt. 3 oz.
9 GT 25895Set \$6.89



For Kromedge® Bits (27) thru (36) sold on opposite page Includes 1 ball-bearing and 1 solid-type pilot

(2) Includes $\frac{1}{4}$ -inch interchangeable steel arbor, $\frac{7}{16}$ -inch ball-bearing pilot for easier cuts, $\frac{3}{16}$ -inch solid-type pilot and nut. For use with all Kromedge® edging bits. (27) thru (36) on opposite page. Bits not included. Wt. 1 oz.
9 GT 25601Set \$4.69

(3) Includes $\frac{1}{4}$ -inch interchangeable steel arbor, $\frac{7}{16}$ and $\frac{3}{16}$ -inch solid-type pilots. For use with all Kromedge® edging bits (27) thru (36) on opposite page. Bits not included.
Shpg. wt. 1 oz.
9 GT 2589Set \$3.49

CARBIDE-tipped Bits

Last up to 15 times longer than bits sold on opposite page

Silver alloy is used to braze carbide tips onto bit bodies to create a more durable, longer-lasting router bit

Bits (4) thru (12) require Arbor Set (1) above



Bits (13) thru (26) have $\frac{1}{4}$ -inch diameter steel shanks



Bit Case

Included with 14-pc. and 25-pc. bit sets

(4 thru 26) Individual Carbide-tipped Bits
CONSTR: Alloy-steel bit body with carbide tip.

Bit	Bit Description	Size	Catalog No.	Wt.	Price
(4)	Cove	$\frac{1}{8}$ in.	9 GT 25575	1 oz.	\$13.29
(5)	Cove	$\frac{3}{16}$ in.	9 GT 25576	1 oz.	12.29
(6)	Rabbet	$\frac{1}{4}$ in.	9 GT 25582	1 oz.	12.49
(7)	Roman Ogee	$\frac{1}{4}$ in.	9 GT 25504	1 oz.	12.29
(8)	Roman Ogee	$\frac{3}{32}$ in.	9 GT 25507	1 oz.	13.29
(9)	Bead and Quarter-round	$\frac{1}{2}$ in.	9 GT 25565	1 oz.	12.69
(10)	Bead and Quarter-round	$\frac{3}{8}$ in.	9 GT 25566	1 oz.	12.49
(11)	Bead and Quarter-round	$\frac{1}{4}$ in.	9 GT 25503	1 oz.	12.99
(12)	Slotting Cutter Set		9 GT 25898	1 oz.	22.99
(13)	Straight-face, 2-fluted	$\frac{3}{4}$ in.	9 GT 25506	1 oz.	11.99
(14)	Straight-face, 2-fluted	$\frac{1}{2}$ in.	9 GT 25527	1 oz.	10.49
(15)	Straight-face, 2-fluted	$\frac{3}{8}$ in.	9 GT 25826	1 oz.	9.49
(16)	Straight-face	$\frac{1}{8}$ in.	9 GT 25525	1 oz.	5.79
(17)	Straight-face	$\frac{1}{4}$ in.	9 GT 25524	1 oz.	5.29
(18)	Dovetail Cutter	$\frac{1}{2}$ in.	9 GT 25505	1 oz.	7.29
(19)	V-groove Chamfering	$\frac{1}{2}$ in.	9 GT 25578	1 oz.	8.49
(20)	Classic Bit	$\frac{1}{2}$ in.	9 GT 25595	1 oz.	12.99
(21)	Ogee	$\frac{1}{2}$ in.	9 GT 25584	1 oz.	13.29
(22)	Comb. Panel Cutter	$\frac{3}{8}$ in.	9 GT 25541	1 oz.	5.49
(23)	Butt-hinge Mortising	$\frac{1}{2}$ in.	9 GT 25551	1 oz.	6.69
(24)	22° Bevel	$\frac{1}{2}$ in.	9 GT 25412	1 oz.	9.49
(25)	Straight Veneer Trimmer	$\frac{1}{2}$ in.	9 GT 25413	1 oz.	9.49
(26)	Comb. Formica Cutter	$\frac{1}{16}$ in.	9 GT 2541	1 oz.	5.29

†Cuts $\frac{3}{8}$ - $\frac{1}{2}$ -inch rabbets

‡Includes $\frac{1}{16}$ -in. kerf, two-wing slotting cutter; $\frac{3}{4}$ -in. two-wing slotting cutter; 2 steel spacer bushings

3-piece Carbide-tipped Bit Set

\$20⁹⁹

SET COMPOSITION: $\frac{3}{8}$ -inch combination panel cutter bit (22); $\frac{1}{2}$ -inch, 22° bevel bit (24); $\frac{1}{2}$ -inch straight veneer trimmer bit (25).

ORDER INFO: Separate prices total \$24.47.

Shipping weight 4 ounces.

9 GT 22114Set \$20.99

14-piece Carbide-tipped Bit Set

\$114⁹⁹

SET COMPOSITION: $\frac{3}{8}$ -inch cove bit (5); rabbet bit (6); $\frac{1}{4}$ -inch roman ogee bit (7); $\frac{3}{8}$ and $\frac{1}{4}$ -inch bead and quarter-round bits (10, 11); $\frac{1}{2}$, $\frac{3}{8}$, $\frac{3}{16}$ -inch straight-face bits (14, 15, 16); $\frac{1}{2}$ -inch V-groove chamfering (19); $\frac{3}{8}$ -inch combination panel cutter (22); $\frac{1}{2}$ -inch butt-hinge mortising bit (23), $\frac{1}{2}$ -inch straight veneer trimmer bit (25); $\frac{1}{4}$ -inch arbor with $\frac{5}{16}$ and $\frac{1}{2}$ -inch ball-bearing pilots (1) above; bit case (on opposite page).

ORDER INFO: Separate prices total \$131.16 here and on opposite page.

Shipping weight 1 pound 4 ounces.

9 GT 22121Set \$114.99

25-piece Carbide-tipped Bit Set

\$219⁹⁹

SET COMPOSITION: $\frac{1}{2}$ and $\frac{3}{8}$ -inch cove bits (4, 5); rabbet bit (6); $\frac{1}{4}$ and $\frac{3}{32}$ -inch roman ogee bits (7, 8); $\frac{1}{2}$, $\frac{3}{8}$ and $\frac{1}{4}$ -inch bead and quarter-round bits (9 thru 11); $\frac{3}{4}$, $\frac{1}{2}$, $\frac{3}{8}$, $\frac{3}{16}$ and $\frac{1}{8}$ -inch straight-face bits (13 thru 17); $\frac{1}{2}$ -inch dovetail cutter bit (18); $\frac{1}{2}$ -inch V-groove chamfering bit (19); $\frac{1}{2}$ -inch classic bit (20); $\frac{1}{2}$ -inch ogee bit (21); $\frac{3}{8}$ -inch combination panel cutter bit (22); $\frac{1}{2}$ -inch butt-hinge mortising bit (23); $\frac{1}{2}$ -inch, 22° bevel bit (24); $\frac{1}{2}$ -inch straight veneer trimmer bit (25); $\frac{3}{4}$ -inch ogee end-cutting bit (13) on page 13; $\frac{3}{4}$ -inch core box bit (16) on page 13; $\frac{1}{4}$ -inch arbor with $\frac{5}{16}$ and $\frac{1}{2}$ -inch ball-bearing pilots (1) above; bit case (on opposite page). ORDER INFO: Separate prices total \$260.75 here and on pages 13 and 15.

Shipping weight 1 lb. 12 oz.

9 GT 22119Set \$219.99

$\frac{1}{2}$ -inch Replacement Ball Bearing and Slinger (not shown). For arbor set (1) above and bits (24) and (25) at left.


ORDER INFO: Shipping weight 1 ounce.

9 GT 25411Set \$2.49

Kromedge® Bits . . . stay sharp up to 5 times longer than ordinary bits

Bits (27) thru (36) require Arbor Set (2) or (3) on opposite page

Bits (37) thru (62) have 1/4-inch diameter steel shanks



(27 thru 62) Individual Kromedge® Router Bits

CONSTRUCTION: High-speed steel bit, precision-ground and fortified with chrome-plated steel.

Bit	Bit Description	Size	Catalog No.	Wt.	Price
(27)	Cove	1/2 in.	9 GT 25571	1 oz.	\$5.49
(28)	Cove	3/8 in.	9 GT 25572	1 oz.	5.29
(29)	45° Chamfering		9 GT 25589	1 oz.	5.49
(30)	Rabbet with pilot		9 GT 25581	1 oz.	6.49
(31)	Ogee	3/16 in.	9 GT 25585	1 oz.	5.99
(32)	Roman Ogee	1/4 in.	9 GT 25588	1 oz.	7.19
(33)	Roman Ogee	3/32 in.	9 GT 25587	1 oz.	6.19
(34)	Bead and Quarter-round	1/2 in.	9 GT 25561	1 oz.	5.99
(35)	Bead and Quarter-round	3/8 in.	9 GT 25562	1 oz.	5.49
(36)	Bead and Quarter-round	1/4 in.	9 GT 25563	1 oz.	4.99
(37)	Straight-face	3/4 in.	9 GT 25529	1 oz.	5.99
(38)	Straight-face	1/2 in.	9 GT 25523	1 oz.	3.89
(39)	Straight-face	3/8 in.	9 GT 25522	1 oz.	2.99
(40)	Straight-face	1/4 in.	9 GT 25521	1 oz.	2.29
(41)	Straight-face	1/8 in.	9 GT 2552	1 oz.	2.09
(42)	Straight-face	1/16 in.	9 GT 25528	1 oz.	1.89
(43)	Dovetail Cutter	1/2 in.	9 GT 25531	1 oz.	5.99
(44)	Dovetail Cutter	1/4 in.	9 GT 2553	1 oz.	4.89
(45)	Panel-raising		9 GT 25568	1 oz.	6.69
(46)	V-groove Chamfering	3/8 in.	9 GT 25579	1 oz.	6.69
(47)	V-groove Chamfering	1/2 in.	9 GT 2557	1 oz.	5.49
(48)	Point-cutting Ogee	3/32 in.	9 GT 25583	1 oz.	7.49
(49)	Point-cutting Quarter-round	3/16 in.	9 GT 25567	1 oz.	4.99
(50)	Core Box	1/2 in.	9 GT 25596	1 oz.	4.29
(51)	Veining	1/4 in.	9 GT 25594	1 oz.	3.29
(52)	Veining	3/32 in.	9 GT 25593	1 oz.	3.09
(53)	Veining	1/16 in.	9 GT 25592	1 oz.	2.89
(54)	Veining	1/8 in.	9 GT 2559	1 oz.	2.69
(55)	Ogee End-cutting	3/4 in.	9 GT 25598	1 oz.	5.99
(56)	Double-end straight/veining	1/8 in.	9 GT 25599	1 oz.	4.59
(57)	Double-end 45°/60° V-groove		9 GT 25545	1 oz.	3.99
(58)	Combination Panel Cutter	1/4 in.	9 GT 2554	1 oz.	3.49
(59)	Butt-hinge Mortising*	1/2 in.	9 GT 2555	1 oz.	4.49
(60)	Edge-rounding		9 GT 25586	5 oz.	4.59
(61)	Double-bead Edging		9 GT 25597	1 oz.	4.59
(62)	Extra-long Carving		9 GT 2569	1 oz.	2.99

*Cuts 1/4, 3/16, 1/8-inch rabbets, 1/16-inch surface cuts

§Can be used with Dovetail Joint Fixtures sold on page 10

*Can be used with Butt-hinge Templates sold on page 11

9-piece Kromedge® Bit Set \$21.99

SET COMP: 3/8-inch cove (28); 3/8-in. bead and quarter-round (35); 3/8 and 1/2-in. straight-face (39, 41); 1/2-in. V-groove chamfering (47); 3/16-in. veining (53); 1/4-in. arbor with 1/16, 3/16-in. solid-type pilots (3) on opp. p.

ORDER INFO: Separate prices total \$27.73 here and on opposite page.

9 GT 21213—Shpg. wt. 5 oz.Set \$21.99

18-piece Kromedge® Bit Set \$52.99

SET COMP: 3/8-in. cove (28); rabbet bit with pilot (30); 3/32-in. roman ogee (33); 3/8 and 1/4-in. bead and quarter-round (35, 36); 1/2, 3/8, 1/4 and 1/8-in. straight-face (38 thru 41); 1/2-in. V-groove chamfering (47); 1/4 and 3/16-in. veining (51, 53); double-end 45°/60° V-groove (57); 1/4-in. arbor with 1/16 and 3/16-in. solid-type pilots (3) on top of opposite page; bit case (at right).

ORDER INFO: Sep. prices total \$64.85 here and opp. p. 9 GT 21217—Shpg. wt. 2 lbs. 2 oz.Set \$52.99

40-piece Kromedge® Bit Set \$139.99

SET COMPOSITION: 1/2, 3/8-in. cove (27, 28); 45° chamfering (29); rabbet with pilot (30); 3/16-in. ogee (31); 1/4, 3/32-in. roman ogee (32, 33); 1/2, 3/8, 1/4-in. bead and quarter-round (34, 35, 36); 3/4, 1/2, 3/8, 1/4, 1/8, 1/16-in. straight-face (37 thru 42); 1/2, 1/4-in. dovetail cutter (43, 44); panel-raising (45); 3/8, 1/2-in. V-groove chamfering (46, 47); 3/32-in. point-cutting ogee (48); 3/16-in. point-cutting quarter-round (49); 1/2-in. core box (50); 1/4, 3/32, 3/16, 1/8-in. veining (51 thru 54); double-end 45°/60° V-groove (57); 1/4-in. combination panel cutter (58); 1/2-in. butt-hinge mortising (59); 1/16-inch carbide formica cutter (26) on opposite page; two 1/4-inch arbors with 2 each of 1/16 and 3/16-in. solid-type pilots (3) on opposite page; bit case (at right).

ORDER INFO: Separate prices total \$166.45 here and on opposite page.

9 GT 21221—Shpg. wt. 2 lbs.Set \$139.99



CRAFTSMAN® Router Case

CONSTR: Permax polyethylene case and handle. Heavy-duty latch. Storage for standard and wing bits and collet wrench. 10 7/8 x 7 3/4 x 14 1/16 in. high.

ORDER INFO: Router, bits and wrench not included. Fits all Sears routers.

9 GT 1470—Wt. 3 lbs. \$16.99

Router Base (not shown). Improves visibility for top-side work. Large diam. hole. Plastic. Will not mar surface. Fits Sears routers.

9 GT 25086—Wt. 2 oz. \$1.99

CRAFTSMAN® Face Shield

Helps protect you from flying debris when using electric tools



CONSTRUCTION: Clear polycarbonate shield. 8 x 11 1/2 inches wide. Adjustable head gear.

ORDER INFO: See our complete selection of safety equipment sold on page 88.

Shpg. wt. 8 oz. 9 GT 18613 \$9.99

Compact Router Bit Case



CONSTRUCTION: Holds 44 bits. Made of durable plastic. Measures 6 1/2 x 3 1/2 inches high.

ORDER INFO: Bits not included. 9 GT 2558—Wt. 12 oz. \$5.99

CRAFTSMAN® Router Bit Sharpening Kit



For most bits with 1/4-inch diameter shank. Attaches to router base. Clamp holds bit. Router collet turns sharpening wheel to sharpen bit.


ORDER INFO: Fits all Sears routers except 9-1735. Router and bit not included. Wt. 1 lb. 10 oz. 9 GT 6650Kit \$29.99

CRAFTSMAN® Router Handbook

Provides instructions on the use of your router, router accessories and other portable electric tools



Features standard and special router, router accessory operations. Other chapters on portable drills, saws, sanders, power planers and rotary grinders. Over 200 operations described and illustrated. 175 pages. 9 GT 2949—Wt. 12 oz. \$7.99



QUALITY BY DESIGN

...features like these on our best Drill represent the quality that's built into every CRAFTSMAN® tool

- A** Permanently lubricated ball, sleeve and roller bearings for long, reliable service
- B** Powerful 2/5-HP motor for easy drilling in even the hardest materials
- C** Double-reduction helical and spur gearing for smooth power transfer
- D** Pin-type spindle lock for fast, easy chuck removal
- E** Die-cast aluminum gear housing for durability
- F** Center-balanced handle for steady control

CRAFTSMAN® 3/8-inch Variable-speed Reversible Drills

For drilling, sanding, polishing, grinding and masonry work



Drill with
1/5-HP motor
\$59⁹⁹



Drill with
1/4-HP motor
\$39⁹⁹



CRAFTSMAN®
Light-duty 3/8-inch
Single-speed Drill
1/5-HP motor for light
household repairs
\$15⁹⁹

Our best Variable-speed Drill has a
3/8-HP motor and removable
side assist handle for 2-hand control

\$79⁹⁹ Bit not included



1

CRAFTSMAN® 3/8-inch Drills. See electrical note on page 23.

DRILL	(1) 3/8-HP Variable-speed Drill	(2) 1/2-HP Variable-speed Drill	1/4-HP Variable-speed Drill (not shown)	(3) 1/4-HP Variable-speed Drill	1/5-HP Variable-speed Drill (not shown)	(4) 1/5-HP Single-speed Drill
MOTOR	Develops max. 3/8 HP. No-load speeds from 0 to 1200 rpm. Trigger lock. Reversible	Develops max. 1/2 HP. No-load speeds from 0 to 1200 rpm. Trigger lock. Reversible	Develops maximum 1/4 HP. No-load speeds from 0 to 1200 rpm. Trigger lock. Reversible		Develops max. 1/5 HP. No-load speeds from 0 to 1200 rpm. Trigger lock. Not reversible	Develops max. 1/5 HP. No-load speed of 1200 rpm. Not reversible
BEARINGS	Permanently lubricated ball, roller and sleeve bearings	Permanently lubricated ball and sleeve bearings	Permanently lubricated sleeve bearings			
GEARS	Double-reduction helical and spur gearing	Double-reduction spur gearing				
CHUCK	3/8-inch capacity. Geared chuck threaded for 3/8-in. x 24 spindle. Pin-type spindle lock			3/8-in. capacity. Geared chuck threaded for 3/8-in. x 24 spindle		
HOUSING	Thermoset polyester motor housing, die-cast aluminum gear housing. Removable side assist handle fits either side	Thermoset polyester motor housing, die-cast aluminum gear housing for added durability. Center-balanced handle		Thermoset polyester motor and gear housing. Recessed pistol-grip handle		
WARRANTY	See warranty (A) p. 22	See warranty (A) p. 22	See warranty (B) p. 22	See warranty (A) p. 22	See warranty (B) p. 22	Warranty (B) p. 22
CATALOG NO.	9 GT 1041	9 GT 1051	9 GT 1049	9 GT 1004	9 GT 1143	9 GT 1142
SHPG. WT.	5 pounds 12 ounces	4 pounds 5 ounces	4 pounds 5 ounces	3 pounds 6 ounces	3 pounds 8 ounces	3 lbs. 10 oz.
PRICE	\$79.99	\$59.99	\$49.99	\$39.99	\$22.99	\$15.99

There's a



High-speed Countersink Bits of hardened tool steel let you drill metal, wood



CRAFTSMAN®
12-pc. Wood
Screw Pilot
Bit Set lets
you countersink,
counterbore




Electricians' Bits let you drill thru wood up to 18 inches thick

(5) High-speed Countersink Bits
CONSTRUCTION: Hardened tool steel, centerless ground. Cut wood, metal. 5 flutes, 82° angle. 1/4-inch shank.
ORDER INFO:
1/2 inch. Shpg. wt. 1 oz.
9 GT 67161 ...\$6.79
3/4 inch. Shpg. wt. 1 oz.
9 GT 67162 ...\$7.79
1 inch. Shpg. wt. 2 oz.
9 GT 67163 ...\$8.29

(6) **CRAFTSMAN®** 12-pc. Wood Screw Pilot Bit Set. Use to countersink and counterbore.
SIZES: For Nos. 4, 5 screws (1/2, 3/4, 1 inch deep); for Nos. 6, 7 screws (3/8, 1/2, 1 inch deep); for Nos. 8, 9 screws (3/4, 1, 1 1/2 inch deep); for Nos. 10, 11, 12 screws (1, 1 1/4, 1 1/2 inch deep).
ORDER INFO: Wt. 8 oz.
9 GT 4201 .Set \$14.99

(7) **CRAFTSMAN®** Electricians' Bits
Carbon steel. For drilling in wood only. 18 inches long. Drills in walls.
ORDER INFO:
1/4-inch diameter. Fits 1/4, 3/8 and 1/2-inch chucks.
Shpg. wt. 8 oz.
9 GT 66931 ...\$10.99
1/2-inch diameter. Fits 3/8, 1/2-in., larger chucks.
Shpg. wt. 12 oz.
9 GT 66932 ...\$13.99
3/4-inch diameter. Fits 3/8, 1/2-in., larger chucks.
Shpg. wt. 14 oz.
9 GT 66933 ...\$21.99

CRAFTSMAN® Bit specially designed to handle whatever drilling job you have



CRAFTSMAN® Drill Bits

- Bits are made of high-speed steel
- Black oxide finish acts as bit lubricant
- Point accurate to .002-in. tolerance
- Exceed Federal Specification GGG-D-751 for strength



(8) 115-pc. Set. 60 wire-gauge bits, 1 thru 60; 29 fractional bits, 1/16 thru 1/2 in. by 64ths of in.; 26 lettered bits, A thru Z. Metal index case. 9 GT 67115—Shipping weight 9 lbs. 2 oz. Set \$219.99

Metal Index Storage Case alone. Wt. 3 lbs. 12 oz. 9 GT 66853 \$42.99

60-pc. Set. As (8), but with 60 wire-gauge bits, 1 thru 60. Case (B) incl. 9 GT 6819—Wt. 1 lb. 8 oz. . Set \$49.99

STANDARD Drill Bit Sets . . . jobber length

Pcs. per Set	Catalog Number	Size, inches (Sizes marked with "X" included in set)																								Shgp. wt.	Sep. prices total	Set price								
		1/16	3/64	1/32	1/64	1/8	3/64	5/32	11/64	3/16	13/64	1/32	15/64	1/4	17/64	9/32	19/64	5/16	21/64	11/32	23/64	3/8	25/64	13/32	27/64	7/16	29/64	15/32	31/64	1/2	lbs.	oz.				
4†	9 GT 67184																	X*					X*			X*					X*	...	7	\$22.46	\$18.99	
7†	9 GT 6803	X	X	X	X	X	X	X																								...	4	6.53	5.99	
10†	9 GT 6805	X	X	X	X	X	X	X	X	X					X																	...	6	11.58	9.99	
13†	9 GT 6807	X	X	X	X	X	X	X	X	X	X	X	X	X				X*														...	7	19.51	16.99	
15†	9 GT 6809	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		X*					X*									...	8	26.79	22.99	
17†	9 GT 6811	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		X*					X*									X*	...	10	35.93	28.99
21††	9 GT 6813	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		X	X	X	X						X*					X*	1	6	49.45	37.99
25††	9 GT 6815	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		X	X	X	X	X	X	X	X	X	X		X		X	X	2	2	73.31	49.99
29††	9 GT 6817	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		X	X	X	X	X	X	X	X	X	X	X	X	X	X	2	11	92.90	69.99	

*Turned-down shank, fits 1/4, 3/8, 1/2-inch drills †Comes with fold-type case (A) ††Comes with index-type case (B)

(9) Short-length Bits. Turned-down shanks fit 1/4, 3/8 and 1/2-inch drills.

Diam.	Length	Catalog No.	Wt.	Each
3/16 in.	2 1/16 in.	9 GT 66364	2 oz.	\$4.49
3/8 in.	3 1/8 in.	9 GT 66365	2 oz.	4.99
1/2 in.	3 7/8 in.	9 GT 66366	3 oz.	5.99
1 in.	3 3/4 in.	9 GT 66367	4 oz.	7.29

(10) Large-diameter Bits. Turned-down shanks fit 1/2-in. drills. 6 in. long.

Diameter	Catalog Number	Wt.	Each
3/8 in.	9 GT 67151	8 oz.	\$13.99
1/2 in.	9 GT 67152	9 oz.	17.99
1 in.	9 GT 67153	13 oz.	27.99

3-piece Large-diameter Bit Set. Includes 3/8, 1/2, 1-in. diameter bits above. Separate prices total \$59.97. 9 GT 67155—Wt. 1 lb. 14 oz. Set \$54.99

(11) Individual STANDARD Drill Bits

Diam.	Length	Catalog Number	Wt.	Price each	Diam.	Length	Catalog Number	Wt.	Price each
1/16	1 1/8	9 GT 66901	3	65c	1/8	4 3/8	9 GT 66936	3	\$2.74
3/64	2	9 GT 66902	3	75c	3/16	4 1/2	9 GT 66917	4	3.09
1/32	2 1/4	9 GT 66903	3	85c	1/4	4 3/4	9 GT 66918	4	3.45
3/64	2 3/8	9 GT 66904	3	89c	5/16	4 3/4	9 GT 66919	5	3.69
1/16	2 3/4	9 GT 66905	3	99c	3/8	4 3/4	9 GT 66934	4	3.79
3/64	2 7/8	9 GT 66906	3	\$1.15	1/2	5	9 GT 66921	5	4.09
1/32	3 1/8	9 GT 66907	3	1.25	5/8	5 1/8	9 GT 66922	6	4.65
1/16	3 1/4	9 GT 66908	3	1.35	1 1/8	5 1/4	9 GT 66923	6	4.99
3/64	3 1/2	9 GT 66909	3	1.55	1 1/4	5 1/4	9 GT 66924	6	5.65
1/32	3 3/8	9 GT 66911	3	1.69	1 1/2	5 1/2	9 GT 66925	6	5.99
1/16	3 3/4	9 GT 66912	3	1.75	1 3/4	5 1/2	9 GT 66926	6	6.55
3/64	3 7/8	9 GT 66913	3	1.85	1 7/8	5 1/2	9 GT 66935	5	6.99
1/4	4	9 GT 66914	4	2.15	2	5 1/2	9 GT 66927	7	7.39
1/8	4 1/8	9 GT 66915	4	2.29	2 1/8	6	9 GT 66928	7	7.99
3/32	4 1/4	9 GT 66916	4	2.69	...	...	...	...	...

METRIC Bits (not shown).

Diam. mm	Length in.	Catalog Number	Wt. oz.	Price each
3.3	2 7/8	9GT66951	3	\$1.09
4.1	3 1/4	9GT66952	3	1.29
4.2	3 3/4	9GT66953	3	1.29
5.0	3 3/8	9GT66954	3	1.49
6.0	4	9GT66955	3	1.89
6.7	4 1/8	9GT66956	3	2.19
7.7	4 1/2	9GT66957	3	2.79
8.0	4 3/4	9GT66958	3	2.89
8.5	4 3/8	9GT66959	3	3.29
8.7	4 3/4	9GT66961	3	3.49
9.0	4 3/8	9GT66962	3	3.59
10.5	5 1/8	9GT66963	4	5.19
12.0	5 1/2	9GT66964	5	6.79
12.8	6	9GT66965	5	9.69
14.0	6 3/8	9GT66966	5	11.99




(12) New at Sears! Split-point Steel and Non-ferrous metal-drilling Bits

Special split-point tip prevents bit from "walking" on flat, smooth and round surfaces

Ideal for car fenders, bumpers, metal cabinets. High-speed steel. Fit 1/4-in., larger electric drills.

Size	Catalog No.	Wt.	Price
3/16	9 GT 67131	1 oz.	\$3.99
3/8	9 GT 67132	1 oz.	4.49
1/2	9 GT 67133	2 oz.	4.99
5/8	9 GT 67134	2 oz.	5.99

4-piece Split-point Bit Set Includes all 4 bits above. Sep. prices total \$19.46. 9 GT 67136—Wt. 6 oz. Set \$18.99



CARBIDE-tipped Bits for masonry, non-ferrous metals

Tempered steel, tungsten-carbide-tipped bits drill non-ferrous metals, stone, brick, concrete, fiber glass, wallboard

(13 thru 17) CRAFTSMAN® Masonry, Non-ferrous metal-boring Bits

CONSTRUCTION: Tempered steel. Tungsten-carbide-tipped. Special flutes remove dust quickly.

(13) Individual Tungsten-carbide-tipped Bits

Size	Shank	Length	Catalog Number	Wt.	Each
1/8	1/8	3	9 GT 67084	1	\$1.19
3/16	3/16	3	9 GT 67085	1	1.99
1/4	1/4	4	9 GT 67328	2	1.59
5/16	5/16	4	9 GT 67087	2	2.99
3/8	3/8	4	9 GT 67086	2	2.49
1/2	1/2	6	9 GT 67325	4	2.89
5/8	5/8	6	9 GT 67088	6	3.49
3/4	3/4	6	9 GT 67089	8	4.89

(14) 7-piece Bit Set. 3/16x3 in. with 3/16-in. shank. 1/4x4, 3/8x4, 1/2x4, 3/4x4, 1/2x6, 3/4x6, 1/2x6 in. with 3/8-in. shanks. Shipping weight 1 lb. 6 oz. 9 GT 67347 Set \$16.99

(15) 6-inch-long Carbide-tipped Impact Masonry Drill Bits. 6-in. bits for rotary percussion impact drills, stand. variable-speed elec. drills. Heat-treated shanks. Milled flute shape. Fit 3/8-in. or larger chucks, except 9 GT 67385 fits all 1/4-in. or larger chucks.

Size	Catalog No.	Wt.	Price
1/4 in.	9 GT 67385	2 oz.	\$1.99
3/8 in.	9 GT 67386	2 oz.	2.49
1/2 in.	9 GT 67387	3 oz.	2.99
3/4 in.	9 GT 67388	4 oz.	3.49

(16) 4-piece Bit Set Includes all four bits in (15). Shipping weight 10 ounces. 9 GT 67389 Set \$9.99

(17) Extra-long 13-inch Carbide-tipped Impact Masonry Drill Bits. 13-inch bits for use in rotary percussion impact drills and standard variable-speed electric drills. Heat-treated shanks. Milled flute shape. Fit 3/8-inch or larger chucks, except 9 GT 67096 fits all 1/4-inch or larger chucks.

Size	Catalog No.	Wt.	Price
1/4 in.	9 GT 67096	4 oz.	\$4.99
3/8 in.	9 GT 67097	5 oz.	5.49
1/2 in.	9 GT 67098	6 oz.	5.99
3/4 in.	9 GT 67099	7 oz.	6.99



(18) Sears 7-piece Wood-boring Drill Bit Set

Precision-ground high-carbon steel. Bore up to 5 in. deep. For 1/4-in. or larger electric drills. Plastic pouch. Imported. Not Craftsman. SIZES: 3/8, 1/2, 3/4, 1, 1 1/4, 1 1/2 and 1 3/4 in. ORDER INFO: Wt. 11 oz. 9 GT 2087 Set \$8.99

CRAFTSMAN® Woodboring Bits of high-carbon heat-treated steel

(19) CRAFTSMAN® 13-piece Power Woodboring Set CONSTRUCTION: Solid high-carbon, heat-treated steel with ground grooved points. Bore with no-jump starts. For smooth holes up to 5 in. deep at any angle (or 10 in. deep with 6-in. extension, included). Precision-ground on 7 separate surfaces. Fits any 1/4-in., larger drill or drill press. Pouch included. SIZES: 1/4, 3/8, 1/2, 5/8, 3/4, 1, 1 1/4, 1 1/2 and 1 3/4 in. 1 5/8-in. size for doorlocks. ORDER INFO: Shipping weight 1 pound 6 ounces. 9 GT 20963 Set \$23.99


CRAFTSMAN® 6-piece Power Woodboring Bit Set (not shown). 3/8, 1/2, 3/4, 1, 1 1/4, 1 1/2 in. sizes. Constructed the same as (19). 9 GT 20964—Wt. 8 oz. Set \$9.69

6-inch Extension alone As shown in (19) at right. 9 GT 20968—Wt. 2 oz. . \$3.09

Individual CRAFTSMAN® Power Woodboring Bits (not shown). Constructed as in (19).

Size	Catalog No.	Wt.	Each
1/4 inch..	9 GT 20951	1 oz.	\$1.49
3/8 inch..	9 GT 20952	1 oz.	1.59
1/2 inch..	9 GT 20953	2 oz.	1.69
5/8 inch..	9 GT 20954	2 oz.	1.69
3/4 inch..	9 GT 20955	2 oz.	1.79
1 inch..	9 GT 20956	2 oz.	1.89
1 1/8 inch	9 GT 20968	2 oz.	1.99
1 1/4 inch	9 GT 20957	2 oz.	1.99
1 1/2 inch	9 GT 20958	3 oz.	2.49
1 3/4 inch	9 GT 20959	2 oz.	2.49
1 7/8 inch	9 GT 20962	3 oz.	2.89
2 inch	9 GT 20961	3 oz.	2.79

With ground grooved points which bore 30% to 50% faster than non-ground bits



CRAFTSMAN®

**1/2-inch
Heavy-duty
Single-speed
Drills for tough
jobs like drilling
in steel, brick
or concrete**



**(1) 1/2-inch
Single-speed Drill
with 3/8-HP motor**

MOTOR, BEARINGS, GEARS: Motor develops max. 3/8 HP. No-load speed of 600 rpm. Permanently lubricated ball-thrust and sleeve bearings. Double-reduction helical gears for smooth operation. Locking trigger switch. Reversing switch for backing out bits.

CHUCK: 1/2-inch capacity. Geared chuck threaded for 1/2-inch x 20 spindle.

HOUSING: Die-cast aluminum gear housing. Thermoset polyester motor housing, primary handle. Thermoplastic auxiliary handles. Center-grip primary handle for balanced control. Removable top assist handle, 4-position "D"-grip rear handle for added control. Primary, rear handles have textured grips.

ELEC. INFO: See electrical note on page 23.

ORDER INFO: See warranty (A) on page 22.

9 GT 1029—Shpg. wt. 6 lbs. 7 oz.\$49.99

1/2-inch Drill has
3/8-HP motor with
ball-thrust and
sleeve bearings

\$49⁹⁹

*Sears * Best*

Our best 1/2-inch Drill has a powerful 1/2-HP motor with permanently lubed ball and roller bearings for long-lasting reliability

\$89⁹⁹

**(2) Sears Best 1/2-inch Single-speed Drill
has a 1/2-HP motor**

MOTOR, BEARINGS, GEARS: Motor develops max. 1/2 HP. Single no-load speed of 575 rpm. Permanently lubed ball, roller bearings for dependable long life. Double-reduction helical gears for smooth power transfer. Locking trigger switch. Toggle-type reversing switch for backing out bits.

CHUCK: 1/2-inch capacity. Geared chuck threaded for 1/2-inch x 20 spindle.

HOUSING: Die-cast aluminum gear, motor housing. High-impact thermoplastic handles. Center-grip primary handle for balanced control. Removable top assist handle, 4-position "D"-grip handle adds control. Primary, rear handles have textured grips.

ELEC. INFO: See electrical note on page 23.

ORDER INFO: See warranty (A) on page 22.

9 GT 1149—Shpg. wt. 8 lbs.\$89.99

**CRAFTSMAN® 3/4-in.,
3/4-HP Rotary/Hammer Drill**



Hammer action produces
up to 25,200 impacts
per minute for
tough drilling jobs in
concrete, brick, stone

Switches from rotary action to hammer action with a twist of the indicator ring.

MOTOR, BEARINGS, GEARS: Develops maximum 3/4 HP. Permanently lubricated ball, roller and sleeve bearings for long tool life. Double-reduction helical and spur gearing for smooth, quiet operation. Variable no-load speeds from 0 to 1,200 rpm. Trigger locks to hold top speed, releases quickly. Reversing switch lets you back out bits easily.

CHUCK: 3/4-inch capacity. Geared chuck threaded for 3/4-inch x 24 spindle.

HOUSING: Thermoset polyester motor housing, die-cast aluminum gear housing. Adjustable depth gauge on side.

ELECTRICAL INFORMATION: See electrical note, page 23.

ORDER INFO: Bit not incl. Warranty (A), page 22. See masonry bits (13 thru 17) on page 17.

9 GT 1811—Shipping weight 6 pounds 7 ounces\$89.99

**(3) Replacement
Chucks.** 3-jaw keyed
chuck for Sears, other
electric drills. Key included.
Heavy-duty steel.

ORDER INFO:

Fits thread 3/8-inch x 24
1/8 to 3/4-in. capacity.

Shpg. wt. 7 oz.

9 GT 2975\$7.99

Fits thread 1/2-inch x 20
3/4 to 1 1/2-in. capacity.

Shpg. wt. 13 oz.

9 GT 2980\$9.99

Chuck Key Holder (not shown). Keeps key on cord.

9 GT 2978—Shipping weight 1 ounce49c

Chuck Key for all 3/4-inch electric drills (not shown).

9 GT 2149—Shipping weight 1 ounce\$1.99

(4) Chuck Keys for electric drills. For chucks listed in chart below. Heavy-duty steel. Order by catalog number.

Fits Jacobs chuck	Fits Supreme chuck	Fits Sears chuck	Catalog Number	Shpg. wt.	Each
1.1A, 1BS	1A, 1T1	9-2972	9 GT 2051	1 oz.	\$1.49
7.7B, 7-1A	H17A, 4A, 4B, 4C, 4T1, 4T2	9-2979 9-2976	9 GT 2073	1 oz.	1.49
MC1, MC2, U4G	B1A, B80A, BM1A, S80A	9-2975 9-29721	9 GT 2058	1 oz.	99c
MC4K61	B13A, B14T33, B14B, B16B, B16A, B16T33	9-2973 9-2980	9 GT 2059	1 oz.	99c

With this wide assortment



**New at Sears!
CRAFTSMAN® Sanding/
Polishing/Buffing Kit**
Sanding discs adhere
to back-up pad with glue
so you sand on full face



**Sander/Polisher/
Buffer Set**
Has 2-position
side handle for
firm, two-hand
control



**CRAFTSMAN®
Wire-wheel Brushes**
Ideal for paint and burr removal,
and cleaning, polishing metal



Drill Sander/Sharpener
Works with your electric
drill to sand wood and
metal, sharpen tools,
knives and blades



**Heavy-duty
Contour Sander**
Cushioning brushes force
abrasive strips into, around
corners, small openings
and curved surfaces



**New at Sears! Drill-operated
Wood-turning Attachment**



**Angle Drill
Head**
Simplifies
drilling in
hard-to-reach
places




Doweling Jig
Drill aligned holes for
joining wood with dowels




Nail Spinner
Lets you set nails even in
fine molding, helps
prevent splitting wood



Impact Drill Attachment
Lets you remove stubborn
nuts and bolts,
easily tighten them



**CRAFTSMAN®
Screw Extractor Sets**
Extractors made of heat-treated
alloy steel for added strength.
Let you remove
broken
screws, bolts,
other
threaded parts



Drill hole
in broken
part. Insert
extractor,
reverse
drill. Part
is removed
without
damaging
threads

of Accessories, your drill can become an invaluable multi-purpose tool

Sanding, Polishing and Buffing Accessories

(5) **CRAFTSMAN® Sanding/Polishing/Buffing Kit.** For fine finishes on cars, new or finished wood, metal. Has swivel joint set in back-up pad; designed to flex to a 30° angle for fine sanding. Converts all 1/4 to 1/2-inch electric drills to a power sander/polisher.

SET COMP: 6-inch diameter rubber back-up pad reinforced with metal plate, has 1/4-inch diameter drill shank; three 6-inch aluminum-oxide abrasive discs (fine, medium, coarse); tube of activator cement; 6-inch lamb's wool and polyester polishing bonnet.
9 GT 28419—Shipping weight 1 ounce.....Set \$6.49

(6) **Sander/Polisher/Buffer Set.** 5-inch diameter. Fits 1/4 and 3/8-inch electric drills. Threads on 3/8-inch x 24 chuck spindle. High-impact plastic housing. 2:1 gear ratio for polishing; 1:2 for sanding.

SET COMPOSITION: 2-position side handle, chuck adapter, 5-inch rubber back-up pad, wool polishing bonnet and 6 assorted sanding discs.
9 GT 26272—Shipping weight 1 pound 6 ounces.....Set \$8.99

(7) **CRAFTSMAN® Crimped Wire-wheel Brushes.** Ideal for paint and burr removal, cleaning and polishing. 3-inch diameter, 1/4-in. steel shank; fits 1/4 to 1/2-in. electric drills. Maximum safe free speed, 10,000 rpm.

9 GT 64902—Fine (.006-in. gauge wire). Wt. 6 oz.\$3.79
9 GT 64903—Coarse (.012-in. gauge wire). Wt. 6 oz.3.69

(8) **Drill Sander/Sharpener.** Accepts 1/4 to 1/2-inch pistol-grip electric drills. Sander/sharpener and polystyrene base sit on workbench. Attach drill to drive shaft on sander/sharpener. Turn on drill to start sander/sharpener. Can be attached to vac hose. 12 3/4x6 7/8x12 1/8 in. high.

CONSTR: Heavy-duty steel rollers, high-impact polystyrene base. Tilt table adjusts for bevel sanding. Includes medium-grit 3x24-in. belt.
ORDER INFO: Drill not included. Order replacement belts below.

9 GT 6681—Shipping weight 8 pounds 2 ounces.....\$34.99

Replacement 3x24-inch Belts for (8) above

9 GT 22307—Fine grit. Shipping weight 1 ounce.....Each \$1.59

9 GT 22308—Medium grit. Shipping weight 2 ounces.....Each 1.59

9 GT 22309—Coarse grit. Shipping weight 2 ounces.....Each 1.59

(9) **Heavy-duty Contour Sander.** Fits 1/4, 3/8-in. electric drills. Includes wheel with 1/2-in. reducer bushing, abrasive coil, adapter for 1/4 or 3/8-in. chucks. 8 brushes. 6-in. diameter 1-in. wide abrasive strips.

ORDER INFO: Drill not included. Order abrasive refills below.

9 GT 64861—Shipping weight 2 pounds.....\$13.99

Abrasive Refills for (9) above

9 GT 64862—Coarse abrasive. Shipping weight 1 ounce.....\$2.39

9 GT 64863—Medium abrasive. Shipping weight 3 ounces.....2.79

9 GT 64864—Fine abrasive. Shipping weight 1 ounce.....2.79

Specialty Drill Attachments

(10) **Drill-operated Wood-turning Attachment.** For almost any 1/4 or 3/8-in. electric drill. Can turn wood up to 16 in. long; 3 to 4 1/2-in. diameter (performance may vary according to power of drill, not included). Drill held securely to headstock with stainless steel mounting clamp. Leveling adjustment screw on headstock allows drill to be leveled. Tailstock slides along tubular rails to length of workpiece, locks securely. Tailstock has leveling feature that allows workpiece to be in perfect alignment with drill; helps eliminate undue wear on drill. Steel toolrest is adjustable horizontally, up and down and front to back to accurately position the workpiece.

CONSTR: Headstock, tailstock and other mounting parts made of extruded aluminum. 6x30x3/4-in. thick fiberboard base. Hardware included.
9 GT 6655C—Shipping weight 8 pounds.....\$24.99

(11) **Angle Drill Head.** Simplifies drilling in hard-to-get-at places like wall studs. Fits 1/4 or 3/8-inch electric drills. Works at 90° angle. High-impact plastic housing. 2-position side handle. 1:1 ratio.

ORDER INFO: Chuck and drill bit not included.

9 GT 26271—Shipping weight 15 ounces.....\$7.99

(12) **Doweling Jig.** Allows straight drilling, precision alignment of holes used for joining wood with dowel rods. Holes for 3/16 thru 1/2-in. drill bits. For 1/4-in., larger electric drills. Revolving turret, 4-in. capacity. Cast-aluminum alloy frame. 8 1/4x3x2 3/4 in.

9 GT 4186—Shipping weight 2 pounds 3 ounces.....\$21.49

(13) **Nail Spinner.** Lets you set finishing nails without pre-drilling. Cracking and splitting are less likely to occur as pounding of nails is eliminated. Use for fine finishing tasks such as trim, molding and frames. Unit chucks firmly into your 1/4 or 3/8-in. drill. Nail is gripped in place by an assembly of 3 balls. Use 4, 6, 8 or 10-penny finishing nails (not included). Made of heavy-duty steel. Drill not included.

9 GT 2601—Shipping weight 2 ounces.....\$5.69

(14) **Impact Drill Attachment.** Compact, lightweight attachment converts your 1/4 or 3/8-in. reversible drill (minimum 1,000 rpm) to an impact wrench. Remove and tighten lug nuts, engine bolts, shock bolts, drive lag bolts, machinery nuts and bolts. Made of Zytel® nylon.

ORDER INFO: Drill not included. Shipping weight 2 pounds.

9 GT 25672—Fits 1/2-inch drive socket.....\$24.99

9 GT 25671—Fits 3/8-inch drive socket.....24.99

(15) **10-piece Screw Extractor and Bit Set**

SET COMPOSITION: 5 alloy steel screw extractors (Nos. 1 thru 5 sq. shanks) and 5 high-speed steel drill bits, sizes 3/64, 1/64, 3/32, 1/4 and 1/2 in. Each bit is coordinated to the correct size screw extractor. Incl. case.

9 GT 20616—Shipping weight 8 ounces.....Set \$13.99


































(16) **5-piece Screw Extractor Set.** Numbers 1 thru 5 square shanks. Made of steel alloy. Includes fold-type polystyrene case.

9 GT 67372—Shipping weight 7 ounces.....Set \$11.99



Carbide-tipped Hole Saws

Last 5 times longer than steel saws



Hole Saws and Plug Cutters

(17) **Carbide-tipped steel Hole Saws.** Cut steel, brass, plastics, wood, aluminum. Use with mandrels (19) or (20).

Diam.	Catalog No.	Shpg. wt.	Price
3/4 in.	9 GT 64108	1 oz.	\$6.79
1 in.	9 GT 64109	1 oz.	7.29
1 1/4 in.	9 GT 64111	1 oz.	7.79
1 1/2 in.	9 GT 64112	2 oz.	7.79
1 3/4 in.	9 GT 64113	2 oz.	8.49
2 in.	9 GT 64114	3 oz.	8.99
2 1/4 in.	9 GT 64115	4 oz.	9.79
2 1/2 in.	9 GT 64116	5 oz.	10.29
2 3/4 in.	9 GT 64117	4 oz.	10.99
3 in.	9 GT 64118	4 oz.	11.49
3 1/2 in.	9 GT 64119	4 oz.	11.49
4 in.	9 GT 64121	4 oz.	12.89
4 1/2 in.	9 GT 64122	5 oz.	13.69

(18) **High-speed steel Hole Saws.** Cut machineable steel, brass, plastics, wood, aluminum and iron. Knock-out slots. Use with mandrels (19) or (20).

Diam.	Catalog No.	Shpg. wt.	Price
3/4 in.	9 GT 2577	1 oz.	\$4.29
1 in.	9 GT 25771	1 oz.	4.29
1 1/4 in.	9 GT 25772	2 oz.	4.79
1 1/2 in.	9 GT 25773	2 oz.	5.29
1 3/4 in.	9 GT 25774	3 oz.	5.29
2 in.	9 GT 25775	3 oz.	5.49
2 1/4 in.	9 GT 25776	4 oz.	6.29
2 1/2 in.	9 GT 25777	2 oz.	6.59
2 3/4 in.	9 GT 25778	3 oz.	7.99
3 in.	9 GT 25779	5 oz.	8.29
3 1/2 in.	9 GT 25791	6 oz.	10.49
4 in.	9 GT 25792	8 oz.	11.29
4 1/2 in.	9 GT 25793	9 oz.	11.79
5 in.	9 GT 25794	10 oz.	13.99

(19) **Pin-drive Mandrel for heavy-duty use.** No-slip pin-drive. For 1 1/2 to 4 1/4-in. saws. Incl. pilot bit.

9 GT 25628—Wt. 10 oz.\$9.49

(20) **Medium-duty Mandrels**

Size 1 has 3/8-in. shank for carbide-tipped saws 3/4 to 1 1/8-in. diameter and for high-speed steel saws 3/4 to 1 1/2 in. Size 2 has 1/2-in. shank for carbide-tipped saws 1 1/4 to 2 1/2-in. diameter and for high-speed steel saws 1 3/4 to 4 1/4 in.

ORDER INFO: Pilot bit included. Shpg. wt. 2 oz.

9 GT 25626—Size No. 1\$4.99

9 GT 25627—Size No. 26.99

Replacement Pilot Bit for (20)

9 GT 25629—Wt. 6 oz.\$2.49

(25) **Steel Bit Case.** For 29-piece jobber-length sets. CONSTRUCTION: Steel. Lifting lid raises bits. Sizes by 64ths of an inch; decimal equivalents. Gray. Meets Federal Specification GGG-C-116b for durability.

ORDER INFO: 9 GT 66852—Shipping weight 1 lb. 6 oz.\$4.99

(26) **CRAFTSMAN® Bit Case.** For 21-piece bit set. CONSTRUCTION: Polystyrene plastic. Sizes by 64ths of an inch; decimal equivalents.

ORDER INFO: 9 GT 6838—Shipping weight 1 lb. 6 oz.\$5.99

5-piece Carbon Steel Hole Saw Kit (not shown). Incl. 1 1/4, 1 1/2, 1 3/4 and 2 1/2-inch carbon-steel hole saws, pin-drive mandrel for saws above, other 1 1/2 to 2 1/2-inch saws.

9 GT 28787—Shipping wt. 9 oz.Kit \$11.99

5-piece High-speed Steel Hole Saw Kit (not shown). Includes 1 1/4, 1 1/2, 1 3/4 and 2 1/2-inch high-speed steel hole saws (last longer than carbon-steel hole saws above), No. 2 medium-duty mandrels, plastic case.

9 GT 25761—Wt. 1 lb. 7 oz.Kit \$29.99

5-piece Large-size Hole Saw Kit (not shown).

KIT COMPOSITION: Includes 3, 3 1/2, 4 and 4 1/4-inch carbon-steel hole saws, mandrel for all four hole saws and plastic case.

9 GT 28788—Wt. 1 lb. 14 oz.Kit \$16.99

(21) **Drill Press Work Arbor.** Fits 1/2-inch drill chuck, has 1/2-20 threads. Use with buffing wheels to 8-inch diameter or use with sanding drum 9 GT 25246 on page 26.

ORDER INFO: 9 GT 26445—Shipping wt. 5 oz.\$9.99

(22) **Door Lock Installation Kit**

Lets you easily install locks in wood doors.

KIT COMP: Incl. 2 1/2, 1 1/2 and 1 1/4-in. hole saws; mandrel; 1 1/2-in. wood bit; plastic case.
9 GT 25751—Shipping wt. 14 oz.Kit \$9.49

(23) **Hole-cutting Kit for tile.** Fits 1/4-in., larger electric drills. For ceramic tile, cement and asbestos board.

KIT COMPOSITION: 1-in. and 3/4-in. diameter carbide-tipped hole saws, mandrel with 1/4-in. carbide-tipped masonry bit, mandrel adapter with washer, 1/2x3-in. long masonry drill bit, plastic case.

9 GT 25752—Wt. 1 lb. 2 oz.Kit \$19.99

(24) **Self-extracting Wood Plug Cutters**

Many uses in furniture, flooring, marine applications. Self-extracting cutters remove plugs without prying, twisting. Cutters of high-speed steel hold their cutting edge.

ORDER INFO: For wood up to 3/4 inch thick.

3/4-inch Cutter. Cuts hole 3/4-inch in diameter.

9 GT 67164—Shipping wt. 1 oz.\$3.99

1/2-inch Cutter. Cuts hole 1/2-inch in diameter.

9 GT 67165—Shipping wt. 1 oz.\$3.99

3/8-inch Cutter. Cuts hole 3/8-inch in diameter.

9 GT 67166—Shipping wt. 2 oz.\$3.99

3-piece Cutter Set. Includes 3 cutters above.

9 GT 67168—Shpg. wt. 4 oz.Set \$10.99




Charger included



Two-speed Drill
\$69.99

Dual-range Variable-speed Drill
lower range allows higher torque for drilling metal or driving screws; higher range allows faster speed for drilling in soft materials
\$99.99



CRAFTSMAN® 3/8-in. Cordless Reversible Drills

Let you work anywhere... recharge in one hour

(1 and 2) BEARINGS, GEARS: Permanently lubricated ball thrust and sleeve bearings. Double-reduction gearing for extra torque. Reversing switch to back out bits quickly and easily.

CHUCK: Geared chuck with 3/8-inch capacity. Threaded for 3/8-inch x 24 spindle.

HOUSING: Thermoset polyester.

(1) Two-speed Drill

MOTOR: 2 no-load speeds: 100, 300 rpm (max. on full charge).

ELEC. INFO: "Ready-light" indicates full charge. Thermostat prevents overcharge. Rechargeable up to 1000 times. Charger runs on 110-120-v., 60-Hz. UL listed. 6-ft., 2-wire cord.

ORDER INFO: Warranty (A), p. 22. Includes chuck key. Wt. 4 lbs. 9 GT 1116...\$69.99

(2) Dual-range Variable-speed Drill


MOTOR: 2 no-load speed ranges: 0 to 250, 0 to 750 rpm (max. on full charge). ELEC INFO: Remove energy power-pack from bottom of handle, plug into charger. "Ready-light" indicates full charge. Thermostat prevents overcharge. Rechargeable up to 1000 times. Charger runs on 110-120-v., 60-Hz. AC. UL listed. 6-ft., 2-wire cord.

ORDER INFO: Warranty (A), p. 22. Includes chuck key. Order extra power-pack below for continuous operation. 9 GT 1112—Shpg. wt. 7 lbs.\$99.99

Extra Energy Power-pack. Includes chuck key. 9 GT 11121—Shpg. wt. 1 lb.\$29.99

3

4



(3) New at Sears! CRAFTSMAN® 30-pc. Power Screwdriver/Nutdriver Bit Set. For 1/4-inch and larger electric drills. Bits of alloy tool steel.

SET COMP: 4 Torx® bits (Nos. T-15, 20, 25 and 30); 4 Phillips bits (Nos. 0, 1, 2, 3); 3 square-drive bits (Nos. 1, 2, 3); No. 3 clutch bit; 5 hex bits (3/64, 3/32, 1/16, 1/8 and 3/16 in.); 2 slotted bits (5-6, 8-10); seven 1/4-in. hex-shank power nut drivers (3/16, 1/4, 5/16, 3/8, 1/2 and 5/8 in.); 2 plastic finders, 1/4-in. magnetic holder and a polyethylene case.

Shpg. wt. 1 lb. 2 oz. 9 GT 25654.....Set \$26.99

New at Sears! CRAFTSMAN® 7-piece Power Nutdriver Bit Set (not shown). For 1/4-inch and larger electric drills. Bits of alloy tool steel.

SET COMPOSITION: Seven 1/4-inch hex-shank power nut drivers (3/16, 1/4, 5/16, 3/8, 1/2 and 5/8 in.). 9 GT 25655—Wt. 6 oz. .Set \$5.99

(4) New at Sears! CRAFTSMAN® 13-pc. Power Screwdriver/Nutdriver Bit Set, with case. For 1/4-in., larger electric drills. Steel bits, carbon steel drivers.

SET COMPOSITION: 2 Phillips bits (Nos. 1 and 2); 2 spade bits with plastic finders for Nos. 6 thru 10 slotted screws; seven 1/4-in. hex-shank power nut drivers (3/16, 1/4, 5/16, 3/8, 1/2 and 5/8 in.). Plastic case. 9 GT 25653—Wt. 9 oz.Set \$7.99

CRAFTSMAN® 7-pc. Screwdriver Bit Set with case (not shown). For 1/4-in. and larger electric drills.

SET COMPOSITION: Includes 2 spade bits with finders for Nos. 6 thru 10 slotted screws; Phillips bits Nos. 1 and 2; adapter for 1/4-in. square drive. Plastic case. 9 GT 25655—Shpg. wt. 5 oz. .Set \$4.29

Phillips Replacement Bits. Pkg. of 2. 9 GT 2581—No. 1. Wt. 1 oz. .Pkg. \$1.49 9 GT 2583—No. 2. Wt. 1 oz. .Pkg. 1.49

Slotted Screwdriver Bits. Pkg. of 2. 9 GT 2585—Small. Wt. 1 oz. .Pkg. \$1.49 9 GT 2587—Large. Wt. 1 oz. .Pkg. 1.49

(5 and 6) Drill Bit Sharpeners. Use with CRAFTSMAN® and other drill bits. Accepts sizes 1/8, 3/64, 1/32, 1/16, 1/8, 3/32, 1/4, 5/32, 3/8, 1/2, 5/8 inch. Resharpens dull or broken carbon and high-speed twist drill bits. Not for carbide-tipped drill bits.

(5) Drill-operated Bit Sharpener HOW TO OPERATE: Your drill provides power. Tighten drill chuck around shaft at bottom of sharpener, place bit through proper sized hole at top and start drill. Fits 1/4 or 3/8-inch drills.

ORDER INFO: Drill not included. 9 GT 6680—Shpg. wt. 2 lbs. 7 oz.\$19.99

(6) Electric Bit Sharpener HOW TO OPERATE: Place bit through proper size hole, apply pressure. Develops 1/2 HP at 3000 revolutions per minute.

ELECTRICAL INFORMATION: Double-insulated, needs no grounding. UL listed. 110-120-v., 60-Hz. AC. 5-ft., 2-wire cord.

ORDER INFO: See warranty (A) on page 22. 9 GT 6682—Shpg. wt. 4 lbs. 4 oz.\$37.99

(7) Heavy-duty Electric Bit Sharpener HOW TO OPERATE: Lock 1/2 to 1/2-inch bit into swing-head, lower to sharpening position. Knob controls bit feed to sharpener. Not for carbide-tipped bits.

CONSTR: Self-contained wheel dressing system, diamond-tipped dresser. Heavy-duty ball-bearing, induction-type motor; no-load speed of 3550 rpm. Calibrated feed control. 1 1/4x9 1/2x8 3/8 inches.

ELEC. INFO: Double-insulated. UL listed. 110-120-v., 60-Hz. AC. 5-ft., 2-wire cord.

ORDER INFO: See warranty (A) on page 22. 9 GT 6684C—Shpg. wt. 18 lbs.\$239.99

(8) 1-position, heavy-duty Drill Stand For all 1/4, 3/8 and 1/2-inch drills. Use in vertical position only.

COLUMN, BASE: Tubular steel column, 20 in. high. Adjustable rack-and-pinion depth control locks from 0 to 2 1/2 in. 6-in. throat depth. Cast-aluminum base, 7 1/2x7 1/2 in.

SWING-AWAY TABLE: Table tilts and locks at any point.

ORDER INFO: Shipped unassembled. Drill not included. Order vise (9) below.

Shpg. wt. 14 lbs. 2 oz. 9 GT 25987C.....\$54.99

(9) Vise for stands (8) and (10)

Aluminum base, 4 inches long, 2-inch opening. Bolt to drill stand. Holds work-piece securely for precise drilling.

ORDER INFO: Drill, bolts not included. 9 GT 2597—Wt. 1 lb. 3 oz.\$14.99

(10) 2-position, medium-duty Stand Stand lets you drill in vertical position, sand and grind in horizontal position. Stand is for 1/4-inch and 3/8-inch pistol-grip drills except 9-1148.

COLUMN, BASE: Tubular steel column, 18 in. high. Locking depth gauge from 0 to 2 1/2 in. with automatic return. Throat depth is 4 1/2 in. Protective grinding guard. Cast-aluminum base, 6x6 in. SWING-AWAY TABLE: Tilts.

ORDER INFO: Shipped unassembled. Drill not included. Order vise (9) above. 9 GT 25926—Wt. 8 lbs. 3 oz. . \$29.99

(11) 1-position, medium-duty Drill Stand

For 1/4 and 3/8-in. pistol-grip drills except 9-1148. Vertical position only.

COLUMN, BASE: Tubular steel column, 18 in. high. Locking depth gauge from 0 to 2 1/2 in. with automatic return. 4 1/2-in. throat depth. Cast-aluminum base, 6x6 in.

ORDER INFO: Shipped unassembled. Drill not included. 9 GT 25921—Wt. 7 lbs. 2 oz. . \$19.99

(12) Portalalign® Drill Guide

Holds 1/4-inch and 3/8-inch portable electric drills steady for accurate perpendicular and angle drilling

USES: Helps you make perfect holes when cutting even the most difficult stock. Lightweight enough to be easily hand-held. Automatically centers on round stock, narrow edges. Drill at 90° to surface or at precise angles. Repetitive depth control. Use in vertical or horizontal position as a drill press, sander or shaper with proper accessories.

CONSTRUCTION: Steel rods and spindle. Cast aluminum base and adapter. Protective bottom pad. Adjustable depth control. ASSEMBLY: Remove chuck and attach the drill to threaded shaft of adapter.

ORDER INFO: Drill not included. 9 GT 11227—Wt. 3 lbs. 2 oz.\$19.99

CRAFTSMAN® Drill Stands

1-position heavy-duty Stand for all 1/4, 3/8 and 1/2-in. drills
\$54.99

Vise (9) for stands (8), (10)

Stand (10) adjusts to horizontal position for grinding, sanding

Stand (10) 2-position Stand \$29.99

Stand (11) 1-position Stand \$19.99

CRAFTSMAN® medium-duty Stands for 1/4 and 3/8-in. pistol-grip drills

Center precisely on round stock

Gives support for angle drilling

Perfect for installing locks in doors

Drill Bit Sharpeners



CRAFTSMAN® Electric Sharpener
\$37.99

Drill-operated Sharpener
\$19.99



CRAFTSMAN® Heavy-duty Electric Sharpener
\$239.99



CRAFTSMAN® Belt Sanders . . . the right tools for primary and heavy-duty wood sanding—tackle any large, rough surface quickly

CRAFTSMAN® Belt Sanders. See electrical note on page 23.

BELT SANDER	(1) 3/4-HP Sander	(2) 1-HP Sander with dust pick-up	1-HP Sander (not shown)	(3) Heavy-duty 1 1/2-HP Sander with dust pick-up
MOTOR	Max. 3/4 HP. No-load speed 1300 feet per minute	Develops maximum 1 HP. No-load speed of 1300 feet per minute		Develops maximum 1 1/2 HP. No-load speed of 1300 feet per minute
BEARINGS	Perm. lubed ball roller and sleeve bearings	Permanently lubricated ball and sleeve bearings		Permanently lubricated ball, roller and sleeve bearings on motor and drive train
GEARS	Combination spur gearing and timing drive belt			
HOUSING	High-impact polymer housing. Trigger switch with lock. Auxiliary grip and belt cover	Combination high-impact polymer and thermoset polyester housing. Trigger switch with lock. Auxiliary grip and belt cover. Dust pick-up on (9 GT 1175) only		Die-cast aluminum gear housing. Thermoset polyester motor housing. Trigger switch with lock. Auxiliary grip. Aluminum belt cover; non-glare finish. Steel wear strip. Dust pick-up
SANDING SURFACE	3 x 4.7 inches (14 square inches). Uses 3 x 21-inch sanding belt. Sands flush to vertical surfaces			4 x 6 in. (24 sq. in.). Uses 4 x 24-in. sanding belt. Sands flush to vertical surfaces
WARRANTY	(A) on page 22	(A) on page 22	(A) on page 22	(A) on page 22
CATALOG NO.	9 GT 1170	9 GT 1175	9 GT 1172	9 GT 1178C
SHPG. WT.	8 lbs. 5 oz.	12 lbs. 8 oz.	10 lbs. 6 oz.	17 lbs. 9 oz.
PRICE	\$69.99	\$99.99	\$84.99	\$129.99

(4) Tool Case

For belt sander (1) only. Double-wall Permanex polyethylene. 16x10 1/2 x 6 1/2 in. high. 9 GT 1475—Shipping weight 2 lbs. \$16.99

(5) Belt Sander Finishing Stand

Fits most Sears belt sanders with 3 or 4-in. wide sanding surfaces. Steel. 17 1/4 x 11 x 13 1/4 in. high overall. Table is 6 x 11 in. 9 GT 25966—Shpg. wt. 7 lbs. 3 oz. \$24.99

Dust Pick-up (not shown). Fits pad sander (10) below and belt sanders 9 GT 1172 above, former 9-1176 only. Attach to shop vac and sander. 9 GT 11765—Shipping weight 1 lb. 8 oz. . . . \$12.99

Belt Sander Finishing Stand holds sander horizontally for heavy sanding, vertically for light touch-ups



3/4-HP, 1/2-sheet Dual-motion Sander
\$34.99



CRAFTSMAN® Dual-motion Pad Sanders
Orbital-motion for medium-duty sanding and straight-line motion for fine finishing

1/2-HP, 1/2-sheet Dual-motion Sander with dust pick-up
\$59.99



3/4-HP, 1/2-sheet Dual-motion Sander
\$49.99

(6 thru 10) CRAFTSMAN® Pad Sanders. See electrical note on page 23.

PAD SANDER	(6) 1/4-HP Orbital-motion	(7) 1/2-HP Dual-motion	(8) 1/4-HP Dual-motion; with dust pick-up	(9) 3/4-HP Dual-motion	(10) 1/2-HP Dual-motion; includes dust pick-up
MOTOR	Max. 1/4 HP. No-load speed of 9200 orbits per min. Slide on/off switch	Max. 1/2 HP. No-load speed 4000 orbits or strokes per min. Slide power switch. Slide motion lever	Max. 1/4 HP. No-load speed 4000 orbits or strokes per min. Slide power switch. Slide motion lever	Maximum 3/4 HP. No-load speed 4000 orbits or strokes per min. Slide power switch. Slide motion lever	Develops maximum 1/2 HP. No-load speed of 4000 orbits or strokes per minute. Has locking trigger switch with quick release. Slide lever changes motion
BEARINGS	Ball and sleeve bearings				Permanently lubed ball and roller
GEARS	Single-reduction spur gearing				Single-reduction helical gearing for smooth power transmission
HOUSING	Thermoset polyester. Front assist handle for 2-hand control	Thermoset polyester. Front assist handle for two-hand control. Counterbalance design reduces vibrations and operator fatigue	Thermoset polyester. Front assist handle. Closed handle for sturdiness. Counterbalanced	Thermoset polyester. Front assist handle. Closed handle for sturdiness. Counterbalanced	Thermoset polyester handles, motor housing and gear housing. Front assist handle for 2-hand control. Counterbalance design reduces vibrations, operator fatigue
SANDPAPER SIZE	Uses 1/2-sheet. 3 3/4 x 9 in. Clamp with quick-change lever			Uses 1/2-sheet. 4 1/2 x 11 in.; (10) also uses 4 1/2 x 9 1/2-in. adhesive-backed paper sold below. Clamp with integral quick-change lever	
WARRANTY	(B) on p. 22	(B) on page 22	(A) on page 22	(B) on page 22	(A) on page 22
CATALOG NO.	9 GT 1062	9 GT 1163	9 GT 1165	9 GT 1169	9 GT 1068
SHPG. WT.	4 lbs. 4 oz.	5 lbs. 9 oz.	7 lbs. 4 oz.	7 lbs. 8 oz.	10 lbs. 4 oz.
PRICE	\$21.99	\$34.99	\$59.99	\$49.99	\$89.99

Lamb's Wool Polishing Bonnets (not shown).

9 GT 2530—For 1/2-sheet sanders. Wt. 2 oz. \$1.49 9 GT 2537—For 1/2-sheet sanders. Wt. 3 oz. \$1.99

Adhesive-backed Non-clogging Stearate Sanding Sheets for (10) only

4 1/2 x 9 1/2 inches. Fine has silicon-carbide abrasive, medium and coarse have aluminum-oxide abrasive. Pkg. of 5.

9 GT 25351—Fine (Grit No. 180). Shipping weight 2 ounces Package \$2.19

9 GT 25352—Medium (Grit No. 80). Wt. 3 oz. Pkg. \$2.19 9 GT 25353—Coarse (Grit No. 50). Wt. 4 oz. Pkg. 2.19



QUALITY BY DESIGN

... features like these on our best Belt Sander represent the quality that's built into every CRAFTSMAN® tool

- A Auxiliary grip for firm 2-hand control
- B Our most powerful motor on a belt sander develops 1 1/2 HP for your roughest sanding jobs
- C Permanently lubricated ball, roller and sleeve bearings for long tool life
- D 4x6-inch sanding area provides 24 square inches of sanding surface
- E Base has steel wear strip for smooth sanding surface
- F Dust pick-up helps keep work area clean



\$129.99 Sanding belt not included



1/2-HP, 1/2-sheet Dual-motion Sander with dust pick-up
\$89.99

7-in., 1¼-HP Disc Sander

The right tool for auto body work and sanding

\$119⁹⁹

1

CRAFTSMAN® Portable Electric Sanders and Grinders

Choose the tool that's just right for any grinding or sanding job you've got, from auto body repair to finishing furniture

(1 and 2) BEARINGS, GEARS: Permanently lubricated ball bearings for long tool life. Efficient, low-friction spiral bevel gears for smooth power transfer.

HOUSING: Thermoset polyester motor housing. Die-cast aluminum gear housing. High-impact polymer handle. Removable assist handle fits on either side of tool, gives added control. ½-inch spindle with spindle lock. Rubber bumper, hang-up bail.

ELECTRICAL INFORMATION: See electrical note on next page.

(1) CRAFTSMAN® 7-inch, 1¼-HP Disc Sander MOTOR: Develops maximum 1¼ HP. Has single no-load speed of 4,600 rpm.

ACCESSORIES: Includes 3½-inch rubber pad and 7-inch fiber pad.

ORDER INFO: See warranty (A) below.
9 GT 1057—Shipping weight 12 pounds....\$119.99

(2) CRAFTSMAN® 9-inch, 1½-HP Disc Sander/Grinder

MOTOR: Develops maximum 1½ HP. Has single no-load speed of 4,600 rpm.

ACCESSORIES: Includes 9-inch grinding wheel, guard, 4½-inch rubber pad and 9-inch fiber pad.

ORDER INFO: See warranty (A) below.
9 GT 1058—Shipping weight 14 lbs. 12 oz. \$149.99

(3) Grinding Wheels. Aluminum oxide. For fine-finish grinding. Fits ½-inch spindle.

Diameter	Catalog Number	Shipping weight	Price each
7 in.	9 GT 64101	1 lb. 6 oz.	\$7.19
9 in.	9 GT 64102	2 lbs. 2 oz.	8.49

(4) Sanding Discs. Aluminum-oxide abrasive with fiber backing. Package of ten.

Diam.	Grit No.	Catalog Number	Wt. pkg. lbs. oz.	Price Pkg.
7 in.	80/Fine	9 GT 25299	1	\$8.19
	50/Med.	9 GT 25291	1 3	8.19
	36/Coarse	9 GT 25292	1 2	9.29
9 in.	80/Fine	9 GT 25287	1 10	12.19
	50/Med.	9 GT 25288	1 15	12.89
	36/Coarse	9 GT 25289	2 2	13.59

(5) 7-in. Safety Guard. High-impact polymer. For (1) with grinding wheel.

9 GT 1711—Wt. 8 oz.\$14.99

9-in. Safety Guard (not shown). Steel. For (2) when using grinding wheel.

9 GT 1712—Wt. 1 lb. 11 oz.\$19.99

(6) 5-in. Wire Cup Brush. .02-ga. steel wire. Fits ½-in. spindle. For 7, 9-in. sanders.

9 GT 64106—Wt. 2 lbs. 12 oz. ...\$12.49

(7) Heavy-duty Twist Steel Wire Brush

Cleans briskly. Fits ½-in. spindle.

9 GT 64107—Wt. 10 oz.\$11.69

9-inch, 1½-HP Disc Grinder/Sander

The right tool for heavy-duty metal work, grinding, sanding... includes grinding wheel, guard, rubber and fiber pads

\$149⁹⁹



CRAFTSMAN® 4½-in., ¾-HP Disc Grinder

\$99⁹⁹

The right tool for grinding in tight, confined areas

CRAFTSMAN® 6-in., ¾-HP Disc Sander/Polisher with 2 speeds

\$69⁹⁹

The right tool for light-duty fine sanding or household polishing

(8) 4½-in., ¾-HP Disc Grinder Converts to sander with sanding kit, discs sold at right.

MOTOR, BEARINGS, GEARS: Develops maximum ¾ HP. Single no-load speed of 10,500 rpm. Permanently lubricated ball and roller bearings. Spiral bevel gearing.

HOUSING: Thermoset polyester motor housing. Die-cast aluminum gear housing. High-impact polymer handle fits either side of tool. 7/16-inch spindle.

ACCESSORIES: 4½-inch grinding wheel and guard included.

ELECTRICAL INFO: See electrical note on next page.

ORDER INFO: See warranty (A) at right. Wt. 6 lbs. 6 oz.

9 GT 1159\$99.99

(9) 6-inch, ¾-HP Disc Sander/Polisher with two speeds

MOTOR, BEARINGS, GEARS: Develops maximum ¾ HP. Two no-load speeds of 1,650 rpm (for sanding), 1,400 rpm (for polishing). Permanently lubricated sleeve and ball bearings. Straight bevel gears.

HOUSING: Thermoset polyester clamshell motor, gear housing. High-impact polypropylene handle fits either side of tool. ½-in. spindle.

ACCESSORIES: Incl. 6-in. backing pad, polishing bonnet, spanner nut, wrench. Does not accept accessories above.

ELECTRICAL INFO: See electrical note on next page.

ORDER INFO: See warranty (A), above right.

9 GT 1052—Shipping weight 6 pounds 8 ounces\$69.99

4½-in. Sanding Kit for (8). Incl. rubber back-up pad, lock, nut.

9GT11598—Wt. 10 oz. Kit \$9.99

4½-in. Sanding Discs. Pkg. of 10.

Grit	Catalog Number	Wt. oz.	Pkg.
Fine	9 GT 25284	5	\$4.09
Medium ..	9 GT 25285	7	4.09
Coarse ..	9 GT 25286	8	4.09

4½-in. Aluminum-oxide Grinding Wheel for (8). 30 grit.

9 GT 64104—Wt. 4 oz. .Ea. \$4.79

4½-in. Silicon Carbide Grinding Wheel for (8). For tough grinding situations. 24 grit. Pkg. of 2.

9GT64105—Wt. 8 oz. Pkg. \$8.49

Heavy-duty Twist Steel Wire Brush for (8). Fits 7/16-in. spindle.

9 GT 64125—Wt. 12 oz. . \$9.99

(A) FULL 1-YEAR WARRANTY ON SPECIFIED CRAFTSMAN® PORTABLE ELECTRIC TOOLS: If this CRAFTSMAN Portable Electric Tool fails to give complete satisfaction within 1 year from date of purchase, return it to any Sears store in the U.S., and Sears will repair it free of charge. If this CRAFTSMAN Portable Electric Tool is used for commercial or rental purposes, this warranty applies only for 90 days from date of purchase. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

(B) FULL 1-YEAR WARRANTY ON SPECIFIED CRAFTSMAN® PORTABLE ELECTRIC TOOLS: If this CRAFTSMAN Portable Electric Tool fails to give complete satisfaction within 1 year from date of purchase, return it to any Sears store in the U.S., and Sears will replace it free of charge. If this CRAFTSMAN Portable Electric Tool is used for commercial or rental purposes, this warranty applies only for 90 days from date of purchase. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.



Includes 1 buffing,
2 waxing bonnets

CRAFTSMAN® Automotive Buffer- Polisher

Specially designed for waxing cars, vans and boats . . . even airplanes; elliptical motion simulates hand polishing. Use to apply wax, remove it and buff surface. Use with most liquid or paste waxes

MOTOR, BEARINGS, GEARS: Develops maximum 1/2 HP with 2 no-load speeds of 1700 rpm (for applying wax) and 1900 rpm (for removing wax and buffing). Sleeve bearings. Double-reduction spur gearing for smooth power transfer.
HOUSING: Thermoset polyester housing. Large loop handles for easy control in any position. Slide switch for 2 speeds.

ACCESSORIES: 2 waxing bonnets: 1 for application, 1 for removal. 1 buffing bonnet with elastic band. Extra bonnets sold below.

ELEC. INFO: See electrical note below.

ORDER INFO: See warranty (A) on page 22. Order case (7) below.

9 GT 1067—Wt. 9 lbs. 4 oz. \$69.99

Replacement Bonnets for buffer-polisher

ORDER INFO: Shipping weight 2 ounces.

9 GT 10601—Waxing Bonnet \$3.99

9 GT 10602—Buffing Bonnet 3.99



Extension Cords

16-gauge, 2-wire with moisture-resistant plastic casing. For use with double-insulated tools.

ORDER INFO:

Length	Catalog Number	Wt. lbs. oz.	Price
8 ft.	34 GT 5759	8	\$2.99
50 ft.	34 GT 5701	3 3	9.99
100 ft.	34 GT 5702	6	14.99

Cord Lock (not shown).

Keeps tool cord and extension cord together. Shipping weight 2 ounces.

9 GT 2595 99c

ELECTRICAL NOTE:


Tool is double-insulated . . . needs no grounding. UL listed. 110-120-volt, 60-Hertz AC. Has 6-foot, 2-wire cord.

CRAFTSMAN® Power Planer

Delivers satin-smooth cuts quickly, uniformly . . . turn knob to adjust depth of cut



Bevel edges . . . gives a uniform 45° cut. Also make rabbit cuts



MOTOR, BEARINGS, GEARS: Develops max. 3/8 HP. No-load speed of 15,000 rpm. Non-slip timing belt. Ball bearings are permanently lubricated for long tool life.

HOUSING: Non-glare, die-cast aluminum base. Thermostet polyester motor housing with high-impact polymer handles. Trigger switch. Clog-free chute deflects shavings away from the operator. Easy-to-read scale . . . just turn knob to adjust cutting depth from paper-thin to 1/16 inch deep.

CUTTER: Twin, hardened steel blades on a superwide 3 3/8-inch rotary cutter require fewer passes than standard-width planes. Remove blades for sharpening.

ACCESSORIES: Includes 5° door bevel fence guide for accurate sizing . . . guide for rabbeting cuts 1 5/16 inch deep, 1 1/2 inch wide. Also includes wrench, blade-setting guide and edge guide.

ELEC. INFO: See electrical note below, left.

ORDER INFO: See warranty (A), page 22. Extra blades for power planer sold below. Protect your eyes . . . wear safety goggles sold on page 88.

9 GT 1732—Shpg. wt. 9 lbs. 13 oz. \$119.99

Set of 2 extra Blades for power planer

9 GT 17326—Shipping weight 4 oz. Set \$19.99

CRAFTSMAN® Reciprocating Saw

Has the power to handle nearly any cutting chore . . . slices through bar stock, plastic, steel pipe, even 10-inch diameter logs



MOTOR, BEARINGS, GEARS: Maximum 1/2 HP. Trigger-controlled variable speeds from 0 to 2000 strokes per minute (no-load speed). 1 1/2-inch blade stroke. Permanently lubed ball bearings. Precision steel helical gears.
HOUSING: High-impact polymer motor housing. Assist handle fits either side. Trigger switch. Aluminum motor frame. Blade clamp rotates for making flush cuts. Uses blades with standard 1/2-inch steel shank.

ACCESSORIES: Includes blades (2), (4) and (5); see description below. Also includes wrench.

ELECTRICAL INFORMATION: See electrical note below, left.

ORDER INFO: See warranty (A) on page 22. Order extra reciprocating saw blades below. Protect your eyes . . . wear safety goggles sold on page 88.


9 GT 1706—Shpg. wt. 9 lbs. 8 oz. \$99.99

(1 thru 6) **CRAFTSMAN® Reciprocating Saw Blades.** Blades (1), (2), (3), (5) and (6) fit CRAFTSMAN, Black and Decker, Milwaukee, Pennkraft, Powr-Kraft, Skil, Shopmate and Stanley reciprocating saws. Blade (4) fits CRAFTSMAN saw only. All blades have standard 1/2-inch steel shanks.

Item	Length inches	Teeth per in.	Uses	Catalog Number	Shpg. wt.	Each
(1)	12	7	Smooth cuts in wood up to 10 in. thick, plastic, composition board, hardboard; scroll cuts . .	9 GT 28685	2 oz.	\$2.79
(2)	9	3	Fast, rough cuts in wood over 1 inch thick	9 GT 28682	2 oz.	2.19
(3)	6	14	Rough cuts in wood, cuts nails	9 GT 28686	1 oz.	2.19
(4)	6	7	Flush cuts in wood and plastic	9 GT 28684	1 oz.	2.09
(5)	6	7	Smooth cuts in wood, plastic and composition board; plunge and scroll cuts	9 GT 28681	1 oz.	1.69
(6)	6	24	Steel and other metals up to 1/8 inch thick	9 GT 28683	1 oz.	2.19

Package of six Reciprocating Saw Blades. Contains one each of blades (1) thru (6) above.

9 GT 28687—Shipping weight 7 ounces Package \$12.49



CRAFTSMAN® Permanex® Polyethylene Tool Cases

Won't crack, even in extreme temperatures . . . won't rust

(7 thru 10) Double-wall Permanex polyethylene construction with two large latches and integral handle. Textured finish resists soil, acid, oil and alkaline. Won't rust or crack. Washable.
ORDER INFO: Tools not included.

(7) Case for buffer-polisher

CAPACITY: Holds 9 GT 1067 above.

SIZE: 14x12x10 3/4 in. high.

Shpg. wt. 3 lbs. 6 oz.

9 GT 1471 \$17.99

(8) Case for larger portable electric drills

CAPACITY: Holds drill 9-1029, pad sander 9-1168, belt sanders 9-1175, 9-1176, reciprocating saw 9-1076.

SIZE: 17 1/2 x 10 1/2 x 12 3/4 in. high.

9GT1474—Wt. 4 lbs. 12 oz. \$22.99

(9) Multiple Tool Case

CAPACITY: Holds 1, 2 or 3 tools at a time, depending on size of tools.

Holds sanders, drills, polishers, routers, electric hand saws and most portable tools sold in this catalog.

SIZE: 24x14x12 1/2 in. h.

Wt. 7 lbs. 12 oz.

9 GT 1472C \$32.99

(10) Case for drill, sabre saw, pad or belt sanders


CAPACITY:

Holds any Sears sabre saw without blade, 3/8-in. drill, electric impact tool, pad sander or belt sanders 9-1170 or 9-1172, planer 9-1732.


SIZE: 10 1/8 x 7 1/2 x 16 inches

high. Shpg. wt. 2 lbs.

9 GT 1475 \$16.99



Warranted CRAFTSMAN® Industrial Portable



3/4-inch
Cordless Drill
\$139⁹⁹



3/4-inch, 1/2-HP
Variable-speed
Drill **\$119⁹⁹**



Drill (1) incl. Charger



3/4-inch, 1/2-HP
Dual-range
Variable-speed
Drill **\$129⁹⁹**




3/4-inch, 1/2-HP
Right-angle
Drill **\$159⁹⁹**



1/2-inch, 3/4-HP
Single-speed
Drill
\$159⁹⁹



1/2-inch, 1/2-HP
Variable-speed
Drill
\$109⁹⁹



4 1/2-inch, 3/4-HP
Right-angle
Grinder
\$119⁹⁹



7-inch, 3-HP
Heavy-duty
Grinder **\$199⁹⁹**

Industrial Drills

(1) Cordless Reversible Drill with energy pack and 1-hour fast charger for drilling almost anywhere

MOTOR, BEARINGS, GEARS: Remove energy pack to recharge. No-load speed of 750 rpm (maximum on full charge). Permanently lubricated ball, roller bearings for long life. Spur gears. Reversible. CHUCK, HOUSING: Geared chuck, 3/8-inch capacity. Die-cast aluminum gear housing. High-impact polymer motor housing and handle.

ELEC. ORDER INFO: UL listed. Includes 1-hr. fast charger. 115-v., 60-Hz. AC. See warranty, below. 9 GT 2790—Shpg. wt. 8 lbs. 10 oz. \$139.99

Extra Energy Pack for drill (1). Charge from 115-v. AC or 12-v. DC charger.

9 GT 27906—Shpg. wt. 1 lb. 8 oz. \$39.99

12-v. DC One-hour Charger for drill (1). Plugs into vehicle cigarette lighter.

9 GT 27908—Shpg. wt. 2 lbs. 8 oz. \$44.99

(2 and 3) 3/4-inch Variable-speed Reversible Drills

CHUCK: 3/8-inch capacity. 3/8-inch x 24 spindle. HOUSING: Die-cast aluminum gear housing. High-impact polymer motor housing and switch handle.

(2) Variable-speed Drill

MOTOR, BEARING, GEARS: Develops maximum 1/2 HP. Variable no-load speeds from 0 to 1200 rpm. Ball and roller bearings for long life. Double-reduction spur gearing. Reverses to back out stuck bits.

ELECTRICAL INFORMATION: UL listed. 110-120-v., 3.5 amps. 60-Hz. AC. 8-ft., 3-wire cord.

ORDER INFO: Key holder incl. See warranty below. 9 GT 2701—Shpg. wt. 4 lbs. 14 oz. \$119.99

(3) Dual-range Variable-speed Drill

MOTOR, BEARING, GEARS: Develops maximum 3/4 HP. Two gear ranges for drilling at high (0 to 2500 rpm) and low (0 to 1200 rpm) speeds. Shifting from high to low multiplies torque 2 1/2 times. Permanently lubricated ball, sleeve bearings. Double-reduction spur gearing. Reversible to remove stuck bits.

ELECTRICAL INFORMATION: Double-insulated. UL listed. 110-120-volts, 3.5 amps. 60-Hz. AC. 8-foot, 2-wire cord with bend relief.

ORDER INFO: See full one-year warranty below. Shipping weight 4 pounds 4 ounces.

9 GT 2702 \$129.99

(4) Right-angle Drill for work in tight areas

MOTOR, BEARINGS, GEARS: Motor develops maximum 1/2 HP. Single no-load speed of 2000 rpm. Twin fans. Ball and needle bearings. Spiral bevel gears.

CHUCK, HOUSING: 3/8-inch chuck capacity. 3/8-inch x 24 spindle. Die-cast aluminum housing.

ELECTRICAL INFO: UL listed. 110-120-v., 2 amps. 60-Hz. AC/DC 6-ft., 3-wire cord with bend relief.

ORDER INFO: See full 1-year warranty below. Shipping weight 4 pounds 12 ounces.

9 GT 2718 \$159.99

(5) 1/2-inch Single-speed Reversible Drill

MOTOR, BEARINGS, GEARS: Motor develops maximum 3/4 HP. Single no-load speed of 450 rpm. Permanently lubricated ball and roller bearings. Triple-reduction spur gearing. Accessible motor brushes. Reverses to back out stuck bits.

CHUCK: 1/2-inch capacity. Geared chuck threaded for 1/2-inch x 20 spindle. Key holder included.

HOUSING: Die-cast aluminum motor housing. Removable rear "D" handle and top-mounted assist handle with pipe thread for additional drill control.

ELECTRICAL INFO: UL listed. 110-120-v., 6 amps. 60-Hz. AC/DC. 8-ft., 3-wire cord with bend relief.

ORDER INFO: See full 1-year warranty below. Shipping weight 9 pounds 12 ounces.

9 GT 2711 \$159.99

(6) 1/2-inch Variable-speed Reversible Drill

MOTOR, BEARINGS, GEARS: Motor develops maximum 1/2 HP. Variable no-load speed of 0 to 550 rpm. Permanently lubricated ball and roller bearings for long life. Triple-reduction spur gearing. Reverses to back out stuck bits.

CHUCK: 1/2-inch capacity. Geared chuck threaded for 1/2-inch x 20 spindle. Key holder included.

HOUSING: Die-cast aluminum gear housing. Rugged high-impact polymer motor housing. Removable side handle fits on either side of drill.

ELECTRICAL INFORMATION: Double-insulated, needs no grounding. UL listed. 110-120-v., 3.5 amps. 60-Hz. AC. 8-foot, 2-wire cord with bend relief.

ORDER INFO: See full 1-year warranty below. Shipping weight 6 pounds.

9 GT 2712 \$109.99

Industrial Grinders and Accessories

(7) 4 1/2-in. Right-angle Grinder

MOTOR, BEARINGS, GEARS: Develops maximum 3/4 HP. Single no-load speed of 12,000 rpm. Permanently lubricated ball bearings. Spiral bevel gears.

HOUSING: Die-cast aluminum gear housing. High-impact polycarbonate motor housing, handle, guard, removable assist handle that fits either side.

ELECTRICAL INFORMATION: UL listed. 120-v., 4.5 amps. 60-Hz. AC/DC. 6-foot, 3-wire cord.

ORDER INFO: See accessories and warranty below. 9 GT 2770—Shpg. wt. 6 lbs. 4 oz. \$119.99

CRAFTSMAN® 4 1/2-inch Sanding Kit. Converts (7) to sander. Incl. 4 1/2-in. rubber back-up pad and lock-nut. 9 GT 11149—Shipping weight 10 oz. Kit \$9.99

4 1/2-in. fiber-backed Aluminum-oxide Sanding Discs 9 GT 25284—Fine. Wt. 5 oz. Pkg. of 10 \$4.09

9 GT 25285—Medium. Wt. 7 oz. Pkg. of 10 4.09

9 GT 25286—Coarse. Wt. 8 oz. Pkg. of 10 4.09

4 1/2-inch Grinding Wheels for (7)

Alum. Oxide. 30 grit. Silicon Carbide. 24 grit. Pkg. of 1. Wt. 4 oz. Pkg. of 2. Wt. 8 oz.

9GT64104. Pkg. \$4.79 9GT64105. Pkg. \$8.49

Metric Thread Twist Brush. Fits (7). For brisk cleaning. Arbor hole size M10x1.5 metric.

9 GT 64126—Shpg. wt. 12 oz. \$9.99

(8) 7-inch Heavy-duty Grinder

MOTOR, BEARINGS, GEARS: Motor develops maximum 3 HP. No-load speed of 5000 rpm. Ball, needle bearings. Spiral bevel gears.

HOUSING: Die-cast aluminum motor and gear housing. High-impact polycarbonate removable assist handle fits either side of tool for firm, two-hand control.

ELECTRICAL INFORMATION: UL listed. 120-v., 13 amps. 60-Hz. AC/DC. 8-foot, 3-wire cord.

ORDER INFO: 7-in. accessories sold separately below. Sanding discs sold on p. 26. See warranty below.

9 GT 2774C—Shipping weight 16 lbs. \$199.99

(9) 7-inch Grinder Guard. Must be attached to grinder (8) when using grinding wheel.

9 GT 27745—Shipping weight 1 lb. 7 oz. \$17.99

7-in. Grinding Wheel. Fine-grinding aluminum oxide.

9 GT 64101—Shpg. wt. 1 lb. 6 oz. \$7.19

CRAFTSMAN® 7-in. Sanding Kit. Converts (8) to sander. Incl. rubber back-up pad, lock nut, wrench.

9 GT 27746—Shpg. wt. 1 lb. 11 oz. \$17.99

FULL 1-YEAR WARRANTY ON CRAFTSMAN® INDUSTRIAL PORTABLE ELECTRIC TOOLS AND AIR-DRIVE TOOLS: If this Craftsman Tool fails due to a defect in material or workmanship within 1 year from date of purchase, Sears will repair it, free of charge. Warranty service is available by simply returning the tool to the nearest Sears store or Service Center in the U.S. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state. Industrial tools comply with applicable O.S.H.A. standards.

Electric Tools for trade and shop use



New at Sears!
Adjustable Torque
Screwdriver
\$149⁹⁹




11
Sabre Saw
\$139⁹⁹




Sabre
Saw
with top
handle
12 \$149⁹⁹




13
Reciprocating Saw **\$139⁹⁹**



Worm-drive Saw
15 \$199⁹⁹



14
Nibbler/
Shears **\$129⁹⁹**



16
Circular
Saw
\$139⁹⁹



Saws (15) and (16)
cut through rock
with proper blade



18

(10) CRAFTSMAN® Adjustable Torque Electric Screwdriver
For speedy, repetitive installations. MOTOR, BEARINGS, GEARS: Motor develops max. ½ HP. Variable no-load speeds from 0 to 2500 rpm. Permanently lubricated ball, roller bearings for long life. Reversible, for removal of screws.
HOUSING: Die-cast aluminum gear housing. High-impact polymer motor housing.
ELEC INFO: UL listed. 120-v., 60-Hz. AC. 4.5 amps. 10-ft., 3-wire cord.
ORDER INFO: See warranty, opp. pg. 9GT2708—Wt. 4 lbs. 12 oz. . . \$149.99

(11) CRAFTSMAN® 2-speed Sabre Saw
Elliptical orbit cutting action advances blade into work on up-stroke, retracts it on down-stroke.
MOTOR, BEARINGS: Develops maximum ¾ HP. Paddle switch controls speeds, 2100 and 3100 strokes per minute. Variable cutting switch lets you choose straight-line action or fine, medium, coarse orbital action. Cuts wood, pipe, steel, metal and plastic. Ball and roller bearings. Has a 1-in. blade stroke.
HOUSING: Die-cast aluminum gear housing. High-impact polymer motor housing and grip. Base tilts 45° left or right for bevel cuts. Blade clamp accepts all ¼-in. universal-shank jig saw blades.
ELECTRICAL INFORMATION: UL listed. 120-v., 4.5 amps. 60-Hz. AC. 10-foot, 2-wire heavy-duty cord.
ORDER INFO: See warranty, opposite pg. Shipping weight 6 lbs. 12 oz. 9GT2724 . . . \$139.99

(12) CRAFTSMAN® 2-speed Sabre Saw with top-mounted handle
Same as sabre saw (11), but with top-mounted handle for a sure, strong grip. Handle of high-impact polymer.
ORDER INFO: Warranty, opposite pg. 9GT2725—Wt. 6 lbs. 12 oz. . . \$149.99

(13) CRAFTSMAN® Heavy-duty Reciprocating Saw Kit
With proper blades, this tool is the most versatile industrial cutting tool we sell. Cuts wood, steel, aluminum, pipe.
MOTOR, BEARINGS: Motor develops maximum ¾ HP. Slide switch selects no-load speeds of 1600 (for metal) or 2200 (for wood) strokes per minute. Trigger power switch. 1-inch blade stroke. Ball and roller bearings.
HOUSING: Die-cast aluminum motor housing. High-impact nylon handle and boot. Blade clamp accepts all major brands of ½-inch shank reciprocating saw blades.
ELECTRICAL INFO: UL listed. 120-v., 6 amps. 60-Hz. AC. 8-foot, 3-wire cord.
ORDER INFO: Includes 7 blades, wrench, steel storage box. Order extra blades, p. 23. See warranty, opposite page. 9GT2721C—Wt. 16 lbs. . . Kit \$139.99

(14) CRAFTSMAN® Nibbler/Shears with interchangeable heads. Cuts sheet metal as thick as 19-gauge (.042 in.). Cuts cleaner than ordinary manual shears.
MOTOR, GEARS, BEARINGS: Motor develops maximum ¼ HP. No-load speed of 2700 strokes per minute. Single-speed slide switch. Ball, roller and sleeve bearings.
HOUSING: Thermoset polyester motor housing. Die-cast aluminum gear casing. Comfortable top-mounted handle for better control.
CUTTING HEAD: Long-lasting cutter of hardened steel. Shearing head starts cuts from edge of workpiece. Nibbler head interchanges with shearing head to cut straight lines or intricate patterns. Compact configuration lets you start cuts from pre-drilled hole on workpiece.
ELECTRICAL INFORMATION: Double-insulated. Needs no grounding. UL listed. 110–120-v., 60-Hz. AC. 6-ft., 2-wire cord.
ORDER INFO: See warranty (A) on p. 22. 9GT18385—Wt. 8 lbs. 10 oz. \$129.99

(15) CRAFTSMAN® 7¼-inch Worm-drive Saw
Worm-drive gearing is unsurpassed in torque, ability to handle severe shock loads. Designed to meet the demands of industrial use. With proper blade, cuts through wood, metal, stone, composition materials.
MOTOR, BEARINGS, GEARS: Develops max. 2½ HP. No-load speed of 4400 rpm. Externally accessible spring-loaded motor brushes. 100% ball bearings. High-torque, worm-drive gearing.
BLADE, CUTTING DEPTH: 7¼-inch combination blade cuts wood to 2½ inches at 90°, 1½ inches at 45°.
HOUSING: Die-cast aluminum gear and motor housing, blade and swing guards. 2 high-impact polymer handles for firm control of saw. 1-piece wrap-around base with depth and bevel adjustments.
ELECTRICAL INFORMATION: UL listed. 110–120-v., 13 amps. 60-Hz. AC/DC. 8-ft., 16-gauge, 3-wire cord with bend, relief.
ORDER INFO: Order diamond arbor blades at right for cutting through tough materials. See full one-year warranty on opposite page.
Shipping weight 19 pounds. 9GT2761C . . . \$199.99

6½-in. Worm-drive Saw
As above, except develops max. 2½ HP. No-load speed of 4600 rpm. Cuts 2 in. deep at 90°, 1¾ in. deep at 45°. Includes 6½-in. blade.
Shipping weight 18 pounds. 9GT2755C . . . \$169.99
Edge-guide for worm-drive saws (not shown). Use for straight-line cuts. Shipping weight 10 ounces. 9GT27761 . . . \$6.49
Lubricant for worm-drive saws (not shown). For use with worm-drive gears and bearings. Shipping weight 8 ounces. 9GT27762 . . . \$2.49

(16) CRAFTSMAN® Heavy-duty 7¼-inch Circular Saw
MOTOR, BEARINGS, GEARS: Develops max. 2½ HP. No-load speed of 5200 rpm. Ball and needle bearings. Helical gears.
BLADE, CUTTING DEPTH: 7¼-inch combination blade cuts wood up to 2½ inches thick at 90°, 1½ inches thick at 45°.
HOUSING: Thermoset plastic gear, motor housing. Polymer handle. Steel swing guards, base. Lever-type depth, bevel setting controls.
ELECTRICAL INFO: UL listed. 110–120-v., 12 amps. 60-Hz. AC. 8-ft. 3-wire cord.
ORDER INFO: Extra blades, p. 59. 60. See warranty at bottom of opposite page. 9GT2750—Wt. 15 lbs. \$139.99

(17) Replacement Diamond Arbor Blades for worm-drive saws sold at left

Size in.	Catalog Number	Wt. lb. oz.	Price
Steel Blades			
6½	9GT32308	9	\$4.49
7¼	9GT32307	10	4.69
8¼	9GT32308	12	5.29
Carbide Blades			
6½	9GT32453	13	14.49
7¼	9GT32455	15	17.49
8¼	9GT32456	1	20.99

(18) Case for saws sold at left and above. Permanex polyethylene. Double-wall construction. Split integral handle. Two heavy-duty latches. Compartment for blades, wrench. 24x14x12½ inches high.
ORDER INFO: Wt. 7 lbs. 12 oz. 9GT1472C . . . \$32.99

SEARS ABRASIVES CENTER

Sears can help you obtain a professional-quality finish with assorted grits and sizes for machine or hand sanding. Choose the abrasive grit that fills your needs; like aluminum oxide, which is best for sanding wood or plastic. When coated with zinc stearate, a non-clogging quality is provided that increases wear. Add polyester backing for a sanding belt that resists tearing, fraying and moisture better than any other belt we sell. Steel-backed tungsten carbide, with an extremely tough coating sands concrete and metal... even planes wood. When you have a sanding project, count on Sears for quality abrasives

Sears Sanding Belts

Cloth-backed, with aluminum-oxide abrasive

ORDER INFO: For portable or bench-type sanders on wood or metal.

Grit	Grit No.	Catalog Number	Wt. oz.	Price each
3x21 inches				
X-Fine...	100	9 GT 22304	1	\$1.69
Fine....	80	9 GT 22301	1	1.69
Medium...	50	9 GT 22302	1	1.69
Coarse...	36	9 GT 22303	2	1.69
X-Coarse	16	9 GT 22305	2	1.69

3x27 inches				
Fine....	80	9 GT 22311	1	\$1.79
Medium...	50	9 GT 22312	2	1.79
Coarse...	36	9 GT 22313	2	1.79

4x24 inches				
X-Fine...	100	9 GT 22332	1	\$2.19
Fine....	80	9 GT 22333	2	2.19
Medium...	50	9 GT 22334	2	2.19
Coarse...	36	9 GT 22335	3	2.19
X-Coarse	16	9 GT 22336	3	2.19

4x36 inches				
Fine....	100	9 GT 22151	2	\$2.39
Medium...	80	9 GT 22152	3	2.39
Coarse...	40	9 GT 22153	4	2.39

6x48 inches				
Fine....	100	9 GT 21671	5	\$3.99
Medium...	80	9 GT 21672	6	3.99
Coarse...	40	9 GT 21673	9	3.99



CRAFTSMAN®

Polyester-backed Aluminum Oxide Sanding Belts

3 ways better than cloth-backed belts:

- Last three to five times longer
- Give faster cutting
- More moisture, tear and fray-resistant

ORDER INFO:

Size in.	Grit	Grit No.	Catalog Number	Wt. oz.	Price each
3x21					
X-Fine	100	9 GT 23201	1	\$2.19	
Fine	80	9 GT 23202	1	2.19	
Medium	50	9 GT 23203	1	2.19	
Coarse	36	9 GT 23204	2	2.19	
4x24					
X-Fine	100	9 GT 27464	2	2.99	
Fine	80	9 GT 27465	2	2.99	
Medium	50	9 GT 27466	3	2.99	
Coarse	36	9 GT 27467	3	2.99	
6x48					
Fine	80	9 GT 27474	6	5.49	
Medium	50	9 GT 27475	8	5.49	
Coarse	36	9 GT 27476	13	5.49	

Sanding Sheets for pad sanders

ORDER INFO: Aluminum oxide sold in package of 6 (except X-coarse sold in package of 5).

Size in.	Grit	Grit No.	Catalog Number	Wt. oz.	Price pkg.
Aluminum Oxide, Paper backing					
3 1/2 x 9	Fine	320	9 GT 25311	1	\$1.19
	Medium	180	9 GT 25312	1	1.19
	Coarse	80	9 GT 25313	1	1.19
3 1/2 x 9	X-Coarse	50	9 GT 25314	2	1.19
4 1/2 x 11	Fine	320	9 GT 25315	1	1.29
	Medium	180	9 GT 25316	2	1.29
	Coarse	80	9 GT 25317	2	1.29
4 1/2 x 11	X-Coarse	50	9 GT 25318	4	1.29

Tungsten Carbide, Steel backing, Pkg. of 1					
3 1/2 x 9	Fine		9 GT 30284	2	\$2.19
	Medium		9 GT 30285	2	2.19
	Coarse		9 GT 30286	2	2.19
4 1/2 x 11	Fine		9 GT 30096	3	2.99
	Medium		9 GT 30097	3	2.99
	Coarse		9 GT 30098	3	2.99



Non-clogging Zinc Stearate Sanding Sheets

ORDER INFO: Fine grit, silicon carbide; medium and coarse grits, aluminum oxide. Paper backing.

Size in.	Grit	Grit No.	Catalog Number	Wt. oz.	Pkg. of 6
3 1/2 x 9					
Fine	180	9 GT 25331	1	\$1.59	
Med.	80	9 GT 25332	2	1.59	
Coarse	50	9 GT 25333	3	1.59	
4 1/2 x 11					
Fine	180	9 GT 25335	2	1.89	
Med.	80	9 GT 25336	3	1.89	
Coarse	50	9 GT 25337	4	1.89	

Sanding Sheets

For soft and hard woods, metal and water sanding... for pad sanders or by hand

ORDER INFO:

Sheet type	Size in.	Grit	Grit No.	Catalog Number	Pkg. of	Wt. lbs. oz.	Price
Aluminum Oxide, paper-backed. For hardwood.	9x11	X-Fine	150	9 GT 27421	100	3 15	\$18.99
	9x11	Fine	100	9 GT 27422	100	4 8	18.99
	9x11	Medium	60	9 GT 27425	50	5 ..	13.99
	9x11	Coarse	40	9 GT 27424	50	3 7	14.99
Garnet paper. For all woods.	9x11	X-Fine	150	9 GT 67941	100	4 12	16.99
	9x11	Fine	100	9 GT 67942	100	5 5	16.99
	9x11	Medium	60	9 GT 67949	50	4 11	10.99
	9x11	Coarse	40	9 GT 67944	50	7 ..	12.99
Emery cloth. For metal.	9x11	Fine		9 GT 67925	50	4 ..	21.99
	9x11	Medium		9 GT 67926	50	4 4	21.99
	9x11	Coarse		9 GT 67927	50	5 8	21.99
Flint Sandpaper. For soft woods only.	9x10	X-Fine		9 GT 67945	100	3 8	11.49
	9x10	Fine		9 GT 67946	100	4 8	11.49
	9x10	Medium		9 GT 67947	100	3 6	11.49
	9x10	Coarse		9 GT 67948	50	4 14	7.59
Silicon Carbide Water-sand Finishing Paper.	9x11	Super-Fine	400	9 GT 30121	100	2 8	22.99
	9x11	X-Fine	320	9 GT 30122	100	2 10	22.99
	9x11	Med. Fine	240	9 GT 30123	100	3 2	22.99

Strip 'n' Sand Mini-stripper Kit

Kit Includes five flexible wheels (2 fine-grit, 2 medium, 1 coarse) plus quick-change mandrel and shank. Each wheel (1 1/2-inch diameter) has dozens of abrasive flaps to sand or grind crevices in wood, metal or plastic. Also can be used to remove rust and sharpen blades.

ORDER INFO: Fits 1/4, 3/8 or 1/2-inch drills.

Shipping weight 1 pound 4 ounces. 9 GT 6488...Kit \$12.99



Sanding Drum for radial saws

Drum has 3-inch face, 2 1/4-in. diameter. Screws onto 1/2-20 threaded shaft. Expandable rubber drum. Includes medium-grit sanding sleeve.

ORDER INFO: Wt. 15 oz. 9 GT 25246...\$8.49

Sanding Sleeves (not shown). For drum above.

Grit	Catalog Number	Wt. oz.	Price, each
Fine....	9 GT 25221	1	\$1.19
Medium	9 GT 25222	1	1.19
Coarse	9 GT 25223	1	1.19

(1) Block Hand Sander Kit. Molded rubber block for sanding wood or metal. Includes 6 sanding sheets: 2 each of fine, medium and coarse.

ORDER INFO: 9 GT 36845—Shipping weight 14 ounces...Kit \$3.99

(2) Pressure-sensitive Cement. Holds sanding discs to metal plates. Stays tacky. Discs remove after use. ORDER INFO: 8-ounce plastic bottle. 9 GT 2220—Shipping weight 9 ounces...\$2.39

(3) Shop Sanding Rolls

Economical and convenient rolls, 1 1/2 inches wide by 50 yards long. Great for quick sanding jobs at home or in your workshop. Tear desired size from roll as needed.

ORDER INFO: Order from chart, right.

Grit	Catalog Number	Wt. lbs. oz.
Aluminum Oxide		
No. 80	9 GT 67824	2 6
No. 120	9 GT 67825	2 7
No. 180	9 GT 67826	1 14
Emery		
Coarse	9 GT 67827	2 15
Medium	9 GT 67828	2 5
Fine	9 GT 67829	1 13
Price each roll...\$13.99		



Handy Work Aprons and Accessories hold your most-used tools

QUALITY BY DESIGN

... features like these on our best Apron represent the quality that's built into every CRAFTSMAN® tool

- A Top selected hides for long wear
- B Slide around pouch for long wear
- C Oversize rivets, capped on both sides for durability

- D Double-stitched construction for strength at stress points
- E Spacious pockets and handy loops for holding a wide range of tools and work aids

*Sears * Best*



Our best
CRAFTSMAN®
Leather
Work
Apron
\$59.99

(10) CRAFTSMAN® Top-grain Cowhide and Boot Leather Apron

CONSTR: Bags, pockets of supple boot leather. Belt, trim of top-grain saddle leather. Off-the-hip design and adjustable pockets for comfort. Adjust pouches to front or side. Hand-tooled design on leather belt. Reinforced stitching, oversized rivets at stress points for long wear. Adjustable leather belt fits waist sizes 29 to 46 in. 12 pockets: 2 large main pockets, 2 medium-sized pockets, 8 small tool pockets. Steel tape holder and holster for comb. square, 2 tool loops, 4 screw-driver slots. Key holder.

ORDER INFO: Shipping weight 2 pounds 12 ounces.
9 GT 45152 \$59.99

(11) CRAFTSMAN® Top-grain Cowhide Leather Work Apron

CONSTRUCTION: Pockets of top-selected hides, rough on the outside, smooth on inside. Edges leather-bound. Double-row stitching at stress points. Oversized rivets capped on both sides. All-cotton web adjustable belt, 2 1/4 inches wide, has nickel-plated steel fittings. Fits waist sizes 29 to 46 inches. Split-leg design. 2 large and 2 medium-size nail pockets, 6 small tool pockets. Steel tape holder. Steel hammer holder, holster for combination square, tool loop.

ORDER INFO: Shipping weight 2 pounds 4 ounces.
9 GT 45147 \$39.99

(12) CRAFTSMAN® Leather Work Apron

CONSTRUCTION: Pockets of durable sueded chrome-tanned cowhide. Edges bound with leather. Double-row stitching at stress points. Oversized rivets capped on both sides. Strong 2 1/4-inch wide polypropylene web belt adjusts to fit waist sizes 29 to 46 inches. Split-leg design. 4 large, 4 medium-size nail pockets, 6 small tool pockets. Large tape pocket holds 25-ft. tapes. Metal and leather combination square holster. 2 tool loops.

ORDER INFO: Shipping weight 1 pound 12 ounces.
9 GT 45145 \$29.99

(13) CRAFTSMAN® Simulated Leather Work Apron

CONSTR: High-quality synthetic leather with the look, feel and quality of real leather. Stands up to years of hard, on-the-job use. Pockets bound at edges, reinforced stitching. Split-leg design. 2 lrg., 2 med., six small pockets. Tape holder. 2 tool loops. Fits waist sizes 29 to 46 in.

ORDER INFO: Shipping weight 2 pounds 3 ounces.
9 GT 45151 \$21.99

(14) Carpenter's Waist-type Work Apron

CONSTR: Cotton canvas. 12 pockets for nails, tools and pencils. 2 tool loops.

ORDER INFO: Shipping weight 5 ounces.
9 GT 3751 \$5.49

(15) Carpenter's Bib-front Work Apron

CONSTR: Cotton canvas. Criss-cross straps. 14 pockets for nails, tools and pencils. 2 tool loops, one loop on each side.

ORDER INFO: Shipping weight 11 ounces.
9 GT 3750 \$6.49

(16) 100% Cotton Workshop Apron

CONSTR: Cotton denim. 2 pockets for pencils, rules and tape measures.

ORDER INFO: Shipping weight 2 ounces.
9 GT 3755 \$1.99

New at Sears! Denim Workshop Apron



New at Sears! Medium-duty Rubber Knee Pads

(17) Practical, functional pads strap comfortably to legs to make kneeling more comfortable. Ideal for home gardening and do-it-yourself projects.

CONSTRUCTION: 1-in. thick natural cellular rubber pad. 1-in. wide strap adjusts to fit your leg comfortably.

ORDER INFO: Wt. 8 oz.
9 GT 3766 Pair \$5.49



Design a customized tool apron with our Belt and Tool Holders

(1) **Nail and Tool Bag**
CONSTR: Glove leather. 1 large, 1 med. nail and 6 side pockets. 2 tool loops. Tunnel belt loop.
ORDER INFO: Wt. 1 lb.
9 GT 45143 \$19.99

(2) **Snap Hammer Holder**
Fits belts to 2 in. wide. Spring-loaded snapper holds hammer in place.
CONSTRUCTION: Top-grain leather. Zinc-plated holder resists corrosion. Steel snappers.
ORDER INFO: Wt. 4 oz.
9 GT 4583 \$4.99

(3) **Cradle Hammer Holder**
CONSTRUCTION: Fits belts to 2 1/4 in. wide. 2-in. steel cradle mounted on top-grain leather.
ORDER INFO: Wt. 8 oz.
9 GT 4585 \$3.99

(4) **Tape Pocket**
CONSTRUCTION: Fits belts to 2 3/4 in. wide. Holds 1-in. wide tapes, to 25-ft. long. Made of top-grain leather.
ORDER INFO: Wt. 5 oz.
9 GT 4515 \$4.99

(5) **Adjustable Belt**
Fits waists 29 to 46 in. Nickel-plated fittings.
ORDER INFO:
Top-grain Leather
1 3/4 in. wide. Wt. 7 oz.
9 GT 45891 \$7.99
Cotton Web
2 1/4 in. wide. Wt. 8 oz.
9 GT 45895 \$4.99

(6 thru 9) **Tool Holders**
CONSTR: Top-grain leather with oversized rivets.

(6) **5-pocket Tool Holder**
Large main pocket, 2 front, 2 open-end pockets. Tape holder, steel tape chain. Tool snap. Wide belt slots fit belts to 2 1/4 in. wide.
ORDER INFO: Wt. 13 oz.
9 GT 45446 \$12.99

(7) **5-pocket Tool Holder**
Partitioned main pocket, 3 front pockets. Tool loop, tape chain and tool snap. Belt slots fit belt up to 2 1/4 inches wide.
ORDER INFO: Wt. 1 lb.
9 GT 45805 \$13.99

(8) **Heavy-duty 7-pocket Tool Holder**
CONSTR: Partitioned main pocket, 3 front, 2 open-end small tool pockets. Side loop, tool loop, tape chain, tool snap. Tunnel belt loop fits belts to 2 3/4 in. wide.
ORDER INFO: Wt. 15 oz.
9 GT 4580 \$21.99

7-pocket simulated leather Tool Holder (not shown). As in (8), above.
ORDER INFO: Wt. 1 lb.
9 GT 4588 \$10.99

(9) **5-pocket Tool Holder**
CONSTRUCTION: Large main pocket. 2 front, 2 open-end tool pockets. Tunnel belt loop, fits belts up to 2 3/4 in. wide.
ORDER INFO: Wt. 9 oz.
9 GT 4544 \$7.99



CRAFTSMAN® Power Hammer

One blow delivers enough power to attach metal or wood to concrete or steel . . . no drilling required



2x4 boards to concrete

Electrical Conduit

Awnings and shutters

Wrought iron railings

Electrical boxes

Mail boxes to brick

(1) CRAFTSMAN® Power Hammer Kit

INCLUDES: Power hammer, 60 power loads (20' each; light, medium, heavy-duty), 60 fasteners (twenty each: 1 inch, 1½ inch and 2½ inch). Plastic storage case.

CONSTRUCTION: Hardened steel, High-impact plastic handle has comfort grip. UL listed for safety.

ORDER INFO: Use proper fastener and load as indicated in application chart below. See safety note at right.

9 GT 38183N—Shpg. wt. 4 lbs. 4 oz. Kit \$49.99

CRAFTSMAN® Power Hammer alone

Order fasteners and loads, right.

9 GT 3817—Shpg. wt. 2 lbs. 10 oz. \$29.99

Plastic Storage Case for power hammer above

9 GT 3811—Shpg. wt. 1 lb. 9 oz. \$9.99

Select the proper fastener and load to fit the job

Application	Recommended Power Load	Recommended Fastener
2 x 4-inch wood to cement block	9 GT 38173	9 GT 38181
2 x 4-inch wood to concrete	9 GT 38174	9 GT 38181
1-inch plywood to concrete	9 GT 38173	9 GT 38179
1 x 2-inch wood furring to cement block	9 GT 38172	9 GT 38178
Awnings and shutters to		
horizontal mortar joints	9 GT 38173	9 GT 38178
1 x 2-inch wood furring to concrete	9 GT 38174	9 GT 38178
1 x 2-inch wood furring to ½-inch steel	9 GT 38173	9 GT 38177
Electric box, mailbox to cement block	9 GT 38173	9 GT 38176
Shelf bracket, elec. box to concrete	9 GT 38174	9 GT 38176
Mailbox, furring to cinder block	9 GT 38171	9 GT 38178
Electric box, conduit clip to concrete	9 GT 38174	9 GT 38175

(2) Fasteners. For use with power hammer at left. Box of 100.

Size inches	Catalog Number	Shpg. wt. lbs. oz.	Price Box
¾	9 GT 38175	8	\$7.49
1	9 GT 38176	10	8.49
1½	9 GT 38177	12	9.99
2	9 GT 38178	14	12.49
2½	9 GT 38179	2	13.49
2½	9 GT 38181	1	13.99

(3) Power Loads. For use with power hammer at left. Box of 100. See "N" note, p. 91.

Strength	Catalog Number	Wt. oz.	Price Box
Light	9 GT 38171N	3	\$8.49
Medium	9 GT 38172N	3	8.49
Heavy	9 GT 38173N	4	8.49
X Heavy	9 GT 38174N	4	8.49

Back-up Discs. Use when job requires controlled penetration.

ORDER INFO: Box of 100

Shpg. wt. 1 lb. 4 oz.

9 GT 38182 Box \$5.49

SAFETY NOTE: Safety goggles and ear protectors recommended when using power hammer. See page 88.



CRAFTSMAN® Glue Gun

Melting chamber keeps glue at proper bonding consistency

Trigger control distributes glue during application. Pre-set thermostat and patented melting chamber keep glue at proper bonding consistency.

CONSTRUCTION: Heat-resistant plastic housing, handle. Nozzle distributes ¼-inch bead.

INCLUDES: Three 4-in. glue sticks.

ELECTRICAL INFO: 110-120-v., 60-Hz. AC. UL listed. 5-ft., 2-wire cord.

9 GT 80524—Wt. 1 lb. 7 oz. \$21.99

Extra Nozzles for glue gun above

Size bead	Catalog Number	Shpg. wt. oz.	Price
¼ in.	9 GT 80528	3	\$3.99
½ in.	9 GT 80527	3	3.99

Extra Glue Sticks. Package of 40.

9 GT 80529—Wt. 9 oz. Pkg. \$8.59

Glazing-point Tool

Drives in glazing points to hold pictures in frames



Ends need for hand-setting points. Simply position nose plate and squeeze trigger; tool drives glazing point in. Adjustable power stroke.

CONSTRUCTION: Plastic housing

ORDER INFO:

9 GT 6853—Wt. 14 oz. \$49.99

Diamond-shaped glazing Points for glazing tool above. Package of 4000.

Shpg. wt. 1 lb. 6 oz.

9 GT 68531 Pkg. \$11.99



27-piece Tool and Knife Set with fitted case


For cutting and carving wood, plastic, paper and soft-metal for projects.

CONSTRUCTION: High-carbon steel blades and components.

INCLUDES: 2 aluminum handles, 13 blades, 1 grooved plastic handle, 4 gouges, 2 routers, block planer, sand-

er, spoke shave, balsa stripper and fitted wood case. Shpg. wt. 2 lbs. 3 oz.

9 GT 52686 Set \$22.99



(13 thru 16) Warranty on p. 32.

(13) Glass Cutter. Tungsten-carbide wheel, malleable iron handle.

9 GT 3797—Shpg. wt. 2 oz. \$3.99

(14) Scratch Awl. Plastic handle, 3¼-inch tempered steel blade.

9 GT 41027—Shpg. wt. 2 oz. \$3.49

(15) Utility Knife. Cast aluminum; cutlery steel blades. Store blades in handle. Slide lock.

9 GT 9487—Shpg. wt. 4 oz. \$3.49

(16) Revolving Punch

For leather, plastics, etc. Nickel-plated steel. ¾, ¾, ¾, ¾, ¾, ¾ in.


9 GT 4307—Shpg. wt. 8 oz. \$7.69

CRAFTSMAN® Pocket Knives with Amazing Cutting Action blades and laminated hardwood handles

FULL UNLIMITED WARRANTY ON CRAFTSMAN® POCKET KNIVES. If any CRAFTSMAN® Pocket Knife ever fails to give complete satisfaction, return it to the nearest Sears store throughout the United States, and Sears will replace it free of charge. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.



Knives with Delrin® plastic handles



Leather Sheath

12

Sharpening Stone

(4 thru 6) **BLADES:** Stainless steel blades have our exclusive Amazing Cutting Action edge. A.C.A. edge blades are the sharpest blades we sell. Each blade precision-ground to the exact taper to maintain sharpness. See blade chart below.

HANDLES: Handsome laminated hardwood handles are moisture-resistant; will not crack, warp or splinter.

BOLSTERS, LININGS: Polished, solid brass bolsters and linings. Rust-resistant.

ORDER INFO: See warranty left. Order from chart below.

Type	Length, closed	Catalog Number	Shpg. wt. oz.	Price
(4) 3-blade Stock Knife	3¼ in.	9 GT 95203	2 oz.	\$14.99
(5) 3-blade Stock Knife	4 in.	9 GT 95204	3 oz.	19.99
(6) Single-blade Lockback Knife with sheath (12)	4½ in.	9 GT 95206	9 oz.	27.99

(7 thru 10) **BLADES:** Carbon steel blades, heat-treated to hold sharp edge. Rust-resistant. See blade chart below.

HANDLES: Distinctive ivory-color Delrin® plastic handles.

BOLSTERS, LININGS: Nickel silver alloy bolsters, rust-resistant solid brass linings.

ORDER INFO: Order from chart below.

Type	Length, closed	Catalog Number	Shpg. wt. oz.	Price
(7) 2-blade Pen Knife	2½ in.	9 GT 95301	1 oz.	\$8.99
(8) Single-blade Lockback Knife	4 in.	9 GT 95305	3 oz.	14.99
(9) 3-blade Stock Knife	4 in.	9 GT 95304	3 oz.	14.99
(10) 2-blade Jack knife	2½ in.	9 GT 95302	1 oz.	9.99

Pocket Knives (4) thru (10) equipped with the following blades

Type	Long clip blade	Spear blade	Skinning blade	Slim pen blade	Sheepfoot blade	Clip blade
(4) Stock Knife	X				X	X
(5) Stock Knife	X				X	X
(6) Lockback Knife	X					
(7) Pen Knife				X		X
(8) Lockback Knife			X			
(9) Stock Knife	X				X	X
(10) Jack Knife				X		X

(11) CRAFTSMAN® Sharpening Stone

Vitrified silicone carbide. 1 coarse, 1 fine grind side.

9 GT 64402—Shpg. wt. 1 lb. \$4.29

(12) Leather Sheath. Holds knives measuring up to 5 in. long. Brass snap closure, belt loop mahogany color.

9 GT 95083—Shpg. wt. 2 oz. \$6.49

CRAFTSMAN® Brad Nailer
V-shape base lets you drive and countersink brad nails in corners, grooves and other hard-to-reach areas



One-hand operation makes hobby work easier
V-base fits panel grooves and corners
Fastens trim where hammers won't reach
Drives nails flush in picture frames

(1) **CRAFTSMAN® Brad Nailer.** V-shape base designed to maximize nail penetration into panel grooves and in corners. Vinyl base helps prevent marks, scratches and dents to work surface. **CONSTRUCTION:** High-impact polycarbonate housing, vinyl base. Touch-actuated safety feature deters accidental discharges; nailer will not fire unless it is pressed firmly against work surface. Quick-release frees jams in nailer nose. Easy-load carriage permits fast insertion of nails. Uses both 1-inch and 1 1/4-inch, 18-gauge brad nails with no adjustment for size change. **ELECTRICAL INFO:** Solid-state. UL listed. 110-120-volt, 60 Hz. AC. 15-ft., 3-wire cord.

ORDER INFO: Order brad nails below. See warranty below.
9 GT 68426—Shpg. wt. 4 lbs. 5 oz. \$54.99

Brad Nails for nailer above. Package of 500.
Save 10% when you buy any 3 or more packages

Length	Color	Catalog Number	Wt. pkg.	Pkg.	Pkg., any 3 or more
1 in.	Off-white	9 GT 68452	7 oz.	\$1.89	\$1.69
1 in.	Lt. wood	9 GT 68453	7 oz.	1.89	1.69
1 in.	Med. wood	9 GT 68454	7 oz.	1.89	1.69
1 in.	Dark wood	9 GT 68455	7 oz.	1.89	1.69
1 1/4 in.	Off-white	9 GT 68456	8 oz.	1.99	1.79
1 1/4 in.	Lt. wood	9 GT 68457	8 oz.	1.99	1.79
1 1/4 in.	Med. wood	9 GT 68458	8 oz.	1.99	1.79
1 1/4 in.	Dark wood	9 GT 68459	8 oz.	1.99	1.79

New and Only at Sears!
CRAFTSMAN® Dual-power Electric Stapler

- Dual power for extra force when you need it
- Staples released from tip of unit base for accurate, flush stapling in close corners
- Lightweight and easy to load... helps minimize user fatigue, especially in overhead work



(2) **CRAFTSMAN® Dual-power Electric Stapler**

Dual power allows for controlling depth of staple penetration. Unique base designed for flush stapling and accessibility to tight corners and edges; staples released from tip of base. Lightweight stapler weighs less than 2 lbs., designed to minimize user fatigue especially while performing overhead jobs.

CONSTRUCTION: Handle, housing of high-impact Lexan® plastic. Nickel-plated steel swing-away base for loading ease. Switch, safety lock.

ELECTRICAL INFORMATION: Solid-state. 110-120 volt, 60-Hz. AC. UL listed. Double-insulated. 6-inch, 2-wire cord.

ORDER INFO: Order staples below. See warranty below.

9 GT 68423—Shipping weight 2 pounds \$26.99

CRAFTSMAN® Heavy-duty Manual Stapler Kit

(3) Switch from low to high power for handling extra-tough stapling jobs.

CONSTRUCTION: Steel with nickel-plated finish.

INCLUDES: 2 packs of 1000 staples each in 3/8-inch and 1/2-inch sizes; belt hook, screen stretcher, desk adapter for stapler and handy carrying case.

ORDER INFO: See warranty below.

Shipping weight 3 pounds 4 ounces.
9 GT 68431 Kit \$26.99

Heavy-duty Manual Stapler alone

ORDER INFO: Order staples below. Warranty below.


Shipping weight 1 pound 12 ounces.
9 GT 6843 \$19.99

Staples for staplers (2) and (3). Pkg. of 5000.

.050 steel wire staples measure 1/2 inch wide.

Save 10% when you buy any 2 or more packages

Length	Catalog Number	Shipping weight, pkg.	Pkg.	Pkg., any 2 or more
1/4 in.	9 GT 74452	1 lb. 3 oz.	\$5.49	\$4.94
3/8 in.	9 GT 74453	1 lb. 6 oz.	6.29	5.66
1/2 in.	9 GT 74454	1 lb. 9 oz.	6.99	6.29
3/4 in.	9 GT 74455	1 lb. 14 oz.	7.59	6.83
1 in.	9 GT 74457	2 lbs. 4 oz.	8.49	7.64



For extra power, simply push button on stapler head. Use for installing insulation, ceiling tile, screening or for upholstery



CRAFTSMAN® Hydraulic Riveter

Works up to 33% easier than manual types



CRAFTSMAN® V-shaped Riveter

Fastens in close corners



CRAFTSMAN® Professional-quality Heavy-duty Riveter Kit

(4) Hand-operated, hydraulically powered riveter works at any angle. Clamping jaws grip rivet and maintain grip until rivet is popped. No repositioning necessary between compression strokes as in mechanical-type riveters.

CONSTR: Steel, non-slip rubber hand grips. Self-contained hydraulic system refills with 10-wt. motor oil. Disassemble for cleaning.

INCLUDES: Two interchangeable nose bushings.

ORDER INFO: See warranty on page 90.
9 GT 7478—Wt. 1 lb. 14 oz. \$69.99

(5) Handy V-shape allows for working in close corners and in other hard-to-reach areas.

CONSTRUCTION: Zinc body, steel handles. Rubber hand grips. Steel nose guide.

INCLUDES: 3 interchangeable nose pieces. Plastic pouch.

ORDER INFO: See warranty on page 90.

Shpg. wt. 1 lb. 2 oz.
9 GT 7474 \$18.99

Rivets for riveters (4 thru 6). Use to repair lawn furniture, storm windows, storm doors, aluminum gutters and more. 1/8-inch diameter.

ORDER INFO: Package of 200.

Length in.	Catalog Number	Shpg. wt., oz.	Per Pkg.
Aluminum Rivets			
1/8 in.	9 GT 74521	3	\$4.69
1/4 in.	9 GT 74522	4	4.69
Steel Rivets			
1/8 in.	9 GT 74527	8	\$4.69
1/4 in.	9 GT 74528	10	4.69


(6) Professional-quality tool has the power to perform a variety of riveting jobs.

CONSTRUCTION: Steel. Plastisol hand grips. **INCLUDES:** 3 nose pieces, 4 pkgs. of rivets (fifty 3/8x1/4-in. aluminum, 100 each 1/2x1/8-in. steel, 1/8x1/4-in. steel, and 1/8x1/8-in. aluminum). Instructions included.

ORDER INFO: See warranty on page 90.

Shipping weight 2 pounds.
9 GT 74731 Kit \$29.99

Full One-Year Warranty on CRAFTSMAN® Brad Nailer and Staplers: If any of these items fail to give complete satisfaction within 1 year from date of purchase, return item to nearest Sears store throughout the United States and Sears will replace it free of charge. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.



QUALITY BY DESIGN

... features like these on our best Steel Lock Tape represent the quality that's built into every CRAFTSMAN® tool

- A** High-carbon, heat-treated steel inner spring for smooth blade extensions and smooth return
- B** Flexible tape blade is 1 inch wide, with protective chromate sealer to resist rust and corrosion
- C** Handy finger lock holds blade extended up to 48 inches without "breaking" while you take measurements. Blade returns automatically when lock is released
- D** Sears exclusive "tough tip" of durable stainless steel will not separate from tape blade



CRAFTSMAN® Lock Tape

CONSTRUCTION: Chrome-plated Cycloc® plastic case won't crack or peel. Metal belt clip keeps tape handy. Take small measurements without removing tape from belt. Case measures 3 inches long.

BLADE: Flexible steel blade is 1 inch wide. Yellow-enameled tape is scaled to 1/16 inch. 16-inch marks for measuring stud centers.

ORDER INFO: See warranty on page 32.

9 GT 39131—20-ft. tape blade. Shpg. wt. 12 oz. \$12.99
9 GT 39132—25-ft. tape blade. Shpg. wt. 1 lb. 14.99



(1) **Sears Steel Lock Tape.** Chrome-plated Cycloc® plastic case has slide lock. Flexible steel blade with yellow enamel coating has 1/16-inch graduated scale. 16-inch marks for stud centers.

9 GT 39331—20-ft. tape blade. Shpg. wt. 8 oz. \$10.99
9 GT 39332—25-ft. tape blade. Shpg. wt. 10 oz. 11.99

(2) **CRAFTSMAN® Lock Tape.**

2-in. chrome-plated zinc case, except 25-ft. tape has 3-in. chrome-plated Cycloc® plastic case. Belt clip. Push-button lock. Blade has yellow enamel coating. 1/16-in. graduations. 16-in. marks for stud centers. **ORDER INFO:** Warranty, p. 32.

Width	Length	Catalog No.	Wt.	Each
1/2 in.	10 ft.	9 GT 39222	6 oz.	\$6.49
1/2 in.	12 ft.	9 GT 39223	6 oz.	7.99
3/4 in.	12 ft.	9 GT 39214	8 oz.	8.99
3/4 in.	16 ft.	9 GT 39215	11 oz.	11.99
3/4 in.	20 ft.	9 GT 39217	12 oz.	12.99
3/4 in.	25 ft.	9 GT 39209	12 oz.	13.99

CRAFTSMAN® Steel Lock Tape with standard and metric scales. As in (2), except 1/2-inch blade also has metric scale. 12-ft. (3.65 meters) long. 9 GT 39224—Shipping weight 7 ounces. \$7.99

(3 and 4) **Push-pull Tapes.** 1/2-in. wide metal blade, yellow enamel coating. Graduated in 1/16 in. 2-in. long case. See warranty, p. 32 for item (4).

(3) **Sears Push-pull Tape**

6-ft. blade. Plastic case. 9 GT 3919—Wt. 2 oz. \$2.99

(4) **CRAFTSMAN® Push-pull Tape**

10-ft. blade. Chrome-plated zinc case. 9 GT 39167—Wt. 6 oz. \$5.39

(5) **Sears Winding Reel Tape**

Cycloc® plastic case. 3/8-in. flexible steel blade, white enamel finish. 1/8-in. graduations. End hook.

Width	Length	Catalog No.	Wt.	Price
3/8 in.	50 ft.	9 GT 3901	11 oz.	\$9.99
3/8 in.	100 ft.	9 GT 3902	1 lb.	12.99

(6) **CRAFTSMAN® Winding Reel Tape.** Chrome-plated reel, folding handle. Double-roller mouthpiece. End hook. 3/8-in. steel blade. 16-in. marks for stud centers. 1/16-in. graduations. Warranty, p. 32.

Length	Cat. No.	Shpg. wt.	Price
50 ft.	9 GT 39001	13 oz.	\$16.99
100 ft.	9 GT 39002	1 lb. 4 oz.	22.99


Replacement Blades for (1 thru 4)
"Tough tip." Order old tape size.

Width	Length	Catalog No.	Wt.	Price
1/2 in.	10 ft.	9 GT 39175	2 oz.	\$1.49
1/2 in.	12 ft.	9 GT 39176	2 oz.	1.99
3/4 in.	12 ft.	9 GT 39177	3 oz.	2.49
3/4 in.	16 ft.	9 GT 39178	4 oz.	2.99
3/4 in.	20 ft.	9 GT 39179	5 oz.	3.49
3/4 in.	25 ft.	9 GT 39173	6 oz.	3.99
1 in.	20 ft.	9 GT 39172	6 oz.	3.99
1 in.	25 ft.	9 GT 39171	7 oz.	4.49

Replacement Blades for (5) and (6)

Length	Catalog Number	Shpg. wt.	Price
50 feet	9 GT 39031	7 oz.	\$7.49
100 feet	9 GT 39032	14 oz.	10.99

CRAFTSMAN® Levels



(7) **Sears Best CRAFTSMAN® 24-inch Level** 360° rotation for testing plumb, rise or level. **MONOVAIALS:** Plumb, leveling, protractor and Vari-pitch™ vials. Vari-pitch™ reads at 1/4 inch per foot increments up to 1/2 inch per foot of pitch. Read level vial from top. Lightweight aluminum frame. Magnetic edge.

ORDER INFO: See warranty on page 32.

9 GT 39928—Wt. 1 lb. 8 oz. \$17.99

(8) **CRAFTSMAN® Levels**

As above, except without protractor vial.

ORDER INFO: Warranty, p. 32.

Lgth. in.	Vials		Catalog Number	Wt.		Price
	Plumb	Level		lbs.	oz.	
18	1	1	9GT39923	1	1	\$14.99
24	2	1	9GT39929	1	5	18.99
28	2	1	9GT39925C	1	10	22.99
36	2	1	9GT39927C	2	1	22.49
48	2	1	9GT39936C	2	13	29.99
78	3	2	9GT39918L	6*	7	49.99

*15-lb. rate if mailed. See parcel post info. in Big Book.


(9 and 10) **CRAFTSMAN® Torpedo Levels** **MONOVAIALS:** Level, plumb and 45° vials. Read level vial from top, bottom or side.

ORDER INFO: See warranty on page 32.

(9) **Level with 9-in. plastic frame**

Lightweight, durable frame insulated against heat and cold. Has absolute paralleled edges. 9 GT 39821—Shpg. wt. 3 oz. \$6.99

(10) **Level with 9-in. aluminum frame.** I-beam frame. One magnetic, one V-grooved edge. 9 GT 39829—Shpg. wt. 5 oz. \$11.99



(11) **Sears Best CRAFTSMAN® Aluminum Rafter Square**

CONSTRUCTION: Hardened aluminum, resists corrosion and warping. Rafter and brace table. Octagon, 100ths scale. Accurate graduations. 8ths, 16ths scale on face side, back has 10ths, 12ths. Black numbering. 24x2-inch body, 16x1 1/2-inch tongue. **ORDER INFO:** See warranty on page 32.

9 GT 39644C—Wt. 15 oz. \$19.99

CRAFTSMAN® Steel Rafter Square

As (11) above, except polished steel.

9 GT 39641C—Wt. 1 lb. 14 oz. \$9.99

(12) **CRAFTSMAN® Try Square**

CONSTRUCTION: 8-inch polished steel blade. Scale marked in yellow on both top and bottom. Hardwood handle, brass trim.

ORDER INFO: See warranty on page 32.

9 GT 39594—Wt. 6 oz. \$7.69

(13) **Sears Best Combination Squares**

CONSTRUCTION: Sears exclusive 1-inch wide black oxide blade has both English and metric scales. Precision-ground blade edges, milled for accuracy. Self-aligning draw-bolt. Full-view monoval. Steel scriber. **ORDER INFO:** Warranty on page 32.

16-in. blade.

9 GT 39559—Wt. 11 oz. \$12.99

12-in. blade

9 GT 39558—Wt. 11 oz. 11.99

Pocket-size version of (13). 6-inch blade.

9 GT 39557—Shpg. wt. 5 oz. \$8.99

(14) **All-metal Combination Square**

CONSTR: 12x1-inch steel blade. No vial. English scale. Scriber. Self-aligning draw bolt. 9 GT 39555—Wt. 11 oz. \$3.99

(15) **Nickel-plated Combination Square**

CONSTR: 12x1-inch nickel-plated steel blade. English and metric scale. Partial-view monoval. Scriber. Self-aligning draw bolt. 9 GT 39556—Shpg. wt. 11 oz. \$7.99

(16) **CRAFTSMAN® Sliding "T" Bevel.** Divides or transfers angles.

Adjustable 8-inch steel blade. Hardwood handle.

ORDER INFO: Warranty, p. 32.

9 GT 39485—Wt. 3 oz. \$7.99

(17) **CRAFTSMAN® 6-ft. Folding Rule.** Brass extension for inside measuring. Grooved edges indicate scale in 16ths. Measure studs every 16 in.

Brass strike plates. 1/2 in. wide.

ORDER INFO: See warranty, p. 32.

9 GT 3931—Wt. 6 oz. \$11.99

(18) **CRAFTSMAN® Protractor**

Plastic with 4-inch diameter face. Reads within ±1/2° at any angle.

Built-in angle-pitch calculator. Magnetic base. 4 1/2x3x5 in.

ORDER INFO: See warranty, p. 32.

9 GT 3984—Wt. 6 oz. \$10.99

CRAFTSMAN® Protractor

As in (18) above except without built-in angle-pitch calculator.

Measures angles in 5° increments. 9 GT 3983—Wt. 2 oz. \$5.99

(19) **Angle or Stair Gauge.** For rafter, framing squares; repeating angles. Brass. Steel screw. Pkg. 2.

9 GT 3956—Wt. 2 oz. Pkg. \$1.99

(20) **CRAFTSMAN® Meter Stick.** Converts standard English scale to metric. 39 1/2 in. (1 meter) long. Flexible aluminum.

ORDER INFO: See warranty, p. 32.

9 GT 3762C—Wt. 5 oz. \$2.99

Medium-duty Bit Brace

(1) CRAFTSMAN® Medium-duty Bit Brace

CONSTRUCTION: Steel frame, 7/16-inch diameter with 10 1/2-inch sweep. Metal parts nickel-plated to resist rust. Wooden head and center grip. Alligator-type self-centering chuck grabs both round and tapered-shank bits. Box ratchet enclosed to help reduce wear, keep out dirt. Imported.

ORDER INFO: See warranty on page 32.
9 GT 42404—Shipping weight 2 pounds\$19.99

(2) 6-pc. Auger Bit Set

Use with hand braces or 3/8-in. to 1/2-in. electric drills. Not for use with drill press.

CONSTR: Steel bits, precision-milled and polished. Self-starting screw points. Spiral twists uniformly ground to close tolerance. Hollow centers.

SIZES: 1/4, 3/8, 1/2, 5/8, 3/4, 1-in. diameter bits. Imported.

ORDER INFO: *Separate prices total \$29.44. Warranty, p. 32.*
Shpg. wt. 1 lb. 4 oz.
9 GT 41722.....Set \$24.99

(3) Individual Hollow-center Auger Bits

As in set (2), at left.

ORDER INFO: See chart below.

Size in.	Catalog Number	Wt. oz.	Each
1/4	9 GT 41741	1	\$3.99
3/8	9 GT 41742	2	3.99
1/2	9 GT 41743	2	3.99
5/8	9 GT 41744	3	4.99
3/4	9 GT 41745	4	5.49
1	9 GT 41746	5	5.99
1	9 GT 41747	6	6.99

(4) CRAFTSMAN® Expansive Bits

For use with bit braces. One bit cuts holes of various sizes. Two interchangeable, steel blades with graduated 1/16-inch settings. Tapered square shank. Imported.

ORDER INFO: See warranty on page 32.
9 GT 41765—For 1/2 to 1 1/2-inch holes. Wt. 5 oz. ...\$10.99
9 GT 41766—For 1/8 to 3-inch holes. Wt. 8 oz. 13.99

(5) CRAFTSMAN® Countersunk Bit. 5/8-in. bit for wood use. Forged steel. 1/4-in. combination shank fits braces, drills.

ORDER INFO: See warranty on page 32.
9 GT 4205—Shipping weight 1 ounce\$1.99

(6) CRAFTSMAN® Hand Drill Set. Steel, 3-jaw chuck takes bits to 1/4-in. diameter. Pinion gears for smooth torque. 8 bits (1/16 thru 1/4 in.). Store bits in wood handle. 11 in. long.

ORDER INFO: See warranty on page 32.
9 GT 4231—Shipping weight 1 lb. 2 oz.Set \$21.99

(7) CRAFTSMAN® Push Drill Set. Store bits in plastic handle, aluminum cap. 8 drill points (1/16 thru 1/4 in.). 8 3/4 inches long.

ORDER INFO: See warranty on page 32.
9 GT 4221—Shipping weight 8 ouncesSet \$19.99

12-in. Professional-type Drill Set (not shown). As above, except chrome-plated steel. Heavy-duty springs. Locking chuck.

9 GT 4222—Shipping weight 9 ouncesSet \$22.99

(8) CRAFTSMAN® 8-pc. Replacement Drill Point Set. Steel. Fits (7) and most other push drills. 1/16 thru 1/4 in. sizes.

ORDER INFO: See warranty on page 32.
9 GT 42216—Shipping weight 1 ounceSet \$6.99

(9) Sears Best CRAFTSMAN® Bench Planes. Cast-iron sides. Milled and ground bottom. Double-plane cutter. Snug-fit frog. Steel blade is 2 in. wide. Wooden handle and knob.

ORDER INFO: See warranty on page 32.
9 GT 37064—Smooth No. 4. Wt. 3 lbs. 14 oz.\$39.99
9 GT 37065—Jack No. 5. Wt. 4 lbs. 11 oz. 44.99

(10) Sears Bench Planes. For all-purpose planing. Tempered steel blades. Not Craftsman.

9 GT 37068—Smooth No. 4. Shpg. wt. 3 lbs. 12 oz. \$26.99
9 GT 37069—Jack No. 5. Shpg. wt. 4 lbs. 7 oz. 29.99

Replacement Blade for (9) and (10)

9 GT 37066—Shpg. wt. 4 oz.\$8.99

(11) CRAFTSMAN® Block Plane. Steel blade cutter sets at 20° angle for planing small pieces. Chamfer with one hand.

ORDER INFO: See warranty on page 32.

9 GT 37051—Shpg. wt. 1 lb. 9 oz.\$16.99

(12 and 13) Sears Block Planes. Steel body.

Item	Length	Blade width	Catalog No.	Shpg. wt.	Price
(12)	6 1/2 in.	1 1/2 inch	9 GT 37067	1 lb. 5 oz.	\$9.99
(13)	6 inches	1 1/4 inch	9 GT 37062	 8 oz.	7.99

(21) Heavy-duty Sawhorse Brackets. Fit 2x4 boards (not incl.). Require no nailing. Tough poly-cast constr. 8 1/4x8 3/4x2 1/16 in.

ORDER INFO: Pkg. of 2.
Shpg. wt. 1 lb. 10 oz.
9 GT 28878 ...Pkg. \$7.99

(22) Medium-duty Sawhorse Brackets. Fit 2x4 boards (not incl.). Hinged steel, enamel fin. Flanged nail holes. 6 3/4x3 1/2x4 in.

ORDER INFO: Pkg. of 2.
Shpg. wt. 1 lb. 10 oz.
9 GT 28872 ...Pkg. \$4.49

(23) Self-stabilizing Sawhorse Legs

Triple-jointed for stability on uneven or sloping surface.

CONSTRUCTION: Made of hot-rolled solid steel. Unit has welded joints. Insert 2x4 or 2x6 board (not included) to connect legs. Bull-dog grips hold board firmly. . . no screws or nails needed. Rugged construction for supporting up to 1,000 lbs. Measures 32 inches high. Folds for storage.

ORDER INFO: Set of 2.
9 GT 28885C—Shpg. wt. 7 lbs.Set \$18.99

(24) Sawhorse Log Holder Accessory

CONSTRUCTION: Steel points on each holder to grip log while cutting for easier control. Holders made of hot-rolled steel. Slots fit 2x4 or 2x6 sawhorse board (not incl.). Position log holder at any point between bull-dog grips when using 2x4; position at any point when using 2x6 board.

ORDER INFO: Package of 2.
9 GT 28886—Shpg. wt. 4 lbs. 12 oz.Pkg. \$10.99

Sears * Best

CRAFTSMAN®
Saws with
contoured hand grip

(14) Sears Best CRAFTSMAN® Taper-ground Bevel-filed Saw

CONSTRUCTION: Chrome-nickel-moly high-carbon steel saw blade has Kromedge finish. Taper-ground to reduce friction and binding. Bevel-filed teeth. Vinyl blade guard. Blade held securely to hardwood handle with 5 screws. 26 inches long overall.

ORDER INFO: See warranty on page 32. Shpg. wt. 1 lb. 13 oz.
9 GT 36193C—8 points per inch (coarse cuts).....\$20.99
9 GT 36194C—10 points per inch (fine cuts)..... 20.99

(15) CRAFTSMAN® Taper-ground Bevel-filed Saw

CONSTRUCTION: Chrome-nickel alloy steel blade has Kromedge finish. Vinyl blade guard. Hardwood handle holds blade secure with 4 screws. Measures 26 inches long overall.

ORDER INFO: See warranty on page 32. Shpg. wt. 1 lb. 13 oz.
9 GT 36153C—8 points per inch (coarse cuts).....\$16.99
9 GT 36154C—10 points per inch (fine cuts)..... 16.99

(16) CRAFTSMAN® Flat-ground Bevel-filed Saw

CONSTRUCTION: Carbon-steel blade. Vinyl blade guard. Hardwood handle holds blade with 3 screws.

ORDER INFO: See warranty, pg. 32.

Points per inch	Length	Catalog Number	Shpg. wt.		Price
			lb.	oz.	
8 (coarse cuts)	26 in.	9 GT 36144C	1	10	\$13.89
10 (fine cuts)	26 in.	9 GT 36145C	1	10	13.89
12 (fine cuts)	22 in.	9 GT 36141C	1	8	12.69



(17) Back Saws

CONSTRUCTION: Steel blade has 11 points per inch for fine cuts. Braced back. Plastic handle.

ORDER INFO: Not Craftsman.

Blade size	Catalog Number	Shpg. wt.	Price
14 x 3 1/4 inches	9 GT 36182	 13 oz.	\$6.99
16 x 3 1/4 inches	9 GT 36187	1 lb.	8.49

(18 thru 20) CRAFTSMAN® Back or Miter Saws

BLADE: Alloy-steel Kromedge, with bevel-filed, hollow-ground teeth. 11 points per inch for fine cuts. Braced back. Hardwood handle, comfort-contoured grip.

ORDER INFO: See warranty on page 32.

Item	Blade size	Catalog Number	Shipping weight	Price
(18)	16 x 3 1/2 inches	9 GT 36183	1 lb. 10 oz.	\$13.99
	22 x 4 inches	9 GT 36188	4 lbs.	22.99
(19)	22 x 4 inches	9 GT 36184C	4 lbs. 5 oz.	19.99
(20)	28 x 5 inches	9 GT 36185C	4 lbs. 14 oz.	24.99

Sawhorse
Brackets



ALL Sears 31

QUALITY BY DESIGN

...features like these on Sears Best Curved-claw Hammer represent the quality that's built into every CRAFTSMAN® tool

- A Exclusive Third Claw™ for pulling nails from corners
 B Non-slip claws have inner bevel for firm grip
 C Exclusive forged rib under both claws for added strength...withstood 6000 lbs. of pressure in lab tests
 D Perfectly rounded striking face has uniform beveling...prevents "mushrooming", minimizes chipping

Claw-type Nail Hammers for general carpentry, common, unhardened or finishing nails

CRAFTSMAN® Rip Claw Hammers for unhardened, common nails

Ball-pein Hammers for riveting...light machine work and shaping soft metal

(1 thru 4) CRAFTSMAN® Curved-claw Hammers

HEAD: Heat-treated, drop forged steel. Machined face has beveled crown to reduce chipping. 16-oz. head with forged ribs under claws and Third Claw™ for pulling nails, except 9-3822 which has 13-oz. head, no third claw.

ORDER INFO: Warranty below, right.

(1) Hammer with tubular steel handle
 HANDLE: Tubular steel; more shock-absorbent than solid steel handle. Hickory plug absorbs vibration. Perforated synthetic rubber grip.
 9 GT 3836—Wt. 1 lb. 9 oz.\$14.99

(2) Hammer with fiber glass handle
 HANDLE: Fiber glass; more shock-absorbent than solid steel. Parallel fiber glass strands for added strength. Hollow core for balance. Synthetic rubber grip has exclusive chevron perforations for firm grip; resists oil, grease.

16-ounce head
 9 GT 3820—Wt. 1 lb. 9 oz.\$14.99

13-ounce head
 9 GT 3822—Wt. 1 lb. 5 oz.\$13.99

(3) Hammer with solid steel handle
 HANDLE: Drop-forged, tempered steel. Hickory plug helps reduce vibration. Perforated, synthetic rubber grip bonded to I-beam core handle.
 9 GT 3825—Wt. 1 lb. 11 oz.\$14.99

(4) Hammer with American hickory handle
 HANDLE: Hickory, most shock-absorbent handle we sell. Reinforced at neck with steel shield to protect handle from damage on overstrikes. Walnut stain.
 9 GT 38141—Wt. 1 lb. 6 oz.\$13.99

(5, 6) Claw-type Hammers
 HEAD: 16-oz. drop-forged steel.

(5) CRAFTSMAN® Hammer with curved claw and hickory handle, Third Claw™.
 HANDLE: Hickory, more shock-absorbent than steel.

ORDER INFO: See warranty below. Wt. 1 lb. 6 oz.

9 GT 3818\$10.49

Hammer with straight claw, hickory handle (not shown).

Warranty below. Wt. 1 lb. 4 oz.
 9 GT 3819\$10.49

Hammer with curved claw and hickory handle. Not Craftsman.

Wt. 1 lb. 6 oz.
 9 GT 38081\$5.99

(6) Hammer with curved claw and tubular steel handle

HANDLE: Tubular steel, Synthetic rubber grip. Import. Not Craftsman. Wt. 1 lb. 10 oz.

9 GT 3812\$11.99

Hammer with straight claw, tubular steel handle (not shown).

Wt. 1 lb. 9 oz.
 9 GT 3814\$11.99

(7) Vinyl Thumper Face for all 16-oz. hammers above

9 GT 3839—Wt. 1 oz.99c

FULL UNLIMITED WARRANTY ON CRAFTSMAN® HAND TOOLS: If any Craftsman® Hand Tool ever fails to give complete satisfaction, return it to the nearest Sears store throughout the U.S. and Sears will replace it, free of charge. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

(8 thru 10) CRAFTSMAN® Rip-claw Hammers
 Drop-forged steel head. Machined face, beveled crown, except milled face on 9-38096 and 9-38093.

ORDER INFO: See warranty below, left.

(8) Hammer with fiber glass handle
 Handle has hollow core for balance. Synthetic rubber grip has chevron perforations.

Head weight	Catalog Number	Shipping weight	Price
16 oz.	9 GT 3821	1 lb. 9 oz.	\$14.99
20 oz.	9 GT 3829	1 lb. 13 oz.	17.99

(9) Hammer with solid steel handle and 20-oz. head
 Tempered steel handle has hickory plug. Perforated rubber grip bonded to I-beam core handle.

9 GT 38273—Shpg. wt. 2 lbs.\$20.99

(10) Hammer with select hickory handle. Hickory handle is more shock-absorbent than steel handles.

Head wt.	Catalog Number	Shipping weight	Price
20 oz.	9 GT 38096	1 lb. 11 oz.	\$17.99
28 oz.	9 GT 38093	2 lbs. 7 oz.	18.99

(11 and 12) CRAFTSMAN® Ball-pein Hammers
 Drop-forged steel head bonded to handle. Face crowned and beveled to prevent chipping.

ORDER INFO: See warranty below, left.

(11) Hammer with fiber glass handle. Handle is stronger than wood handles. Perforated rubber grip.

Head wt.	Catalog Number	Shpg. wt.	Price
24 oz.	9 GT 38475	2 lbs. 2 oz.	\$13.99
32 oz.	9 GT 38476	2 lbs. 7 oz.	14.99

(12) Hammer with select hickory handle

Head wt.	Catalog Number	Shipping weight	Price
4 oz.	9 GT 38461	7 oz.	\$8.49
8 oz.	9 GT 38463	12 oz.	8.99
12 oz.	9 GT 38464	1 lb. 1 oz.	9.49
16 oz.	9 GT 38465	1 lb. 5 oz.	9.99
24 oz.	9 GT 38466	1 lb. 15 oz.	10.99
32 oz.	9 GT 38467	2 lbs. 8 oz.	12.99

Specialty Hammers, Sledges and Mallets

(13) CRAFTSMAN® Sledges
 Double-faced steel head. See warranty above.

4-lb. head, 15 in. hickory handle
 Shpg. wt. 4 lbs. 5 oz.

9 GT 50751\$17.99

8-lb. head, 32-in. hickory handle
 Shpg. wt. 9 lbs. 1 oz.

9 GT 50752C\$22.99

10-lb. head, 36-in. hickory handle
 Shpg. wt. 11 lbs. 1 oz.

9 GT 50753C\$24.99

(14) CRAFTSMAN® Heavy-duty Hammer. 2½-lb., steel head. 12½-in. hickory handle. See warranty above.

Shpg. wt. 2 lbs. 15 oz.
 9 GT 38262\$13.99

(15) CRAFTSMAN® Hand-drilling Hammer. 3-lb., steel head. 10-in. hickory handle. Warranty above.

9 GT 38311—Wt. 3 lbs. 1 oz.\$13.99

(16) Rubber Mallet
 16-ounce head. 10-inch hickory handle. Imported. Not Craftsman.

Shpg. wt. 1 lb. 3 oz.
 9 GT 4579\$3.99

(17) CRAFTSMAN® Plastic-tip Hammers

1 hard, 1 soft plastic tip on steel core head. 12½ in. hickory handle. See warranty above.

Head	Catalog No.	Shpg. wt.	Price
6 oz.	9 GT 38291	8 oz.	\$9.99
12 oz.	9 GT 38292	1 lb. 2 oz.	10.99

Vinyl Tips for (17) not shown.

ORDER INFO:

Size, tip	Catalog No.	Wt.	Price
6 oz. hard	9 GT 38293	1 oz.	\$1.29
6 oz. soft	9 GT 38294	1 oz.	1.29
12 oz. hard	9 GT 38296	2 oz.	1.39
12 oz. soft	9 GT 38297	2 oz.	1.39

(18) Tack Hammer

5-ounce steel head. One magnetized face holds tacks. 10-inch hickory handle. Not Craftsman.

Shpg. wt. 8 oz.
 9 GT 3802\$6.49

(19) CRAFTSMAN® Bricklayer's Hammer

16-ounce steel head. 10-inch steel handle. Synthetic rubber grip. See warranty above.

Shpg. wt. 1 lb. 13 oz.
 9 GT 6544\$17.99

(20) CRAFTSMAN® Shingle Hammer

14-oz. steel head. 12¼-in. hickory handle. See warranty above.

Shpg. wt. 1 lb. 7 oz.
 9 GT 4828\$18.99

(21) Chopper-1® Log-splitting Axe

No more struggling to free axe from partially split logs...built-in splitting levers increase splitting force of the Chopper-1® and help prevent head from becoming wedged into log.

CONSTR: Cast-iron head weighs 6½ lbs. 5-inch cutting edge. Contoured hickory handle is 36 inches long.

ORD. INFO: Not Craftsman.

Shpg. wt. 8½ lbs.
 9 GT 50755C\$36.99

(22-24) CRAFTSMAN® Axes with hickory handles

CONSTR: Tempered, hardened tool steel head, locked firmly to handle.

ORDER INFO: Warr., left.

(22) Double-bit Axe

3½-lb. head has two 4½-in. cutting edges. 36-inch handle. Shpg. wt. 4 lbs. 9 oz.
 9 GT 50411C\$22.99

(23) Single-bit Axe

3½-lb. head with 4½-in. cutting edge. 36-in. handle. Shpg. wt. 4 lbs. 12 oz.
 9 GT 50371C\$19.99


Single-bit Trimming Axe (not shown). As (23) exc. 3-lb. head, 4-in. edge. 28-in. handle. Wt. 4 lbs.

9 GT 5027C\$18.99

(24) Barnyard Axe

3½-lb. head with 4½-in. cutting edge. 32-in. handle. Shpg. wt. 4 lbs.
 9 GT 50372\$14.99

for cutting and splitting wood



(25) CRAFTSMAN® Half-hatchet with tubular steel handle

CONSTRUCTION: Forged axe-steel head has 3 1/4-inch cutting edge and nail-pulling slot. Chrome-plated 13-inch tubular steel handle with synthetic rubber grip. Vinyl sheath.
ORDER INFO: See warranty on opposite page.
9 GT 4812—Shpg. wt. 1 lb. 9 oz.\$22.99

Half-hatchet with hickory handle (not shown).
CONSTRUCTION: Heat-treated, hardened steel head. 3 1/2-inch cutting edge. 13-inch long hickory handle. Double-steel wedge holds head securely to handle. Nail-pulling slot in head; black enamel finish. Vinyl sheath.
ORDER INFO: Not Craftsman.
9 GT 4800—Shpg. wt. 1 lb. 11 oz.\$13.99

(26) CRAFTSMAN® Camper's Axe
CONSTRUCTION: Polished steel head and neck. 1 1/4-lb. head has 2 3/4-inch cutting edge and nail-pulling slot. Steel handle has synthetic rubber grip. Measures 13 in. long. Vinyl sheath.
ORDER INFO: See warranty on opposite page.
9 GT 4810—Shpg. wt. 1 lb. 10 oz.\$20.49

(27) CRAFTSMAN® Woodchopper's Maul
CONSTRUCTION: 8-lb. high-carbon steel head; 3 1/4-inch cutting edge. 32-inch Nupla® fiber glass handle, fits most standard oval-eye mauls.
ORDER INFO: Warranty on opposite page.
9 GT 50742C—Wt. 10 lbs. 2 oz.\$34.99

(28) CRAFTSMAN® Maul Kit
INCLUDES: 6-lb. maul with hickory handle, wedge and safety goggles.
CONSTRUCTION: Maul of high-carbon steel. 3 1/4-inch cutting edge. 36-inch hickory handle. 4-lb. hand-forged steel wedge is 9 inches long, with 2-inch edge. Goggles have impact-resistant polycarbonate lenses to help protect eyes and plastic frame with adjustable strap.
ORDER INFO: See warranty on opposite page.
9 GT 50743C—Wt. 12 lbs. 8 oz.Kit \$29.99

CRAFTSMAN® Maul with hickory handle
As in (28) above. Warranty, opposite page.
9 GT 50741—Wt. 7 lbs. 5 oz.\$22.99

Replacement Handle for maul above
Made of hickory, measures 36 inches long.
9 GT 5075C—Wt. 1 lb. 8 oz.\$7.49

(29) Splitting Wedge
CONSTRUCTION: Forged, high-carbon steel wedge is 9 inches long with 2 1/2-inch cutting edge, weighs 5 lbs.
ORDER INFO: Not Craftsman.
9 GT 5074—Shpg. wt. 5 lbs.\$9.99

(30) Log Splitter. Works like a pile driver . . . raise shaft, apply downward force; shaft rams wedge into wood.
CONSTR: 5 1/2-in. steel wedge has 17-in. maximum stroke. 2-in. diameter steel shaft is adjustable; 42 1/2 in. long, extends to 59 1/2 in.
ORDER INFO: Not Craftsman.
9 GT 50732C—Shpg. wt. 18 lbs.\$34.99

Bench Vises provide holding power when you need it

(31) CRAFTSMAN® Heavy-duty Bench Vise

CONSTRUCTION: Cast-iron body reinforced at major stress points. Large anvil and anvil horn. Base swivels 165°; locks in place with self handle. Built-in pipe jaws hold pipe with 1/2 inch minimum diameter. Replaceable screw-on jaw faces of hardened, tempered steel. Steel screw is covered on top and sides by steel channel to help prevent filings from clogging threads. Zinc-plated steel handle with forged ball ends. Imp.
ORDER INFO:

Opens to	Jaw size	Max. pipe diameter	Catalog Number	Wt. lbs.	Price
4 inches ..	3 1/2 inches	1 1/4 inches	9 GT 5180C	16	\$39.99
5 inches ..	4 inches	1 1/2 inches	9 GT 5188C	25	\$59.99
6 inches ..	5 inches	1 3/4 inches	9 GT 5181C	36	\$79.99

(32) Light-duty Bench Vise

CONSTRUCTION: Body, jaws of durable cast iron reinforced at major stress points. Anvil, anvil horn. Base swivels 165° and locks in place. Screw-on tempered steel jaw faces. Steel handle, screw and lock nut. Imported.
ORDER INFO: Not Craftsman.

Vise with 3 1/2-inch jaws; opens to 3 inches
9 GT 5178—Wt. 10 lbs. 2 oz.\$13.99

Vise with 4-inch jaws; opens to 5 inches
9 GT 5177C—Shpg. wt. 15 lbs.\$24.99

(33) CRAFTSMAN® Industrial Machinist's Vise

CONSTRUCTION: Ductile cast iron body and jaws reinforced at major stress points. Self-lubricating graphite bronze bearings absorb thrust of screw head for reduced-friction and wear. 4 1/2-inch jaws open to 7 inches. Machined nut, back jaw keyway. Replaceable jaw faces of hardened, tempered steel pinned to jaws . . . no screws to mar work. Cold-rolled steel screw, covered by front jaw beam. Steel handle. Imported. Meets Federal Specification GGG-V-410A for strength.
ORDER INFO:

9 GT 5197L—Shpg. wt. 50 lbs.\$149.99

(A) Swivel Base Kit for machinist's vise. Lets vise swivel 360°. Locks in position. Made of ductile cast iron. Imported.
ORDER INFO:
9 GT 5198—Shpg. wt. 7 lbs. 13 oz.Kit \$27.99

Protective Jaw Faces (not shown). Fit (31 thru 33) above, any bench vise with 4x1 1/2-inch clamping surface. Pair.
9 GT 51701—Shpg. wt. 1 lb. 6 oz.Pair \$5.69

(34) Clamp-style Vise

CONSTR: Cast iron body and jaws. Permanent pipe jaws, double guide bars for smooth action. 3-in. wide jaws with 2 1/2-in. capacity. Steel screw. Nickel-plated "T" handle. Imported.
ORDER INFO: Not Craftsman.

9 GT 5247—Shpg. wt. 3 lbs. 13 oz.\$11.99

(35) CRAFTSMAN® 12-inch capacity Woodworking Vise

CONSTR: Cast iron body and jaws. Steel guide rods keep vise aligned. Steel drag bar. Retractable dog acts as bench stop. 4x10-in. jaw faces have pre-drilled holes for attaching wood faces (not incl.). Steel screw with continuous 180° thread. Quick-action closing lets you slide vise closed and tighten with a turn of the handle. Meets Federal Specification GGG-V-445a for strength. Fits maximum 2 1/4-in. thick bench with 1/4-in. top clearance. Imported.
ORDER INFO:

9 GT 5195C—Shpg. wt. 35 lbs.\$79.99

(36) CRAFTSMAN® 7-inch capacity Woodworking Vise
As in (35) above, except with 4x7-inch jaw faces and ball-end handle. Imported.
9 GT 5191—Shpg. wt. 11 lbs.\$39.99

4 1/2-inch capacity Woodworking Vise (not shown).
As in (35) above, except with 2 1/2x6 1/2-inch semi-steel jaws. Imported. Not Craftsman.

9 GT 5190—Shpg. wt. 6 lbs. 2 oz.\$24.99

(37) Ball Swivel Vise. Locks at almost any angle for use with odd-shaped pieces and detailed work.

CONSTRUCTION: Cast-zinc body and jaws. Jaws and socket base have protective enamel finish; natural-finish ball joint. 2 1/2-in. capacity "V" groove jaws have removable protective pads. Zinc screw and handle. 5 1/2x4 3/4x6 3/4 in. high.
ORDER INFO:

9 GT 25146—Shpg. wt. 5 lbs.\$26.99

(38) 3-position Vise


CONSTRUCTION: Natural finish, cast aluminum body. Steel guide rods. 1 3/4x4 in. wide, 4-in. capacity jaws. Replaceable jaw faces. Adjust vise to 45° or 90° angle for workbench or drill press use. Steel screw with quick-action release for closing jaws. Knurled handle. Fits bench from 1/2 to 2 1/2 in. thick.
ORDER INFO:

9 GT 5179—Shpg. wt. 4 lbs. 6 oz.\$37.99

(39) Sears Anvil

Cast iron with machine-ground faces, black finish.

Size	Catalog Number	Shpg. wt.	Price
25 lb.	9 GT 5180C	26 lbs.	\$34.99
50 lb.	9 GT 5181L	53 lbs.	\$69.99
100 lb.	9 GT 5162N	104 lbs.	\$139.99



CRAFTSMAN®

Heavy-duty Bench Vise

With replaceable jaw faces; choose 4, 5 or 6-inch jaw capacity

Light-duty Bench Vise


Choose 3 or 5-in. jaw capacity



CRAFTSMAN®


Industrial Machinist's Vise

clamps with up to 3 tons of force
7-inch jaw capacity



Clamp-style Vise

CRAFTSMAN® Woodworking Vises



Anvil for shaping or forging metals

Pipe and Plumbing Wrenches

CRAFTSMAN® Steel Pipe Wrench \$9.99 8-inch size
Sears Pipe Wrench \$5.99 8-inch size

(1) CRAFTSMAN® Steel Pipe Wrenches. One-piece steel housing, frame and handle for outstanding strength. Forged steel jaws. Meet Federal Specifications GGG-W-651 type II Class A for strength. Imported.
ORDER INFO: Warranty, page 32.

Size in.	Cap. in.	Catalog Number	Wt. lbs. oz.	Price
8	1	9 GT 55675	13	\$9.99
10	1½	9 GT 55676	11	11.99
14	2	9 GT 55677	3	14.99
18	2½	9 GT 55678	5	19.99
24	3	9 GT 55679	9	34.99

Sears Pipe Wrenches (not shown). Cast-iron, forged steel jaws. Imported.
ORDER INFO: Not Craftsman.

Size in.	Cap. in.	Catalog Number	Wt. lbs. oz.	Price
8	1	9 GT 30856	13	\$5.99
10	1½	9 GT 30857	1	6.99
14	2	9 GT 30852	2	9.99
18	2½	9 GT 30854	4	11.99

(2) CRAFTSMAN® Reversing Pipe Wrenches. Forged high-carbon boron steel handle. 12 in. long. 15-in. high-carbon steel chain. Quick-reversing, re-grip. 4-inch O.D. capacity.
ORDER INFO: Warranty, p. 32. Wt. 1 lb. 12 oz.

9 GT 55713 \$16.99

(3) Slip and Locknut Wrench. Cadmium-plated malleable iron. 10½ in. long. Adjustable jaws for slip-nuts on "P" or "S" sinktraps. ¾ to 3-in. capacity. Imported.
ORDER INFO: Not Craftsman.

9 GT 55651—Wt. 1 lb. 10 oz. \$9.29

(4) CRAFTSMAN® Basin Wrench. Steel handle. Self-adjusting, high-carbon steel jaws, return spring. Capacity 1½ in. 11 in. long.
ORDER INFO: Warranty, p. 32.

9 GT 55686—Wt. 1 lb. 2 oz. \$9.99



Attach to your electric drill to quickly clear blockage from nearly any drain

CRAFTSMAN® Drill-powered Canister-style Augers

(5) CRAFTSMAN® Canister-style Auger
CONSTRUCTION: Uses the power of your ¼, ⅜ or ½-inch drill to twist through clogged pipes. Professional drop-head end bores through deposits, around corners. Coil of piano wire ¼ in. x 25 ft. long. Coil returns to rust-resistant zinc-plated canister for neater handling and storage.
ORDER INFO: Warranty, p. 32. See our selection of electric drills on pages 16, 20 and 24.
9 GT 55472—Shpg. wt. 8 lbs. 8 oz. \$42.99

Extra-heavy duty Auger (not shown). As above but with 50-foot multi-strand coil for added strength.
9 GT 55475—Shpg. wt. 11 lbs. 8 oz. \$86.99

Replacement Coils for auger (5) above.

Lgth.	Construction	Catalog Number	Wt. lbs. oz.	Price
25 ft.	Heavy-duty steel piano wire	9GT55355	3	\$12.99
25 ft.	Extra-heavy duty multi-coil steel	9GT55477	3	28.99
50 ft.	Extra-heavy duty multi-coil steel	9GT55478	7	51.99



CRAFTSMAN® Drain Cleaners



(6) Flat Sewer Rods
CONSTRUCTION: High-carbon snake steel. Revolving spear point. Handle grips rod at any point.
ORDER INFO: Warranty, page 32.

50-foot length. Measures ½ inch wide, ⅛ inch thick.
9 GT 5509C—Wt. 8 lbs. \$17.99

75-foot length. Measures ¾ inch wide, ⅛ inch thick.
9 GT 55391C—Wt. 12 lbs. \$34.99

100-foot length. Measures ¾ inch wide, ⅛ inch thick.
9 GT 55092C—Wt. 38 lbs. \$81.99


(7) Drain and Trap Augers
CONSTRUCTION: ⅝-inch wide spring steel coil. Auger handle grips spring at any point.
ORDER INFO: Warranty, page 32.

25-foot coil
Shpg. wt. 6 lbs. 2 oz.
9 GT 55362 \$9.99

50-foot coil
Shpg. wt. 12 lbs. 2 oz.
9 GT 55345 \$15.99

CRAFTSMAN® Tubing Tools

Let you cut, bend or join thinwall



(8) Heavy-duty Ratcheting Tubing Cutter
Compound leverage mechanism cleanly cuts plastic pipe, tubing ¼ to 1½ inches in diameter.
CONSTRUCTION: Steel alloy cutting blade, aluminum frame.
ORDER INFO: Warranty, page 32. Shpg. wt. 1 lb. 4 oz.
9 GT 55412 \$32.99

(9) Heavy-duty Tubing Cutter for ¼ to 1½-inch O.D. tubing
CONSTR: Steel alloy cutting wheel. Zinc frame. Twin reamers, two facing flare-groove rollers.
ORDER INFO: Warranty, page 32. 9 GT 5528—Wt. 1 lb. 3 oz. \$9.99

(10) Tubing Cutter
For tubing up to 1½-inch diam.
CONSTR: Steel alloy cutting wheel. Zinc frame. Slide-lock reamer, two facing rollers. Feed knob.
ORDER INFO: Warranty, page 32. 9 GT 5533—Wt. 9 oz. \$6.49

Replacement Cutter Blade for (9), (10). Shpg. wt. 1 oz.
9 GT 5529 \$2.19

(11) Midget Tubing Cutter
For close-quarter jobs. Needs 1½-inch clearance. For ⅛ to ⅝-inch outside diameter tubing.
CONSTRUCTION: Steel alloy cutting wheel. Zinc frame. Feed knob.
ORDER INFO: Warranty, page 32. 9 GT 5560—Shpg. wt. 4 oz. \$5.49

(12) 6-piece Tube Bending Set
For thinwall, ¼ to ⅝-inch outside diameter.
CONSTRUCTION: Tempered spring coils with flared ends. Cadmium-plated. Warranty, p. 32.
9 GT 55411—Wt. 1 lb. 15 oz. Set \$5.99

(13) 9-piece Flaring Tool Set. For copper, aluminum, brass thinwall tubing. Imported.
SET INCL: Tubing cutter, flaring tool (14), 6-pc. tube bending set, vinyl storage pouch.
ORDER INFO: See warranty, page 32. 9 GT 5538—Wt. 4 lbs. 2 oz. Set \$26.99

(14) Flaring Tool. For seven thinwall sizes: ⅜, ½, ⅝, ¾, 1, 1½, 2-inch O.D. outside diameter.
CONSTRUCTION: Steel yoke, swivel cone, steel slide bar handle. Imported. Warranty, p. 32.
9 GT 5537—Wt. 2 lbs. 1 oz. \$15.99

(15) Flaring Tool. For six thinwall sizes: ⅜, ½, ⅝, ¾, 1, 1½, 2-inch O.D. Provides quicker, more professional results than (14).
CONSTR: Same as (14).
ORDER INFO: Not Craftsman.
9 GT 55482—Wt. 2 lbs. 9 oz. \$26.99

CRAFTSMAN® Ratchet-action Pipe Threading Sets



(16) 11-piece, 2½x2½-inch Pipe Threading Set
SET COMP: 2 ½x2 ½-in. threader stock, rack, dies, bushings for ½, ¾, 1, 1½-in. pipe. ½-pint of thread-cutting oil.
ORDER INFO: See warranty on page 32. Shipping weight 14 pounds.
9 GT 5391C ...Set \$143.99

13-piece, 2x2-inch Pipe Threading Set (not shown).
SET COMPOSITION: 2x2-inch threader stock, rack, dies, bushings for ¼, ⅜, ½, ¾, 1-inch pipe. ½-pint of thread-cutting oil.
ORDER INFO: See warranty on page 32. Shipping weight 11 pounds.
9 GT 5387C ...Set \$159.99

Saunders Pipe Cutters (not shown.)
ORDER INFO: Not Craftsman.
Number 1. Wt. 2 lbs. 15 oz. 9 GT 55023 \$28.99
Number 2. Wt. 5 lbs. 7 oz. 9 GT 55024 \$36.99



Vise, Cutter and Taps for cutting tubing or pipes

(17) CRAFTSMAN® Heavy-duty Pipe Cutter. Cast-iron head, steel handle. Tool steel cutting wheel. 2 rollers. No. 2 size cuts ⅛ to 2-in. outside diam. pipe.
ORDER INFO: See warranty, page 32. 9 GT 55072—Shpg. wt. 6 lbs. \$69.99

Replacement Cutting Wheel for (17)
9 GT 55033—Wt. 2 oz. \$4.29

(18) Pipe Vise. Malleable-iron frame. Steel jaws. Easy-release pipe support. For ⅛ to 1½-inch outside diam. pipe.
ORDER INFO: See warranty, page 32. 9 GT 55511—Wt. 3 lbs. 15 oz. \$26.99

(19) CRAFTSMAN® Chain-type Pipe Vise. 8000-lb. breaking strength. Ductile-iron frame, jaws. For ⅛ to 3-in. outside diameter pipe.
ORDER INFO: See warranty, page 32. 9 GT 5557—Wt. 5 lbs. 10 oz. \$38.99

(20) Taper-style Kromedge® Pipe Tap Set. Chrome-plated steel pipe tap. Self-threading.
SET INCLUDES: Sizes ⅛ in., 27 threads per in.; ¼ in., 18 threads per in.; ⅜ in., 18 threads per in.; ½ in., 14 threads per in.; ¾ in., 14 threads per in.; 1 in., 11½ threads per in. Plastic case.
Wt. 2 lbs. 2 oz.
9 GT 52009 Set \$34.99

CRAFTSMAN® Precision Machinists' Chests and Cabinets

- Chests have lid support to hold in open position
- Cabinet frames have exclusive I-beam construction with 2½-inch wide corner posts for 50% more strength than our standard mechanics' cabinets

CONSTRUCTION: Heavy-gauge steel with brown wrinkle finish. Tumbler lock and two keys. Full-length drawer slides keep drawers in alignment, even when full of tools. Cabinets have our exclusive I-beam construction and full-length, 2½-inch wide corner posts, welded to give more strength than our standard mechanics' cabinets. Full-length drawer pulls on cabinets and chest (6). 5-inch casters enable cabinets to roll smoothly . . . set toe brake to keep cabinets stationary. Chests have cap-end construction. Front panel covers chest drawers . . . top has staked full-length hinge for added security.



8-drawer Chest with 6.6 sq. ft. for storage



2-drawer Chest with 3.2 sq. ft. for storage



4-drawer Cabinet with 10.3 sq. ft. for storage



7-drawer Chest with 5.3 sq. ft. for storage



2-drawer Chest with 2.3 sq. ft. for storage



7-drawer Cabinet with 18.1 sq. ft. for storage

Save \$50
when you buy 9-drawer Chest (6) and 7-drawer Cabinet (7)

Separate prices total \$519.98 **\$469.98**

9-drawer Chest with 9.0 sq. ft. for storage



QUALITY BY DESIGN

...features like these on our best Machinists' Chest represent the quality that's built into every CRAFTSMAN® tool

- A** Drawers are tongue-and-groove constructed, individually assembled and hand-fitted to slide easily and smoothly... perfect fit resists temperature changes and helps protect your tools from dust, moisture and condensation. Drawer bottoms of plated steel for added durability; sides and backs of solid straight-grained poplar. Drawers are entirely lined with finest quality green billiard table felt... provides excellent cushion that helps protect delicate tools, measuring devices and instruments, and helps preserve their accuracy
- B** Chest and drawer fronts hand-crafted from high-quality, ½-inch thick kiln-dried oak... hand-rubbed with two coats of varnish for a high-luster protective finish
- C** Removable front cover can be used as tray or stored under bottom drawer

(1) 7-drawer Chest
Polyethylene top handle. Nylon felt drawer inserts. See construction features above.
DIMEN.: 20½x8½x13½ in. high. Drawers 7¼ in. front to back; four 8½ in. wide, 1 in. deep; one 8½ in. wide, 2 in. deep; one 18½ in. wide, 1½ in. deep; one 18½ in. wide, 2¼ in. deep. Wt. 33 lbs.
9 GT 65227C \$99.99

(2) 2-drawer Chest
Side handles. See construction features above.
DIMENSIONS: Overall 21½x9½x7¾ in. high. Drawers 9½ in. front to back, 17½ in. wide; one 1¾ in. deep, one 3½ in. deep. Wt. 20 lbs.
9 GT 65321C \$69.99

(3) 8-drawer Chest. All drawers exc. top-center lined with nylon felt inserts for added protection. Side handles. See constr. above.
DIMENSIONS: 27½x8½x13½ in. high. Drawers 7¼ in. front to back; top, center 5¼x3¼ in. deep; 4 sides 8½x1 in. deep; 1 side 8½x2 in. deep; 2 bottoms 24½ in. wide; one 1½ in. deep, other 2¼ in. deep.
ORDER INFO: Wt. 42 lbs.
9 GT 65228L \$109.99


(4) 2-drawer Chest. Side handles. See construction above.
DIMEN: Overall 28x9¼x7¾ in. high. Drawers 9½ in. front to back, 24¼ in. wide; one 1¼ in. deep, one 3½ in. deep.
ORDER INFO: Wt. 24 lbs.
9 GT 65322C \$79.99

(5) 4-drawer Cabinet
Recessed side handle. See construction features above.
DIMEN: 29x18x35½ in. high. 4 drawers 16¼ in. front to back, 22¼ in. wide; one 3½ in. deep, one 6½ in. deep, two 1½ in. deep. Lower compartment 28½x17½x12½ in. deep; cover panel slides into cabinet.
ORDER INFO: Wt. 110 lbs.
9 GT 65345N \$249.99

(6) 9-drawer Chest. Side handles. Front panel covers drawers for extra security, stores in base. Full-length drawer pulls. All drawers and top compartment lined with protective felt. See construction features above.
DIMEN: Overall 26x12x14½ in. high. All drawers 10¼ in. front to back. Seven drawers are 6¼ in. wide (five of which are 1½ in. deep, two 2½ in. deep); two drawers are 22½ in. wide, 2½ in. deep. Storage rods in lid for books, blueprints.
ORDER INFO: Shpg. wt. 61 lbs.
9 GT 65237L \$209.99

(7) 7-drawer Cabinet
Side handles. See other construction features above.
DIMENSIONS: Overall 29x18x35½ in. high. Drawers 16¼ inches front to back, 22¼ inches wide; four 2½ inches deep, two 4¼ inches deep, one 6½ inches deep.
ORDER INFO: Wt. 136 lbs.
9 GT 65346N \$309.99

Chest and Cabinet Set. Save \$50. Includes chest (6) and cabinet (7) above.
ORDER INFO: *Separate prices total \$519.98.* Wt. 197 lbs.
9 GT 65282N...Set \$469.98



CRAFTSMAN®
Hand-crafted
Hardwood
Machinists' Chest for the
journeyman or master craftsman

CONSTRUCTION: Chest, drawer front of hand-crafted oak, hand-rubbed with 2 coats of varnish for a high-luster protective finish. Drawers tongue-and groove constructed, hand-fitted to slide easily and smoothly. Drawer sides of poplar, bottoms of plated steel, interiors felt-lined to provide excellent protective cushion for your delicate tools. Lacquered exterior; steel hardware is nickel-plated to resist rust. Removable front cover. Includes lock and two keys.
DIMENSIONS: 26x9½x15¼ in. high. Eight drawers, 7¼ in. front to back. Center 5½ in. wide, 3½ in. deep; four 8½ in. wide, 1½ in. deep; three 24½ in. wide; one 1½ in. deep, one 1½ in. deep, one 2½ in. deep. Top compartment measures 24½x8½x3¼ in. deep.
ORDER INFO: Tools not included.
O 9 GT 6511L—Shipping weight 38 pounds .. \$299.99


HAROLD MITTENDEN
106 W STRAIGHT ST
WEEDING, IL

Easily identify your CRAFTSMAN® tool chest or cabinet by ordering a personalized name plate; use order blank included with purchase

On these
2 pages...

CRAFTSMAN® Industrial-Professional Precision Tools

When highly precise measurements are important, these tools respond
...designed to meet the extremely close tolerance demands
of engineers, machinists and quality controllers



**Single-revolution
Dial Caliper**

- 6-inch measuring capacity, 100 inch per single revolution
- Direct reading to .001 inch, adjustable dial face and bezel lock
- Covered rack construction resists interference of filings, chips
- Dual flowing gears for smooth operation

**Combination Digital Display/
Dial-readout Caliper**

- Digital readout generates inches and $\frac{1}{10}$ inches up to $7\frac{1}{2}$ inches. Last digit in readout coincides with 1 revolution of dial (.100 inch)
- Covered rack construction resists interference of filings and chips

Inch/Metric
Vernier Caliper

Inch and Metric
Dial Calipers

CRAFTSMAN® Calipers with hardened stainless steel construction

(1 and 2) Calipers

.100-inch direct reading per revolution; .001-inch graduation. Hardened stainless steel construction. Covered rack resists interference of filings, chips. Satin-chrome-plated. 4-way measuring capability—inside, outside, depth and step. Includes fitted carrying case.

(1) Single-revolution Dial Calipers. Dual gear movement floats over any internal obstruction to provide constant, accurate reading. Large dial with black markings. Accuracy to plus or minus one graduation (.001 inch). Imported.
ORDER INFO: See warranty, page 41.

Caliper with 0 to 6-inch scale. Wt. 1 lb.
9 GT 40185\$79.99

Caliper with 0 to 8-inch scale. Wt. 1 lb. 7 oz.
9 GT 40188\$109.99

Caliper with 0 to 12-inch scale. Wt. 1 lb. 12 oz.
9 GT 40186\$159.99

(2) Combination Digital Display/Dial Readout Caliper with 0 to $7\frac{1}{2}$ -in. scale

Independent digital display mechanism registers measurements in tenths of an inch (.1 inch); housed in black-colored box near dial. Large easy-to-read dial has .001-inch graduations; one revolution reads .1 inch, matching last digit on digital readout. Combination allows quick readings in thousandths of an in. (.001 in.) up to $7\frac{1}{2}$ in. Imported.
ORDER INFO: See warranty, page 41.

Shpg. wt. 1 lb. 3 oz.
9 GT 40189\$149.99

(3) Inch and Metric Dial Calipers

Stainless steel with chrome-plated scales on beam. Scales read from inside or outside. Depth gauge. Adjustable bezel. $9\frac{1}{4}$ in. long. Includes storage case. Imported.
ORDER INFO: See warranty, page 41.

Inch scale: 0-6 in. by .001-inch graduations. Shpg. wt. 14 oz.
9 GT 40172\$67.99

Inch scale: 0-4 in. by .001-inch graduations. Shpg. wt. 2 lbs.
9 GT 40171\$57.99

Metric scale: 0-150mm by .05mm graduations. Shpg. wt. 1 lb. 4 oz.
9 GT 38668\$69.99

(4) Inch/Metric Vernier Caliper, with 6-inch/150mm range. Stainless steel with chrome-plated scales on recessed beam. Depth gauge. Thumb lock. 8 in. long. Incl. storage case. Imported.

CAPACITY: Inch scale: 0-6 in. by .001 graduations. Metric scale: 0-150mm by .05mm.


ORDER INFO: See warranty, page 41.
9 GT 40181—Wt. 7 oz.\$35.99

Steel scale, machine-divided for accuracy. Cast-iron, precision-ground protractor, square head and center head. Level vial. Silver-mist-color chrome-plated blade. 6-inch or 12-inch scale. Non-reversible bevel protractor graduated 180° left and right. Meets Federal Specifications GGG-S-656a for accuracy. See warranty on page 41.

Scale	Front graduations	Back graduations	Catalog No.	Shipping weight	Price
Square with protractor and center head					
12 in.	8ths, 16ths in.	32nds, 64ths in.	9 GT 38694	1 lb. 6 oz.	\$67.99
12 in.	1 mm, .05 mm.	32nds, 64ths in.	9 GT 38693	2 lbs. 4 oz.	67.99
12 in.	50ths, 100ths in.	32nds, 64ths in.	9 GT 38695	2 lbs. 4 oz.	69.99
Square without protractor, with center head (not shown)					
12 in.	8ths, 16ths in.	32nds, 64ths in.	9 GT 38693	1 lb. 10 oz.	\$44.99
Square without protractor or center head (not shown)					
6 in.	8ths, 16ths in.	32nds, 64ths in.	9 GT 3869	9 oz.	\$28.99
12 in.	8ths, 16ths in.	32nds, 64ths in.	9 GT 38691	1 lb. 4 oz.	33.99

12-inch Replacement Blade for square above. For 9 GT 38691, 9 GT 38693 and 9 GT 38694 only. Silver-mist-color chrome-plated finish.
9 GT 38699—Shipping weight 4 ounces\$16.99

CRAFTSMAN® Machinists' Combination Square



CRAFTSMAN® Magnetic Indicator Holders




Holder with
flexible arm
and 150-lb.
pull

Holder
with
150-lb.
pull

Holder
with
150-lb.
pull,
fine-adjust
mechanism

Dial Testing and Measuring Equipment



(5 thru 7) Steel magnet with on/off switch. Imp.

(5) Indicator Holder with flexible arm, 150-lb. pull. Magnetic base holds all types of indicators. Vertical flexible arm allows measurement of hard-to-reach areas. $2\frac{1}{2} \times 2\frac{1}{4}$ in. Maximum reach $1\frac{1}{2}$ in.
ORDER INFO: See warranty on page 41.
9 GT 38912—Shipping weight 3 lbs. 8 oz. ...\$59.99

(6) Indicator Holder with 150-lb. pull. Holds all types of indicators. $2\frac{1}{2} \times 2\frac{1}{4}$ in. 9 in. high overall.
ORDER INFO: See warranty on page 41.
9 GT 38911—Shipping weight 1 lb. 8 oz. ...\$42.99

(7) Indicator Holder with 150-lb. pull and fine-adjustment mechanism. Holds most dial indicators—center-lug, universal or plunger back. Fine adjustment to within .0001 in. $2\frac{1}{2} \times 1\frac{1}{4} \times 2\frac{1}{4}$ in. 9 in. high overall.
ORDER INFO: See warranty on page 41.
9 GT 38908—Shipping weight 3 lbs. 5 oz. ...\$44.99

(8 thru 12) Meet Federal Specification Mil-1-18422D for accuracy.


(8) 0-10-0 Universal Dial Test Indicator Set. Dial reads by .0005 in. Range of .020 in. Includes 3 contact points, 2 stems ($\frac{1}{4}$, $\frac{3}{8}$ in.), wrench, universal holder and clamp with dovetail slots, automatic reversal contact point, case. Imported.
ORDER INFO: See warranty on page 41.
9 GT 40755—Shipping weight 8 oz. ...Set \$64.99

(9) 0-15-0 Universal Dial Test Indicator Set. Dial reads by .001 in. Range of .030 in. Reversing lever. Includes universal holder bar, clamp and case.
ORDER INFO: See warranty on page 41.
9 GT 40761—Shipping weight 9 oz. ...Set \$41.99

(10) 0-50-0 Universal Dial Test Indicator Set. Dial reads by .001 in. Range of .200 in. Includes clamp, tool post holder, 2 holding rods, case.
ORDER INFO: See warranty on page 41.
9 GT 38679—Shpg. wt. 2 lbs. 2 oz.Set \$89.99

(11) 0-100 Plunger Dial with Accumulator. Dial reads by .001 in. Range of 1.000 in. Dial diameter is 2 inches. Imported.
ORDER INFO: See warranty on page 41.
9 GT 38674—Shipping weight 8 ounces ...\$37.99

(12) Dial Bore Gauge Set. Dial reads by .0001 in. Bore diameter range of 2.000 to 6.000 in. 6-in. bore depth. Adjustable tolerance pointers. Set includes dial bore gauge, 10 extensions (2 to 4 in.), 2-inch extension collar, 2 carbide contact points, case. Imported.
ORDER INFO: See warranty on page 41.
9 GT 38678—Shpg. wt. 2 lbs. 5 oz. ...Set \$159.99




Use Sears Credit

New at Sears! CRAFTSMAN® Height Gauges

Digital-count Height Gauge with dual directional digital counter . . . digit count reads to tenths of an inch; dial face reads to one-thousandths of an inch; .100 in. per revolution, floating zero

Dial Height Gauge with direct read to one-thousandth of an inch; two hundred-thousandths of an inch per revolution. Carbide-tipped scriber and clamp included



(13) Digital-count Height Gauges.* Stainless steel construction. .100 in. dual readings. .001 in. graduations. Float zero-point anywhere within range. Imported.

Gauge with 12-inch range
9 GT 38646—Wt. 9 lbs. . \$399.95


Gauge with 18-inch range
9GT38647C—Wt. 23 lbs. . \$579.99

Gauge with 24-inch range
Shpg. wt. 23 lbs.
9 GT 38648C \$739.99

Mahogany Storage Cases for height gauges (13), (not shown).

Solid mahogany construction. Felt-lined interior protects gauge.

9 GT 38651—For 12-inch gauge. Shpg. wt. 8 lbs. \$59.99
9 GT 38652C—For 18 and 24-in. gauges. Wt. 14 lbs. 99.99



CRAFTSMAN® Specialty Micrometers

(15) Inside Micrometer Sets*
Satin-chrome plated. Heads and mandrels ground, hardened for accuracy. Setting and extension handles. Carrying case included.

CAPACITIES: See ranges below.
Inch scale reads to .001 inch; metric reads to .01mm.

Inch—1½ to 8½-inch range.
Shpg. wt. 1 lb. 9 oz.

9 GT 3864 Set \$72.99

Inch—1½ to 12½-inch range.
Shpg. wt. 2 lbs. 9 oz.

9 GT 38641 Set \$89.99

Metric—38 to 213 millimeters
Shpg. wt. 1 lb. 8 oz.

9 GT 38642 Set \$72.99

(16) 1-inch Micrometer Head*

Reads to .001 in. Mounting shaft .500 in. long. .375-in. diam. Spindle hardened to Rc 62-64 with lead error held to .00005 in. Steel. Includes lock nut, mounting nut, ratchet stop.

9 GT 38619—Wt. 4 oz. . \$27.99

*See warranty on page 41

(17) Depth Micrometer Sets*
Screw stock extensions. Ends hardened, precision-ground and lapped. Adj. nut.

0 to 6 inch x .001 inch
Shpg. wt. 1 lb. 15 oz.

9 GT 38632 \$84.99

0 to 3 inch x .001 inch
Shpg. wt. 1 lb. 6 oz.

9 GT 3863 \$69.99

0 to 75mm x .01mm

Shpg. wt. 1 lb. 6 oz.

9 GT 38623 \$69.99

(18) Depth Micrometer.* 4-inch base. 0-6-in. range by .001 in. Adj. sleeve. Lock, ratchet stop. Satin chrome barrel, thimble. Wt. 2 lbs. 5 oz.

9 GT 3865 \$94.99

(19) Digital Depth Micrometer.* 2½-in. base. 0 to 4-in. range by .001 in. Digital counter. Satin-chrome base, thimble. Sleeve thimble. 4 rods. Case. Imported. Shipping weight 2 lbs. 2 oz.

9 GT 38645 \$99.99

CRAFTSMAN® Micrometers

(20 and 21) Carbide-tipped Micrometers

CONSTR: Durable black wrinkle finish. Drop-forged steel frame. Carbide-tipped measuring faces for long life. Satin-chrome barrel and thimble. Spindle lock and ratchet stop. Spindle hardened to Rc 62-64 with lead error held to .00005 inch (50 millionths of an inch). Scale reads to .0001 inch (one ten-thousandth of an inch) on vernier scale. Complies with Federal Spec. GGG-C-105 b. Incl. adjusting wrench, vinyl storage pouch, owner's manual.

ORDER INFO: See warranty, page 41.

(20) Micrometer with 1 to 2-in range

Comes with 1-inch setting standard.

9 GT 38612—Shpg. wt. 9 oz. \$59.99

Micrometer with 0 to 1-in. range

Similar to (20), but without setting standard.

9 GT 38611—Shpg. wt. 6 oz. \$49.99

(21) Micrometer Set with 0 to 4-in. range

Includes: 0 to 1-in. and 1 to 2-in. micrometers above; 2 to 3-in. micrometer with 2-in. setting standard; 3 to 4-in. micrometer with 3-in. setting stand.
9 GT 38615—Wt. 3 lbs. Set \$249.95

(22) Machinists' Precision Ground-thread Micrometers

Steel, cast steel with polished spindle, anvil. Satin-chrome barrel and thimble. Spindle hardened to Rc62-64. Lead error held to .00005 in. Spindle lock. Black frame. Standard scales marked to .001 inch, metric scales to .01mm. Meet Federal Specification GGG-C-105b for accuracy.

ORDER INFO: See warranty on page 41.

Range	Pieces ††	No. of Stds.	Catalog Number	Wt. lbs. oz.	Price
0-1 in.	1	0	9GT38601 . . .	6	\$40.99
1-2 in.	1	1	9GT38602 . . .	8	53.99
2-3 in.	1	1	9GT38603 . . .	10	58.99
3-4 in.	1	1	9GT38604 . . .	14	64.99
4-5 in.	1	1	9GT38605 . . .	2	72.99
5-6 in.	1	1	9GT38606 . . .	6	80.99
0-4 in.†	4	3	9GT3860 . . .	5	214.99
0-6 in.†	6	5	9GT38609 . . .	9	369.99
0-25mm	1	0	9GT38621 . . .	6	40.99
25-50mm	1	1	9GT38622 . . .	8	53.99

†Sets include case, owner's manual

††Number of micrometers included

(23) Blade Micrometer. Tubular steel frame with black wrinkle finish. Satin chrome-plated head with black lines, reads to .001 in. Steel-faced .017-in. thick blade. Non-rotating spindle. Spindle and anvil hardened, ground and lapped.

ORDER INFO: See warranty on page 41.

9 GT 38616—Shpg. wt. 8 oz. \$109.99

(24) Metric/Inch Digital Micrometer

Reads millimeters and inches for easy conversions. Marked graduations on satin chrome-plated cast steel. Carbide-tipped. With lock, speeder, heat insulators, case. Imported.

CAPACITY: Direct readings on digital counter to .01mm. Inch vernier scale to .001 in. 0 to 1-inch range.

ORDER INFO: See warranty on p. 41.

Shpg. wt. 1 lb. 6 oz.

9 GT 38666 \$89.99

As (24) but reads in inches only

Shpg. wt. 1 lb. 3 oz.

9 GT 38644 \$79.99

(25) Mandrel Micrometer. Four inter-

changeable mandrels let this tool do the work of four fixed-anvil micrometers. Steel frame. Satin-chrome-plated head. Clear scale. Includes 3 checking standards, wrench and storage case. Direct readings to .001 inch. 0 to 4-in. range.

ORDER INFO: See warranty on page 41.

9 GT 38607—Wt. 2 lbs. 15 oz. \$119.99

(26) Universal Micrometer. Two inter-

changeable anvils (one flat, one .118-inch diameter rod). Extra-wide steel frame for more accuracy. Satin-chrome-plated head. Carbide-tipped spindle face. Direct readings to .0001 inch. 0 to 1-inch range. Includes case. Imported.

ORDER INFO: See warranty on page 41.

9 GT 38617—Shipping weight 12 oz. . . . \$81.99

(27) Satin-finish Micrometer

Steel head, frame. Threads ground, polished. Carbide-tipped anvil, spindle. Graduated to .0001 in. Decimal equivalents etched on frame. Plastic pouch. Warranty, page 41.

0 to 1-inch range


9 GT 38662—Shpg. wt. 6 oz. \$49.99

1 to 2-inch range


9 GT 38665—Shpg. wt. 9 oz. \$64.99




Carbide-tipped
Micrometers



Carbide-tipped
Micrometer Set



Inch/Metric
Micrometer reads
inches and
millimeters
simultaneously



On these 2 pages... **CRAFTSMAN® Automotive and General-purpose Precision Tools**

Precision tools designed with the automotive mechanic and serious home hobbyist in mind

(1) Rolled-thread Micrometers*

Steel, cast steel with polished spindle, anvil. Rolled thread. Satin-chrome-plated barrel, thimble. Spindle hardened to Rc 58-62 with lead error held to .0003 inch. Gray frame. Includes adjusting wrench.

Range	Pcs.†	No. of Standards	Catalog Number	Wt. lbs. oz.	Price
0-1 in.	1	0	9GT38711	6	\$37.99
1-2 in.	1	1	9GT38712	8	47.99
2-3 in.	1	1	9GT38713	10	53.99
3-4 in.	1	1	9GT38714	14	59.99
4-5 in.	1	1	9GT38715	1	2 69.99
5-6 in.	1	1	9GT38716	1	7 77.99
0-4 in.‡	4	3	9GT38717	3	199.95
0-6 in.‡	6	5	9GT38718	6	2 349.99

†Number of micrometers included

‡Sets include case

(2) Apprentice Micrometers. Rolled threads. .001-in. graduations. Includes adj. wrench. Not Craftsman.

Range	Pcs.†	No. of Standards	Catalog Number	Wt. lbs. oz.	Price
0-1 in.	1	0	9GT40707	6	\$10.49
1-2 in.	1	1	9GT40708	8	13.69
2-3 in.	1	1	9GT40709	10	17.99

Apprentice Micrometer Set (not shown). Includes 3 micrometers (0 to 1 in., 1 to 2 in. and 2 to 3 in.) as described in (2) above. 9 GT 40716—Wt. 1 lb. 10 oz.\$39.99

(3) Micrometer Head with 0 to 1-inch range. Steel. .001-inch graduations. Includes adjustment wrench. Not Craftsman. 9 GT 40706—Wt. 3 oz.\$8.99

(4) Timing Gauge Set*
Dial reads 0 to 100 by .001-inch graduations. Stainless steel stem, spindle, back. Brass casing. Adjustable tolerance pointers. 1-inch travel indicator with 1-inch contact point extension. 14 and 18mm spark plug hole adapters. Universal lug back for use with magnetic base. Adjustable dial face, bezel lock. Meets AGD specs. 9 GT 38672—Wt. 13 oz.\$61.99

(5) 0-50-0 Plunger Dial Indicator Set*
Dial reads 0 to 50 to 0 by .001 in. Marked "+" and "-" for left/right reading. Range of .200 in. (2 revolutions). Back-plunger gauge with 1½-in. dial. Meets Federal Specs. Mil-1-18422D for accuracy. Includes universal clamp, tool post holder, C-clamp, hole lever attachment, 3 contact points, 2 extension arms and storage case. 9 GT 38675—Wt. 1 lb. 12 oz. .Set \$47.99

0-50-0 Dial Indicator with hole attachment*. As described in (5) above. 9 GT 38676—Shpg. wt. 7 oz.\$31.49

(6) Dial Indicator.* 2¼-inch rotating dial reads 0 to 100, one-inch travel. .001-inch graduations. Revolution accumulator counter. Stainless steel stem, spindle. Lug back attachment. 2-way reading. Meets AGD specifications. 9 GT 38671—Shpg. wt. 8 oz.\$26.99

(7) Magnetic Indicator Holder with 60-lb. pull.* Holds most indicators—center-lug, universal or plunger back. Steel. 60-lb. pull magnet, quick-release lever. Adj. screw. 3½x2x2½ in. high. Overall, 9 in. high. 9 GT 38677—Wt. 1 lb. 6 oz.\$26.99

(8) Magnetic Indicator Holder with 50-lb. pull.* Holds most dial indicators with a ¼-inch holder bar. Steel. 50-lb. pull magnet, quick-release lever. 3½x1¼x2½ in. high. Overall, 6 in. high. 9 GT 3872—Wt. 12 oz.\$21.99

(9) Machinists' Steel Squares.* Hardened, ground. No graduations. Imported.

Blade	Beam	Catalog No.	Shpg. wt.	Each
2¾ in.	1¾ in.	9 GT 40401	2 oz.	\$12.19
3½ in.	2½ in.	9 GT 40402	4 oz.	12.99
4 in.	3 in.	9 GT 40403	6 oz.	13.99
6 in.	3¾ in.	9 GT 40404	11 oz.	14.99

*See warranty, page 41



CRAFTSMAN®
Inch/Metric
Vernier Caliper

Sears
Calipers

(10) Inch/Metric Vernier Caliper with 0 to 5.3-inch/130mm range*

Stainless steel, polished scales on beam. Reads from inside or outside. Precision-ground measuring faces. Depth gauge. Automatic thumb lock. 8¾ inches long. Case. Imported.

CAPACITY: Inch scale: 0 to 5½ inch by .001-inch graduation; metric scale: 0 to 130mm by .05mm graduations.

9 GT 40257—Shipping weight 6 ounces\$26.99

(11) Inch/Metric Dial, Vernier Caliper with 0-5-in./130mm range

CONSTRUCTION: Sturdy plastic. Measures inside, outside, depth or step dimensions. Adjustable to zero. Thumb roll for one-hand use. Drill and tap chart on back side. Case included. Imported.

CAPACITY: Inch scale: 0 to 5 inches by .01 and ¼-inch graduations; metric scale: 0 to 130mm by 0.1mm graduations.

9 GT 4021—Shipping weight 6 ounces\$12.99

(12) Inch and Inch/Metric Vernier Calipers. Polished steel. Roller adjusts. Scales read from inside or outside. Depth rod. 7½ in. long.

Inch scale: 0-5 in. by 16ths and 32nds in. Vernier reads in 128ths in. 9 GT 4022—Shipping weight 3 ounces\$7.19

Inch/Metric scale: 0 to 5 inches by 16ths in.; 0 to 125mm by 1mm. Vernier reads in 128ths inch and 0.1mm.

9 GT 40222—Shipping weight 4 ounces\$7.19

(13) Pocket Inch/Metric Slide Caliper. Stainless steel. 4½ in. long.

CAPACITY: Inside scale reads to 2¼ inch, outside to 2½ inch. Marked in 32nds inch and 0.5mm. Decimal equivalents on back.

9 GT 4025—Shipping weight 2 ounces\$6.39



CRAFTSMAN® Gauges and Clamp Sets

(14) Drill Gauge

Polished steel. Measures 29 fractional sizes from ⅛ to ½ inch.

ORDER INFO: Warranty, page 41.
9 GT 4049—Wt. 4 oz.\$7.69

Tap, Drill and Wire Gauge (not shown). Made of polished, hardened steel. Sizes 1 to 60. Index for taps.

ORDER INFO: Warranty, page 41.
9 GT 4047—Wt. 4 oz.\$7.69

(15) Circular Gauge. Steel. Measures wire, sheet, plate sizes 0 to 36. American Standard.

ORDER INFO: Warranty, page 41.
9 GT 4023—Wt. 3 oz.\$12.29

(16) 25-piece Radius or Fillet Gauge Set. Stainless steel. Corresponding external, internal forms.

Includes: 16 gauges (⅜ to 1¼ by 64ths), 8 gauges (⅜ to ½ by 32nds), 4-inch gauge holder and case. Meets Federal Specs. GGG-G-17a. Type VII for accuracy.

ORDER INFO: Warranty, page 41.
Shipping weight 12 oz.
9 GT 40952Set \$41.99

(17) Center Gauge. Satin-chrome steel. U.S. Stand. 60. Graduations at 14th, 20th, 24th, 32nd of an in.

ORDER INFO: Warranty, page 41.
9 GT 40642—Shpg. wt. 1 oz.\$4.89

(18) Screw-pitch Gauge

Steel. Pitches 4 to 84. 51 gauges. 60-degree; V-thread.

ORDER INFO: Warranty, page 41.
9 GT 4031—Shpg. wt. 3 oz.\$20.99

(19) 4-piece V-block and Clamp Set

Hardened tool steel V-blocks, precision-ground for square and parallel accuracy. V-blocks measure 1½x1¼x1¼ inch. Clamps hold 1-inch round or irregular-shaped material. Set includes 2 V-blocks and 2 clamps.

ORDERING INFORMATION: Warranty, page 41.
Shipping weight 1 lb. 9 oz.
9 GT 4083Set \$29.49

(20) Jack Screw

Lifts 1000 lbs. 3 in. high closed, 4 in. high fully extended.

ORDER INFO: Not Craftsman.
9 GT 4088—Shpg. wt. 5 oz.\$4.49

(21) Telescope Gauge Set. Tool steel. Head ends heat-treated for toughness. Plunger telescopes, locks with knurled screw. Plastic pouch. ORDER INFO: Warranty, page 41.

6-gauge Set. Measures ⅜ to 6 inches.
9 GT 4027—Shpg. wt. 11 oz.Set \$60.99



4-gauge Set. Measures ⅜ to 2½ inches.
9 GT 40203—Wt. 4 oz.Set \$36.49

(22) 4-pc. Small-hole Gauge Set. Tool steel. Range: ⅛ to ½ inch. Locks. Plastic pouch.


ORDER INFO: Warranty, page 41.
9 GT 4056—Shpg. wt. 3 oz.Set \$39.99

(23) Thickness Gauge. Steel. 26 leaves taper to ¼ inch, from .0015 to .025 inches thick.

ORDER INFO: Warranty, page 41.
9 GT 4094—Shpg. wt. 3 oz.\$11.29



38 **Sears** ALL 2



(24 thru 26) Flat Leg Calipers and Dividers
CONSTRUCTION: Quality tool steel legs machined to uniform length and balance. Adjustable.

ORDER INFO: Warranty, p. 41.

Item	Size	Catalog No.	Wt.	Price
(24) Dividers	4 in.	9 GT 38591	2 oz.	\$9.99
	6 in.	9 GT 38592	4 oz.	10.99
(25) Outside Calipers	4 in.	9 GT 38598	2 oz.	9.99
	6 in.	9 GT 38599	4 oz.	10.99
(26) Inside Calipers	4 in.	9 GT 38593	2 oz.	9.99
	6 in.	9 GT 38597	3 oz.	10.99

(27) Hermaphrodite Caliper

CONSTR: High-quality tool steel. Adj. adjustable tension. 6 inches long.


ORDER INFO: See warranty, page 41.
9 GT 38537—Wt. 3 oz.\$12.19

(28) Adjustable Trammel Points

Use to measure distances that are too great for ordinary dividers.

CONSTRUCTION: Steel. 3-inch points. Has fine-adjusting screw.

ORDER INFO: See warranty, page 41.
9 GT 4061—Wt. 7 oz.\$19.99



CRAFTSMAN® Gauges, Protractors and Rulers

(29) Depth Gauge

Hardened steel. Head graduated right and left up to 30°, 45°, 60°. 2 1/4-inch head, 6x1/2-inch rule. Rule marked in 32nds, 64ths of an inch. Tensioned slide locks at any depth.

ORDER INFO: See warranty on page 41.

9 GT 40442—Shipping weight 2 ounces\$9.99

(30) Tweezers. Made of nickel-plated steel.

ORDER INFO: See warranty on page 41.

9 GT 4460—6 1/2-inch bent end. Shpg. wt. 1 oz.\$2.99

9 GT 4459—6-inch straight end. Shpg. wt. 1 oz.2.99

(31) Multi-purpose Rule and Gauge. Functions as a square, protractor, drill gauge, center finder. Stainless steel.

ORDER INFO: See warranty on page 41.

9 GT 4026—Shpg. wt. 1 oz.\$5.49

(32) Reference Table Rule. Stainless steel. 6 in. long. Decimal equivalents, tap and drill data. See warranty on page 41.

9 GT 4011—Shipping weight 1 ounce\$3.79

(33) Protractor. Stainless steel. Rectangular head. Scale double-graduated 0° to 180°. Adjustable spring tension holds setting. Sets at true zero. See warranty on page 41.

9 GT 4029—Shipping weight 3 ounces\$8.69

(34) Magnetic Scale Magnifier. Holds unit in place on metal ruler or vernier calipers. 5-power lens. See warranty on p. 41.

9 GT 40872—Shipping weight 1 ounce\$5.49

(35) Satin Chrome-plated Stainless Steel Rules

ORDER INFO: See warranty on page 41.

Size inches	Graduations		Type	Catalog Number	Wt. oz.	Each
	Front, in.	Back				
6x1 1/2	1/10, 1/100	1/32, 1/64 in.	Flex.	9 GT 40996	1	\$3.89
6x1 1/2	1/16, 1/32	Dec. equiv.	Flex.	9 GT 40301	1	2.19
6x3/4	1/8, 1/16	1/32, 1/64 in.	Rigid	9 GT 40136	3	4.39
12x1 1/4*	1/32, 1/64	1, 0.5mm	Rigid	9 GT 40991	2	10.59

*Carbon steel

(36) Stainless Steel Rules. Flexible. *Not Craftsman.*

Size inches	Graduations		Catalog Number	Wt. oz.	Each
	Front	Back			
6x1/2	1/16, 1/32 in.	Decimal equivalent	9 GT 4030	1	\$1.69
6x3/4	1/32, 1/64 in.	Decimal equivalent	9 GT 4006	1	2.19
6x1/2	1, 0.5mm		9 GT 4035	1	1.59



CRAFTSMAN® Deburring Tool

Removes sharp edges and burrs from both straight and curved surfaces.

CONSTRUCTION: Precision-made, swivel-head deburring tool with push-button blade release for quick and easy changing of blades. Includes two blades (one for cast iron and steel, one for aluminum, brass and plastics). Imported.

ORDER INFO: See warranty on page 41.

9 GT 4079—Shipping weight 2 ounces\$5.99


New at Sears!
CRAFTSMAN®
Headband Magnifier
QUALITY BY DESIGN

...features like these on our Headband Magnifier represent the quality that's built into every CRAFTSMAN® tool

A Acrylic optical quality lenses magnify 2 times at focal length of 10 inches

B Durable plastic eyeshade flips up for in-use versatility, locks at desired angle...fits over most eyeglasses

C Adjustable cushioned headband for working comfort



Headband Magnifier. Gives you a clear, close-up view for precision working while allowing free use of both hands.

CONSTRUCTION: Optical-quality, shatter-resistant acrylic lenses magnify work 2 times at focal length of 10 inches. Adjustable, cushioned headband can be comfortably worn for hours. Friction screws lock plastic eyeshade at desired angle. Fits over most eyeglasses.

ORDER INFO: See warranty on page 41.

9 GT 3636—Shipping weight 6 ounces\$9.99

Magnifiers, Eye Loupe, Inspection Mirrors

(37) Battery-powered, 4-inch diameter Magnifying Glass

3-power lens. Bifocal insert gives 5-power for fine work. Plastic handle, frame. 3 3/4 inches wide, 9 1/8 inches long. With 2 "C" batteries, 1 bulb.

ORDER INFO: *Not Craftsman.*

Shipping weight 12 oz.
9 GT 40832\$13.99

(38) Battery-powered, 1x1-inch Magnifying Glass

4-power lens has bright viewing area. Durable plastic handle, frame, 4 1/2 inches long. With 2 AAA batteries and 1 bulb.

ORDER INFO: *Not Craftsman.* Shpg. wt. 2 oz.

9 GT 40833\$3.99

Replacement Batteries and Bulb for (38). Incl. 2 AAA batteries, 1 bulb.

ORDER INFO: Wt. 1 oz.

9 GT 40834\$1.69

(39) Pocket Magnifier

Two 4-power lenses (8-power together), 1 1/4-inch diameter. Case.

ORDER INFO: Warranty, page 41.

9 GT 40813—Wt. 1 oz.\$8.89

(40) Eye Loupe, 1 1/2 in., 4-power.

ORDER INFO: Warranty, page 41.

9 GT 40879—Wt. 1 oz.\$3.29

(41) Round Inspection Mirror

7/8-inch diameter. 7 1/4 in. long. Steel handle. Warranty, page 41.

9 GT 4096—Wt. 2 oz.\$3.29

(42) Large Round Inspection Mirror

2 1/4-in. diam. Steel handle telescopes from 10–14 in.

ORDER INFO: Warranty, page 41.

9 GT 4070—Wt. 5 oz.\$5.49

(43) Oval Inspection Mirror

1x2-inch oval. 8 1/2-inch overall length. Steel handle.

ORDER INFO: Warranty, page 41.

9 GT 4097—Wt. 2 oz.\$3.69

(44) Inspection Mirror

2 1/8x3 1/2 inches. Steel handle telescopes from 1 1/4 to 15 1/4 inches.

ORDER INFO: Warranty, page 41.

9 GT 4098—Wt. 5 oz.\$5.29



CRAFTSMAN® Pin Vise, Punch, Scribes, Edge and Center Finders

(45) CRAFTSMAN® Pin Vise. Two double-reversible chucks, 0 to 1.25 in. and 0 to 3.2 mm. Knurled and polished handles. See warranty, page 41.

Shpg. wt. 1 oz.

9 GT 40682...\$4.39

(46) CRAFTSMAN® Center Punch. Automatic. Adjustable. Knurled steel body. Alloy steel point. 5 in. long. 1/2-in. diam. Warranty, p. 41.

Shpg. wt. 3 oz.

9 GT 40541...\$9.59

(47) CRAFTSMAN® Pocket Scribes

Knurled steel body, replaceable nickel-plated steel points. See warranty on page 41.

1/4-in. diam.
Shpg. wt. 3 oz.

9 GT 4051\$2.19

3/8-in. diam.
Shpg. wt. 4 oz.

9 GT 40513...\$2.99

(48) CRAFTSMAN® Carbide Single-point Scriber. Aluminum body with reversible tungsten carbide steel tip. Magnetic.

ORDER INFO: Warranty, page 41.

9 GT 4078—Wt. 1 oz.\$4.19

(49) CRAFTSMAN® Double-point Scriber. Knurled steel sleeve. 1 straight, 2 curved, interchangeable tempered steel points. 9 in. long with short point; 12 in. with long point.

ORDER INFO: Warranty, page 41.

9 GT 4014—Wt. 1 oz.\$2.89

(50) CRAFTSMAN® 1/2-in. Single Edge Finder. Steel surfaces centerless ground to precision tolerance.

ORDER INFO: Warranty, page 41.

9 GT 38819—Wt. 2 oz.\$7.79

(51) CRAFTSMAN® 4-piece Center Finder/Wiggler Set. Tool steel. Interchangeable offset, needle, disc, ball points. Clamp into chuck by a ball and swivel joint; adjust to angular or concentric position. Adjustable chuck tension. Overall length 4 1/4 in. Case incl.

ORDER INFO: Warranty, p. 41.

9 GT 4004—Wt. 3 oz.\$15.49



CRAFTSMAN® and Sears Construction and Surveying Levels Designed for quickness and accuracy

- QUICK because large circles and verniers speed reading; precise, easy-to-read graduations are permanently registered on metal
- QUICK because the dust-protected leveling screws have large knobs for easy handling
- ACCURATE because the telescopes are precision-bored to close tolerances, have dust-proof fittings. Protective finishes are hard-baked for high impact and abrasion-resistance

Transit and Dumpy Level Feature Comparison Chart

Level	Telescope Magnification	Short focus	Sensitivity per 2mm division		Readings: H=Horizontal, V=Vertical	(1 thru 8) OPTICAL SYSTEM: Precision-bored telescope. Color-corrected lens system. Lenses polished to exact curves for clarity. Rack-and-pinion focusing for proper image control. Distinct crosshairs. All systems erecting. Precision-machined fine-motion parts avoid backlash and side-play. See chart at right for other features.	Leveling head construction	Accessories
(1)	24-power	3 feet	110 seconds	130 seconds	H=5 min. (1/12") V=5 min. (1/12")		Tapered spindle, 4 leveling-screw base with 3 1/2 x 8 thread U.S. Gov't. Std. foot-plate. Brass micrometer-type clamp, tangent screws. Brass circle, vernier.	Highly-protective foam-fitted carrying case, pin wrench, plumb bob, plumb bob string and instruction booklet.
(2)	18-power	4 1/2 feet	4 1/2 minutes	12 to 14 minutes	H=5 min. (1/12") V=60 min. (1")		Aircraft alloy, 4 leveling-screw base with forged bronze center disc. Accepts 1/2 x 20 tripod mounting fastener. Aluminum circle and vernier.	Plastic carry, case, pin wrench, instructions
(3)			7 to 8 minutes	None	H=15 min. (1/4") V=60 min. (1")		Same as (1) and (2) above	Same as (1 thru 4) above
(4)	16-power		9 to 11 minutes	None	H=15 min. (1/4")		Same as (3) and (4) above	Same as (5) above
(5)	26-power		110 seconds	None	H=5 min. (1/12")		Same as (5) above	Same as (5) above
(6)	18-power		7 to 8 minutes	None	H=15 min. (1/4")			
(7)	16-power		9 to 11 minutes	None				
(8)								

QUALITY BY DESIGN

... features like these on our best Contractors' Transit Level represent the quality that's built into every CRAFTSMAN® tool and polished to exact curves for clarity

- A 24-power achromatic lens system is precision-ground and polished to exact curves for clarity
- B Die-cast aluminum bored telescope with tough, hard-baked finish for high impact and abrasion-resistance
- C Rack-and-pinion focusing for smooth, responsive control... precision-machined fine-motion parts avoid backlash and side-play for proper image control
- D Positive vial mountings help maintain steady adjustment in the field... less job interruption for bothersome realignment
- E Dust-protected micrometer clamp, tangent and leveling screws with large knobs for easy handling, even with gloves on
- F Shifting center for easy, precise setting over a point



Sears * Best

Contractors' Transit Level with 24-power lens

\$459⁹⁹

Level alone



Scope vial sensitivity of 110 secs. per 2mm division

(1) Contractors' Transit Level. 24-power lens. Removable sunshade. Heavy-duty, lever-type level lock. CALIBRATIONS, LENS, RANGE, OPTICAL SYSTEM, HEAD, SPINDLE, BASE AND ACCESSORIES: See feature comparison chart above. ORDER INFO: See warranty, service information on opposite page. 9 GT 4619C—Shipping weight 14 pounds \$459.99

Contractors' Transit Level with zoom lens system
Same as (1), except with 18 to 34-power zoom lens system.
9 GT 46194C—Transit Level alone. Shpg. wt. 14 lbs. \$529.99
Transit Level with stiff-leg tripod (9 GT 46084C) sold on p. 41.
Separate prices total \$649.98.
9 GT 46245C—Shpg. wt. 28 lbs. \$639.99

Contractors' Transit Level with zoom lens system, built-in optical plummet and lateral adjuster. Same as (1), except with 18 to 34-power zoom lens system, built-in optical plummet and lateral adjust. 9 GT 46024C—Transit Level alone. Shpg. wt. 17 lbs. \$689.99
Transit Level with stiff-leg tripod (9 GT 46084C) sold on p. 41.
Separate prices total \$809.98.
9 GT 46244C—Shpg. wt. 31 lbs. \$799.99

18-power Contractors' Transit

\$289⁹⁹

Level alone

Scope vial sensitivity of 7 to 8 minutes per 2mm division

Sears 16-power Economy Transit

\$199⁹⁹

Level alone

Scope vial sensitivity of 9-11 min. per 2mm division


\$269⁹⁹ Level alone

Scope vial sensitivity of 7-8 min. per 2mm division

\$349⁹⁹ Level alone

Scope vial sensitivity of 4.5 min. per 2mm division

CRAFTSMAN® Surveying Tools and Accessories



(9) Lock-type Hand Level

For rough survey. Brass with aluminum end caps. Adjustable focus; vial magnification 4X. Vinyl pouch, belt loop. 6½ inches long. 9 GT 4600—Shpg. wt. 11 oz. \$44.99

(10) Pocket Sight and Surface Level

For preliminary survey. Aluminum. 5 inches long. Plastic carrying case included. 9 GT 4624—Shpg. wt. 13 oz. \$16.99

(11) Wide-frame Tripods with stiff legs

For flat terrain. Metal legs and hardware. Yellow; white markings. Leg-binding strap. ORDER INFO: Legs do not extend.

60 inches long. For levels (3 thru 5), (7) and (8) at left. Shipping weight 12 pounds. 9 GT 46081C \$59.99

58 inches long. For level (1) on opposite page, levels (2) and (6) at left. Shipping weight 14 pounds. 9 GT 46084C \$119.99

(12) Wide-frame Tripods with extension legs

Best for uneven terrain. Legs adjust independently. Metal legs and hardware. Wood center stick. Yellow with white markings for safety. Leg-binding strap. ORDER INFO:

Extends 35 to 58 inches. For levels (3), (4) and (7) at left.

Shipping weight 14 pounds. 9 GT 46082C \$89.99

Extends 37 to 59 inches. For level (1) on opposite page, levels (2) and (6) at left.

Shipping weight 14 pounds. 9 GT 46085C \$149.99

(13) Solid-Brass, 16-ounce Plumb Bob

Replaceable point. 5¼ inches long. Shipping weight 1 pound 2 ounces. 9 GT 4614 \$16.99

(14) Engineers' Rod

Similar to (15) but marked in feet, ¼ foot and ⅛ foot. Vernier reads to 1/1000 foot.

ORDER INFO:
9 GT 46112C—10-ft. rod. Wt. 7 lbs. . \$69.99
9 GT 46113C—15-ft. rod. Wt. 9 lbs. . \$89.99

(15) Sliding-type Builders' Rod

Solid maple. White face marked in feet, inches, ¼ inch. Snap-on vernier target reads to 1/16 inch.

ORDER INFO:
9 GT 46121C—10-ft. rod. Wt. 7 lbs. . \$69.99
9 GT 46122C—15-ft. rod. Wt. 9 lbs. . \$89.99

(16) Sears Builders' Rod

2-piece, 8-foot 5-in. rod constructed of polyvinyl chloride for durability. Yellow with high-visibility white face. Marked in feet, inches and ½-inch. Double internal stiffener and rods minimize flex.

ORDER INFO: Not Craftsman.
9 GT 46197C—Shpg. wt. 5 lbs. \$54.99

Heavy-duty 18-power Contractors' Transit

(2 thru 5) CALIBRATIONS, LENS, RANGE, OPTICAL SYSTEM, HEAD, SPINDLE, BASE AND ACCESSORIES: See feature comparison chart at top of opposite page.

(2) Integral sunshade. Push-pull type level lock. ORDER INFO: See warranty, service information below.

Shipping weight 12 pounds. 9 GT 46203C \$349.99

Level (2) with stiff-leg tripod (11). *Separate prices total \$469.98.* Shipping weight 26 pounds. 9 GT 46233C \$459.99

Level (2) with extension-leg tripod (12). *Separate prices total \$499.98.* Shipping weight 26 pounds. 9 GT 46234C \$489.99

(3) Integral sunshade. Push-pull type level lock. ORDER INFO: See warranty, service information below.

Shipping weight 7 pounds. 9 GT 46202C \$289.99

Level (3) with stiff-leg tripod (11). *Separate prices total \$349.98.* Shipping weight 19 pounds. 9 GT 46214C \$344.99

Level (3) with extension-leg tripod (12). *Separate prices total \$379.98.* Shipping weight 21 pounds. 9 GT 46241C \$369.99

(4 and 5) Push-pull level lock. See warranty, service info. below.

(4) 16-power Tilting Transit Level 9 GT 46161C—Wt. 7 lbs. \$289.99

Level (4) with stiff-leg tripod (11). *Separate prices total \$329.98.* 9 GT 46242C—Wt. 19 lbs. . \$324.99

Level (4) with extension-leg tripod (12). *Separate prices total \$359.98.* 9 GT 46243C—Wt. 21 lbs. . \$349.99

(5) 16-power Economy Transit Level ORDER INFO: Not Craftsman. 9 GT 46188C—Wt. 5 lbs. \$199.99

Level (5) with stiff-leg extension tripod (11) and builders' rod (16). *Separate prices total \$314.97.* 9 GT 46189C—Wt. 22 lbs. . \$299.99

Sears 16-power Economy Level

26-power Contractors' Dumpy Level

\$429⁹⁹ Level alone

Scope vial sensitivity of 110 secs. per 2mm division

Compact 18-power Builders' Dumpy Level

\$164⁹⁹ Level alone

Scope vial sensitivity of 7 to 8 minutes per 2mm division

\$129⁹⁹ Level alone

Scope vial sensitivity of 9-11 min. per 2mm division

(6 thru 8) CALIBRATIONS, LENS, RANGE, OPTICAL SYSTEM, HEAD, SPINDLE, BASE AND ACCESSORIES: See feature comparison chart at top of opposite page.

(6) Removable sunshade. ORDER INFO: See warranty and service information below.

9 GT 4603C—Wt. 14 lbs. \$359.99

Contractors' Dumpy Level with zoom lens system. As (6) but with 20 to 36-power zoom lens system. 9 GT 46033C—Wt. 14 lbs. . \$429.99

Zoom-lens Level above with stiff-leg tripod (11). *Sep. prices total \$549.98.* 9 GT 46216C—Wt. 28 lbs. . \$539.99

(7) Integral sunshade. ORDER INFO: See warranty and service information below.

Shipping weight 7 pounds. 9 GT 46105C \$164.99

Level (7) with stiff-leg tripod (11) *Separate prices total \$224.98.* 9 GT 46215C—Wt. 19 lbs. . \$219.99

Level (7) with tripod (12) *Separate prices total \$254.98.* 9 GT 46221C—Wt. 21 lbs. . \$244.99

(8) ORDER INFO: Warranty, service info. below. Not Craftsman.

Shpg. wt. 4 lbs. 8 oz. 9 GT 46196C \$129.99

Level (8) with stiff-leg tripod (11) and builders' rod (16). *Separate prices total \$244.97.* Shpg. wt. 21 lbs. . \$234.99

9 GT 46198C \$234.99

FULL ONE-YEAR WARRANTY ON CRAFTSMAN®, SEARS TRANSIT AND SIGHTING LEVELS AND CRAFTSMAN® PRECISION TOOLS: If, within one year of purchase, any of these items fail due to defect in material or workmanship, Sears will repair it, free of charge. Warranty service available by returning instrument to nearest Sears store in U.S. Warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

SERVICE INFORMATION: If your CRAFTSMAN® or Sears Transit or Sighting Level needs adjustment or repair after warranty expires, contact nearest Sears store or catalog unit for fast factory service at reasonable cost.

Automotive Test Equipment good enough to wear the CRAFTSMAN name ... ideal for engine maintenance and tune-ups



*Sears * Best*

CRAFTSMAN Advance Timing Light

Indicates degrees of
advance regardless
of engine speed

\$99⁹⁹

Built-in
direct-
reading
advance
scale

CRAFTSMAN Timing Light

With detachable leads
... accurate
up to 8000 RPM

\$44⁹⁹

Save \$50 when you buy Timing Light (1)
with Analyzer (3)

Separate prices
total \$149.98 **\$149⁹⁸**

Save \$25
when you buy
Timing Light (2)
with Analyzer (3)

Separate prices
total \$144.98 **\$119⁹⁸**



CRAFTSMAN Professional Analyzer

Performs 30 tests,
pre-set at factory,
needs no electrical
adjustment

\$99⁹⁹

*Sears * Best*

Professional Diagnostic Test Center

Includes our best Timing Light (1), CRAFTSMAN Engine
Analyzer (3) and Diagnostic Oscilloscope (4) ...
perform complete electrical and ignition tests
on 4, 6 and 8-cylinder engines

Save \$100 Sep. prices
total \$799.97 **\$699⁹⁷**

Flexible- drive Compression Tester



Professional Diagnostic Oscilloscope lets you view complete system functions

(1 and 2) CRAFTSMAN Professional-quality Timing Lights. An essential piece of equipment for automotive tune-ups and trouble-shooting; these timing lights offer professional-type features.

ELECTRICAL INFORMATION: Linear Xenon flash tube with Fresnel pre-focused lens concentrates flash (our brightest) for clear visibility, even in bright daylight. Solid-state circuitry. Protected against accidental reverse hookup. Trigger switch allows flash only when needed. Powered by vehicle's 12-volt battery.

HOUSING: Chrome-plated die-cast metal, protective rubber nose cone. Strain relief boot for protection. Measures 10x6½x2 inches wide. Metal clamp-on inductive pickup ... no adapters needed. Simply connect to no. 1 spark plug wire. Includes detachable, melt-resistant 6-foot neoprene leads. Battery clips open 1¼ inches wide. **ORDER INFO:** Tests 12-volt conventional and electronic ignition systems, 2 to 12 cylinder. Instructions included. Warranted 1 year, see page 44.

(1) CRAFTSMAN Advance Timing Light with built-in direct reading advance scale. One electrical hook-up measures timing, vacuum and total degrees of distributor advance. Checks spark advance systems. 0-60° scale, black adjustment knob for reading of timing advance. Accurate to 8,000 RPM.
28 GT 2194—Shipping weight 3 pounds 12 ounces \$99.99

(2) CRAFTSMAN Timing Light. Does precision tests of timing, centrifugal advance and vacuum advance.
28 GT 2134—Shipping weight 3 pounds \$44.99

(3) CRAFTSMAN Professional Analyzer ... our best
Performs 30 tests. For trouble-shooting conventional and electronic ignition systems. Detects problems with starter, battery, alternator, voltage regulator and electronic ignition modules. Checks RPM, charging and starting amps.

METER: Large 8-inch D'Arsonval meter with color-coded scales; glass lens. Zero-adjusting feature.

SCALES: Color-coded 0-1200, 0-6000 rpm; 0-45°, 0-60°, 0-90° dwell; low 10 ohms center scale, high 10K ohms center scale 0-100 and 0-400 amps; 0-3.2, 0-16, 0-32 volts; good/bad scale for point resistance, alternator tests. Direct readings on 4, 6, 8-cyl. scales.

ELECTRICAL INFORMATION: Solid-state integrated circuitry. Detachable 6-foot color-coded, neoprene-insulated test leads. Ohms test powered by 9-volt transistor radio battery (not included). Other tests powered by vehicle's 12-volt battery.

HOUSING: Black-painted steel with high-impact plastic panel. 14x9½x7½ inches. Carrying handle. Accessory storage space.

ACCESSORIES: Inductive pickup clamp with neoprene-insulated leads. Primary coil terminal clip. Delco high-energy ignition adapter, battery post adapter, jumper wire. Detailed illustrated instruction manual included.

ORDER INFO: For 4, 6, 8-cylinder engines, 12-volt conventional and electronic ignitions. Warranted 1 year, see page 44.

28 GT 21040—Shipping weight 12 pounds \$99.99

Professional-quality Test Kit. Includes Advance Timing Light (1) and Engine Analyzer (3). *Separate prices total \$199.98.*

28 GT 21061C—Shipping weight 15 pounds \$149.98

CRAFTSMAN Test Kit. Includes Timing Light (2) and Engine Analyzer (3). *Separate prices total \$144.98.*

28 GT 21060C—Shipping weight 15 pounds \$119.98

(4) **Diagnostic Oscilloscope.** Pinpoint electrical and ignition trouble spots in a fraction of the time it takes with an analyzer. Checks dwell variations and tests spark plug voltage under load, dynamic point action, condenser and coil action, secondary resistance, secondary insulation leakage and distributor cap.

SCOPE: 9-inch (diagonal) rectangular cathode ray tube with Plexiglas® acrylic screen graduated for 4, 6, 8-cylinder dwell, 25KV-50KV coil output. Automatic focus, automatic brightness.

SCALES: Coil output and polarity 0-50KV; spark plug voltage, coil, condenser, points, secondary resistance 0-25KV; and distributor cam lobe accuracy in degrees of dwell, 4-position function switch. Red pilot-light.

ELECTRICAL INFO: Solid-state. Uses vehicle's 12-volt battery. Ten-foot color-coded, neoprene-insulated leads. 3 controls to adjust horizontal position, pattern length and vertical position.

HOUSING: Metal case, high-impact plastic front. 10x12½x16 in.

ACCESSORIES: Clamp-on pattern pickup for standard and HEI ignitions, adapter for alternator testing, pickup coil test lead and no. 1 plug inductive clamp on pickup lead. High-voltage pliers.


ORDER INFO: For 4, 6, 8-cylinder and rotary engines with 12-volt conventional or electronic ignitions. Instructions included. Warranted 1 year, see page 44.

28 GT 21055C—Shipping weight 28 pounds \$599.99

NOTE: For booklet giving details on operation of this precision unit, write Sears Roebuck, Dept. 628, BSC 25-25, Sears Tower, Chicago, IL, 60684. Ask for manual on Oscilloscope 28 GT 21055C.

Professional Diagnostic Test Center. Includes Timing Light (1), Analyzer (3) and Oscilloscope (4). *Separate prices total \$799.97.*
28 GT 21059C—Shipping weight 43 pounds \$699.97

(5) **Flexible-drive Compression Tester.** For most domestic and imported cars and trucks with 14mm or 18mm plug holes. 2½-inch gauge with metal case, chrome-plated bezel. 12-in. hose. Quick-disconnect coupling for separate 8-in. flexible hose with 14 and 18mm threads. 21-in. total length. 300 psi. 21 kg/sq. cm. test cap.
28 GT 2171—Shipping weight 1 pound 8 ounces \$21.99



Heavy-duty 12-volt Electric Winch available in 3500-pound or 1000-pound capacity

(1) Capacity increases with pulley block sold in 1982 Fall Big Book, see spec. chart, p. 734.

CONSTR: Rust-resistant galvanized steel frame. Heavy-duty plastic housing. Clutch knob controls engaging, disengaging, braking.

COMPONENTS: 15-ft. wire harness to reach front or rear of vehicle. 2 auto-reset circuit breakers. Switch on 10-ft. heavy-duty cord for remote control operation. 50-ft. x 7/32-in. diameter galvanized steel cable with hook.

INSTALLATION: 3 ways to mount: with winch mount; adapter plate; or directly to bumper. Bolts, instructions included.


ORDER INFO: See Big Book for additional information, accessories.

Winch with 3500-lb. capacity
Shipping weight 42 lbs.

28 GT 3910L \$289.99

Winch with 1000-lb. capacity (not shown but similar to above). 45 ft. of 5/32-in. cable.

28 GT 3925C—Shpg. wt. 22 lbs. \$149.99



160-PSI Air Pump . . . our most powerful 12-volt air pump

(2) Pressurize RV water systems; inflate tires, sports equipment, inflatable furniture . . . air adjustable shock absorbers, tool. Plugs into vehicle's cigarette lighter outlet for power; includes locking valve connector and adapters for sports equipment.

CONSTRUCTION:

Rugged lightweight plastic housing. Measures 9x3 1/2x6 1/2 inches high. Includes 9-foot power cord and 2-foot air hose. Also includes thumb adapter to take pressure readings while operating pump. On/off control switch.

ELECTRICAL INFORMATION:

Up to 160 PSI pressure; CFM 0.551. Inflates AR78-13 tire in 3.8 minutes at 12 volts. Draws max. of 10 amps.

ORDER INFO:

Shipping weight 4 pounds 6 ounces.

28 GT 1135 \$39.99

Deluxe Steel Utility Tool Box for pickups

- Heavy 18-ga. steel frame construction
- Undercoated with zinc phosphate plus zinc chromate primer to fight corrosive damage



(3) Deluxe Utility Box for American-made pickups

CONSTR: Combines 16, 18, 20-gauge steel. White baked-enamel finish. Torsion-bar spring lid opening. Pushbutton lid release. Built-in cylinder locks with 2 keys. Removable sliding compartment tray. Full weatherstripping. Built for widebed pickups. 70 1/4x20 1/4x15 1/4 in. high (63 in. wide not including overhang).


ORDER INFO: Fits 1967 and later model wide-bed pickups; Chevy, GMC, Ford, Dodge, International 64 1/4 to 68-in. interior bed widths.

28 GT 49061N—Shipping weight 100 pounds \$149.99

Deluxe Utility Box for mini-size pickups. Similar to above but sized for mini-size pickups. 61 1/4x20 1/4x12 1/4 inches deep.

ORDER INFO: Fits Datsun, Toyota, LUV and Courier pickups with interior bed widths of 55 to 59 inches.

28 GT 49062N—Shipping weight 90 pounds \$149.99



Transmission and Differential Jack

(4) Can make transmission, differential removal and replacement a one-man job.


CONSTR: All steel. 2 1/16x1 3/16-inch polyethylene wheels. Lifting surface pivots for good contact throughout lift. Nylon strap for securing load. 17 1/2x16 1/2 in.

LOAD CAP.: Up to 450 lbs.

LIFTING RANGE: From 6 1/2 to 23 inches high. Requires 1/2 in. sq. drive ratchet wrench (not incl.) to operate.

ORDER INFO: Wt. 42 lbs.

28 GT 1153L \$179.99



Heavy-duty Floor Jacks


Ideal for the part-time mechanic

(5 and 6) CONSTRUCTION: Heavy-duty all-steel chassis lets you lift entire end or side of vehicle for full access to underbody. Capacities range from 2 to 4 tons—lift autos, trucks or farm tractors. Steel wheels . . . ball-bearing swivel rear casters. Twist-handle right—pump to lift load . . . then twist left to release—load automatically eases down. Removable handle permits compact storage. Overload valve helps prevent over-extension of piston. Easy-to-see white swivel-type saddle with safety lips. Imported.

LOAD CAPACITY, LIFTING RANGE, ORDER INFO: Tested to meet stated capacities in Sears Lab. See chart below for full details. Select jack with capacity and lift best suited to meet your requirements.

Key	Load cap.	Lifting range inches	Overall inches			Handle length inches	Saddle dimensions	Catalog Number	Wt. lbs.	Price
			Lgt.	Width	Hgt.					
(5)	4 tons	5 to 24	58	14	8	41 1/2	5 3/4 x 4 1/2 in.	28GT1206N	170	\$419.99
(6)	3 tons	5 to 19	31 1/4	15	7	43 1/2	7 1/2 in. diam.	28GT1205N	113	299.99
(6)*	2 tons	5 to 19	25 1/4	14 1/2	7	43 1/2	6 1/2 in. diam.	28GT1204N	91	199.99

*Similar in appearance to 3-ton, No. 28 GT 1205N.



Will lift one end or side of vehicle

Multi-purpose Mechanical Jack and Accessories

(7) Mechanical Jack

Use with accessories (sold below) for specific job to be worked.

CONSTRUCTION:

Hot rolled alloy steel upright beam, handle. Base heavily ribbed for strength.

LOAD CAPACITY:

8,000 lbs. within 8 inches at jack base.

LIFTING RANGE: 3 1/2 to 48 inches.

28 GT 1234C—Shpg. wt. 28 lbs. . . \$59.99

(8) Car Bumper Adapter

Steel bracket with looped aircraft cable. Fits most slotted as well as regular car bumpers. 1,500-lb. capacity. Shipping weight 1 lb.

28 GT 1235 \$8.99

(9) Clamp and Lift Attachment

For clamping, pulling, spreading. Use to clamp concrete forms, straighten frames, break tire beads and glue clamping. 4,000-lb. capacity. Shipping weight 2 pounds.

28 GT 1236 \$5.99

Commercial-quality Hydraulic Axle Jacks

Put the weight on the axle . . . not on the bumper


(10) Ideal for maintenance, construction as well as automotive repairs. Operate upright or horizontally to lift, brace, spread.

CONSTRUCTION: Forged steel. Welded design reduces chance of leakage. Built-in bypass prevents over-travel of ram. Leak-proof ram and cylinder made of machined, heat-treated steel for precision fit . . . welded for strength. One-piece base is drop-forged. Performance not affected by temperature extremes. Cast-iron lifting cap; cross-grooved for lifting stability. Release valve allows easy, controlled lowering. Rust-resistant finish is electrostatically applied. Pump handle consists of interlocking pieces. Carrying handle for 12, 20, 30-ton units. Imported.

LOAD CAPACITY, LIFTING RANGE, ORDER INFO: Warranted 1 year (30 days if used for rental purposes), see page 44.

Load capacity	Total lifting range*	Hydraulic lift	Screw extension	Catalog Number	Wt. lbs./oz.	Price each
Jacks for standard-size cars						
2 tons	7 1/2-13 1/2 in.	4 1/2 in.	1 1/2 in.	28GT12619	4	\$16.99
5 tons	7 1/2-15 1/2 in.	4 3/4 in.	2 3/4 in.	28GT12621	10	29.99
8 tons	7 1/2-15 1/2 in.	4 3/4 in.	2 3/4 in.	28GT12622	12	39.99
12 tons	9 1/2-18 1/2 in.	5 1/2 in.	3 3/4 in.	28GT12623C	18	49.99
20 tons	10 1/2-16 1/4 in.	6 1/4 in.	none	28GT12625C	31	69.99
30 tons	11-17 1/4 in.	6 1/4 in.	none	28GT12626L	44	139.99
Jacks for compacts, mini-cars						
2 tons	6-11 1/4 in.	3 3/4 in.	1 1/4 in.	28GT12620	4	\$15.99

*Lower dimension is actual floor height



Commercial Battery Starter/Chargers

(1 thru 3) High amp output recharges battery faster than our other chargers. CONSTRUCTION: Solid-state circuitry. Double automatic-reset circuit breakers help protect against overload, most circuits. Heavy-duty transformer. Silicon rectifiers provide efficient power conversion. Vented steel case helps protect against overheating. Recessed scaled ammeter reduces chance of breakage. 5-position switch; 4 charge settings. 6-foot neoprene-insulated cables remain flexible in cold. Copper-clad clamps, color-coded for easy identification. ELECTRICAL INFORMATION: UL listed, 110-120-volt, 60-Hz. AC. 6-foot, 3-wire insulated power cord. For 6 or 12-volt batteries only. ORDER INFO: See chart below. Warranted 1 yr., see below.

(1 and 2) Starter/Chargers... choose 30 or 15-amp

(1 and 2) Equipped with battery boost feature for a limited high-rate charge for faster recharges and engine starts. Engine-start circuit provides powerful starting current directly to your vehicle's starting system to start most engines with discharged batteries. Steel carrying handle. Rubber feet add stability.

(1) 30-amp Starter/Charger... charges most bat. in 3/4 to 1 1/4 hrs. 28GT71838C—Wt. 25 lbs. \$119.99
(2) 15-amp Starter/Charger... charges most bat. in 1 1/2 to 3 1/2 hrs. 28GT71837C—Wt. 18 lbs. \$64.99

(3) 80-amp Starter/Charger

... our best and most powerful

Charges most batteries in 20 to 45 minutes


Special 40-amp charge setting for maintenance-free batteries.† (Not intended for engine starts with maintenance-free batteries). Enclosed electric timer with automatic shutoff can be set for up to two hrs. "Hold" position (with manual shutoff) provides continuous charging at selected charge level. Fan-cooled transformer. Steel carrying handle. Rubber tired wheels measure 5 3/4 inches in diam. 28 GT 71839L—Shipping weight 46 pounds \$229.99

Specifications for Battery Starter/Chargers (1 thru 3)

Key	Catalog Number	Amps	Initial Surge in Amps	Battery Boost	Engine Start (amps)	Tapers on slow or low charge position to	Dimensions (inches)			Input Watts
							Ht.	Width	Depth	
(1)	28GT71838C	30	38	60 amps	200	15 amps	10 1/2	10	8	550
(2)	28GT71837C	15	20	30 amps	100	7 amps	9 1/2	10	7 1/2	380
(3)	28GT71839L	80	100	220/250*	35	35 amps	21 1/2	10	9 1/2	1500
(3)	Special setting†	40	50			15 amps	21 1/2	10	9 1/2	1500

*250 amp engine start setting for 6-volt batteries; 220 amp engine start setting for 12-volt batteries. †Specifications if (3) used on special-charge setting.

FULL WARRANTY ON BATTERY CHARGERS, AUTOMOTIVE TEST EQUIPMENT, HYDRAULIC JACKS FOR TIME SPECIFIED: If within time specified from date of purchase, this item fails due to defect in material or workmanship, return it to nearest Sears store in the U.S., Sears will repair or replace (repair only, for Automotive Test Equip.) it free of charge. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.



Lubrication Equipment

(4) Compressed-air Grease Gun

Designed for one-hand operation with air compressor (not included) of 30-150 PSI range.

CONSTRUCTION: Safety lock prevents plunger rod from releasing during loading. Size-O-Matic Buna-N® rubber plunger pushes all grease in barrel forward under steady pressure. Automatically sizes itself for bulk, dispenser or cartridge operation to seal barrel or cartridge. Loads 16-oz. bulk or dispenser; takes any 14 1/2-oz. cartridge. Snap-on coupler hook-up to grease fittings.

ORDER INFO: Can be used with (8) below and grease gun accessories sold in Big Book. 28 GT 4977—Shpg. wt. 4 lbs. 2 oz. \$36.99

(5) Chassis Lubricator. Delivers up to 12,000 PSI. Req. 75-lb. lift to prime gun. 10-ft. hose incl. For 25 to 50-lb. pails with straight walls. 28 GT 4997C—Shpg. wt. 12 lbs. \$59.99


(6) Filling, Transferring Dispenser. For transmission, differential, heavier oils. Fits 25 and 40-lb. container with removable top. 4-ft. oil-resistant hose incl. Bent nozzle to fit all openings. Pressed steel top. 8 strokes per gallon capacity. 28 GT 4596—Shpg. wt. 6 lbs. 13 oz. \$19.99

(7) Rotary Hand Oil Pump. Fits 55-gallon drum. Cast-iron pump parts, carbon sliding vanes. Incl. 8-foot rubber hose; 3/4-inch flexible coupling; ferruled nozzle; 3/4-in. steel tubing spout. 42 in. long; 3/4-in. diam. suction pipe. Bung bushing fits 2-in. opening. 28 GT 4639L—Shpg. wt. 21 lbs. \$72.99

(8) Grease Gun Fitting Kit. For cars with grease plugs. Incl. 12-in. single-wire braid-reinforced rubber hose with snap-on coupler (not shown). Screw-in adapter for front suspension, steering linkage. Needle-point adapter for universal joints. Also for use with flush fittings. Fits all guns with 1/8-in. pipe thread and (4) above. 28 GT 4959—Shpg. wt. 8 oz. Kit \$7.99

The finest gas-engine Log Splitters Sears has ever offered

- Automatic return valve returns ram to open position; no need to hold valve and wait
- Welded base plate on end of beam holds splitter vertically for convenient storage



8-HP Log Splitter

15 Tons ram pressure

5-HP Log Splitter

12 1/2 Tons ram pressure

5-HP Log Splitter

10 Tons ram pressure

5-HP Log Splitter

7 Tons ram pressure

(9 thru 12) CRAFTSMAN® gas-engine Hydraulic Log Splitters. 5 or 8-HP Briggs & Stratton® engines. All splitters feature new automatic return valves to save you time and effort. Base plate is designed so splitters stand on end for convenient storage. Splitters develop between 7 and 15 tons ram pressure, depending on model. Safety control lever stops ram automatically when lever is released. 10, 12 1/2 and 15-ton units have 2-stage hydraulic pump; operate at high speed with average force for normal splitting; pump shifts to low speed with high force to split extra-tough logs. Heavy-duty wing wedges separate wood as you split, even denser woods. Clevis hitch; can be towed.

CONSTRUCTION: Sturdy structural steel. See chart for specific features and capacities.

ORDER INFO: Splitters shown with log cradle and hitch stand (not included); order accessories, hydraulic oil separately at right. Partially assembled; instructions incl. See warranty at right.

Log Splitter Features	(9) 15-ton unit	(10) 12 1/2-ton unit	(11) 10-ton unit	(12) 7-ton unit
Dimensions (LxWxH, in.)	80x36x24	80x36x20	77x36x20	59x32x20
Splits log size	26 in.	26 in.	26 in.	18 in.
Cycle time (in seconds)	16	16	13	15
Hydraulic Pump	2	2	2	1
Cylinder diameter	4 in.	4 in.	3 1/2 in.	3 in.
Uses standard automotive oil filter	yes	yes	no	no
Beam size (in inches)	4 (reinforced)	4 (reinforced)	4	3
Wing Wedge height	9 in.	9 in.	7 in.	6 in.
Type of Hitch	Clevis & Ball	Clevis & Ball	Clevis	Clevis
Safety Chain	yes	yes	no	no
Type of Tire	High-speed	High-speed	Low-speed	Off-road
Tire Size	4:80x12 in.	4:80x8 in.	4:00x8 in.	2:75x10 in.
Engine Fuel Tank Cap.	4 qts.	3 qts.	3 qts.	3 qts.
Hydraulic Oil Tank Cap.	13 qts.	13 qts.	7 qts.	6 qts.
Catalog Number	32GT28657N	32GT28655N	32GT28653N	32GT28651N
Shipping weight	395 lbs.	343 lbs.	271 lbs.	191 lbs.
Price	\$1629.00	\$1329.99	\$1079.99	\$679.99

(13) Log Cradle
Supports big logs. Wt. 26 lbs. 32 GT 28693L \$58.99

(14) Folding Hitch Stand
Levels splitter. Not for 7-ton unit. 32 GT 28692—Wt 6 lbs. \$19.49

(15) Hydraulic Oil
2-gallon container. Wt. 5 lbs. 10 oz. 32 GT 28691 \$19.49

FULL 1-YEAR WARRANTY ON LOG SPLITTERS: For 1 year from date of purchase, Sears will repair any defect in material or workmanship at no charge. If splitter is used for commercial or rental purposes, this warranty applies for only 30 days from date of purchase. Warranty applies only while splitters are in use in U.S. Warranty service available by contacting the nearest Sears store or Service Center in U.S. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

(1 and 2) CRAFTSMAN® Power Heads

Designed to fit all 3 guide bars sold below.

ENGINES: Extra-powerful 5.2 and 4.2-cu. in. 2-cycle engines with solid-state ignition. Spark-arresting muffler. Adjustable diaphragm-type carburetor lets saw cut in any position. All needle and roller bearing construction helps extend engine life. 6 ISO-VIB front and rear handle mounts absorb shocks and cushion vibrations that cause fatigue. Adjustable-flow, automatic gear-type chain oiler for proper pressure and flow of oil. 36-oz. fuel cap.; 13-oz. oil cap. Power head weight 18 lbs.

HOUSINGS: Red and black magnesium frames. Thick, rubber-covered tubular steel flush cut front handle; die-cast rear handle. Includes front hand guard, bumper spike and bar wrench.

ORDER INFO: See warranty below.

- (1) 32 GT 35889C—5.2 cu. in. engine. Wt. 18 lbs. \$499.99
(2) 32 GT 35887C—4.2 cu. in. engine. Wt. 18 lbs. 469.99

(3 thru 5) Friction-Fighter Guide Bars and matching chain for power heads above. Fit both power heads. Solid steel Friction-Fighter bars have replaceable sprocket nose with roller bearings to ease chain around tip of bar. . . . reduces heat and friction. Chrome-plated, full $\frac{3}{8}$ -in. pitch Oregon® chain for long-lasting sharpness.

- (3) 32 GT 36857—30-in. Bar with Chain. Wt. 6 lbs. \$99.99
(4) 32 GT 36856—24-in. Bar with Chain. Wt. 5 lbs. 79.99
(5) 32 GT 36855—20-in. Bar with Chain. Wt. 4 lbs. 59.99

FULL 90-DAY WARRANTY ON PROFESSIONAL GAS CHAIN SAWS:

For 90 days from date of purchase when you maintain, lubricate and tune-up the chain saw according to the operating and maintenance instructions in the owner's manual. Sears will repair any defect in material or workmanship at no charge. This warranty excludes bar, chain, spark plug, air filter and starter rope, which are expendable parts and become worn during normal use. If chain saw is used for commercial or rental purposes, this warranty applies for only 30 days from date of purchase. Warranty service is available by returning the chain saw to the nearest Sears store or Service Center in the U.S. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

Build your own CRAFTSMAN® Professional Gas Chain Saw

The largest engines and longest guide bars we sell on any gas chain saw. . . you combine them to give you the power you need to handle bigger, tougher, professional cutting jobs



Accessories and Attachments for your chain saw

(9 and 10) Chain Saw Sharpeners

Sharpen chains from $\frac{1}{4}$ in. thru .404-in. pitch. Housing on (9) is glass-filled nylon; (10) is ABS plastic. Both are $7\frac{1}{2}$ in. long. $1\frac{1}{2}$ -in. diameter. Steel guide plate shows at what angle to hold tool to get a sharp cutting edge every time. Include 3 aluminum oxide grinding stones ($\frac{5}{32}$, $\frac{1}{16}$, $\frac{7}{32}$ in.). 2 spacers, adjustment gauge with screwdriver tip and wrench.

(9) 115-v. AC Sharpener. Powerful 25,000 rpm motor. Use with any 115-v. outlet. 110-120-v., 60 Hz. AC. 0.8 amps. UL listed. 5-ft., 3-wire grounded cord.
32 GT 36577—Wt. 1 lb. 7 oz. \$38.99

(10) 12-v. DC Sharpener. Designed for use on location where wood is being cut; powered by common 12-v. car or truck battery. 8-ft. power cord; spring-loaded power clips clamp securely to battery terminals. 15,600-rpm motor. 1.7 amps.
32 GT 36575—Wt. 1 lb. 7 oz. \$33.99

(12) Package of 12 Round Files

$\frac{5}{32}$ -inch diameter. For $\frac{1}{4}$, $\frac{3}{8}$ low-profile pitch chain, all Barracuda® chain.

Shipping weight 7 ounces.
32 GT 36521 Pkg. \$12.50

$\frac{1}{16}$ -inch diameter. For .325 pitch, Oregon® type 76 chain.

32GT36522—Wt. 12 oz. .Pkg. \$12.50

$\frac{7}{32}$ -inch diameter. For full $\frac{3}{8}$ -in. pitch.
32GT36523—Wt. 1 lb. ...Pkg. \$12.50

(13) Filing Guide. For all gas, electric chain saws. Fits $\frac{5}{32}$ -inch to $\frac{1}{4}$ -inch diam. files. Use with flat, round or triangular files on depth gauges. Adj. for length.

Shipping weight 6 ounces.
32 GT 36565 \$2.89

(14) Break-n-Mend Tool. Fits all chains up to $\frac{3}{8}$ -in. pitch. Punches old rivet out, then spins new rivet in.

Shipping weight 1 pound 7 ounces.
32 GT 36617 \$17.99

(15) Complete Chain Repair Kit. Includes all tools needed to separate damaged chain parts and replace them. Replacement chain parts for $\frac{1}{4}$, $\frac{3}{8}$ LP and full $\frac{3}{8}$ -in. pitch chain. Wt. 1 lb. 8 oz.
32 GT 36618 Kit \$15.49

Chain Saw Engine Oil (not shown). For 2-cycle fuel mixing. Package of four 8-oz. cans.

Shpg. wt. 2 lbs. 2 oz.
32 GT 36555 Package \$2.89

(11) 12-volt Converter

Adds to the versatility of our 12-volt DC sharpener by converting house current to 12-v. DC. Plug converter into 120-volt outlet and attach sharpener. (When using converter, the motor speed under load for 12-volt sharpener is 14,500 rpm.). Impact-resistant ABS plastic housing. Input: 120-v., 60 Hz. AC. 25-watts. Output: 12.5-volt, 14.5-watts. UL listed.

ORDER INFO: Wt. 1 lb. 6 oz.
32 GT 36576 \$19.49

Replacement Sharpener Stones For (9 and 10). Pkg. of 2 stones.

$\frac{5}{32}$ -in. size. Shpg. wt. 1 oz.
32 GT 36581 Pkg. \$2.89

$\frac{1}{16}$ -in. size. Shpg. wt. 1 oz.
32 GT 36582 Pkg. \$2.89

$\frac{7}{32}$ -in. size. Shpg. wt. 1 oz.
32 GT 36583 Pkg. \$2.89

Bar and Chain Lube (not shown). Oil has protective tacky additives to stay on chain during high-speed cutting. 1-gal. bottle. Wt. 7 lbs. 14 oz.
32 GT 36554 \$6.49

(16) Clamp-on Manual Chain Sharpener. Fits all Sears and other chain saws. Makes filing easier, more accurate. Clamps into guide bar with all angles positively set. Die-cast alum. Incl. depth-gauge file. Order round files (12) at left.
32 GT 36508—Wt. 1 lb. ... \$16.99

(17) Compact Lumber-making chain saw Attachment



No holes to drill; clamps to guide bar. Releases saw in seconds for normal cutting. Reduces guide bar cutting length by 2 in. plus plank thickness. Attach guide rail to level plank up to 12 ft. long (plank not incl.); spike plank and guide rail to top of log. Make first cut, then spike plank to newly cut log surface for second cut. Continue until you've turned log into a squared timber for posts, beams or planks as thin as $\frac{1}{2}$ in. Includes metal clamp, bracket assembly, handle with plastic grip, metal guide rails. Saw not included.

ORDER INFO: Includes instructions for ordering extra rails. Unassembled. Not for Barracuda® chain.

Shpg. wt. 7 lbs. 8 oz.
32 GT 36615 \$51.99



Clamp-on Manual Chain Sharpener



The Log Handlers

(6) Folding Saw Buck

Holds log in place for cutting. For logs up to 13 inches diameter. 32 inches long. Folds, stores flat. 1-inch tubular steel, black enameled. Shpg. wt. 13 lbs.
32 GT 36612 .. \$28.99

(7) Log Lifter

Holds logs up; helps reduce chain damage, prevent pinching, kickback. Forged steel; hardwood handle. 45 inches long. Removable stand.

Shipping weight 10 pounds 11 ounces.
32 GT 36771C \$31.99

(8) Bucking and Felling Wedge in 2 sizes

Helps prevent tree or log from pinching saw bar; helps tree fall in direction of the notch cut. High-density plastic. Will not damage saw chain.

7-inch long Wedge
Shpg. wt. 6 oz.
32 GT 36531 ... \$2.79

10-inch long Wedge
Shpg. wt. 13 oz.
32 GT 36533 ... \$3.79

Portable Wick-type Kerosene Heaters

QUALITY BY DESIGN

... features like these on our instant-start Kerosene Heaters represent the quality that's built into every Sears area heater

- (A) Electric ignition for fast, dependable starts without matches
- (B) Built-in tip switch automatically extinguishes the flame if heater is jarred or knocked over
- (C) Combustion chamber virtually eliminates operating odor
- (D) Fuel tank on Reflection Heaters (1 and 2) is removable, to make refueling more convenient. Tank on Convection Heaters is double-lined to help prevent accidental spills
- (E) Long-life porous ceramic wick burns cleanly and extends wick life. Convenient new two-part wicks on (1 and 2) let you change only the wick top



REFLECTION HEATERS:

Place near wall to direct heat toward the center of your area



CONVECTION HEATERS:

Place near the center of your area to circulate heat from floor to ceiling



Wick Heater Accessories

Replacement wicks, storage covers, ignition coils and other heater accessories are sold in the Sears Big Book.

(A) FULL 1-YEAR WARRANTY ON WICK-TYPE PORTABLE KEROSENE HEATERS: For 1 year from date of purchase, when portable kerosene heater is operated with pure kerosene fuel and the maintenance and operating instructions in the owner's manual are followed, Sears will repair any defect in material or workmanship at no charge. This warranty excludes the wick and batteries, which are expendable parts. Warranty service is available by contacting the nearest Sears store or Service Center in the U.S. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

NOTE: Not for sale, or use is restricted in some locations. Check local codes and your nearest Sears Catalog Selling Unit for permitted uses before ordering. California law specifically prohibits sale for use, or use of, such unvented heaters in dwellings. Use only in well-ventilated areas. A wick is like an oil filter; it needs periodic replacement. Keep an extra one on hand.



Forced-air Kerosene Heater for your BIG heating needs

30,000-BTU Heater, burns kerosene or No. 1 fuel oil


Just carry heater to the site, pour in fuel and plug into elec. outlet. Meets or exceeds standards of American Nat'l. Standards Inst. (ANSI 1010-1970), and standards for construction, industry, agriculture and commercial use of Occupational Safety and Health Act (OSHA). Built-in flame-sensing control automatically shuts off heater if unit fails to ignite or flame goes out; helps prevent fuel build-up. Needs no warm-up time.

CONSTRUCTION, OPERATION: 1/2-HP motor. Runs approximately 13 hours per fill-up. Warms approx. 5000 cu. ft. Built-in 3-gal. fuel tank. Heavy-duty stainless steel combustion chamber, nose cone. Tubular steel stand, handles. Metal case with silver-color or enamel finish. 30x11 1/2x12 1/2 in. high. Low-pressure, aspirator-type fuel system for odorless burning, instant ignition. Burns cleanly. . . . needs no flue, just fresh air, normal ventilation. Moisture-resistant wiring. Not for indoor use.

ELECTRICAL, ORDER INFO: 110-120-v., 60 Hz. AC. 7-in. cord. Order extension cord, thermostat and timer separately from Big Book. ARL listed by Applied Research Laboratories of Florida, Inc. See warranty (B), below, note at left. Shipping weight 39 pounds. 32 GT 40001L . . . \$184.99

(B) FULL 1-YEAR WARRANTY FOR PORTABLE HEATERS.

For 1 year from date of purchase, Sears will repair any defect in material or workmanship in the portable heater at no charge. If portable heater is used for commercial or rental purposes, this warranty applies for only 30 days from date of purchase. Warranty service is available by contacting the nearest Sears store or Service Center in the U.S. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.



(1 thru 3) **Reflection Heaters.** Req. pure kerosene. Porous ceramic wick. (1 and 2) have 2-part wick for convenience; change only the top part.

CONSTRUCTION, OPERATION: Sturdy metal frame; molded polypropylene front section on (1 and 2). Removable fuel tank on (1 and 2) for efficient refueling; helps eliminate drips. Stainless steel burner components, mirror reflector. Carrying handles. Siphon pump for refueling. Fuel level indicator, leveling device. UL listed. To operate, turn knob to "start," push electric start button (batteries incl.), adjust knob to running position. To stop, push "off" button. Use only in well-ventilated areas.

ORDER INFO: See note and warranty (A) at right. Order replacement wicks from our Big Book.

(1) **9,300-BTU Heater with built-in fan** to improve heat dispersion. Glass chimney has 60% more radiating surface than steel chimney. Heats over 16 hrs. on 1 fill-up. Gold-color finish cabinet. 14x20 1/2x18 1/2 in. high. 1.1-gal. removable fuel tank. 2-part wick. Fan runs on 110-120-v. current. 32 GT 40209L—Shpg. wt. 29 lbs. . . . \$247.99

(2) **9,300-BTU Heater with efficient glass chimney.** Heats over 16 hrs. on 1 fill-up. Gold-color finish cabinet. 14x20 1/2x18 1/2 in. high. 1.1-gal. removable fuel tank. 2-part wick. Accepts Catalytic Deodorizer (order separately from Sears Big Book). 32 GT 40208L—Shpg. wt. 27 lbs. . . . \$197.99

(3) **6,800-BTU Heater with steel chimney.** Heats over 23 hrs. on 1 fill-up. Beige-enamel-finish cabinet. 13x20x17 1/4 in. high. 1.2-gal. fuel tank. 32 GT 40207L—Shpg. wt. 23 lbs. . . . \$137.99

(4 thru 6) **Convection Heaters.** Require pure kerosene only. Porous ceramic wick.

CONSTRUCTION, OPERATION: Sturdy metal frame; baked enamel finish, beige with brown trim. Double-lined fuel tanks help prevent spills. Stainless steel burner components. Carrying handle. Siphon pump for easy refueling. Fuel level indicator, leveling device. UL listed. To operate, set tip switch, turn knob to "start," pull start lever (batteries included) and adjust knob to running position. To stop, turn knob to "off" position. Use only in well-ventilated areas.

ORDER INFO: See note and warranty (A) at right. Order replacement wicks and other accessories from Sears Big Book.

(4) **Heavy-duty 20,000-BTU Heater with steel chimney.** Heats over 13 hrs. on 1 fill-up. 15-in. diameter x 21 in. high. 1.95-gal. fuel tank. See "N" note, page 91. 32 GT 40309N—Wt. 28 lbs. . . . \$297.99

(5) **13,000-BTU Heater with efficient heat-and-light glass chimney.** Heats over 17 hrs. on 1 fill-up. Glass chimney lets flame show thru for light as well as heat (ideal for camping trips). 13-in. diameter x 21 in. high. 1.6-gal. fuel tank. 32 GT 40308L—Wt. 25 lbs. . . . \$247.99

(6) **13,000-BTU Heater with steel chimney.** Heats over 17 hrs. with 1 fill-up. 13-in. diameter x 21 in. high. 1.6-gal. fuel tank. Shipping weight 22 pounds. 32 GT 40307L . . . \$197.99

New Compact Gas-engine Generators work hard for you

- Portable power that means greater security, comfort and pleasure for you and your family

- New compact size, light weight and streamlined construction make these units convenient to carry anywhere . . . put the power where you need it



Compact, Portable Electric Generators . . . run up to 2 hours per fill-up.

ENGINE: Aluminum 4-cycle, 3600 rpm, air-cooled. Manual recoil start. 25% surge capacity handles big, load-drawing starts. Built-in overload protection. Voltage regulator avoids wild fluctuations while running; helps protect motors on elec. appliances. Spark-arrest muffler.

CONSTRUCTION: Steel and aluminum. Spring-type vibration dampers. Steel core retains magnetism. Chart below shows specific information and type, number of outlets (single-volt model produces 120-v.; dual-volt model produces 120 and 240-v.).

ORDER INFO: See warranty (C) below. Use only in well-ventilated areas.

Generator voltage	Wattage Rated/Surge watts	CC displacement	Outlets 120-240 volts	Engine fuel tank	Approximate running time Full load 1/4 load	Dimensions L x W x H (inches)	Act. wt. lbs.	Catalog Number	Wt. lbs.	Price
Single	2000/2500	172	2 0	3 qt.	1 1/2 hr. 2 3/4 hr.	21x15x17	59	32GT32821N	70	\$439.99
Dual	3500/4375	318	2 1	1 gal.	1 hr. 2 hr.	27x17x15	112	32GT32822N	125	\$689.99

(C) FULL 1-YEAR WARRANTY FOR GENERATORS: For 1 year from date of purchase, Sears will repair any defect in material or workmanship at no charge. If generator is used for commercial or rental purposes, this warranty applies for only 30 days from date of purchase. Warranty service is available by contacting the nearest Sears store or Service Center in the U.S. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

- Ideal for camping, boating, fishing, outdoor parties. Extend the range of electric tools and appliances. Use in workshop and garage.

Electric Meters and Testers

(1 thru 3) **Snap-around Meters.** All feature advanced printed circuitry for electrical repeatability, grip-fast ABS plastic housing for rugged, impact-resistant service and twist-lock leads for added safety. Trigger-controlled jaws snap around conductor. Accuracy is $\pm 3\%$ of full scale.

ORDER INFO: See Line Cord Energizer Accessory (4) below.

(1) **Rotary scale, Snap-around Volt-Ohm-Ammeter with pointer lock.** Rotary switch and dial-drum mechanism bring only one range at a time into view to reduce error; pointer lock freezes reading when in dimly lit areas. Insulated tapered jaws take up to $1\frac{1}{2}$ -in. OD conductor. Fused Ohmprobe® battery attachment opens if live voltage is impressed on circuit.
RANGES: AC Volts - 150/300/600; AC Amps - 6/15/40/100/300; Ohms - 2K full scale.

HOUSING: Black plastic with distortion-free window. $3\frac{1}{2} \times 1\frac{1}{4} \times 8\frac{7}{8}$ in. high. Safety swivel strap. Incl. 30-in. PVC test leads, carrying case, instructions.
34 GT 5198—Shipping weight 15 ounces \$104.99

(2) **Swivel-case, Snap-around Volt-Ammeter for readings in tight spots.** Meter case moves through 5 positions to cover a full 360°, so scale is readily visible. Rotary switch-selected range is clearly shown on face of instrument. Insulated tapered jaws take up to $\frac{1}{2}$ -in. OD conductor.

RANGES: AC Volts - 150/300/600; AC Amps - 30/150.

HOUSING: Black plastic with distortion-free window. $2\frac{3}{4} \times 1 \times 7$ in. high. Safety swivel strap. 30-in. PVC test leads, carrying case, instructions included.
34 GT 5195—Shipping weight 1 pound 4 ounces \$69.99

(3) **MINIPROBE™ Snap-around Volt-Ammeter for most everyday jobs.** Pocket-size. Tapered jaws take up to $\frac{3}{4}$ -in. OD conductor.

RANGES: AC Volts - 0 to 250; AC Amps - 0 to 100.

HOUSING: Black plastic, with distortion-free window. $2\frac{1}{4} \times 1\frac{1}{2} \times 4\frac{1}{2}$ in. 33-in. leads.

34 GT 5188—Shipping weight 7 ounces \$41.99

(4) **Plug-in Line Cord Energizer Accessory for (1 thru 3)**

Multiplies sensitivity by 10 times for low-current systems; has receptacles for direct volt and amp readings. Allows direct or fractional readings without cutting into the line. Black plastic. $2\frac{1}{2} \times 4\frac{1}{2}$ in. high.

34 GT 5197—Shipping weight 4 ounces \$12.99

(5) **Digital Volt-Ohm-Milliammeter with full autoranging.** $3\frac{1}{2}$ -digit LCD display for easy, accurate readings. Select desired function; volts, Ohms, mA; meter selects correct range. Has low-power ohm ranges for in-circuit measurements at levels below 0.4 volts. Feather-touch button sets AC or DC, normal or low ohms. Polarity indicator.

RANGES, ACCURACY:

Tests	Ranges	Accuracy
DC Volts	200mV/2/20/200/1000	$\pm 8\%$ of reading, $\pm 2\%$ of full scale*
AC Volts	2/20/200/600	$\pm 2.3\%$ of reading, $\pm 4\%$ of full scale
DC mA	200	$\pm 2\%$ of reading, $\pm 2\%$ of full scale
AC mA	200	$\pm 3\%$ of reading, $\pm 4\%$ of full scale
Ohms	200/2K/20K/200K/2000Kn	$\pm 1.35\%$ of reading, $\pm 2.5\%$ of full scale**
Low Ohms	2K/20K/200K/2000Kn	$\pm 2.3\%$ of reading, $\pm .5\%$ of full scale***

*at 2V, 200V and 1000V: $\pm 1.35\%$ of reading, $\pm 2\%$ of full scale

**at 2000K Ω : $\pm 2.7\%$ of reading, $\pm .5\%$ of full scale

***at 2000K Ω : $\pm 3.0\%$ of reading, $\pm .5\%$ of full scale

HOUSING, ORDER INFO: Plastic, $3\frac{1}{2} \times 1\frac{1}{4} \times 6\frac{1}{4}$ in. high. 36-in. leads. Fuses and instructions incl. Uses 2 "AA" batteries (not incl.).

34 GT 5204—Shipping weight 9 ounces \$99.99

(6) **43 Range, Volt/Ohm-Milliammeter with 50,000 volt/ohm sensitivity.** Features range doubler switch to double current and voltage ranges; overload-protected. $4\frac{1}{2}$ -in. mirrored scale, single knob function switch.

RANGES, ACCURACY: DC Volts: 0-250mV, 2.5-10-50-250-1000 at 50k Ω /V; 0-125 mV, 1.25-5-25-125-500 at 25k Ω /V. AC Volts: 0-10-50-250-1000 at 10 k Ω /V; 0-5-25-125-500 at 5 k Ω /V. DC Current: 0-50 μ A, 5-50-500 mA. 10A at 50 k Ω /V; 0-25 μ A, 2.5-25-250 mA, 5A at 25 k Ω /V. Resistance: Rx1, Rx10, Rx100, Rx1000, Rx10,000 (10 ohms, center scale). Decibels: -20 to +62 in 8 ranges. Accuracy: $\pm 3\%$ DC, $\pm 4\%$ AC.

HOUSING, ORDER INFO: Black with carrying handle, $5\frac{1}{2} \times 6\frac{1}{4}$ in. high. 44-in. leads. Instr. incl. Uses 1 each "AA", 9-v. batteries (not incl.).

34 GT 5190—Shipping weight 1 pound 8 ounces \$49.99

(7) **Economy Volt-Ohm-Milliammeter with color-coded scales**

RANGES, ACCURACY: DC Volts - 15/150/600; AC Volts - 15/150/600; DC mA - 0 to 150; Ohms - 0 to 500K. $\pm 3\%$ of f.s. DC; $\pm 4\%$ of f.s. AC.

HOUSING, ORDER INFO: Plastic, $2\frac{1}{2} \times 1\frac{1}{2} \times 3\frac{3}{4}$ in. Battery, 22-in. leads incl.

34 GT 5161—Shipping weight 7 ounces \$16.99

(8) **Neon Voltage Tester for AC or DC circuits up to 500 volts**

Neon bulb glows when circuit is "live". Pocket clip. $5\frac{1}{2}$ in. long. Instructions.

34 GT 5191—Shipping weight 1 ounce \$1.29

(9) **Dual-purpose Voltage Tester detects the presence of 4.5 to 450 volts AC or DC and identifies DC polarity.** Use on fuses, outlets, battery-operated toys, auto, marine circuits. 2 lights in handle glow for AC voltage; either "+" or "-" light will glow for DC voltage. Insulated handle, clip, 36-in. connecting wire. Plastic, $6\frac{3}{4}$ in. Sharp test prod, pouch, instructions.

34 GT 5159—Shipping weight 3 ounces \$9.99

(10) **Continuity Tester/Flashlight for any circuit less than 10 ohms**

Detects shorts, breaks in circuit. With 37-in. alligator clip lead attached, flashes if circuit is continuous. With lead detached, functions as flashlight. $5\frac{3}{4}$ in. long. Instructions included. Uses 2 "AA" batteries (not incl.).

34 GT 5157—Shipping weight 4 ounces \$3.99

(11) **6-12-volt DC Tester checks low-voltage wiring, fuses, light sockets.** $2\frac{1}{2}$ -in. sharp test prod, $2\frac{3}{4}$ -in. alligator clip lead. Lamp in handle glows when voltage present. Not for spark plugs or 110-120-volt AC.

34 GT 5158—Shipping weight 1 ounce \$2.99

(12) **Plug-in Analyzer for 3-wire outlets produces a pattern of lights that instantly confirms correct wiring or identifies trouble.** Match light pattern to code on unit to detect correct or incorrect wiring of neutral, hot, ground. Plastic, $1\frac{1}{2} \times 2\frac{1}{2}$ in. UL listed. Use on 2-wire outlets with adapter (not incl.).

34 GT 6090—Shipping weight 2 ounces \$3.99

(1 thru 3) **Snap-around Meters**
for readings without
shutting down equipment



1

Rotary scale Volt-Ohm-Ammeter with pointer lock and broad range capability

2

Swivel-case, Volt-Ammeter for limited-access areas


3

Compact Volt-Ammeter for everyday jobs

4

Line Cord Energizer Accessory for use with (1 thru 3) plugs in to allow direct or fractional readings without cutting into the line

(5 thru 7) **Multi-meters with a broad variety of ranges**



5

Digital Volt-Ohm-Milliammeter with autoranging in volts or ohms

6

Volt-Ohm-Milliammeter with range doubler for wide range capability

7

Economy Volt-Ohm-Milliammeter for basic testing needs

(8 thru 12) **Light-up Testers perform the basic functions that do-it-yourselfers and hobbyists require**



8

Voltage Tester... check for current before starting work, use to detect live outlets

Dual-purpose Voltage Tester detects AC or DC voltage, also identifies DC polarity

... use before starting work

... use on auto to detect polarity

9

10

Continuity Tester/Flashlight pinpoints wiring malfunctions

... in a bad switch

... in a problem socket


11

12

Plug-in Analyzer... check for correct wiring on existing or newly installed grounded outlets

6-12-volt DC Tester... for auto, boat, trailer systems

See batteries in our Big Book



Sears Electric Heat Gun

Perfect when low or medium heat is needed and a torch would be too hot, and for jobs where a flame would be difficult to control or a fire hazard

(1) Combines high heat intensity with low air volume to shrink heat-shrinkable plastics and perform a variety of functions that require an easy-to-control heat source.

CONSTRUCTION: Noryl® high-impact plastic housing; pistol-shaped handle grip for positive control. 3-position thumb switch: hot, cool or off. In operation, gun can be hand-held or stood on either side, top or back. Slip-on deflector helps give uniform heat; increases performance up to 25%. Incl. nozzle for standard applications (800°–1000° F.). 8¾ in. long, 7 in. high.

MOTOR: Efficient shaded-pole, brushless-type motor; 3300 rpm. Low air volume for less heat build-up in work area. Current consumption is 4.5 amps maximum. Vertical impeller helps keep dust, dirt, moisture out of motor. Pilot light signals when running.

ELEC. ORDER INFO: UL listed, 110–120-v., 60-Hz. AC, 7-ft. 3-wire cord. 34 GT 5135—Shipping weight 2 pounds 10 ounces\$59.99

Additional Nozzles. Double-wall metal; mica heating element. **ORDER INFO:**

Hi-heat Nozzle (red). For Teflon® applications. 1000° F. to 1250° F. range. 34 GT 5138—Shipping weight 4 ounces\$10.99

Low-heat Nozzle (green). For Mylar® polyester film applications. 600° F. to 800° F. temperature range. 34 GT 5136—Shipping weight 4 ounces\$10.99

*Reg. G.E. trademark for thermoplastic ** Reg. DuPont T.M.

Electric Paint Remover

(2) Concentrated heat softens old paint for removal with a scraper. Also softens old floor tile or window putty for removal, has many other uses. Handle stays cool. Measures 12x7 inches wide, 6-foot cord. UL listed, 110–120-volts, 60-Hz. AC, 1000 watts.

ORDER INFO: Shipping weight 2 pounds. 30 GT 44797\$36.99



Tools for home electrical repairs

(3) CRAFTSMAN® Professional Electrical Tool

Uses a confined trapezoid crimp for proper electrical connection. Wire cutter for up to 10-gauge. Strips wire sizes 10 to 22-gauge. Crimps insulated and uninsulated terminals. Cuts bolts with no thread damage. Can also be used to deburr inside conduit edges.

CONSTRUCTION: Nickel-plated steel for durability. Cushioned handles for comfort. 8¾ inches long.

ORDER INFO: Shpg. wt. 10 oz. 34 GT 6092\$11.99

(4) All-purpose Repair Tool

Applies insulated terminals and connectors instantly. Shears machine screws (sizes 4–40, 8–32, 10–32, 10–24) with no thread damage. Removes insulation from wire. Cuts wire up to 10-gauge.

CONSTRUCTION: Durable steel. Comfortable cushioned handles. 7½ in. long. **ORDER INFO:**

Shipping weight 9 ounces. 34 GT 6098\$9.99

(5) Heavy-duty Automatic Stripper

For 22 to 8-gauge wire. Steel; cushioned handles. 7 inches long.

ORDER INFO: Shpg. wt. 14 oz. 34 GT 6072\$12.99

(6) Wire Stripper

Strips 18 to 10-gauge solid wire. Steel; cushioned handles. 6 inches long.

ORDER INFO: 34 GT 6071—Shpg. wt. 5 oz.\$5.49

(7) Portable or Bench-mount Conduit Vise

Cut-offs of ½ to 2-in. outside diameter conduit, hose, dowsing, copper, plastic or thin-wall tubing. Use 24 or 32-tooth hacksaw blades. **CONSTR:** Cast iron, steel. Miter-box saw guide (see small view). Holes for bench mounting. Free-spinning thumb-nut clamp swings away to hold conduit. Contoured grip. 3x3¼x8 in. long.

ORDER INFO: Shpg. wt. 2 lbs. 4 oz. 34 GT 5007\$19.99

(8) Bender for ½ and ¾-inch thinwall conduit

CONSTR: Steel. Built-in degree scale. Extended foot increases leverage. Steel handle not incl.; order below.

ORDER INFO: Shpg. wt. 4 lbs. 13 oz. 34 GT 5005\$21.99

38-inch steel Handle for (8)

Shipping weight 3 lbs. 5 oz. 34 GT 5006C\$9.99

(9) Fish Tape Reel. For pulling wire through conduit, walls.

CONSTRUCTION: High-impact plastic reel. Large grips with grained surface for non-slip handling. Built-in winder. **ORDER INFO:**

Reel with 40 ft. of tape, 7-in. diam. Shipping weight 1 lb. 8 oz. 34 GT 5139\$12.99

Reel with 100 ft. of tape 12-inch diameter.* 34 GT 5140—Wt. 4 lbs.\$21.99

(10 thru 16) Heavy-duty Extension Cords for indoor/outdoor use. Insulated with water-repellent thermoplastic jacket. 14-gauge cords are ideal for use with large motors, power tools. Use 16-gauge, 2-wire cords for double-insulated tools.

ELECTRICAL ORDER INFO: See electrical note at right.

Length, feet	Amp capacity	Catalog Number	Shipping weight	Price
(10) 14-gauge, 3-wire Cords with extra-thick insulation				
50	15	34 GT 5835	8 lbs. 5 oz.	\$29.99
100	13	34 GT 5836C	17 lbs.	49.99

(11) Sears Best All-weather 14-gauge, 3-wire Cord . . . stays flexible to -58°F.


50	15	34 GT 5825	4 lbs. 4 oz.	\$19.99
(12) Standard 14-gauge, 3-wire Cords				
25	15	34 GT 5824	2 lbs. 8 oz.	\$9.99
50	15	34 GT 5821	4 lbs. 14 oz.	17.99
100	13	34 GT 5822	9 lbs. 9 oz.	29.99

(13) Standard 16-gauge, 3-wire Cords with moisture-resistant plastic casing				
25	13	34 GT 7797	2 lbs.	\$6.99
50	13	34 GT 7798	4 lbs. 12 oz.	10.99
100	10	34 GT 7799	7 lbs. 4 oz.	15.99

(14) 16-gauge, 2-wire Cords				
50	13	34 GT 5701	3 lbs. 3 oz.	\$9.99
100	10	34 GT 5702	6 lbs.	14.99

(15) Retractable Reel with grounded duplex outlet and 15-ft. cord. Plastic reel with duplex outlet on front. 18-gauge, 3-wire, 15-ft. cord. Automatic rewind and cord lock. Rated capacity 7 amps. UL listed, 120-volts, 60-Hz. AC. 34 GT 5885—Shipping weight 4 pounds\$18.99

(16) Extension Cord Tote. Impact-resistant plastic. Holds 100 ft. of 18 or 16-ga. wire, 25 ft. of 14-ga. wire (not incl.). 34 GT 5009—Shipping weight 5 ounces\$2.49



Power Outlet Strips

(17) Six-outlet Power Box

CONSTR: 6 grounded outlets. Almond-color impact-resistant plastic housing. Lighted on/off switch. Built-in, resettable circuit breaker for overload protection. Can be wall-mounted. 14-gauge, 3-wire, 6-ft. cord. Completely wired and assembled. 3x2½x4¼ in. long.

ELEC. ORDER INFO: Rated capacity 15 amps. See elec. note below. Wt. 2 lbs. 4 oz. 34 GT 5766\$17.99

(18) Four-outlet Power Strip

CONSTR: 4 grounded outlets. Almond-color plastic housing. On/off switch. Built-in, resettable circuit breaker for overload protection. 14-gauge, 3-wire, 6-ft. cord. Can be wall-mounted. Completely wired, assembled. 3¼x2½x4¼ in.

ELEC. ORDER INFO: Rated capacity 15 amps. See elec. note below. Wt. 1 lb. 4 oz. 34 GT 5768\$14.99


ELECTRICAL NOTE: UL listed, 110–120-v., 60-Hz. AC.



Use Sears Credit

Repair household appliance wiring yourself with Sears Electrical Repair Kits and Solderless Connectors and Terminals

- For Major Appliances: Dishwashers, Refrigerators, Ranges, Air Conditioners, Washing Machines, Dryers, Heating Units
- For Electronic Equipment: Stereos, T.V. Sets, Receivers
- For Household Wiring: Clean splices and connections around screw terminals



See terminals and connectors illustrated at bottom of page



Don't wind loose wire around installation screw. . . repeated bending could weaken or break it. Do as the professionals do—use solderless terminals and connectors of tin-plated copper (included in kits and sold separately below) to form a more secure electrical connection, make installation and removal easier.



150-pc. Kit with tool
\$24.99



100-piece Kit with tool
\$14.99

(1) 150-piece Electrical Repair Kit
Includes all-purpose 7 1/2-inch tool. Plastic storage box with compartments.

Terminal Description	Qty.	Wire Ga. Size	Stud Size
Closed-end splice	7	18-10	
Spade	15	16-14	10
Spade	4	12-10	10
Spade flange	15	16-14	6
Spade flange	15	22-16	6
Ring	15	22-16	10
Ring	15	16-14	10
Ring	15	16-14	6
Ring	4	12-10	10
Faston™ receptacle	12	16-14	
Butt connector	15	22-16	
Butt connector	12	16-14	
Butt connector	6	12-10	

ORDER INFO: See terminal note below.
34GT6080—Wt. 2 lbs. 2 oz. Kit \$24.99

(2) 100-piece Standard Kit
Incl. all-purpose 9 1/2-in. tool. Black plastic case has 10 storage compartments.

Terminal Description	Qty.	Wire Ga. Size	Stud Size
Butt connector	10	22-16	
Butt connector	10	16-14	
Butt connector	6	12-10	
Ring	4	12-10	10
Ring	5	16-14	10
Ring	5	16-14	8
Ring	5	22-16	8
Ring	5	22-16	6
Spade	5	16-14	10
Spade	5	16-14	6
Spade	5	22-16	8
Spade	5	22-16	6
Quick disconnect:			
Male	5	16-14	.250 tab
Female	5	16-14	.250 tab
Closed-end splice	10	22-10	
Round plug connector:			
Male	5	22-16	
Female	5	22-16	

ORDER INFO: See terminal note below.
34GT6088—Wt. 1 lb. 3 oz. Kit \$14.99



Kits available with or without crimping tool (3) sold on opposite page

924-piece Kit alone
\$104.99

924-piece Kit with tool
\$111.98

312-piece Kit alone
\$39.99

312-piece Kit with tool
\$46.98

(3) Repair Kits

Heavy-duty, all-welded steel box with individual compartments.

ORDER INFO:
See chart at right and terminal note below.

924-pc. Kit alone

Shpg. wt. 4 lbs. 8 oz.
34 GT 7520 ... \$104.99

924-piece Kit with crimping tool

Shpg. wt. 5 lbs. 2 oz.
34 GT 75202 ... \$111.98

312-pc. Kit alone

Shpg. wt. 3 lbs. 4 oz.
34 GT 6065 ... \$39.99

312-piece Kit with crimping tool

Shpg. wt. 3 lbs. 14 oz.
34 GT 60652 ... \$46.98

Terminal Description	Quantity		Wire Ga. size	Stud Size
	924-pc.	312-pc.		
Closed-end splice	89	15	18-10	
Closed-end splice	74		22-14	
Spade	62		22-16	6
Spade	62		22-16	10
Spade	62	25	16-14	10
Spade	62		16-14	6
Spade		20	12-10	10
Spade flange		25	16-14	6
Ring	62	20	22-16	10
Ring	62		22-16	6
Ring	62	25	16-14	10
Ring	62	25	16-14	6
Ring		20	12-10	10
Hook		15	22-16	6
Hook		20	16-14	6
Hook		15	12-10	10
Faston™ receptacle	38	20	16-14	
Butt connector	48	20	22-16	
Butt connector	48	20	18-14	
Butt connector	31	15	12-10	
4 1/2-in. Cable ties	50	6		
7 1/2-in. Cable ties	50	6		

These are the types of terminals and connectors we include in our Electrical Repair Kits above


Solderless Refill Terminals and Connectors

These terminals and connectors provide reliable wire connection quickly and easily. Insert wire into terminal barrel, using the crimping tool. Molded-in ridges show you where to crimp.


ORDER INFO: See chart below.

Terminal Description	Wire Ga. Size	Stud Size	Quantity	Catalog Number	Wt. oz.	Price Pkg.
(4) Butt	22-16		48	34 GT 7500	5	\$4.99
Butt	16-14		48	34 GT 7501	2	4.99
(5) Faston™	16-14		38	34 GT 7503	2	4.99
(6) Ring	16-14	8-10	62	34 GT 7507	1	4.99
Ring	16-14	4-6	62	34 GT 7509	2	4.99
(7) Spade	16-14	8-10	62	34 GT 7511	7	4.99
Spade	16-14	4-6	62	34 GT 7513	1	4.99
(8) Closed-end splice	22-14		89	34 GT 7504	2	6.49
	18-10		74	34 GT 7505	2	6.49

Terminals (4 thru 8) are sold separately below




These 2 terminals are available only in the above kits



TERMINAL EXPLANATION NOTE:

Spade and Hook terminals can be easily removed when installation bolt or screw is loosened. Spade flanges lock onto unit; won't fall off. Ring terminals offer semi-permanent installation; cannot be removed until screw or bolt is removed. Faston™ receptacles join, then separate 2 wires; tapering walls prevent over-insertion of wires. Butt connectors join 2 crimped wires for permanent installation and continuous power flow. Closed-end splices resist vibration to securely tie off one or more wires.



Fluorescent Work Light

For cooler light and more shatter-resistance than incandescents

(1) **Retractable Work Light with 15-watt bulb**
Provides cool, diffused fluorescent light; tough, rubberized casing adds to the safety and long life of unit. Self-locking metal reel has automatic rewind; mounting hardware included so you can attach to wall or ceiling. Use to illuminate work area for projects nearby, or slip pin out of bracket and take light with you to another work area.

CONSTRUCTION: Red plastic endcaps, swivel hook. On/off switch. 18-gauge, 3-wire cord. 15-w. bulb incl.

ORDER INFO: Note below.

Light with 40-ft. cord
Shpg. wt. 14 lbs.

34 GT 5931C\$42.99

Light with 25-ft. cord
Shpg. wt. 12 lbs.

34 GT 5930C\$34.99

Fluorescent Work Light alone (not shown). Same as (1), but no reel. 25-ft. cord. Shpg. wt. 4 lbs.

34 GT 5926C\$24.99

Incandescent Work Lights

(2 and 3) **Sturdy Metal Work Lights with convenient grounded outlet in handle**
CONSTRUCTION: Metal bulb guard, reflector. Heavy-duty plastic handle with on/off switch, grounded outlet for plugging tools in at work site. Use up to 75-watt bulb (not included); order below.

ORDER INFO: See electrical note below.

(2) **Retractable Work Light with self-locking metal reel and automatic rewind.** 18-gauge, 3-wire cord with tough, thermoplastic jacket. Hardware included. Attach to wall or ceiling. Use to illuminate work area for projects nearby, or slip pin out of bracket and take light and reel with you to another area.

34 GT 5933—20-ft. cord. Wt. 4 lbs.\$16.99

34 GT 5923—35-ft. cord. Wt. 11 lbs. 8 oz.\$29.99

(3) **Sears Best Work Light with all-weather 25-ft. cord.** 16-ga., 3-wire cord stays flexible to -58°F.

34 GT 5922—Wt. 2 lbs. 8 oz.\$12.99

(4) **Plastic Work Light**

CONSTR: Plastic bulb guard, reflector. On/off switch. Vinyl-covered 18-gauge, 2-wire cord. Uses up to 75-w. bulb (not included); order below. See Note below.

34 GT 5915—6-ft. cord. Wt. 12 oz.\$4.49

34 GT 5917—25-ft. cord. Wt. 2 lbs.\$7.49

Rough-service Incandescent Bulbs (not shown). Withstand rougher treatment than standard bulbs.

Bulb	Catalog Number	Shpg. wt. ea.	Each	Price when you buy 3
50-watt	34 GT 3832	1 oz.	\$1.79	\$3.99
75-watt	34 GT 3833	2 oz.	1.79	3.99
100-watt	34 GT 3834	2 oz.	1.79	3.99



Waterproof Lantern available with rechargeable Power Pack or Heavy-duty, 6-volt Lantern Battery

Rechargeable Flashlight for 25% brighter light than standard 2-"D" cell flashlight

(7) **Two-way Lantern** spreads fluorescent light 180° or provides incandescent spotlighting

Table Lamp can be used on table or hung for efficient overhead lighting

(5) **Waterproof Lantern with power pack or 6-volt battery**

CONSTRUCTION: Impact-resistant plastic casing; wireless construction. 9x 5 1/2 x 6 1/2 in. high; lens ring 4 3/4 inches in diameter. Pushbutton on/off switch. Tilts 160° on stand. Bulb protector and 2 spare bulb holders.

ORDER INFO: See warranty below for 34 GT 4458 and 34 GT 4459.

Waterproof Lantern with rechargeable power pack. Recharges up to 200 times to provide up to 5 hours of light per charge. Recharges in 14 to 16 hours; may be used with standard 6-volt battery (not included) while power pack is recharging. Orange with off-white lens ring.

34 GT 4458—Shipping weight 2 pounds 10 ounces\$26.99

34 GT 4459—Replacement Power Pack. Wt. 1 lb. 10 oz.\$16.99

Waterproof Lantern with heavy-duty 6-volt battery. Red.

34 GT 4442—Shipping weight 3 pounds\$9.99

(6) **Rechargeable Flashlight for up to 400 hours of continuous light**

Recharges up to 200 times to provide 2 hours of light per charge. **CONSTRUCTION:** Impact-resistant yellow plastic case; black trim. 9 in. long. On/off switch. Uses 120-volt, 60-Hz. AC current. 2-ft. cord.

ORDER INFO: See warranty below.

34 GT 4457—Shipping weight 1 pound\$14.99

(7) **Two-way Lantern** . . . use as a fluorescent floodlight or as an incandescent spotlight with 3 times the power of an ordinary flashlight

CONSTRUCTION: Impact-resistant plastic case; black with yellow head and endcaps. 3 1/4 x 11 1/4 in. high. Convenient 38-in. shoulder strap. Dual-switch, solid-state circuitry. Uses 6 "D" batteries (not included); order below.

34 GT 4463—Shipping weight 1 pound 2 ounces\$17.99

Replacement Fluorescent Bulb for (7)

34 GT 4489—Shipping weight 2 ounces\$2.49

"D"-size DieHard Alkaline Batteries for (7). Package of two.

34 GT 3093—Shpg. wt., pkg., 10 oz.Pkg. \$2.29; 4 pkgs.\$6.99

(8) **Incandescent Table Lamp spreads light a full 360°**


CONSTR: Impact-resistant plastic; white and pale gold color. 6 1/2 x 12 1/2 in. high. On/off switch. Uses 6-volt lantern battery (not included); order below.

34 GT 4473—Shipping weight 13 ounces\$5.49

34 GT 4634—Lantern Battery for (8). Wt. ea., 1 lb. 5 oz. \$2.99; 2 for 4.99

FULL ONE-YEAR WARRANTY FOR (5 and 6): If within 1 year from date of purchase, this item fails due to a defect in material or workmanship (excluding bulbs), Sears will replace it free of charge. Warranty service is available by simply returning item to any Sears store throughout the United States. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

Shock Detectors sense current leakage from faulty appliances and shut off current in 1/2 second to protect you from shocks



(9) **Shock Detector for indoor/outdoor use** replaces standard 15-amp wall receptacle

Senses current leakage as small as 6 milliamps to help protect you from ground fault shocks. Also protects other outlets wired after it on the same circuit.

CONSTRUCTION: Plastic. Includes wall cover plate. Test circuit, indicator light. Replaces standard wall receptacle; requires 2 1/2-in. depth for installation.

ORDER INFO: See note below. 15 amps. Use with copper or copper-clad wire only.

34 GT 5326—Shipping weight 10 ounces\$29.99

(10) **Weatherproof Cover for (9).** Die-cast aluminum; hinged, self-closing.

34 GT 5327—Shipping weight 4 ounces\$8.99



(11) **Shock Detector** replaces 20-amp outdoor wall outlet

Fuses correct wiring only; detector senses current leak as small as 6 milliamps from faulty swimming pool controls, power tools, barbecues, etc. Cuts off current to protect you from shocks.

CONSTR: Weatherproof die-cast steel box with hinged cover. 20-amp capacity.

ORDER INFO: See note at left.

34GT5329—Wt. 1 lb. . . \$49.99

(12) **Factory-style Pendant Light Fixture**
1982 Fall Big Book price \$24.99

Painted metal shade with white underside and vinyl cord. 16x8 inches high, extends 48 inches. Uses up to 100-watt standard-base frosted bulb (not included). Wire directly to outlet box and use wall switch. UL listed. 110-120-volts, 60-Hertz AC.

ORDER INFO:

34 GT 86243—Chocolate color

34 GT 86244—Red

Shpg. wt. 3 lbs. 2 oz.Each \$14.99

CRAFTSMAN® Compact Rotary Tools

Views at right show some of the many things a single tool can do when used with the proper attachment
...so small they can fit in a drawer



(1) CRAFTSMAN® Constant-speed 15-pc. Rotary Tool Kit
Drill, cut, grind, sand.
MOTOR: Constant-speed, 30,000 rpm motor.
HOUSING: Plastic. 7½ in. long.
KIT COMP: ¼-in. drill bit; 3 cut-off wheels; silicon grinding point; 3 sanding discs; mandrel for sanding discs and cut-off wheels; polishing wheel; alum. oxide abrasive cone; ¼-in. collet (in tool); collet wrench; instr.
ELECTRICAL INFO: Operates on 115-v., 60-Hz. AC. 5-ft., grounded 3-wire cord.
ORDER INFO: See warranty (B), p. 22. Uses accessories with up to ¼ in. shank, sold below, right. Wear safety goggles sold on pg. 88. Shpg. wt. 1 lb. 8 oz. 9 GT 25151...Kit \$32.99



(2) Li'l Crafty® Constant-speed 31-piece Rotary Tool Kit with case
Cut, saw, grind, sand, deburr, sharpen, polish and more.
MOTOR: Develops no-load speed of 30,000 rpm.
HOUSING: Plastic. 8 in. long.
KIT COMP: 5 cut-off discs; 2 high-speed cutters; ¼ and ⅜-in. mandrels; 5 abrasive points; abrasive wheel; dressing stone; ½-in. drum sander; 2 coarse, 2 fine sanding bands; rubber polishing wheel; pumice wheel; felt buff wheel; rag buff wheel; wire wheel brush; ⅜-in. collet; ¼-in. collet (in tool); collet wrench; case.
ELECTRICAL INFO: 110-120-v., 60-Hz. AC. UL listed. 6-ft., 3-wire cord.
ORDER INFO: See warranty (B) on pg. 22. Use accessories with ¼ or ⅜-in. shank, accessories with ¼-in. shank sold below, right. Wear safety goggles sold on page 88. 9 GT 25175—Wt. 2 lbs. Kit \$54.99



(3) CRAFTSMAN Motor Speed Control. Allows you to control motor speeds for tool (1). Also use for tools and appliances up to 5 amps.
CONSTR: Solid-state circuitry.
ELECTRICAL INFO: 120-v., 60-Hz. AC. UL listed. 6-ft., 3-wire cord. 9 GT 25144—Wt. 2 lbs. 1 oz. \$29.99



(4) CRAFTSMAN® Variable-speed 37-piece Rotary Tool Kit
Drill, cut, grind, sand, polish and rout in various materials.
MOTOR: Develops 5,000 to 28,000 rpm. Slide on-off switch.
HOUSING: Durable plastic. 7½ in. long.
KIT COMPOSITION: ¼-in. drill bit, 6 cut-off wheels, high-speed cutter, aluminum oxide cylinder and cone; 2 green silicon grinding points rubber polishing wheel; 7 sanding discs; mandrel for sanding discs, cut-off wheels and rubber polishing wheel; 2 sanding bands; ½-in. drum sander; 2 polishing wheels; mandrel for polishing wheels; dressing stone; 2 bristle brushes; 2 engraver cutters; ⅜-in. collet; ¼-in. collet (in tool); collet wrench; deluxe fitted storage case.
ELECTRICAL INFO: Operates on 115-v., 60-Hz. AC. 5-ft., grounded 3-wire cord.
ORDER INFO: See warranty (B) on pg. 22. Use accessories with ¼ or ⅜-in. shank, accessories with ½-in. shank sold below, right. Wear safety goggles sold on pg. 88. 9GT25161—Shpg. wt. 2 lbs. 9 oz. Kit \$69.99



(5) CRAFTSMAN® Variable-speed Rotary Tool with flexible shaft
Flexible shaft and swivel base allow easy maneuvering on precision work


Flexible shaft and swivel base for easy maneuvering. With accessories below, you can drill, cut, saw, grind, sand, deburr, sharpen, polish, slot, carve.
MOTOR: Develops 7,500 to 25,000 rpm. 3-position solid-state selector switch allows change from variable to full-speed (25,000 rpm).
HOUSING: Plastic. Detachable base swivels 360°. Vinyl-covered shaft. 34 in. long. Hanging brackets included.
ELECTRICAL INFO: Operates on 115-v., 60-Hz. AC. UL listed. 5-ft., 3-wire cord.
ORDER INFO: Includes ¼-in. collet and instructions. See warranty (B) on pg. 22. Use accessories with ½-in. shanks sold below. Wear safety goggles sold on page 88. Shpg. wt. 4 lbs. 8 oz. 9 GT 25147 \$84.99

Tool Case for (1) above. Same as that shown with tool (4). Lightweight double-wall polyethylene. Snap-lock cover holds tools and accessories securely in separate compartments. 9 GT 25148—Shpg. wt. 1 lb. \$6.99

19-piece Sanding/Grinding Set. Save 15%. Includes drum sander, twelve ½-in. diam. sander bands, cylinder abrasive point, 2 cone abrasive points, 1-in. diam. wheel grinder, high-speed cylinder steel cutter. *Separate prices total \$15.41 at right.* 9 GT 24782—Shpg. wt. 2 oz. Set \$12.99

40-piece Cutting/Carving Set. Save 22%. Incl. 36 cutting wheels, cut wheel mandrel, fine-blade steel saw, 2 high-speed cutters (1 cylinder, 1 ball). *Sep. prices tot. \$12.85 at right.* 9 GT 24783—Shpg. wt. 2 oz. Set \$9.99

48-piece General-purpose Accessory Set. Save 12%. Includes wire wheel brush, fine-blade steel saw, drum sander, six ½-in. diam. sander bands, 36 cutting wheels, cut wheel mandrel, cone abrasive point, grinding disc. *Separate prices total \$14.82 at right.* 9 GT 24781—Shpg. wt. 2 oz. Set \$12.99



Accessories for rotary tools on this page

ORDER INFO: Pkg. of 5. Shpg. wt. 1 oz.

Item	Description	Shank (in.)	Catalog Number	Pkg.
(6)	Cylinder steel Cutter	¼	9 GT 25008	\$2.99
(7)	Circular steel Cutter	¼	9 GT 25016	2.99
(8)	Point steel Cutter	¼	9 GT 25011	2.99
(9)	Ball steel Cutter	¼	9 GT 25012	2.99
(10)	Oval steel Cutter	¼	9 GT 25014	2.99
(11)	Cylinder Abrasive Point	¼	9 GT 25046	1.49
(12)	Cone Abrasive Point	¼	9 GT 25049	1.49
(13)	Cone Abrasive Point	¼	9 GT 25053	1.49
(14)	¾-in. diam. Wheel Grinder	¼	9 GT 25057	1.49
(15)	1-in. diam. Wheel Grinder	¼	9 GT 25058	1.49
(16)	Grinding Disc	¼	9 GT 25063	1.49

ORDER INFO: Pkg. of 5. Shpg. wt. 1 oz.

Item	Description	Shank (in.)	Catalog Number	Pkg.
(17)	Grinding Point	¼	9 GT 25062	\$1.49
(18)	1½-in. Cutting Wheel*	¼	9 GT 25024	3.49
(19)	Fine-blade steel Saw	¼	9 GT 25026	1.89
(20)	Cut wheel Mandrel	¼	9 GT 25028	1.49
(21)	½-in. diam. Drum Sander	¼	9 GT 25042	1.99
(22)	½-in. diam. Bands for (21)**	¼	9 GT 25043	1.49
(23)	¼ in. Wire Wheel Brush	¼	9 GT 25038	1.49
(24)	¼ in. Wire Cup Brush	¼	9 GT 25039	1.49
(25)	Polishing Compound	¼	9 GT 25031	1.49
(26)	1-in. cloth Polishing Wheel	¼	9 GT 25033	1.49
(27)	¾-in. emery Polishing Wheel	¼	9 GT 25034	1.49

*Pkg. of 36 **Pkg. of 6 fine-grit

Designed to fit the needs of even the serious crafts person. Develops point temperatures up to 950° F, burns wood fast and dark. Works especially well on harder woods. Molded plastic handle has balanced pencil grip that helps reduce fatigue, allows greater control. 2-in. metal shaft brings work closer. Tool is 11½ in. long.
KIT INCLUDES: Three interchangeable woodburning points (all-purpose, grading and script); stand.
ELECTRICAL INFO: 25-watts, 110-120-v., 60-Hz. AC. UL listed. 5-ft., 2-wire cord. 9 GT 25193—Shipping weight 8 ounces Kit \$14.99

New at Sears! Woodburning Tool Kit

Three interchangeable points make any woodburning technique possible



Use Sears Credit



CRAFTSMAN® Single-speed Rotary Grinder, Accessory Kit

Ideal for tool and die work, hobbies and crafts . . .
15 attachments for wood, iron, ceramics and glass

(1) MOTOR, BEARINGS AND GEARS: Maximum ¼ HP, single no-load speed of 26,500 rpm. Permanently lubricated ball bearings. Spindle lock. Collet-type chuck grips ½-inch and ¼-inch diameter shanks.

HOUSING: Lightweight aluminum spindle housing. Heat-resistant thermoset polyester motor housing. 10 in. long.

ACCESSORIES: Includes 9 grinding points, 3 rotary rasps, 3 rotary files, wrench, hanging bail, collet adapter. Permanex® plastic case is 16x6½x3½ in. high.

ELEC. ORDER INFO: See electrical note on page 23, warranty (A) on page 22.

9 GT 27444—Shipping weight 6 pounds 1 ounce . . . Kit \$89.99

9 GT 2744—Rotary Grinder alone. Shpg. wt. 3 lbs. 12 oz. . . . 79.99

9 GT 1463—Carrying Case alone. Shpg. wt. 1 lb. 3 oz. . . . 10.99

(2) Stand for grinder. Cast iron. Measures 4½x2½ inches high.

9 GT 25846—Shpg. wt. 4 lbs. 3 oz. . . . \$34.99

(3-8) CRAFTSMAN® Rotary Cutters
High-speed steel. Type M-2. ½-in. shanks.

Item	Diam.	Shape	Catalog Number	Wt.	Each
(3)	¼ in.	Cylindrical	9GT2966	1 oz.	\$3.99
(4)	¼ in.	Spherical	9GT2967	1 oz.	3.99
(5)	¾ in.	Tree pointed	9GT2970	1 oz.	5.29
(6)	¾ in.	Elliptical	9GT2968	1 oz.	5.29
(7)	¼ in.	Conical	9GT2971	1 oz.	3.99
(8)	¼ in.	Tree radius	9GT2969	1 oz.	3.99

CRAFTSMAN® 6-pc. Rotary Cutter Set.

Save \$3.55. Set includes (3 thru 8) above.

ORDER INFO: Sep. prices total \$26.54.

9 GT 2965—Shpg. wt. 3 oz. . . . Set \$22.99

(9 thru 14) CRAFTSMAN® solid-carbide
Burs. Harder than steel. ½-in. shanks.

Item	Shape	Catalog No.	Wt.	Each
(9)	Cylindrical	9 GT 25641	1 oz.	\$5.49
(10)	Tree shape	9 GT 25642	1 oz.	5.49
(11)	Conical	9 GT 25643	1 oz.	5.49
(12)	Tree radius	9 GT 25646	1 oz.	5.49
(13)	Bell shape	9 GT 25645	1 oz.	5.49
(14)	Cylindrical radius	9 GT 25644	1 oz.	5.49

6-piece Burr Set. Save \$2.95.

Includes (9 thru 14) above.

ORDER INFO: Sep. prices total \$32.94.

9 GT 2561—Shpg. wt. 1 oz. . . . Set \$29.99

(15 thru 17) Rotary Cutters

Steel. With ½-in. shanks. Imported.

Item	Type	Catalog No.	Shpg. wt.	Each
(15)	Rasp	9 GT 64771	2 oz.	\$1.79
	File	9 GT 64781	1 oz.	1.79
(16)	Rasp	9 GT 64773	1 oz.	1.79
	File	9 GT 64783	1 oz.	1.79
(17)	Rasp	9 GT 64772	2 oz.	1.79
	File	9 GT 64782	1 oz.	1.79

6-pc. Rotary Cutter Set. Save \$1.25.

Incl. (15), (16) and (17) above; plastic

case. Sep. prices total \$10.74.

9 GT 64775—Wt. 9 oz. . . . Set \$9.49

(18 thru 22) Individual Mounted
Grinding Points. Vitrified aluminum
oxide on 1½-in. steel shanks.

Item	Diam.	Length	Catalog No.	Wt.	Each
(18)	½ in.	1½ in.	9GT64714	1 oz.	99c
(19)	1 in.	1 in.	9GT64719	1 oz.	99c
(20)	1 in.	½ in.	9GT64717	1 oz.	99c
(21)	¾ in.	1½ in.	9GT64716	1 oz.	99c
(22)	¾ in.	1 in.	9GT64713	1 oz.	99c

9 Assorted Grinding Points. Vitrified
aluminum oxide heads. Sizes to 1-in.
diam., ½ to 1¼ in. long. Also 1-in.
diam. spherical points. ¼-in. shanks.

9 GT 6471—Shpg. wt. 8 oz. . . . \$7.99



Two-dimensional Engraver Pantograph

Includes 3 different
letter styles and
6 line drawings

Helps you make two-dimensional
carvings, drawings and
signs on glass, plastic, brass
and most metals.

HOW TO USE: Attach electric
engraver or rotary tool to en-
graver pantograph and trace
your pattern. Reduces original
pattern 60%, 50% or 33%.

CONSTR: High-impact plastic
base is 11x27 in. long. Fixture
holds unit, workpiece and pat-
tern securely.

ACCESSORIES: Includes 3 let-
ter styles (Monogram, Old En-
glish and Script) in upper and
lower cases, 10 numerals, 6
line drawings. Instruction
booklet.

ORDER INFO: Unassembled.
Fits Sears and other engravers
and most rotary tools (not
incl.). See page 126 for electric
engraver. Rotary tools sold
on pg. 51. Wt. 5 lbs.

9 GT 26002C \$19.99

CRAFTSMAN® Table-top Tools

Compact and portable table-top tools for
small or intricate jobs where space is limited

CRAFTSMAN® Scroll Saw-Sander
Direct-drive motor
lets you cut wood
up to 1½ in. thick



(23) CRAFTSMAN® Scroll
Saw-Sander

CUT CAP.: 1½-in. wood, non-ferrous
metal, plastic, 1-in. plywood.

MOTOR, BEARINGS: Ball-bearing
motor. 3450 strokes per minute.

TABLE: Steel. 8x9½ in. long. ½-
inch grid. Tilts 45° for bevel cuts.

CONSTRUCTION: Steel body and
throat. 15-inch throat depth.

ACCESS: 4-in. disc sander, four 3-in.
pin-end blades, adj. blade guard.

ELEC. INFO: 110-120-v., 60-Hz.
AC. UL listed. 6-ft., 3-wire cord.

ORDER INFO: Warranty, page 62.
9 GT 2472C—Wt. 17 lbs. . . \$84.99

(24) Scroll Saw-Sander
Accessory Kit

KIT COMP: Incl. flexible 30-in. shaft,
shaper attachment, 5 blades, 3
sanding discs, drum sander, 3 extra
bands, 2 grinding wheels, drill bit,
cutter, 2 bristle brushes, polishing
compound, buffing wheel, 3 collets,
wrench. Wt. 1 lb. 8 oz.
9 GT 2471 Kit \$33.99

(25 thru 30) Jig Saw Blades

Constructed of heat-treated alloy steel. 6-inch plain-
end blades snap off to fit saws taking shorter plain-
end blades. Use only designated blades for metal-
cutting. Lubricate blades with beeswax. For heavy
work on jig saws, use sabre saw blades sold on p. 7.
ORDER INFO: Pkg. of 5. Wt. 1 oz.

Item	Lgth. in.	Width in.	Teeth per in.	Use for . .	Catalog Number	Per pkg.
Use with former 9-2072 as sabre saw; .028 in. thick						
(25)	6	.187	10	wood, soft metal	9GT26887	\$2.29
(26)	6	.250	20	wood, metal	9GT26888	2.19
Plain-end Blades for most jig saws; .020 in. thick						
(27)	6	.110	20	thin sheet metals, incl. steel	9GT26884	2.09
(28)	6	.110	10	wood rough metal	9GT26885	2.09
	5	.110	15	wood, metal	9GT26874	1.99
	6	.110	15	wood fine metals	9GT26883	2.09
Pin-type Blades; .020 in. thick						
(29)	5	.110	15	wood, metal	9GT26873	1.99
	6	.110	15	wood, metal	9GT26881	2.09
(30)	3	.065*	25	wood, metal	9GT26877	1.99
	3	.187**	15	wood, fast cut	9GT26878	2.09
	4	.065*	18	wood, plywood	9GT26871	1.49

*.010 in. thick ** .015 in. thick



(31) CRAFTSMAN®
4-inch Motorized
Table Saw

CUT CAPACITY: 1-in.
hardboard, wood, plastic
at 90°. ¾-in. wood, plas-
tic at 45°.

TABLE: Glass-reinforced
plastic. 12x10 inches. 4-
inch work area in front of
blade. Metal miter
gauge, rip fence. Blade
tilts for bevel cuts.

MOTOR: 9800 rpm. Lu-
bricated ball, sleeve
bearings.

ELECTRICAL INFO:
Front-mounted on/off
switch. 115-v., 60-Hz.
AC. UL listed. 6-ft., 3-
wire cord.

ORDER INFO: Warranty,
p. 62. Extra 4-in. blades
(10) and (11) on p. 59.

Wt. 12 lbs.

9 GT 2474 \$69.99



CRAFTSMAN®
Compact
Belt-Disc
Sander

(32) CRAFTSMAN® Compact Belt-Disc
Sander. Sand, shape, grind, clean and
sharpen on wood, metal, plastics, glass or
ceramics. Mounts on workbench.

CONSTRUCTION: Steel base and table.
Plastic cover. 11x10x15 in. high.

TABLES: Fixed table for belt sanding. 45°
tilting table with miter gauge for accuracy.

BELT, DISC: Two 1x30-in. sanding belts in-
cluded. Removable belt support allows flex-
ible sanding. Belt moves about 2700 ft. per
minute. Pulley allows external and internal
sanding. 5-inch sanding disc has adhesive
backing. Disc turns at 4400 rpm.

MOTOR: Universal, 2.0 amps. Front-mount-
ed on/off switch.

ELECTRICAL INFORMATION: 110-120-v.,
60-Hz. AC. UL listed. 6-ft., 3-wire cord.

ORDER INFO: Warranty on pg. 62. Extra
belts sold below, extra discs sold on pg. 26.

9 GT 2476—Shpg. wt. 11 lbs. . . . \$97.99


Extra Belts for (32) (not shown).

Aluminum oxide, cloth-backed. Pkg. of 2.

Grit	Grit No.	Catalog Number	Shpg. wt.	Price pkg.
Fine	120	9 GT 24765	3 oz.	\$4.49
Medium . .	80	9 GT 24764	3 oz.	4.49
Coarse . . .	50	9 GT 24767	3 oz.	4.49



Chisels and Chisel Sets



(1) **CRAFTSMAN® 5-pc. Set**
CONSTR: Precision-ground h.-carbon steel blades are drop-forged, heat-treated. Butyrate plastic handles with striking cap. Plastic pouch. Five chisels, sizes 1/4, 1/2, 3/4, 1, 1 1/4 in. wide.
ORDER INFO: See warr. below. Separate prices total \$32.95.
Shpg. wt. 2 lbs. 1 oz.
9 GT 36829Set \$24.99

Individual Chisels
As described in (1) above.
ORDER INFO:

Width (in.)	Catalog Number	Wt. oz.	Each
1/4	9GT36821	4	\$5.49
1/2	9GT36822	5	5.99
3/4	9GT36823	6	6.49
1	9GT36824	7	6.99
1 1/4	9GT36825	8	7.99

(2) **Sears 3-piece Set**
CONSTRUCTION: Drop-forged, heat-treated high-carbon steel blades. High-impact plastic handles. Includes pouch. Imported. 1/2, 3/4, 1 in. wide.
ORDER INFO: Not Craftsman.
Shpg. wt. 13 oz.
9 GT 36891Set \$7.99

(3) **CRAFTSMAN® 4-piece All-steel Set.** Made of drop-forged high-carbon steel. Hardened and tempered, nickel-chrome-plated. Each chisel has a wide striking head. Pouch included. 1/2, 3/4, 1, 1 1/4 in. wide.
ORDER INFO: Warranty below. Separate prices total \$29.46.
Shpg. wt. 1 lb. 12 oz.
9 GT 36864Set \$20.99

Individual Chisels. As described in (3) above. 2 3/8-in. chisel is double-beveled.
ORDER INFO:

Width (in.)	Catalog Number	Wt. oz.	Each
1/2	9GT 36833	3	\$6.49
3/4	9GT 36834	5	6.99
1	9GT 36835	8	7.49
1 1/4	9GT 36836	11	8.49
2 3/8	9GT 36837	14	9.49

FULL UNLIMITED WARRANTY ON CRAFTSMAN® HAND TOOLS: If any Craftsman® Hand Tool ever fails to give complete satisfaction, return it to the nearest Sears store throughout the United States and Sears will replace it, free of charge. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.



CRAFTSMAN® Propane Kits, Mapp® Gas Kits

Instant-action lever on (4), (5) and (7) control flame for safety, convenience and fuel efficiency

(4) **Deluxe 13-piece Propane Kit.** Uses incl. thawing pipes, starting charcoal fires.
KIT COMP: Fuel-saving instant-action lever, pencil-flame burner; 14.1-oz. by wt. cyl.; extra cyl.; utility burner; spark lighter; 6 extra flints; plastic case; soldering tip and flame spreader. UL listed.
ORDER INFO: "N" suffix p. 91. Shpg. wt. 7 lbs.*
9 GT 54285NKit \$26.99

Replacement Access. for (4)
Burner Head. Attaches to tip of torch for a wider flame.
9GT54287—Wt. 5 oz. \$3.99

Soldering Tip
For heavy soldering.
9GT54288—Wt. 5 oz. \$3.99

Flame Spreader
9GT54289—Wt. 5 oz. \$3.49

(5) **Propane Brazing Torch.** Burns hotter and faster than torch in kit (4). Brazes metal up to 3/32 in. thick.

Fuel-saving instant-action lever; 14.1-oz. by weight cylinder; 5 brazing rods.

ORDER INFO: See "N" suffix note on page 91.
Shpg. wt. 4 lbs.*
9 GT 54283N\$16.99

Extra Propane Cylinders for (4) and (5)
Each holds 14.1 oz. by weight, 26.7 fluid ounces.

See "N" suffix note on page 91. Pkg. of 12.
ORDER INFO:

Shpg. wt. 24 lbs.
9 GT 54914N\$23.99

(6) and (7) **Mapp® Torch Kits.** Burn faster and hotter than propane. Brazes metal up to 1/4 in. thick.

(6) **Regular-action Mapp® Gas Kit**

KIT COMPOSITION: Pencil flame burner; 16-ounce by weight cylinder; 5 brazing rods; spark lighter, extra flints. UL listed.
ORDER INFO: See "N" suffix note on page 91.
Shpg. wt. 8 lbs.*
9 GT 54284N\$29.99

*Alaska and Hawaii customers: Propane, Mapp® Gas cylinders must, by law, be shipped via surface transportation. Contact local selling unit before ordering. Allow extra time.

(7) **Deluxe 16-piece instant-action Mapp® Gas Kit**

KIT COMPOSITION: Torch has instant-action lever that you can adjust to set flame instantly on pilot or high level; saves fuel. Pressure regulator; standard tip; 16-ounce by weight cylinder; extra cylinder; spark lighter; 6 flints; 5 brazing rods and extra tips for detailed work. Plastic case.

ORDER INFO: See "N" suffix note on page 91. Wt. 8 lbs.*
9 GT 54334NKit \$39.99

Mapp® Gas Cylinder for (6) and (7) (not shown). Holds 16 ounces by weight.

ORDER INFO: See "N" suffix note on page 91.
Shpg. wt. 2 lbs. 3 oz.*
9 GT 54921N\$4.99



(8) **CRAFTSMAN® 200-watt Soldering Iron.** Hardwood handle. 5/8-inch tapered chisel-style, plated copper tip heats to 900°F.
ELEC INFO: UL listed. 110-120-v., 60-Hz. AC. 5-ft., 2-wire cord.
ORDER INFO: See warranty (B), page 22. Shpg. wt. 2 lbs. 1 oz.
9 GT 53832\$29.99

Replacement Tip for (8) above
Shpg. wt. 12 oz.
9 GT 53835\$5.99

(9) **CRAFTSMAN® 45-watt Soldering Iron Kit.** Cool, air-flow finger grips. Heats to over 850°F.

ACCESSORIES: Stand, wire stripper, 3 tips (1/8-inch pencil, 1/8-inch chisel, 5/16-inch pyramid).

ELEC. INFO: 110-120-v., 60-Hz. AC. UL listed. 4 1/2-ft., 2-wire cord.
ORDER INFO: See warranty (B), page 22. Shpg. wt. 8 oz.
9 GT 53512Kit \$13.99

Replacement Element for (9)
Shpg. wt. 4 oz.
9 GT 53518\$7.49

Replacement Chisel Tip for iron (9)
Package of 2. Shpg. wt. 3 oz.
9 GT 53517Pkg. \$2.69

(10) **Cordless Soldering Iron.** Recharges in 1 hr. Heats in 5 to 8 secs. to over 700°F. 2 rechargeable batteries. Plastic housing. Push-button heat control. Lock-off switch.

ACCESS: 2 tips, recharging stand.
ELEC. ORDER INFO: 115-v., 60-Hz. AC. UL listed. Wt. 1 lb. 14 oz.
9GT53816\$39.99

Replacement Tips for (10). Wt. 3 oz.
9 GT 53805—Regular\$3.99
9 GT 53806—Fine tip3.99

(11) **CRAFTSMAN® Solder Gun Kit.** Dual-heat, 150 and 230-watt. Cyclac® plastic housing. Hi-lo trigger control. Heats to over 1100°F. at high; 950°F. at low settings. Max. heat in 4-6 seconds. Built-in work light.

ACCESSORIES: 4 tips, solder, case.
ELEC. ORDER INFO: 110-120-v., 60-Hz. AC. UL listed. 6-ft. cord. Warranty (B), p. 22. Wt. 4 lbs. 4 oz.
9 GT 52855Kit \$29.99

100-140-watt Solder Gun alone
Heats to 950°F. Wt. 3 lbs. 2 oz.
9 GT 52841\$17.99

Replacement Tips for guns (11)
Pkg. of 2. Shpg. wt. 3 oz.
9GT52836—Gen. duty ...Pkg. \$2.69
9GT52834—Fine work ...Pkg. 2.69

(12) **Cordless self-feed Soldering Gun Kit.** 1-hand soldering at squeeze of trigger. Spool of 60/40 rosin core solder, .062 diam., drops into chamber at rear of gun for easy loading. Fully recharges in 4 hrs. 2 rechargeable batteries. Heats to 700°F. in 10 seconds. Plastic housing.

ACCESS: Spool of solder, recharger, tip and instrs.
ORDER INFO:
9 GT 53807—Shpg. wt. 1 lb.Kit \$34.99

Replacement Spool of Solder for (12) above
1/2 lb. of 60/40 rosin core solder, (.062 diam.).
9 GT 53808—Shpg. wt. 3 oz.\$5.99


(13) **Wire Solder.** Soldering compounds of tin and lead. Generally, larger amounts of tin in solder makes a stronger bond. Acid and rosin-core solders have flux in core. 1-lb. spools.
ORDER INFO: Order from chart below.

Diam. Tin/lead in.	Ratio	Catalog Number	Shipping weight	Each
Solid Wire Solder. For non-elec. work.				
1/8	60/40	9GT80551	1 lb.	\$13.99
1/4	50/50	9GT80541	1 lb. 4 oz.	11.99
Acid Core Solder. For non-elec. work.				
1/8	40/60	9GT80511	1 lb. 3 oz.	\$10.99
Rosin Core Solder. For electrical work.				
3/32	40/60	9GT8052	1 lb. 3 oz.	\$10.99

Compact Bench Power Tools

These tools allow you to convert a small area into a workshop. They're lightweight and compact for easy storage, yet their compact construction barely limits the type of jobs you can do

CRAFTSMAN®



Our most space-saving Bench Tools . . . the same motor can be used to power any of them, and (1 thru 4) even accept the same stand

(1) Belt-Disc Sander
21x13x6 1/2 in. high overall.
CONSTRUCTION: Cast-aluminum, 4x9-inch disc table tilts, locks at any angle from 0° to 45° to bevel-sand. Cast-iron, 4x12-inch belt table. Belt tilts, locks at 0° or 90°. Adjustable belt tension, tracking. Drive shaft, pulleys turn on pre-lubricated sleeve bearings.
ORDER INFO: Includes miter gauge; V-belt; machine, motor pulleys; 6-inch disc; 4x36-inch belt. Order extra discs on page 26; motor (9 GT 1285C) on page 89; motor mount below, switch and steel stand (5) sold below, right. See warranty below, right.
Shipping weight 17 pounds.
9 GT 2264C.....\$84.99

(2) 4 1/2-inch Jointer-Planer
7 1/4x24x7 in. high overall.
CONSTRUCTION, CAPACITY: Cutter head spins on permanently lubricated ball bearings. 3 steel blades plane up to 4 inches wide. Cast-iron, 1-piece base, 21 3/4x4 1/4 inches wide. Outfeed and infeed tables measure 4x10 in., adjust to 1/2-in. maximum depth of cut. Aluminum fence has calibrations for beveling to 45°.
ORDER INFO: Includes V-belt; machine, motor pulleys; guard. Order motor (9 GT 1285C) on page 89. Motor mount sold below; switch and stand (5) sold below, right. See warranty below, right.
Shipping weight 19 pounds.
9 GT 2187C.....\$84.99

Motor Mount (not shown).
For (1) and (2) above. Steel. Swivels and holds belt tension.
ORDER INFO:
Mounting bolts not included. Shipping weight 1 pound 9 ounces.
9 GT 2730.....\$6.49

(3) 3-speed Radial Drill Press
9x29 1/2x25 1/2 in. high.
HEAD CONSTRUCTION: Cast-iron, 1-pc. head swivels up to 90° right. Pre-lubricated sleeve bearings. Belt guard.
COLUMN AND BASE: 1 1/2-in. diameter, 14-gauge steel column. 9x6-inch cast-iron base with holes for mounting (bolts not included).
CAPACITIES: Drills to center of 32-in. wide stock. Depth scale graduated in 1/16-in. increments. Chuck takes bits with 5/16-in. shank. Spindle 16 in. from column. Geared chuck travels 2 in.
ORDER INFO: Includes chuck key; V-belt; 3-step machine, motor pulleys. Order motor (9 GT 1285C) on pg. 89; bits on p. 16, 17; switch sold below, right. Stand (5) below, warranty below, right.
9 GT 2397C—Wt. 30 lbs....\$109.99

(4) 8-inch Table Saw
Cast-iron table, 10 1/2x13 in. wide; extensions (A) expand work surface to 20 1/2x13 in. Overall height 9 3/4 in.
BLADE, CAPACITIES: 8-in. Kromedge® combination blade with 5/8-in. arbor cuts wood up to 2 1/4 in. thick at 90°, 1 1/4 in. thick at 45°. Bevel scale shows degree of blade tilt. Table surface in front of blade at 1-in. cutting depth is 5 in. Rip fence positions to right or left of blade for rips up to 5 in. wide. 10 in. with extensions (A) sold below.
ORDER INFO: Includes blade guard; rip fence; miter gauge; V-belt; machine, motor pulleys. Order motor (9 GT 1285C) on pg. 89. Extensions (A), steel stand (5) below; motor switch sold at right. See warranty below, right.
Shipping weight 26 pounds.
9 GT 2412C.....\$84.99

(A) 5-inch Extensions
Fits (3). Aluminum. Package of two.
Shpg. wt. 3 lbs. 15 oz.
9 GT 24238.....Pkg. \$16.99

(5) CRAFTSMAN® Steel Stand
For tools (1) thru (4). Top 20 1/2x16 1/4 in. Adjusts from 26 to 34 in. high.
ORDER INFO: Shipped unassembled.
9 GT 22219C—Wt. 18 lbs....\$44.99

(6) 12x36-inch Wood Lathe
50x7x10 3/4 in. high.
SPEEDS, CAPACITY: Speeds of 850, 1725 and 3450 rpm. Maximum 12-inch swing. Distance from spindle center to bed is 6 inches; center to center is 36 inches.
CONSTRUCTION: Cast-iron headstock with 3/4-16 threaded spindle, tailstock. Steel tubing bed. Permanently lubricated ball bearings. Ball thrust cup center.
ORDER INFO: Includes 3-step machine and motor pulleys; V-belt; tool rest; spur; cup centers; instructions. Order motor (9 GT 1285C) pg. 89. Switch below; shelf-style work bench on pg. 140. See warranty below.
9 GT 2387L—Wt. 28 lbs....\$84.99
12x41-inch Wood Lathe
62x7x10 3/4 inches high. As (6) above except center to center is 41 inches and has heavier bed tubes. See "N" note page 91.
9 GT 2386N—Wt. 40 lbs....\$109.99

(7) Speed Reducer for lathes sold above. Reduces speed of lathe to 300 rpm for working on materials that must be turned at low speeds. Made of cast aluminum and steel.
ORDER INFO: For NEMA 48 or 56-frame motors.
9 GT 2389S—Wt. 8 lbs. 2 oz. \$42.99
Motor Switch (not shown).
For all bench tools sold on this pg. Built-in locking key. For motors rated at no more than 15 amps or 3/4 HP at 125 volts. UL listed. 6-foot cord.
ORDER INFO:
9 GT 13632—Wt. 1 lb. 3 oz. \$21.99

FULL 90-DAY WARRANTY ON NON-CRAFTSMAN BENCH POWER TOOLS: If within 90 days from date of purchase, a Non-Craftsman Bench Power Tool fails due to defect in material or workmanship, Sears will repair it, free of charge. Warranty service is available by simply contacting the nearest Sears store or Service Center throughout the U.S. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.



Slotted table with built-in scale tilts 45° for angle drilling, plus it swings away so base can act as table when more workspace is needed

CRAFTSMAN® Bench-top Cast-iron Drill Press with motor

(8) Ideal for home or light industrial use. Built small enough to fit easily on a workbench, yet big enough to deliver all the power needed for most jobs.
HEAD, CONSTR.: 1-pc. cast-iron. Single-row lower ball-bearing assembly for smooth operation. Cast-iron machine pulley turns on ball bearings. Adjustable feed tension for smooth returns. Spindle lock, column lock and quick belt tension-release for easy speed changes. Speeds of 480, 930, 1750, 3000 rpm. 1/2-in. depth graduations. 6 drive spines.
COLUMN, TABLE, BASE: Steel column. Cast-iron table is 7 3/4x7 3/4 in., with slots for mounting accessories and vises. Table tilts 45° left or right for angle drilling; built-in angle-scale for accuracy. Table swings away so base can be used as table for more space when working on larger pieces. Cast-iron base with pre-cast holes for bolting to workbench (bolts not incl.).
CAP: 5 in. from spindle to column. Base to spindle 19 in. Spindle travels 2 1/2 in. 28x8 1/4x18 in. deep overall.
INCLUDES: 3/8-inch (10mm) chuck, belt, machine and motor pulleys, pulley guard and self-ejecting key.
MOTOR: 1725 rpm, 1/4-HP motor. Split-phase, induction-run. (Same as 9 GT 1286 sold on p. 89). Made in U.S.A.
ELECTRICAL INFO: Tool has power switch with 6-foot, 3 wire cord and receptacle for 115-v. motor. Motor uses 115-v., 60 Hz., AC. 420 full-load input watts. 6-ft., 3-wire cord connects to power switch on press.
ORDER INFO: Drill press is imported. See warranty on opp. page.
9 GT 22614L—Wt. 73 lbs....\$189.99
Drill Press without motor
As above except no motor. Use 9 GT 1286 on p. 89 or min. 1/4-HP motor with 1/2-in. shaft.
9 GT 22615L—Wt. 59 lbs....\$149.99

Compact Bench Tools backed by the same One-year Warranty as our full-size tools



(9) CRAFTSMAN® 3/4-inch Motorized Light-duty Portable Drill Press
HEAD, COLUMN AND BASE: Locking depth gauge with 0 to 3 3/4-inch depth range. Safety lock on 18-inch steel column. Slotted die-cast aluminum base; rubber bushings. Handle mounts on either side of drill. Top storage tray is 6x3 1/4x1 inch deep.
MOTOR, HOUSING: Develops maximum 1/2 HP. Slide control varies speed from 1000 to 2000 rpm. Automatic regulator maintains speed under heavy loads. Motor housing of high-impact polymer. Sleeve-bearing construction.
ELEC. INFORMATION: UL listed. Double-insulated. . . . no grounding needed. 110-120-v., 60-Hz. AC. 6-ft., 2-wire cord.
ORDER INFO: Order vise (10) below. Warranty below. See accessories sold on pgs. 16 thru 19.
 9 GT 1197—Shipping weight 12 pounds 12 ounces \$99.99

(10) Vise. Holds workpiece securely for precise drilling. Bolts to drill press (bolts not included). Steel jaws open to 3 in. Cast iron base is 8 in. long.
ORDER INFO: Fits drill press (9) above.
 9 GT 2757—Shipping weight 7 pounds 8 ounces \$41.99

(11) CRAFTSMAN® High-speed Wood Shaper
 UL listed. Meets "UL Standard 987 for Safety".
USES: For making joints and molding cuts for cabinet and trim work as well as furniture projects.
CONSTRUCTION, CAPACITY: Direct-drive cutter head revolves at approximately 18,000 rpm. Die-cast aluminum table is 11x16 in. wide. . . . has 3/4x3/4-in. groove for miter gauge (not included; order 9 GT 22574 at right). Each half-fence is independently adjustable from front to rear. Micro-adjust feature on in-feed fence for precision straight-edge shaping. Cup guard for contour shaping. Spindle height adjusts 1 1/8 in. . . . micro-adjust mechanism allows adjustment without loosening cutter retainer. Accepts cutters of 1/2-in. bore up to 2 1/2-in. diameter (order on page 72).
MOTOR: Self-contained. 1-HP universal motor. Direct drive.
ELEC. INFO: Double-insulated. . . . needs no grounding. 110-120-volt, 60 Hz. AC. Lockable power switch with removable key helps prevent unauthorized use. 6-ft., 2-wire cord.
ORDER INFO: See warranty below. Order safety goggles on pg. 88.
 9 GT 2376C—Shipping weight 25 pounds \$164.99

(12) CRAFTSMAN® 4-inch Jointer-Planer
 UL listed. Meets "UL Standard 987 for Safety".
USES: Allows you to bevel or chamfer a decorative edge and plane surface on stock up to 4 inches wide to help remove wood imperfections.
CONSTRUCTION, CAPACITY: 100% ball-bearing construction. Cutter head revolves at 15,000 rpm; delivers 30,000 cuts per minute. 4 1/2-in. wide cutter head with two hardened steel blades. Rigid, one-piece structural foam polymer base and fence. Die-cast aluminum in-feed, out-feed tables 4 1/2x17 1/2 in. 1/8-in. depth-of-cut capacity. Adjustable in-feed table with micro-adjusting knob on right side. Retractable cutter guard covers knives. Fence rear has calibration scale to 15° increments. Fence tilts to 45° backward and 10° forward for chamfer and bevel cuts. Holes in base for mounting to worktable (bolts not included). Vacuum attachment port in back of base. 9 3/4x22 1/2x9 3/4 in. high.
MOTOR: Self-contained. 3/4-HP universal motor. Belt drive.
ELEC. INFO: Double-insulated. . . . needs no grounding. Lockable on/off safety switch with removable key. 110-120-v., 60-Hz. AC. 6-ft., 2-wire cord.
ORDER INFO: Includes two safety push blocks with handles; two wrenches to adjust knives; instruction manual. See warranty below.
 9 GT 2372C—Shipping weight 20 pounds \$184.99

FULL ONE-YEAR WARRANTY ON CRAFTSMAN® STATIONARY BENCH POWER TOOLS: If within 1 year from date of purchase, any CRAFTSMAN® Stationary Bench Power Tool fails due to a defect in material or workmanship, Sears will repair it, free of charge. Warranty service available by contacting nearest Sears store or Service Center throughout the United States. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

(13) CRAFTSMAN® 7 1/2-inch Table Saw
 Has 14x26-in. work surface. Includes 2 side extensions. UL listed. Meets "UL Standard 987 for Safety".
CUTTING BLADE, CAPACITY: 7 1/2-in. combination blade cuts wood up to 1 1/2 in. thick at 90°, 45°. Blade and motor tilt for bevel cuts. Blade scale shows degree of blade tilt. Aluminum miter gauge slides in grooves on either side of blade. Table in front of blade at 1-in. cutting depth is 6 1/4 in. Adj. rip fence positions to right of blade for rips up to 9 1/2 in. Aluminum blade guard. Spreader keeps wood apart after cutting. Anti-kickback pawls help reduce wood kicking back.
EXTENSIONS: 2 formed aluminum, 6x14-in. extensions. Attach to table sides to form 14x26-inch work surface.
MOTOR: Induction-run, 1/2-HP motor develops 1 HP; 3450 rpm. Direct-drive. Permanently lubricated bearings.
ELECTRICAL INFO: Pull-on/push-off lockable switch. 120-v., 60-Hz. AC. 6-ft., 3-wire cord.
ORDER INFO: See warranty below. Goggles sold on page 88. Shpg. wt. 33 lbs.
 9 GT 2416C \$179.99

(14) Table Saw Outfit with 2 extensions and leg set. Save \$14.99. Includes (13) with motor, 2 extensions, steel legs with rubber-padded leveling feet. Legs unassembled.
ORDER INFO: Separate prices total \$234.98 here and on page 57.
 Shipping weight 54 lbs.
 9 GT 24161C Outfit \$219.99

(15) Dado Sets for satin cuts with saw above. Kromedge® blades are rust-resistant, precision-ground and heat-treated. They'll stay sharp longer than ordinary steel blades. Blades and chippers of set are matched together to deliver an even cut.
SET COMPOSITION: 2 outside cutters, 1/8 in. thick. One 1/4-in. chipper, two 1/8-in. chippers for maximum variation. Maximum cutting width 3/4 in. Fits 1/2-in. arbor. Wt. 2 lbs. 10 oz.
 9 GT 3258 Set \$20.99
Molding Head Set. Makes decorative cuts which normally require a shaper. Incl. 5 1/8-in. diam. double cutter head; 3 sets of bits. See (12), (18), (21) page 61. Fits 1/2 in. arbor. Wt. 2 lbs. 8 oz.
 9 GT 3222 Set \$20.99

(16) CRAFTSMAN® Sander-Grinder Outfit. Shape metal, sharpen tools, do inside finishing and contour sanding jobs.
SANDING BELT: Moves at approximately 3000 feet per minute for extra-fast, smooth work. Aluminum oxide, medium-grit belt is 1x42 in. long. Rethread belt through opening for inside sanding tasks.
HOUSING, TABLE, ACCESSORIES: Steel frame with rubber mounts. 7x9-in. steel worktable. Table tilts forward 60° for bevel sanding. 18x9 3/4x21 in. high overall, includes pulley and V-belt.
DISC SANDING ATTACHMENT: 8-in. aluminum sanding disc. 4 1/2x12-in. table tilts for bevel sanding. Groove for miter gauge. Includes one sanding disc.
MITER GAUGE: Steel degree indicator. Aluminum head. Gauge locks at any angle for angle or bevel sanding.
MOTOR: Separate 1/2-HP, split-phase, 1725-rpm motor. Pre-lubricated sleeve bearings. Built-in guard over motor and sanding belt pulleys. Built-in on/off switch.
ELECTRICAL INFORMATION: 115-v., 60-Hz. AC. 4-ft. 3-wire cord.
ORD. INFO: Warr. below. Unassembled. 9GT22612C—Wt. 57 lbs. Outfit \$189.99
Outfit above, without motor. Requires minimum 1/2-HP, 1725 rpm motor with shaft 1/2-in. diam.
 9GT22611C—Wt. 38 lbs. Outfit \$149.99

(17) Steel Leg Set for (16)
 Rubber-padded leveling feet adjust. Top is 21 1/2x16 in. wide. Unassembled.
 9 GT 22239C—Wt. 26 lbs. \$49.99
Miter Gauge (not shown). Use with band saw 9 GT 2444, Shaper 9 GT 2376, former sander-grinders 9-2256, 9-2257. Steel, aluminum. Locks at any angle for bevel sanding.
 9 GT 22574—Wt. 1 lb. 9 oz. \$14.99
8-in. Disc Sanding Attachment (not shown). Aluminum. 4 1/2x12-in. table tilts for bevel sanding. Uses gauge above, discs below.
 9 GT 22563—Shpg. wt. 11 lbs. \$39.99
8-in. Sanding Disc Assortment (not shown). Use with attachment above. Aluminum oxide. Pkg. of 6: 2 ea., fine, medium, coarse grit.
 9 GT 22733—Shpg. wt. 5 oz. Pkg. \$2.59
Sanding Belts (not shown). Use with (16). 1x42-in. long. Aluminum oxide. Pkg. of 3.
 9 GT 26056—Fine. Wt. 3 oz. Pkg. \$3.59
 9 GT 26055—Med. Wt. 4 oz. Pkg. 3.59
 9GT26054—Coarse. Wt. 4 oz. Pkg. 3.59

CRAFTSMAN® Metal-cutting Band Saws

- Cut through steel, cast iron, aluminum or brass quickly and smoothly
- Make straight or angle cuts horizontally or vertically for notching, slitting, and other special operations
- Ideal tool for machine shop, maintenance shop, metal fabricating shop, school and industrial use

7-in. Wet or Dry-cut Band Saw **2**

Four blade speeds, adjustable hydraulic feed and quick-change tension adjustment for cutting stock up to 7 inches in diam. or up to 7x12-in. rectangular (7x6-in. capacity at 45°)

\$1769⁰⁰ Includes motor and stand

4 1/2-inch Dry-cut Band Saw Outfit **3**

3 blade speeds and adjustable feed rate for cutting stock up to 4 1/2 in. in diam. or up to 4x6 in. rectangular

\$699⁰⁰ Includes motor, stand and wheels

Wheel Kit (2) for mobility (sold below)

Use Sears Credit

(1) 7-inch Metal-cutting Band Saws

MOTOR: Capacitor-start, 1725-rpm motor rated at 1 HP. No/low voltage protection. Switch lock bracket allows switch to be locked in "Off" position, avoiding accidental start ups.

HOUSING, TABLE, STAND: Heavy-duty steel housing. Saw swings to vertical position for contour cuts, notching, slitting. 3x4-in. table. Quick-action, variable-set vise adjusts for miter cuts, 45° thru 90°. Unit 52 3/4x24x41 1/2 in. high in horizontal position, 64 1/2 in. high in vertical position.

DRIVE, BLADE, CUTTING CAPACITY: V-belt drive. Sealed worm gear transmission. 4 cutting speeds; 56, 93, 157 and 265 feet per minute. Uses 107x3/4-inch blade. 3-axis, micro-align ball-bearing guides keep blade from flexing. Adjustable tension with indicator. Automatic shut-off when cut is completed (in horizontal position only).

INCLUDES: V-belt, pulleys and 107x3/4-inch wide blade with 14 teeth per inch.

ELECTRICAL INFO: 120-v. 60-Hz. AC. 1100 full-load input watts. 6-ft., 3-wire cord with 20-amp plug. Requires 20-amp time delay, circuit-saver fuse or circuit breaker.

ORDER INFO: See warranties, pages 62 and 90.

7-inch Dry-cut Band Saw

9 GT 22968N—Shipping weight 333 lbs. \$1569.00

7-inch Wet-cut Band Saw

Recommended for horizontal cuts. (Vertical cuts with coolant turned off.) Pump delivers coolant from 2 1/2-gallon reservoir to blade. Coolant is recirculated and filtered . . . extends blade life.

9 GT 22969N—Shipping weight 348 lbs. \$1769.00

(2) Wheel Kit adds convenient mobility to band saw. Fits 7-inch wet or dry-cut band saws sold above. Sturdy 10-inch diameter wheels. Unit has wheel lock to make wheel assembly immobile.

ORDER INFO: Shipped unassembled.

9 GT 22995C—Shipping weight 20 lbs. Kit \$84.99

(3) 4 1/2-inch Dry-cut Band Saw Outfit

Versatile unit makes both horizontal and vertical cuts. Portable; size is ideal for use at the worksite.

MOTOR: Split-phase, 1725-rpm motor rated at 1/2-HP. No/low-voltage protection.

HOUSING, TABLE, STAND: Precision-ground, cast-iron head. Heavy-gauge steel base with replaceable wear plate. Saw swings to vertical position for contour cuts, notching, slitting and other specialty operations. 3x4-in. table. Sturdy steel base has two 8-in. diameter, semi-pneumatic tires. Vise adjusts for miter cuts from 45° to 90°. Unit 44x22x38 in. high in horizontal position, 44x22x88 in. high in vertical position.

DRIVE, BLADE, CUTTING CAPACITY: V-belt drive. Transmission has steel worm and bronze gear with permanently lubricated ball bearings. Sealed gear box. 3-speeds: 65, 120, 220 ft. per minute. Uses 64 1/2x1/2-inch wide blade. 3-axis, micro-align ball-bearing blade guides provide optimum accuracy, and adjustment ease. Cuts 4 1/2-in. diameter or 4x6-in. rectangular stock. Spring-tension feed-rate adjustment. Automatic shut-off when cut is completed (in horizontal position only).

INCL: V-belt, pulleys, 64 1/2x1/2-in. blade with 14 teeth per inch.

ELECTRICAL INFO: 115-volts, 60-Hz. AC. 460 full-load input watts. 6-foot, 3-wire cord.

ORDER INFO: See warranties on page 62 and 90.

Shipping weight 142 pounds.

9 GT 22965N Outfit \$699.00

Band Saw Blades equip you for smooth cuts in hard metals and for fast, rough cuts in wood

Replacement Blades for band saws sold above

Replacement Blades for our former band saws

Blades for 7-inch saws

CONSTRUCTION: Made of alloy steel. Blade measures 107x3/4 in. wide.

ORDER INFO:

Teeth per inch	Catalog Number	Shipping weight	Price each
10	9 GT 22294	14 ounces	\$19.29
14	9 GT 22293	15 ounces	19.29

Blades for 4 1/2-inch saw

CONSTRUCTION: Made of alloy steel. Blade measures 64x1/2 inches wide.

ORDER INFO:

Teeth per inch	Catalog Number	Shipping weight	Price each
10	9 GT 32341	4 ounces	\$5.79
14	9 GT 32332	4 ounces	6.79
24	9 GT 32342	4 ounces	5.79

Blade for former band saws 9-22962 and 9-22963

CONSTRUCTION: Made of alloy steel. Blade is 107x3/4 in. wide and has 14 teeth per inch.

ORDER INFO:

9 GT 32333—Wt. 12 oz. Each \$8.79

Blades for former band saws 9-2296, 9-22964, 9-2295, 9-2290 and 9-22901

CONSTRUCTION: Made of alloy steel. 60x 1/2 inch wide.

ORDER INFO:

Teeth per in.	Catalog Number	Shipping weight	Price each
10	9 GT 22926	4 ounces	\$7.79
14	9 GT 22927	4 ounces	7.79
24	9 GT 22929	4 ounces	7.79

CRAFTSMAN® Vertical Mill and Precision Lathe

Equip you for detailed model-making operations such as fly-cutting and boring

Tools require limited work space, but you can achieve the same professional-type results you'd expect from much larger tools

3-inch Precision Lathe and Accessories

Light-duty Vertical Mill and Accessories

(1) CRAFTSMAN® Light-duty Vertical Mill Does mill work, boring and fly-cutting with accessories (2) thru (5) below.

CONSTRUCTION: Anodized aluminum. Fully dovetailed machined slides with adjustable gibs; solid base with mounting holes. Spindle has permanently lubricated, adjustable ball bearings and No. 1 Morse internal taper, 3/4-16 thread. Anti-backlash feed screws. Table locks. Head rotates for machining angles. Measures 12x14 1/2x17 in. high overall. Instr. incl.

SPEEDS: Variable speed control for speeds from 200 to 2000 rpm. 1/2-HP motor.

CAPACITY, CONTROLS: 13x2 3/4 in. wide T-slotted worktable has 9-inch travel lengthwise and 3-inch travel crosswise. Spindle nose moves from 8 to 1 1/2 in. above table. Handwheel controls calibrated in .001-in. increments.

ELEC. INFO: 110-115-v., 60-Hz. AC. 8-ft., 3-wire cord. ORDER INFO: See warranty, p. 62. Order chuck (18) sold at right. Shpg. wt. 27 lbs. 9 GT 21411C\$399.00

(2) Milling Vise. "V"-groove holds round stock 2x3/4-in. deep jaws open to 2 in.

ORDER INFO: Shpg. wt. 1 lb. 4 oz. 9 GT 21413\$54.99

(3) Boring Head

For boring holes in stationary stock. Includes drawbar. Use with standard 3/8-in. shank boring tool below. Wt. 10 oz. 9 GT 21415\$49.99

Boring Tool for (3) above 9 GT 22141—Wt. 2 oz.\$8.49

(4) Flycutter. For milling flat surfaces. Includes drawbar and carbide tool bit. Wt. 7 oz. 9 GT 21414\$24.99

(5) 3-pc. Milling Collet Set Includes 1/8, 3/16, 1/4-inch sizes and drawbar. ORDER INFO: Wt. 5 oz. 9 GT 21416Set \$29.99

(6) 3-inch Precision Lathe

Compact-size tool sets up in 2x1-ft. work space, stores away after use on workshelf; no permanent installation required.

CONSTRUCTION: Fully dovetailed slides with adjustable gibs for accurate saddle movement along bed. Headstock has permanently lubricated adjustable ball bearing with 1 1/2-in. spindle bore. Measures 18x7 1/2x6 inches high.

SPEEDS: Variable speed control. Belt-drive system adjusts for 200 to 2000 rpm. 1/2-HP motor.

CAPACITY, CONTROLS: 8 in. between centers; 3 1/2-in. swing over bed. 1 3/4-in. swing over cross slide. Manual crossfeed carriage, longitudinal feeds. Calibrated headstock swivels for taper turning; removes for use with (19), below. Spindle nose has 3/4-16 thread and Morse No. 1 internal taper. 2 1/4-in. cross-slide, 1 1/2-inch tailstock travel. .001-in. graduations on handwheels.

ACCESSORIES: Includes V-belt, faceplate and carrier, 2 dead centers, 2 hexagon keys, tool post, 1/4-inch tool bit and instructions. Chuck not included, order accessory (14) below.

ELECTRICAL INFO: 110-115-v., 60-Hz. AC. 8-ft. 3-wire cord. ORDER INFO: See warranty, page 62.

9 GT 2142C—Shpg. wt. 20 lbs.\$319.00

(7) Live Center. Reduces friction and heat produced from high-speed spinning.

9 GT 21428—Wt. 8 oz.\$24.99

(8) 3-pc. Carbide Tool Set

More durable than steel. Incl. left, right and threading tools. 1/4x2 1/2 in. long. Wt. 3 oz. 9 GT 21418Set \$22.49

(9) 3-pc. High-speed Steel Tool Set. Easier to work with than carbide. Incl. left, right and boring tools. 1/4x2 1/2 in. long. Wt. 3 oz.

9 GT 21419Set \$14.99

(10) 3-jaw Self-centering Chuck. Reversible jaw holds work up to 2 inches diam.

Shpg. wt. 1 lb. 9 GT 21422\$79.99

(11) Screw Cutter

Attachment cuts American, Metric threads in both left and right-hand leads, also internal, external threads. Instr. incl. Unassembled.

ORDER INFO: Wt. 2 lbs. 2 oz. 9 GT 21431\$119.99

(12) Power Feed

Separate gear motor drives lead screws. Feeds at approx. 1 in. per minute right to left. ORDER INFO: Wt. 3 lbs. 14 oz. 9 GT 21429\$59.99

(13) 2-position Tool Post

Holds bit for turning. Wt. 7 oz. 9 GT 21427\$12.99

(14) 4-jaw Chuck. For workpieces requiring extreme accuracy. 2 3/4-in. jaw capacity.

ORDER INFO: Wt. 1 lb. 11 oz. 9 GT 21423\$79.99

(15) Steady Rest. Provides additional support for controlling workpiece. Wt. 15 oz.

9 GT 21426\$24.99

(16) Cut-off Tool and Tool Holder. Assures proper alignment of tool for accurate parting.

Shpg. wt. 6 oz. 9 GT 21425\$29.99

(17) Collet Set

Includes 1/16, 1/8, 3/16, 1/4, and 3/8-inch w.w. collets. Used by watchmakers. Also drawbar and collet adapter. ORDER INFO: Wt. 1 lb. 5 oz. 9 GT 21432Set \$69.99

(18) Tailstock Chuck

0 to 1/2-in. Jacobs chuck, Nos. 0 and 1 Morse arbor. Adapt to spindle. Key. Wt. 10 oz. 9 GT 21421\$24.99


(19) Vertical Milling Column. Solid aluminum base and dovetailed column. Fits on lathe in place of headstock; attach headstock to column. Cut grooves and keyways, also do fly-cutting.

ORDER INFO: Wt. 7 lbs. 8 oz. 9 GT 21424\$89.99

20




21



22

There's a CRAFTSMAN® Tool Stand or Leg Set designed to fit any of your CRAFTSMAN® bench power tools



23

24

25

Save \$18.96 when you buy Radial Saw Cabinet Outfit

Separate prices total \$148.95 \$129.99

(20 thru 24) CRAFTSMAN® Tool Stands and Leg Sets

CONSTRUCTION: Made of durable 18-gauge steel. Protective enamel finish. Adjustable leveling feet have rubber pads—provides stability, helps protect floors.

(20) Tool Stands

For band saws, wood shapers and belt-disc sanders. Includes motor mount.

SIZE: Top 19 1/2x15 1/4 in. high. A-frame provides sturdy surface. Adjust from 27 3/8 to 30 3/8 inches high. Unassembled. 9 GT 22213C—Shpg. wt. 39 lbs.\$59.99

Stand for 8, 9 or 10-inch table saws. As in (20) above, except adjusts from 23 1/8 to 26 3/8 in. high. Includes motor mount. Unassembled.

9 GT 22214C—Shpg. wt. 32 lbs.\$59.99

(21) Leg Sets for bench tools. Unassembled.

Fits CRAFTSMAN® tool	Catalog Number	Shpg. wt.	Price, set
Band saws, shapers and belt-disc sanders	9 GT 22236C	29 lbs.	\$54.99
Table saws - 7 1/2-inch	9 GT 22237C	21 lbs.	54.99
- 9 and 10-inch	9 GT 22235C	20 lbs.	54.99
Sander-grinders	9 GT 22239C	26 lbs.	49.99
Miter saws	9 GT 22246C	32 lbs.	54.99

(22) Leg Set for radial saws. Unassembled.

9 GT 22238C—Wt. 31 lbs.\$54.99

(23) Radial saw Cabinet. 24x25x32 3/8 in. high. Storage area. Unassembled.

9 GT 22205L—Shpg. wt. 57 lbs.\$69.99

(24) Drawer for radial saw cabinet. Heavy-gauge steel. Compound-action galvanized slides for smooth opening.

16 1/2x15 3/4x4 7/16 in. deep. Full-length aluminum pulls. 9 GT 10326—Shpg. wt. 8 lbs. 11 oz.Each \$18.99

(25) Steel Front Locking Panel

Includes lock, 2 keys. Slide panel inside during use. 9 GT 10335C—Shpg. wt. 11 lbs.\$21.99

Workbench-type Radial Saw Cabinet Outfit

INCLUDES: Steel stand, 24x25x32 3/8 inches high; 3 drawers, each 16 1/2x14 3/4x4 7/16 in. deep with full-length pulls; locking front panel with 2 keys. 9 GT 1008L—Shpg. wt. 94 lbs.Outfit \$129.99

(26 and 27) Caster Sets

Fit Craftsman tool stands, leg sets and cabinets. Support up to 400 lbs.


CONSTRUCTION: Plastic wheels, steel frame. 2 1/2 inches in diameter.

(26) Swivel Casters Set

INCL: 4 swivel casters with foot-operated lever for raising and lowering. 9 GT 22222—Wt. 10 lbs.Set \$49.99

(27) Two swivel, two non-swivel Casters

INCL: 2 front swivel casters with foot-operated lever, and 2 non-swivel rear casters. 9 GT 22221—Wt. 6 lbs.Set \$39.99



ALL 2 Sears 57



Power and Leverage Equipment

Gives you more power with less effort to perform heavy-duty lifting and pulling jobs around home, farm or on the job




CRAFTSMAN Come-A-Long with up to 2000-lb. capacity

Versatile enough to perform all the jobs shown here plus many more



Tripod with 4000-lb. capacity

Gantry with 4000-lb. capacity



(1) **CRAFTSMAN Come-A-Long** Use for pulling recreational vehicle from ditch or other distress situations, stretch fencing and cable, lift engines, pull out dented fenders, plumb a wall, straighten a post, remove a shrub and much more.

CONSTRUCTION: All steel parts, zinc-plated to reduce rust. Welded frame. Laminated steel ratchet drum. Drive and stop assembly heat-treated for strength. Ratchet cover. Let-down safety catch. $\frac{3}{16}$ -inch diameter aircraft-type steel cable. Safety hooks.

ORDER INFO: Note, below right. **1000-lb. capacity.** Maximum lift 12 feet. 10:1 leverage ratio.

Shpg. wt. 8 lbs. 8 oz.

9 GT 7866C.....\$34.99

2000-lb. capacity. Maximum lift 6 feet. 20:1 leverage ratio.

Shpg. wt. 8 lbs. 3 oz.

9 GT 7867C.....\$44.99

(2) **Tripod.** Use with most hoists for landscaping, lifting and loading, even in open fields. Tripod is tall enough to fit directly over hood of tractor or full-size American car.

CONSTRUCTION: Three-section, 2-inch diameter steel pipe legs. Adjustable . . . 10-foot vertical lift, 4000-pound capacity with 4-foot leg spread; 8-foot lift, 3000-pound capacity with 12-foot leg spread. Plate leveling feet adjust for uneven surfaces. Disassembles for storage. Safety chain to restrain legs.

ORDER INFO: See note below, right. 2:1 safety factor. Wt. 73 lbs.

T 9 GT 7811N.....\$299.99

(3) **Gantry.** Use with most hoists. Gantry is wide and high enough for pickups to drive through. For lifting heavy loads from bed of truck, lifting and holding engine from auto or truck while performing maintenance or major repairs.

CONSTR: Painted steel legs and crossbar. Braces at stress points give added strength for supporting extremely heavy loads. Eye bolt for hoist attachment. Feet adjust for uneven floor. When assembled, has 8-foot 8-inch wide by 6-foot 11-inch high inside clearance.

ORDER INFO: See note at right. 2:1 safety factor. Wt. 204 lbs.

O 9 GT 7811N.....\$339.99

(4) **Electric Hoist with 500-lb. capacity**

For lifting. Can be used with (2) or (3).

CONSTRUCTION: Positive-action worm-gear drive with bronze and ball thrust bearings. Worm-gear brake helps keep loads from slipping. Up-down movement controlled by remote hand panel. Cast-aluminum housing. $\frac{1}{4}$ -inch steel chain. Swivel hooks.

ELECTRICAL INFO: 110-120-volt, 60-Hz. AC. 10-foot cord. UL listed.

CAPACITY: 500 pounds. 10 ft. maximum lift. Lift speed of 9 feet per minute.

ORDER INFO: Warranted by Process Engineering Company; write for free copy, see page 91. See note below.

T 9 GT 78708C—Shpg. wt. 34 lbs. \$299.99

Electric Hoist with 1000-lb. capacity (not shown). As (4) but with 1000-pound capacity.

T 9 GT 78709L—Shpg. wt. 44 lbs. \$349.99

(5) **Steel Chain Hoist with up to 4000-lb. capacity.** For strong, dependable lifting.

CONSTR: Worm-gear drive. Bronze and ball thrust bearings. Anti-slip and adjustable safety brake. Alum. alloy housing. Steel chain, forged steel swivel hooks and safety latch. Rotates 360° for load positioning. 13-ft. chain: $\frac{1}{4}$ -in. diam. on 9 GT 78703C and 9 GT 78704C, $\frac{3}{8}$ -in. diam. on 9 GT 78705L.

CAPACITY, ORDER INFO: See note below.

Capacity	Leverage	Catalog Number	Shpg. wt.	Price
1000 lbs.	30:1	9 GT 78703C	23 lbs.	\$139.99
2000 lbs.	30:1	9 GT 78704C	31 lbs.	189.99
4000 lbs.	50:1	9 GT 78705L	44 lbs.	249.99

(6) **Crank Cable Hoist with 1500-lb. capacity.** For lifting, pulling, holding down motorcycles on trailer, etc.

CONSTRUCTION: Anti-slip automatic stop. Aluminum alloy housing. Swivel hooks for load positioning. $\frac{3}{16}$ -in. diameter steel cable.

CAPACITY: Pulls or lifts up to 1500 pounds. 12-ft. maximum lift. 40:1 leverage ratio.

ORDER INFO: See note below.

9 GT 7885—Shpg. wt. 8 lbs. 5 oz. . . \$64.99

(7) **Crank Strap Hoist with 1500-lb. cap.**

CONSTRUCTION: Like (6) above, except has $1\frac{1}{2}$ -inch wide nylon strap to help prevent marring of finishes. Strap portion of hoist is non-conductor of electricity.

CAPACITY: Pulls or lifts up to 1500 pounds. 10-ft. max. lift. 40:1 leverage ratio.

ORDER INFO: See note below.

9 GT 7889—Shpg. wt. 8 lbs. 10 oz. . . \$64.99

(8) **Rope Hoist with 600-lb. cap.** Lifts or pulls boats or trailers for repairs. For sportsmen, farmers, constr. use. Stores in 12x6x2-in. deep area in truck, tool box, back pack, etc.



CONSTR: 3-in. diam. pulleys with steel roller bearings. Positive locking brake. Full-swiveling steel hooks for load positioning. Zinc-plated to resist rust. Incl. 25 ft. of $\frac{1}{2}$ -in. diam. manila rope for 5-ft. lift with 4:1 leverage ratio (can be used with unlimited length of additional rope to increase lifting distance).

CAPACITY: 600 lbs. 4:1 leverage ratio.

ORDER INFO: See note below.

9 GT 7812—Shpg. wt. 6 lbs. \$29.99

NOTE: Never exceed stated workload capacity





Tackle the jobs shown below plus many more . . . Heavy-duty Chain, Cable and Rope

Perform a wide variety of tasks—tow vehicles, hold posts or antenna in position, tie down loads, anchor and much more



Chain with load capacity up to 5400 lbs.



Cable with load capacity up to 1750 lbs.

(9) **Heavy-duty Proof-coil Steel Chain with two hooks** For heavy-duty lifting, pulling or anchoring applications . . . use anywhere a strong chain is required.

CONSTRUCTION: Proof-coil steel. Welded and electro-galvanized. Drop-forged steel grab and slip hooks.

ORDER INFO: See note above, right. **Save \$5 to \$20 when you buy 2 identical chains.**

Type	Size in.	Work-load lbs.	Length feet	Catalog Number	Wt. ea. lbs.	Price each	Price for two
Good	$\frac{1}{4}$	1250	14	9 GT 77221C	11	\$19.99	\$34.98
Better	$\frac{3}{16}$	1900	14	9 GT 77222C	16	27.99	45.98
Premium	$\frac{1}{2}$	2650	14	9 GT 77223C	23	35.99	66.98
Best	$\frac{3}{4}$	5400	16	9 GT 7767C	25	45.99	71.98

(10) **Heavy-duty Braided Rope with 2 hooks** Flexible, absorbs shock load.

CONSTR: Good, Better and Premium types are braided polypropylene. Sears Best type is braid-on-braid nylon rope (actually two ropes spirally wound around each other to form one super-strong rope). All include attached slip hooks. Resistant to oil, grease, many chemicals.

ORDER INFO: 15 feet long. See note above. **Save \$2 to \$15 when you buy 2 of same rope.**

Type	Diam. in.	Work-load lbs.	Lgth., feet	Catalog Number	Wt. ea. lbs.	Price each	Price for two
Good	$\frac{3}{8}$	1170	11	9 GT 78267	1	14	\$8.49
Better	$\frac{1}{2}$	1560	15	9 GT 78268	2	12.49	19.98
Premium	$\frac{3}{4}$	2300	16	9 GT 78269	3	18.99	27.98
Sears Best	$\frac{1}{2}$	5660	15	9 GT 78281	7	10	39.99

(11) **Heavy-duty Cable with two hooks** For automotive or construction use; make tow cable, sling or loop. Extend reach and capability of portable power pulls. Can be used for stationary jobs. Low wear factor.

CONSTRUCTION: Galvanized aircraft cable, $\frac{3}{16}$ -inch diameter cable is 10 ft. long with $\frac{1}{4}$ -inch slip hooks; $\frac{1}{2}$ -in. diameter is 15 ft. long with $\frac{3}{16}$ -in. slip hooks.

ORDER INFO: See note above. **Save \$4 to \$10 when you buy 2 of same cable.**

Type	Diam. in.	Work-load lbs.	Catalog Number	Wt. ea. lbs.	Price each	Price for two
Good	$\frac{3}{16}$	1000	9 GT 7813	2	\$9.99	\$15.98
Better	$\frac{1}{4}$	1750	9 GT 7868	3	19.99	29.98

A full selection of blades to meet all of your cutting needs
...we've got the cut that's right for you; blades fit all CRAFTSMAN®,
Black & Decker, SKIL® and other saws with round arbors

(1 and 2) CRAFTSMAN® 14, 16, 20-in. Blades
Fit 1-in. arbor. Max. 3600 rpm. Safety note, p. 60.

(1) Combination Novelty Blade

USES: Crosscuts, miters, rips in all woods.

CONSTRUCTION: Same as (13) at right, but not Kromedge. Two teeth, one raker per section.

Diam.	Sections	Catalog No.	Shpg. wt.	Price
14 in.	22	9 GT 32572	5 lbs. 8 oz.	\$47.99
16 in.	24	9 GT 32574	6 lbs. 10 oz.	\$49.99
20 in.	28	9 GT 32576C	10 lbs. 8 oz.	\$89.99

(2) Rip Blade. Rips all woods, good for re-sawing.
CONSTRUCTION: Same as (14) at right, but not Kromedge. 32 teeth.

Diam.	Catalog No.	Shpg. wt.	Price
14 in.	9 GT 32571	5 lbs. 8 oz.	\$44.99
16 in.	9 GT 32573	6 lbs. 10 oz.	\$49.99
20 in.	9 GT 32575C	10 lbs. 8 oz.	\$84.99

(3) 10-inch Sanding Wheel. Tempered steel. Fits 5/8-in. arbors.
9GT22723—Wt. 2 lbs. 7 oz. ...\$8.79

8-inch Sanding Wheel (not shown). Aluminum casting. 2 degrees bevel. For 5/8-1/2-in. arbors.
9 GT 2274—Wt. 14 oz.\$6.99

Sanding Discs for wheels above (not shown). 3-in. arbor. Package of 6; 2 each of fine, medium, coarse. Use disc cement on page 26.

Size	Catalog No.	Wt.	Pkg.
10 in.	9 GT 22731	11 oz.	\$3.69
8 in.	9 GT 22732	5 oz.	2.59

(4) Replacement Diamond-arbor Blades. For SKIL® worm-drive circular saws. Steel blades have 36 teeth, carbide blades have 24.

Size, in.	Catalog No.	Shpg. wt.	Price
6 1/2	9 GT 32306	9 oz.	\$4.49
7 1/4	9 GT 32307	10 oz.	4.69
8 1/4	9 GT 32308	12 oz.	5.29

Size	Catalog No.	Wt.	Pkg.
6 1/2	9 GT 32453	13 oz.	\$14.49
7 1/4	9 GT 32455	15 oz.	17.49
8 1/4	9 GT 32456	1 lb. 4 oz.	20.99

(5) Sears Coarse-tooth Disposable Framing Blades. Tempered steel. 5/8-inch arbor. Not Craftsman.

Diam.	Catalog No.	Wt.	Each	5 for	40 for
6 1/2	9 GT 32612	9	\$2.49	\$9.99	\$74.99
7	9 GT 32512	10	2.49	9.99	74.99
7 1/4	9 GT 32712	11	2.49	9.99	74.99

CRAFTSMAN® Kromedge® Saw Blades

Made of chrome-nickel steel, heat-treated for super-hard and smooth surfaces, chromium-fortified to reduce rust... resist gumming, burning and dulling to a much greater degree than ordinary steel blades

(9) Hollow-ground Planer Blade††

CONSTRUCTION, ORDER INFO: Deep hollow-ground design helps produce smooth cuts. For all Sears saws and other saws with round arbor sizes listed.

Diam. in.	Sec-tions	Teeth	Arbor size, in.	Max. RPM	Catalog Number	Shpg. wt. lbs. oz.	Price
7	11	44	5/8	6000	9 GT 32422	12	\$7.99
7 1/4	12	48	5/8	5700	9 GT 32423	13	8.59
7 1/2	12	48	5/8-1/2*	5700	9 GT 32421	13	8.79
8	12	48	5/8-1/2*	5500	9 GT 32424	1	9.79
9	14	56	5/8-1/2*	5500	9 GT 32425	1	11.89
10	16	64	5/8	5500	9 GT 32426	1	14.99
12	19	76	1-3/8*	3500	9 GT 32427	2	18.29

(10) Chisel-tooth Combination Blade††

CONSTRUCTION, ORDER INFO: Flat, top-ground tips. For all Sears saws and other saws with round arbor sizes listed.

Diam. in.	Teeth	Arbor size, in.	Max. RPM	Catalog Number	Wt. lbs. oz.	Price
4	30	1/2-3/8*	8000	9 GT 32401	4	\$3.39
5 1/2	24	1/2	8000	9 GT 32438	7	3.89
6 1/2	24	5/8-1/2*	6400	9 GT 32683	11	4.49
7	26	5/8	6000	9 GT 32689	15	4.49
7 1/4	26	5/8	5700	9 GT 32684	14	4.69
7 1/2	26	5/8-1/2*	5600	9 GT 32685	15	5.19
9	28	5/8-1/2*	5500	9 GT 32687	1	8.29
10	28	5/8	5500	9 GT 32688	1	13.79
12 1/2	24	1-3/8*	3500	9 GT 32702	2	15.69

††This blade best suited for heavy-duty ripping

(11) Crosscut Plywood Blade††

CONSTRUCTION, ORDER INFO: More teeth for smaller bites, smoother cuts. For Sears, other saws with arbor sizes listed.

Diam. in.	Teeth	Arbor size, in.	Max. RPM	Catalog Number	Wt. lbs. oz.	Price
4	110	1/2	8000	9 GT 32441	5	\$3.39
5 1/2	100	1/2	8000	9 GT 32439	7	3.89
6 1/2	150	5/8-1/2*	6400	9 GT 32442	10	4.49
7	200	5/8	6000	9 GT 32445	13	4.49
7 1/4	200	5/8	5700	9 GT 32444	14	4.69
7 1/2	200	5/8-1/2*	5600	9 GT 32449	14	5.19
9	200	5/8-1/2*	5500	9 GT 32448	1	8.29
10	200	5/8	5500	9 GT 32446	1	12.79

(12) Plywood and Veneer Blade††

CONSTRUCTION, ORDER INFO: Taper-ground rim for a smooth cut. For use on all Sears saws and other saws with round arbor sizes listed.

Diam. in.	Teeth	Arbor size, in.	Max. RPM	Catalog Number	Wt. lbs. oz.	Price
6 1/2	150	5/8-1/2*	6400	9 GT 32532	10	\$7.79
7	200	5/8	6000	9 GT 32534	11	8.29
9	200	5/8-1/2*	5500	9 GT 32538	1	11.89
10	200	5/8	5500	9 GT 32539	1	14.49

(13) Master Combination Blade††

CONSTRUCTION, ORDER INFO: Blade teeth are set for fast and smooth cuts. For use on all Sears saws and other saws with round arbor sizes listed.

Diam. in.	Sec-tions	Teeth	Arbor size, in.	Max. RPM	Catalog Number	Wt. lbs. oz.	Price
6 1/2	12	48	5/8-1/2*	6400	9 GT 32492	10	\$4.49
7	12	48	5/8	6000	9 GT 32493	11	4.49
7 1/4	15	60	5/8	5700	9 GT 32494	14	4.69
7 1/2	15	60	5/8-1/2*	5600	9 GT 32495	15	5.19
8	12	48	5/8-1/2*	5500	9 GT 32496	1	5.69
9	16	64	5/8-1/2*	5500	9 GT 32497	1	5.69
10	16	64	5/8	5500	9 GT 32498	1	12.79
12	18	72	1-3/8*	3500	9 GT 32499	3	21.69

(14) Rip Blade††

CONSTRUCTION, ORDER INFO: Extra-deep gullets help sweep sawdust out of cut. For all Sears saws and other saws with round arbor sizes listed.

Diam. in.	Teeth	Arbor size, in.	Max. RPM	Catalog Number	Wt. lbs. oz.	Price
7	30	5/8	6000	9 GT 32563	10	\$4.49
7 1/4	30	5/8	5700	9 GT 32564	14	4.69
10	36	5/8	5500	9 GT 32567	1	12.79

*Center hole knockout bushed for arbor size listed

††See safety note on page 60.

Hollow-ground Planer Blade

USES: Designed for smooth, fine-finish woodworking; accurate, quiet crosscutting, mitering or ripping operations. Deep hollow-ground with extra stability for glue-joint sawing.

Chisel-tooth Combination Blade

USES: An all-purpose, set-tooth blade for fast, but not real smooth, ripping, mitering or crosscutting of solid woods. An excellent contractors' framing blade.

Crosscut Plywood Blade

USES: Set-tooth blade smoothly cuts plywoods, fiberboards and veneers with minimum splintering; also for crosscutting solid woods.

Crosscut Plywood and Veneer Blade


USES: Tapered-rim blade for exceptionally smooth sawing of plywoods, veneers, laminates and plastics. Limited cutting depth; minimum splintering while cutting.

Master Combination Blade

USES: Teeth are set for fast and precise ripping, mitering or crosscutting operations in all solid woods.

Rip Blade

USES: Set-tooth blade is excellent for accurate rip cuts in all solid woods; true running with minimum vibration. Also an excellent blade for use in re-sawing operations.




QUALITY BY DESIGN

... features like these on our best Power Saw Blades represent the quality that's built into every CRAFTSMAN® tool

- A** Tungsten-carbide tips are cobalt-bonded and impact-tested for outstanding strength and high-quality performance under demanding work conditions; last five times longer than any other blade we sell
- B** Tips are individually brazed onto blade, then diamond-ground to form a solid, keen cutting edge
- C** Kromedge® blade bodies are made of tough, tempered steel, fortified with chromium and finely balanced for precise cuts... blade teeth precision-milled for uniformity
- D** Chrome-coating resists rust, helps prevent gum and pitch build-up so blade runs smoothly

Blades fit all CRAFTSMAN®, Black & Decker, SKIL® and other saws with round arbors... check sizes in charts

CRAFTSMAN® Kromedge® Blades with CARBIDE tips
... standing proud on the cutting edge of quality; backed by the tradition of quality and excellence for which the CRAFTSMAN® name is famous



Trim Saw Blade
USES: For fine, smooth crosscuts, miters and bevels in woods, laminates, plastics and other materials.

Blades (1) thru (3) have alternately bevel-ground tips for producing satin-like cuts

Cut-off Blade
USES: General-purpose crosscuts, rips, miters, bevels in woods, laminates, plastics, Masonite®, hardboard, Transite® asbestos cement products, other materials.

Combination Blade
USES: For coarse crosscuts, rips, miters and bevels in woods, plywoods, chipboard, Masonite®, hardboard, asbestos, wallboard, plastics, soft metals.

Blades (4) and (5) have flat-top ground tips for controlled cuts

General-purpose Blade
USES: For crosscuts, rips, miters and bevels in Masonite®, hardboard, Formica® plastic laminate, asbestos, wallboard, soft metals.

Rip Blade
USES: For fast, smooth ripping and resawing operations in all woods.

10-inch Aluminum-cutting Blade with CARBIDE tips

USES: For cutting aluminum up to 1/4 inch thick. Not for use on ferrous metals or masonry.
CONSTRUCTION: 60 flat, top-ground carbide tips. Thin-rim construction for fine cuts. Maximum 1 1/4-inch cut depth.
ORDER INFO: Fits 5/8-3/4 inch* arbors. Maximum 5500 rpm.
9 GT 32019—Shipping weight 2 pounds 6 ounces \$44.99

CRAFTSMAN® Kromedge® Blades with CARBIDE tips

(1 thru 5) Kromedge® blade bodies. Tungsten-carbide tips. Precision-milled teeth. Chrome-coated. Not for ferrous metals, masonry.

(1) Trim Saw Blade with alternately top bevel-ground tips
CONSTRUCTION: Designed for professional use. More blade teeth means less splintering while cutting. Standard (not thin-rim) construction. Expansion slot helps guard against warping and heat-distortion.

ORDER INFO: See safety note below.

Diam. in.	Teeth	Max. RPM	Arbor size, in.	Catalog Number	Wt.		Price
					lbs.	oz.	
10.....	72	5500	3/4-5/8*	9 GT 32556	2	7	\$54.99
12.....	80	3500	1-5/8*	9 GT 32021	4		64.99
14†.....	80	3500	1-5/8*	9 GT 32558	5	8	84.99

†Not Kromedge®

Thin-rim Trim Saw Blade with alternately top bevel-ground tips (not shown). Like (1) above, except have thin-rim construction for fine, narrow kerfs. More blade teeth means less splintering during cut; 100-tooth blades produce the extremely fine cuts that professionals demand. Cuts thin or brittle material easily. Maximum cut is 1 1/4 inches deep.

ORDER INFO: See safety note below.

Diam. in.	Teeth	Max. RPM	Arbor size, in.	Catalog Number	Wt.		Price
					lbs.	oz.	
10.....	60	5500	3/4-5/8*	9 GT 32428	2	6	\$44.99
12.....	100	5500	3/4-5/8*	9 GT 32554	2	8	74.99
12.....	100	3500	1-5/8*	9 GT 32024	3	8	84.99

(2) Cut-off Blade with alternately bevel-ground tips
CONSTR: Blades have more teeth than (3) below for smoother, almost splinter-free cuts. Standard (not thin-rim) construction. Expansion slots help prevent warping, heat-distortion.

ORDER INFO: See safety note below.

Diam. in.	Teeth	Max. RPM	Arbor size, in.	Catalog No.	Shpg. wt.	Price
7 1/4.....	40	5700	5/8	9 GT 32526	 15 oz.	\$25.99
7 1/2.....	40	5600	5/8-1/2	9 GT 32527	1 lb. 2 oz.	26.99
8.....	40	5500	5/8-1/2	9 GT 32559	1 lb. 8 oz.	29.99
9.....	40	5500	5/8-1/2*	9 GT 32551	2 lbs. 2 oz.	34.99
10.....	40	5500	3/4-5/8	9 GT 3255	2 lbs. 7 oz.	39.99
12.....	48	3500	1-5/8	9 GT 32555	3 lbs. 9 oz.	44.99

10-inch Cut-off Blade with 48 triple-ground tips (not shown). Like (2) above, except tips are triple-ground for even smoother, more satin-like cuts.

ORDER INFO: Fits 3/4-5/8 inch* arbors. Maximum 5500 rpm. See safety note below.
9 GT 3250—Shipping weight 2 pounds 6 ounces \$44.99

(3) Combination Blade with 24 alternately top bevel-ground tips
CONSTRUCTION: Takes smaller bites than (4) below for smoother finish. Standard (not thin-rim) construction.

ORDER INFO: See safety note below.

Diam. in.	Max. RPM	Arbor size, in.	Catalog No.	Shpg. wt.	Price
6 1/2.....	6700	5/8-1/2*	9 GT 32487	 13 oz.	\$14.99
7.....	6000	5/8	9 GT 32488	 14 oz.	15.99
7 1/4.....	5700	5/8	9 GT 32489	 14 oz.	16.99
7 1/2.....	5600	5/8-1/2	9 GT 32473	1 lb.	17.99
9.....	5500	5/8-1/2*	9 GT 32471	1 lb. 15 oz.	22.99
10.....	5500	3/4	9 GT 32476	2 lbs. 4 oz.	24.99
12.....	3500	1-5/8*	9 GT 32477	3 lbs. 2 oz.	31.99

Combination Blade with 16 or 18 alternately top bevel-ground tips (not shown). Similar to (3) above, except with 16 or 18 teeth.

ORDER INFO: See safety note below.

Diam. in.	Teeth	Max. RPM	Arbor size, in.	Catalog No.	Wt.	Price
5 1/2†.....	16	8000	1/2	9 GT 32513	7 oz.	\$6.49
6 1/2†.....	16	6700	5/8-1/2*	9 GT 32514	11 oz.	6.79
7†.....	18	6000	5/8	9 GT 32517	13 oz.	6.99
7 1/4†.....	18	5700	5/8	9 GT 32518	13 oz.	7.99
7 1/2†.....	18	5600	5/8-1/2*	9 GT 32519	14 oz.	8.99

(4) General-purpose Blade with flat, top-ground tips

CONSTRUCTION: Tips project .020/.050 inches above non-cutting edge. Standard (not thin-rim) construction.

ORDER INFO: See safety note below.

Diam. in.	Teeth	Max. RPM	Arbor size, in.	Catalog No.	Shpg. wt.	Price
7†.....	14	6000	5/8	9 GT 32481	1 lb.	\$16.99
8.....	12	5500	5/8-1/2*	9 GT 32484	1 lb. 8 oz.	14.99
9.....	12	5500	5/8-1/2*	9 GT 32485	2 lbs. 1 oz.	16.99
10.....	12	5500	3/4-5/8*	9 GT 32486	2 lbs. 6 oz.	20.99
12.....	12	3500	1-5/8*	9 GT 32469	3 lbs. 10 oz.	24.99

†Excellent for cutting nails in floorboards

(5) Rip Blade with 30 flat, top-ground tips


CONSTR: Teeth set at sharper angle than our other blades for fast, smooth ripping of wood. Standard (not thin-rim) construction.

ORDER INFO: See safety note below.

Diam. in.	Max. RPM	Arbor size, in.	Catalog No.	Shpg. wt.	Price
9.....	5500	5/8	9 GT 32011	2 lbs.	\$27.99
10.....	5500	5/8	9 GT 32012	2 lbs. 6 oz.	29.99
12.....	3500	1-5/8*	9 GT 32014	3 lbs. 6 oz.	39.99
14†.....	3500	1	9 GT 32557	5 lbs. 6 oz.	49.99

†Not Kromedge® *Center-hole bushed for arbor size listed

SAFETY NOTE: Play it safe . . . protect your eyes with safety goggles sold on page 88 when using portable or bench saws.



CRAFTSMAN® Adjustable Dadoes with CARBIDE-tipped Kromedge® blades

Let you plough, groove, trough, slot, rabbet, chamfer, crosscut and more; adjustable hub lets you change width of cut without removing dado

(1 thru 3) Adjustable Dadoes

For use on all woods, laminates, sensitive materials. Use on 9, 10, 12 or 14-in. table or radial saws only; not for radial saw with universal motor.

CONSTRUCTION: 7-in. Kromedge® blade, Carbide-tipped teeth, each individually brazed onto the dado blade, then diamond-ground for smooth cuts. 3/4-inch arbor and 5/8-in. bushing. See full quality construction story on opposite page.

CUTTING CAPACITY: Adjustable dado lets you dial widths from 3/16 to 1 3/16 in. without removing dado from saw. Maximum depth is 1 1/2 in.

ORDER INFO: See note at bottom of page.

(1) 9 GT 3262—32-tooth Adjustable Dado. Shpg. wt. 2 lbs. 14 oz. \$49.99

(2) 9 GT 3263—16-tooth Adjustable Dado. Shpg. wt. 2 lbs. 8 oz. 34.99

(3) 9 GT 3261—24-tooth Adjustable Dado. Shpg. wt. 2 lbs. 14 oz. 44.99

(4) Sears Best Dado Set has Kromedge® blades and CARBIDE tips for strength

Cuts sensitive materials with little splintering. Produces professional-looking extra-smooth cuts.

CONSTRUCTION: 8-in. Kromedge® steel blades have 22 teeth and 5 chippers, all carbide-tipped. See full quality construction story on opposite page.

SET COMPOSITION: Includes two 1/2-in. thick outside cutters, four 1/8-in. thick chippers and one 1/4-in. thick chipper. Add or remove chippers for maximum variation.

CUT CAPACITY: 1/8 to 1 3/16 in. wide. Fits 5/8-in. arbor.

ORDER INFO: Washers included. See note below.

9 GT 3264—Shipping weight 6 poundsSet \$89.99

(5 and 6) Dado Sets with Kromedge® blades

SET COMPOSITION: Two 1/2-in. thick outside cutters, four 1/8-in. thick chippers, one 1/4-in. thick chipper. Add or remove chippers for maximum variation.

(5) Smooth-cut Dado Set. For sensitive materials.

CONSTRUCTION: Kromedge® blades are heat-treated for strength, fortified with chromium to resist rust and precision-ground. Cutters taper-ground for proper alignment.

CUT CAP: To 1 1/4 in. deep, 1 3/16 in. wide. Fits 5/8-in. arbor.

ORDER INFO: See note below.

9 GT 3257—7-in. Set. Wt. 4 lbs. 12 oz.Set \$37.99

9 GT 3253—9-in. Set. Wt. 5 lbs. 8 oz.Set 42.99

(6) Rough-cut Dado Set. For extra-tough jobs. Suitable for normal cuts in framing and construction.

CONSTRUCTION: 8-inch Kromedge® blades are heat-treated for strength, fortified with chromium to resist rust and precision-ground.

CUTTING CAPACITY: Depth of cut varies by machine. Maximum width of cut 1 3/16 in. Fits 5/8-in. arbor.

ORDER INFO: Includes instructions. See note below.

9 GT 32475—Shpg. wt. 5 lbs. 8 oz.Set \$32.99

NOTE: Use with radial saw guards sold on page 68 or table saw inserts sold on page 65



CRAFTSMAN® Molding Heads and Kromedge® Cutter Bit Sets

Give your saw the versatility to perform many woodworking cuts which normally require a shaper

7-inch diameter, 15-piece Set

SET COMP: Four 3-pc. bit sets: (7, 10, 11, 12 below), triple-cutter head, spacer-washer, bushings, instr., plastic case.

CONSTRUCTION: Kromedge steel. 7-inch diameter.

ORDER INFO: For 9, 10, 12-in. direct-drive radial or belt-driven table saws. Fits 5/8 or 3/4-inch arbor. See note, bottom left.

9 GT 3218—Shpg. wt. 3 lbs. 5 oz.Set \$32.99

4 1/4-inch diameter, 21-piece Set

SET COMP: Six 3-pc. bit sets: (7 thru 12 below), triple-cutter head, spacer-washer, bushings, instr., plastic case.

CONSTRUCTION: Kromedge steel. 4 1/4-in. diameter.

ORDER INFO: For 8, 9, 10-in. belt-driven table saws. Fits 1/2, 5/8, 3/4-in. arbors. Not for radial saws or 7 1/2-in. table saws. See note, bottom left.

9 GT 3221—Shpg. wt. 2 lbs. 2 oz.Set \$30.99

7-inch diameter, 27-piece Set

SET COMP: Eight 3-pc. bit sets: (7 thru 14 below), triple-cutter head, spacer-washer, bushings, instr., plastic case.

CONSTRUCTION: Kromedge steel. 7-in. diameter.

ORDER INFO: For 9, 10, 12-in. radial, 12-in. table saws. Fits 5/8, 3/4-in. arbors. See note, bottom left.

9 GT 3217—Shpg. wt. 4 lbs. 3 oz.Set \$48.99

7-inch diameter, Triple-cutter Head alone

CONSTRUCTION: Steel. 7-in. diameter. No bits included.

ORDER INFO: Use Kromedge® bits sold separately below. See note, bottom left.

9 GT 3214—Shpg. wt. 2 lbs. 10 oz.Set \$14.49

Kromedge® Cutter-bit Sets. Tool steel. 3 bits in each set except (26). All bits cut 1 inch wide.

Item	Type of cut	Catalog No.	Wt.	Set
(7)	Cabinet Door Lip	9 GT 2353	4 oz.	\$4.79
(8)	Base Molding	9 GT 2355	4 oz.	4.79
(9)	Glue Joint	9 GT 3201	5 oz.	4.79
(10)	3-bead (1/4 inch each)	9 GT 2352	5 oz.	4.79
(11)	3/16-inch Cove and Bead	9 GT 3212	5 oz.	4.79
(12)	1-inch Planer and Jointer	9 GT 2302	5 oz.	4.79
(13)	Window Sash	9 GT 3211	5 oz.	4.79
(14)	Vee Groove	9 GT 3204	4 oz.	4.79
(15)	1/4-in. and 1/2-in. Quarter-round	9 GT 2351	5 oz.	4.79
(16)	1-inch Flute (1/2-inch radius)	9 GT 3206	5 oz.	4.79
(17)	3/8-inch Quarter-round, 3/16-inch Cove (Drop Leaf)	9 GT 3207	5 oz.	4.79
(18)	3/8-in., 3/16-in. Quarter-round, 1/4-inch Bead	9 GT 3208	4 oz.	4.79
(19)	Clover-leaf and Screen Mold	9 GT 2354	4 oz.	4.79
(20)	"Ogee" Window and Door Stop	9 GT 3202	4 oz.	4.79
(21)	1/2-inch Flute and 1/2-inch Cove	9 GT 3203	4 oz.	4.79
(22)	3/8-inch Cove	9 GT 3209	4 oz.	4.79
(23)	Panel Cupboard Door	9 GT 3210	5 oz.	4.79
(24)	Cupboard Door Rail End	9 GT 3213	5 oz.	4.79
(25)	3/8-in. Flat and Quarter-round	9 GT 3205	4 oz.	4.79
(26)	Tongue and Groove. Has 6 bits	9 GT 2303	7 oz.	9.49

Choose the bit you need from this selection



CRAFTSMAN® Table Saws perform a wide variety of tasks with professional-looking results

Whether you're a hobbyist or a professional woodworker, you'll find a CRAFTSMAN® Table Saw with the features you need on this and the following two pages... with additional accessories sold on pages 64 and 65 you'll be able to do all the special cuts you want to



Make dado cuts, blade sold on p. 65



Make rabbet cuts, use dado blade, p. 65



Cut tenons with dado blade, sold on p. 65



Raise panels, use dado, p. 65



Rip boards, use Kromedge® blade, p. 60



Taper accurately, use taper jig, page 65



Edge mold with molding head, p. 65



Cut lap joints, molding head, p. 65



Sand edges, sanding wheel p. 65



Miter joints, use miter gauge, incl.



Make bevel cuts, use miter gauge, incl.



Cut angles, use miter gauge, incl.

CRAFTSMAN® 12-inch Motorized Table Saw Outfit

Includes steel legs and 2 extensions;
2-HP motor develops 3½ HP

\$619⁹⁹



(1) UL listed. Meets "UL Standard 987 for Safety".

CUTTING BLADE, CAPACITIES: 12-inch Kromedge® blade cuts wood up to 3¾ inches thick at 90°. 2¾ inches thick at 45°. Blade, motor tilt for bevel cuts. Adjustable bevel scale has ½° increments, shows degree of blade tilt; positive stops at 45° and 90°. Aluminum miter gauge slides in grooves on either side of blade. Table surface in front of blade at 1-inch cutting depth is 16 inches. Self-aligning rip fence positions to right of blade for rips to 24 inches wide. Rip scale is graduated in ¼-inch and 1-mm increments. See-thru blade guard mounts on spreader, stays in up position for easy blade changing. Anti-kick-back pawls help prevent wood from kicking back at operator. Handwheels.

TABLE: Durable machine-ground cast-iron. Measures 20x27 inches. Exclusive Exact-I-Cut indicator helps reduce waste.

EXTENSIONS: Two 18-gauge reinforced, formed-steel extensions, each 10x27 inches. Attach to sides of table to make entire work area measure 40x27 inches. Attaching hardware included.

LEG SET: Steel. Rubber-padded leveling feet resist creeping, can be adjusted to uneven, sloping floors. Legs raise saw to proper working height.

MOTOR: Built-in capacitor-start, capacitor-run, 2-HP motor for quiet, smooth operation. Motor develops maximum 3½ HP, 3450 rpm. Permanently lubricated ball bearings for long, smooth-running life. Manual-reset overload protector helps prevent motor burnout.

ELECTRICAL INFORMATION: Pull-on/push-off safety switch with removable key. 6-foot, 3-wire cord. 240-v. only. 60-Hz. AC. 1650 full-load input watts.


ORDER INFO: See warranty, below. Help protect your eyes... order impact goggles on page 65. Legs shipped unassembled.

Shipping weight 228 pounds. 9 GT 2425N.... Outfit \$619.99

FULL ONE-YEAR WARRANTY ON CRAFTSMAN® STATIONARY BENCH POWER TOOLS: If, within 1 year from date of purchase, any CRAFTSMAN Stationary Bench Power Tool fails due to a defect in material or workmanship, Sears will repair it, free of charge. Warranty service is available by contacting the nearest Sears store or Service Center throughout the United States. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

- A** Cast aluminum miter gauge slides in machined grooves on either side of blade for accuracy and repeatability
- B** Exclusive built-in Exact-I-Cut Indicator shows where wood meets blade, reduces waste, trial and error cuts
- C** Permanently lubricated, sealed ball bearings for long, dependable life
- D** Cast-iron machined arbor housing for stability, accuracy and durability
- E** Machine-ground 20x27-inch cast-iron table for a large, stable work surface
- F** Cast-iron machined cradle for vibration-free operation and long life
- G** Blade tilts on trunnion mounts for easy, accurate angle cuts

QUALITY BY DESIGN
...features like these on our 12-inch Table Saw represent the quality that's built into every CRAFTSMAN® tool



*Sears * Best*

TRY HOME DELIVERY

CREDIT CARD
0 0000 00000 0
SALES LEADS 0000

Use Sears Credit

Our Best CRAFTSMAN® 10-inch Table Saw
Has a large, heavy-duty cast-iron table

Table Saw alone **\$379⁹⁹**

Save \$100
when you buy Table Saw Outfit, extensions and stand

Includes saw, 1-HP motor, 2 cast-iron extensions and stand **\$529⁹⁵**

CRAFTSMAN® Saw-Jointer Combination

Saw-Jointer Combination includes 10-inch Table Saw and 4 1/8-inch Jointer-Planer on single stand **\$699⁹⁹**




Table Saw Conversion Kit **\$249⁹⁹**

(2 thru 4) Outfit with Sears Best 10-inch Table Saw plus motor. UL listed. Meets "UL Standard 987 for Safety".

CUTTING BLADE, CAPACITIES: 10-inch combination blade cuts wood up to 3 3/4 in. thick at 90°, 2 1/4 in. thick at 45°. Blade, motor mount tilt for bevel cuts. Adjustable bevel scale has 1/2° increments. Positive stops at 45° and 90°. Miter gauge slides in grooves on either side of blade. Table surface in front of blade at 1-in. cutting depth is 15 1/4 in. Self-aligning rip fence mounts to right of blade for rips up to 24 in. wide. Rip scale graduated in 1/16-in. and 1mm increments. See-thru blade guard mounted on spreaders, stays in up position for blade changing. Anti-kickback pawls.

TABLE: Sturdy machine-ground cast-iron. 20x27 inches. Exact-I-Cut indicator.

EXTENSIONS: Two grid-type extensions of cast iron to help prevent sawdust build-up. Each 10x27x1 1/2 in. Attach to either side of table. Hardware included.

STAND: Stamped steel. Rubber-padded leveling feet. Can be adjusted to fit uneven, sloping floors. Resist creeping and marring of floors. Unassembled.

MOTOR: Capacitor-start, induction-run 1-HP motor (9 GT 1217C) develops maximum 2 HP. 3450 rpm. Pre-lubricated sleeve bearings.

ELEC. ORDER INFO: Pull-on/push-off switch. Built-in lock-key. 6-ft., 3-wire cord. 115-v. socket for motor. 115-v., 60-Hz. AC. 1250 full-load input watts. Warranty, p. 62. Motor warranty, p. 90. *Sep. total \$629.95 here and p. 89.*

9 GT 29802N—Shipping weight 257 pounds Outfit \$529.95

(2) **Saw alone.** Described above; incl. rip fence, miter gauge, blade guard. 9 GT 29814N—Shipping weight 151 pounds \$379.99

(3) **Extension alone.** Described above. (4) **Stand alone.** Described above. 9 GT 22619C—Wt. 25 lbs. .Ea. \$44.99 9 GT 22214C—Wt. 32 lbs. \$59.99

Rip Fence Bar (not shown). For saws with 20x27-in. cast-iron tables. Increases rip capacity to 24 inches right or left side of blade. 9 GT 29969C—Shipping weight 18 pounds \$39.99

(5) **Saw-Jointer Combination.** On/off key-lock selection switch; position key to desired operation. Adjustable steel leg set, rubber-padded leveling feet. UL listed. Meets "UL Standard 987 for Safety".

Motorized 4 1/8-inch Jointer-Planer

CONSTRUCTION, CAPACITY: Cutter head revolves around permanently lubricated ball bearings. 3 precision-ground steel knives cut up to 1/8 inch deep . . . up to 10,350 cuts per minute. Planes boards up to 4 1/8 in. wide. Cast-iron tables. Out-feed table is fixed, in-feed table adjustable to maximum 1/8 in. depth of cut. Cast-iron fence tilts 45° right or left, positive stops at 90°. 22x12x6 1/4 in. high. **MOTOR, ELECTRICAL INFORMATION:** Built-in, direct-drive motor is induction-run. 3450 rpm. 1/2-HP motor. 120-v., 60-Hz. AC.

10-inch Belt-driven Table Saw

CUTTING BLADE, CAP., TABLE, MOTOR: See saw (2) at left.

EXTENSIONS: Reinforced formed steel. One fixed and one adjustable.

ELEC INFO: Two-way switch allows operator to use either saw or jointer. 6-ft., 3-wire cord. 115-v., 60-Hz. AC. 650 full-load input watts.

ORDER INFO: Warranty, p. 62. 2 push blocks incl. Legs sent unassembled. 9 GT 29821N—Shipping weight 250 pounds Outfit \$699.99

(6) **Table Saw-Jointer Conversion Kit.** Convert the following Craftsman 10-in. belt-driven table saws to make saw-jointer combination: 9-29803, 9-29847, 9-29904, 9-29815, 9-29824 and most sold since 1973. Others need leg set 9 GT 22235 on p. 57. Includes motorized jointer-planer, planer mount section, selection switch, 2 hold-down push blocks, extenders for leg set, attaching hardware. 9 GT 29822C—Shipping weight 36 pounds Kit \$249.99

Replacement Cutter Blades for saw-jointer (not shown).

9 GT 21867—Shpg. wt. 2 oz. Pkg. of 3 \$12.99



1 CRAFTSMAN® 10-inch Motorized Table Saw 1-HP motor develops 2 HP

Motorized Saw alone **\$309⁹⁹**

Save \$58.97 when you buy
Motorized Table Saw Outfit

Includes motorized saw,
2 extensions and leg set

\$379⁹⁹



CRAFTSMAN® 9-inch Motorized Table Saw Outfit

$\frac{3}{4}$ -HP motor develops 1.6 HP

\$269⁹⁹

Shop By Phone

(1 and 2) Table Saw Outfits. UL listed. Meet "UL Standard 987 for Safety".

CUTTING BLADE, CAPACITIES: Combination blade. Blade and motor tilt for bevel cuts. Bevel scale adjusts in $\frac{1}{2}$ increments, shows degree of blade tilt, has positive stops at 45° and 90°. Aluminum miter gauge slides in grooves on either side of blade. Self-aligning rip fence can be positioned to the right of the blade for rips up to 24 inches wide. See-thru blade guard stays in raised position to make blade changing easier. Spreader helps minimize blade binding in wood while sawing. Anti-kickback pawls reduce the chance of wood kicking back at operator.

TABLE: Reinforced highlighted cast-aluminum.

EXTENSIONS: Two formed steel extensions. Attach to sides of table; hardware included.

LEG SET: Stamped steel with rubber-padded leveling feet. Adjustable to uneven or sloping floors. Resist creeping and marring of floors. Shipped unassembled.

MOTOR: Capacitor-start, induction-run, develops 3450 rpm. Direct drive; blade mounts on motor shaft so there is no power loss by transmission. Permanently lubricated ball bearings for long life.

ELECTRICAL INFORMATION: Pull-on/push-off switch with locking key. 120-volt, 60-Hertz, AC. 6-foot, 3-wire cord.

(1) 10-inch Motorized Table Saw Outfit. 10-inch blade cuts wood up to 2 $\frac{1}{2}$ inches thick at 90°, up to 2 $\frac{5}{16}$ in. thick at 45°. Table surface in front of blade at 1-in. cutting depth is 15 $\frac{1}{16}$ in. Rip scale graduated in $\frac{1}{16}$ -in. and 1 mm increments. Table measures 20x27 in., 40x27 when two 10x27-in. extensions are added. Exclusive Exact-I-Cut indicator shows where wood will meet the blade. . . . helps reduce waste. 1-HP motor develops 2 HP. Manual-reset overload protector helps prevent motor burnouts. 1230 full-load input watts.

ORDER INFO: Outfit includes motorized saw, 2 extensions, leg set, fence and miter gauge. See full 1-year warranty on page 62. Order dado/molding head insert, sold on opposite page. *Separate prices total \$438.96.*

9 GT 29805N—Shipping weight 93 pounds . . . Outfit \$379.99

10-inch Motorized Saw alone. As above, but without leg set and extensions.

9 GT 29834N—Shipping weight 82 pounds . . . \$309.99

Leg Set for table saw above. As shown in illustration (1). For complete description, see above.

9 GT 22235C—Shipping weight 20 pounds . . . \$54.99

(2) 9-inch Motorized Table Saw Outfit

Blade cuts wood up to 2 inches thick at 90°, 1 $\frac{1}{4}$ inches thick at 45°. Table surface in front of blade at 1-in. cutting depth measures 10 $\frac{1}{2}$ inches. Table measures 17x20 inches overall, 37x20 when two 10x20-in. extensions are added. $\frac{3}{4}$ -HP motor develops 1.6 HP. 1050 full-load input watts.

ORDER INFO: Outfit includes motorized saw, 2 extensions, leg set, rip fence and miter gauge. See full one-year warranty on page 62. Order caster set for steel legs, sold on opposite page. Wt. 85 pounds.

9 GT 24272N . . . Outfit \$269.99

9-in. Motorized saw alone

As above, but without leg set, extensions. See "N" suffix note, p. 91.

9 GT 2427N—Wt. 65 lbs. \$239.99



(3) Steel Table Saw Extension

CONSTRUCTION: Made of formed steel. Mounts on either side of table saw.

ORDER INFO: Hardware included.

10x20 inches. Fits saws 9-2914, 9-2411, 9-24114, 9-2419, 9-24192, 9-2404, 9-24042, 9-2958, 9-29582, 9-2424, 9-24246, 9-2427, 9-24272, 9-2957, 9-29575, 9-2414, 9-24141. Fits the following saws when you also order Adapter Kit (9 GT 29999), sold separately below: 9-2428, 9-24281, 9-24282.

9 GT 29956—Shpg. wt. 8 lbs. 11 oz. . . . \$36.99

10x27 inches. Fits saws 9-29803, 9-29805, 9-29814, 9-29815, 9-29824, 9-29834, 9-29912, 9-29914, 9-29904, 9-2418, and 9-2425.

9 GT 29968C—Shpg. wt. 12 lbs. . . . \$36.99

10x27 inches. Fits same saws as directly above. Also fits the following saws when you order Adapter Kit (9 GT 29999) sold separately below: 9-29911, 9-2994, 9-2996, 9-2993, 9-2995, 9-2997, 9-29913, 9-29813.

9 GT 29957C—Shpg. wt. 10 lbs. 1 oz. . . . \$36.99

Saw Adapter Kit for (3).

9 GT 29999—Shpg. wt. 15 oz. . . . Kit \$9.99

(4) Cast-iron Table Saw Extension

CONSTRUCTION: Made of durable cast iron. Mounts on either side of table saw. 10x27 inches.

ORDER INFO: Hardware included. Fits most CRAFTSMAN® 10-inch and 12-inch table saws with cast-iron tops including the following: 9-29803, 9-29814, 9-29815, 9-29824, 9-29912, 9-29914, 9-29904, 9-2418, 9-2425. Imported.

9 GT 22619C—Shipping weight 25 lbs. . . \$44.99

(5) Sawdust Collection System

Fits CRAFTSMAN 9 and 10-inch motorized table saws with stand or leg set sold after 1976. Use with or without wet-dry vac (not included). Particles are collected from above and below cutting level and are deposited in cloth bag.

ORDER INFO: Includes cloth filter bag, hose, support and replacement blade guard.

9 GT 29967—Shipping weight 6 lbs. . . . \$79.99

(6) Sawdust Collection System with impeller


Fits CRAFTSMAN belt-driven 10-inch table saws with stand, leg set, motor combination sold after 1973. Built-in vacuum attachment uses saw's motor to draw dust into cloth filter bag.

ORDER INFO: Includes 2 cloth filter bags, hose, support and replacement blade guard.

9 GT 29966—Shipping weight 14 lbs. . . \$119.99

Table Saw Accessories


Make your table saw more precise, versatile and easy to use



Side Table Extension



Miter Square



Universal Jig

Hold-down Clamp, Stop Rod and Miter Gauge



Dado/Molding Head Inserts



Caster Sets



Guard Assembly



Triple-cutter Molding Head and Bits



Adjustable Dado

Table Saw Accessory Kit



20



22

Sanding Disc



24

Taper Jig



23

Impact Goggles

(7) **CRAFTSMAN® Side Extension Table**
CONSTRUCTION: Legs adjust to uneven or sloping floors. Top, legs angle-braced for additional support. Mounts on either side of all Craftsman table and radial saws. Fits most other saws. Particleboard top, 1½x18x34 in. long. 1½-in. thick steel frame with enamel finish. Folds for storage.
ORDER INFO: Hardware included.
9 GT 32787C—Shpg. wt. 14 lbs. 8 oz. \$26.99

(8) **Picture Framing Kit for table saws**
ORDER INFO: Incl. adjustable aluminum framing clamp for gluing, adjusts from 4x4 to 35x35 in. square; X-acto® Mat Cutter; miter sq. (12); booklet.
9 GT 32059C—Shpg. wt. 10 lbs. 7 oz. Kit \$45.99

(9) **Combination Dado/Molding Head Inserts**
Steel. Adjust to table. For 7-inch dado/molding heads exc. 9 GT 29997, also fits 8-in. head on 12-in. saw.

Fit Saws:	Catalog No.	Shpg. wt.	Each
12 in.: 9-2418, -29913, -2993	9GT29995	1 lb. 12 oz.	\$12.99
12 in., 10 in.: 9-2425, -29803, -29814, -29815	9GT29997	1 lb. 10 oz.	12.99
10 in.: 9-29847, -2990, -29901, -29902, -29903, -29904, -2994, -29941, -29942, -2996, -29911, -29912, -29914	9GT29994	1 lb. 11 oz.	12.99
10 in., 9 in.: 9-2404, -24042, -2419, -24192, -2424, -24246, -24272, -2427, -2957, -29575, -2958, -29582, -29805, -29834	9GT29933	1 lb. 1 oz.	11.99
9 in.: 9-2414	9GT29934	13 oz.	8.99
9 in.: 9-2411, -24114	9GT24213	1 lb.	8.99

Dado Inserts. Steel, adjustable, except 9 GT 24211 aluminum, no adjusting needed. Use with 6-in. dado head except 9 GT 29935, 8-in. dado head.

Fit Saws:	Catalog No.	Shpg. wt.	Each
12 in.: 9-2418, -29913, -2993	9 GT 29935	1 lb. 11 oz.	\$8.99
8 in.: 9-2428, -24282	9 GT 29937	13 oz.	8.99
7½ in.: 9-2421, -2413, -2415, -24151, -2416, -24161	9 GT 24211	4 oz.	8.99

Molding Inserts. Aluminum, need no adjusting except 9 GT 29938, steel, adjustable. Use 5½-in. head except 9 GT 29938, also use 4¾-in. head.

Fit Saws:	Catalog No.	Shpg. wt.	Each
8 in.: 9-2428, -24282	9 GT 29938	13 oz.	\$8.99
7½ in.: 9-2416, -24161	9 GT 29993	4 oz.	8.99
	9 GT 24215	1 oz.	3.49
7½ in.: 9-2421, -2413, -2415, -24151	9 GT 24212	4 oz.	8.99

(10) **Heavy-duty Caster Set with 4 casters**
For Craftsman stands, cabinets and leg sets.
CONSTR.: ORDER INFO: 2½-in. diam. plastic wheel, steel frame. Set supports up to 400 lbs. 2 swivel, 2 non-swivel casters. Set of 4.
9 GT 22221—Shpg. wt. 6 lbs. Set \$39.99

(11) **Caster Set for table saws**
As above, except all four casters swivel.
9 GT 22222—Shpg. wt. 10 lbs. Set \$49.99

(12) **Miter Square for table saws**
Holds sections of frames for square joint cuts.
9 GT 3216—Shpg. wt. 3 lbs. 15 oz. \$20.99

(13) **CRAFTSMAN® Universal Jig.** Fits ¾-in. wide, ¾-in. deep miter groove. For regular cuts, dados and joints. Cuts to 2 in. thick.
CONSTRUCTION: Includes 2 die-cast plates, 2 aluminum clamps.
ORDER INFO:
9 GT 3236—Shipping weight 4 lbs. \$32.99

(14) **CRAFTSMAN® Hold-down Clamp for miter gauge (16).** Also fits most other Craftsman miter gauges. Steel. For bevel and miter cuts. Clamps stock firmly to gauge (not incl.).
ORDER INFO: Not for use with saws 9-2415, 9-24151.
9 GT 29928—Shpg. wt. 1 lb. 9 oz. \$29.99

(15) **CRAFTSMAN® Length Stop Rods for miter gauge (16)**
For duplicate and repetitive cuts. Steel.
ORDER INFO: Fits most CRAFTSMAN® miter gauges.
9 GT 29924—Shpg. wt. 13 oz. \$8.99

(16) **CRAFTSMAN® Miter Gauge**
Has positive stops at 90° and 45° left or right. Fits most table saws, other tools with ¾x¾-in. deep miter grooves.
CONSTRUCTION: Die-cast, accurately machined aluminum head. Steel degree indicator.
ORDER INFO: Not to be used with former 9-2413.
9 GT 29929—Shpg. wt. 2 lbs. \$23.99

(17) **CRAFTSMAN® Table Saw Book**
Over 600 operations described. 207 pgs.
9 GT 2918—Shipping weight 14 oz. \$7.99

(18) **CRAFTSMAN Table Saw Guard Assembly**
CONSTRUCTION: Mounts on cradle. See-thru plastic; steel, aluminum. Includes guard, spreader, anti-kickback pawls to help protect operator and mounting hardware.
ORDER INFO: Fits former 9-2990, 9-2991, 9-2992, 9-2994, 9-2999.
9 GT 29906—Shipping weight 4 lbs. \$36.99

CRAFTSMAN® Table Saw Accessory Kit. Includes items (19 thru 23). For descriptions of each item see below.
ORDER INFO: For 9, 10, 11 or 12-in. table saws. *Separate prices for items in kit total \$89.81.*
9 GT 32783—Shipping weight 9 lbs. 10 oz. Kit \$77.99

(19) **Triple-cutter Molding Head**
CONSTRUCTION: 7-in. diameter. Steel. No bits included.
ORDER INFO: Use Kromedge® bits, sold below. Use table saw inserts, sold at left.
9 GT 3214—Shipping weight 2 lbs. 10 oz. \$14.49

(20) **Kromedge® Cutter Bit Sets**
CONSTRUCTION: Tool steel. 3 bits included in each set. All bits cut 1 inch wide.
ORDER INFO: For more bits, see page 61.
9 GT 2353—Cabinet Door Lip. Wt. 4 oz. \$4.79
9 GT 2352—3-bead (¼ in. each). Wt. 5 oz. 4.79
9 GT 3212—¾-in. Cove and Bead. Wt. 5 oz. 4.79
9 GT 2302—1-in. Planer and Jointer. Wt. 5 oz. 4.79

(21) **Adjustable Dado**
Use to plough, dado, lap, joint, groove and more. Crosscut all woods. Use on laminates, sensitive materials.
CONSTRUCTION: 7-inch Kromedge® blade body of tough, heat-tempered steel for strength, fortified with chromium to resist rust. 16 carbide-tipped teeth, individually brazed onto the dado blade. Diamond-ground for accurate, smooth cuts. ¾-inch arbor, 5/8-inch bushing.
CUTTING CAPACITY: Dial widths from 3/16 to 1 1/8 inches without removing dado from saw. Maximum depth of cut is 1 1/2 inches.
ORDER INFO: Use with 9, 10, 12 or 14-in. table saws only.
9 GT 3263—Shipping weight 2 lbs. 8 oz. \$34.99

(22) **8-inch Sanding Wheel**
CONSTR.: Aluminum castings. Fits 5/8 to 1/2-in. arbors.
ORDER INFO: Also available in 10-in. size, see p. 59.
9 GT 2274—Shipping weight 14 ounces. \$6.99

(23) **Flexible Mask Impact Goggles**
CONSTRUCTION: Polycarbonate plastic lenses and body help reduce possibility of eye injury. Perforated side shields for ventilation. Adjustable elastic strap.
ORDER INFO: Fits over regular eye glasses.
9 GT 1859—Shipping weight 2 ounces \$2.69

(24) **CRAFTSMAN® Taper Jig**
Tapers up to 3 inches per foot or 15°. Lets you accurately duplicate taper ripping.
CONSTRUCTION: Steel with locking brackets. Handle and scale in degrees of taper and inches per foot for accuracy.
ORDER INFO:
9 GT 3233—Shipping weight 2 pounds \$11.49

CRAFTSMAN® Radial Saws can help you complete projects with professional-looking results

Whether you're a home hobbyist or a professional woodworker, you'll find that there's a CRAFTSMAN® Radial Saw with the features you need. With additional accessories, sold on page 68, you'll be able to master a variety of special operations



Make dado cuts

Surface mold

Rip long stock

Miter cut



Compound miter

Sand outside and inside curves

Plane rough stock

Buff metals

Bore

Route

Heavy-duty CRAFTSMAN® 12-in. Radial Saw has 2-HP motor that develops 3½ HP. Large blade and strong motor for big jobs



Saw with built-in motor
\$619.99

Our Heaviest-duty CRAFTSMAN® 12-in. Radial Saw

Industrial-quality saw is designed to withstand continuous use in factories, commercial shops or school workshops . . . choose from single-phase motor that develops 3½ HP or even more powerful 3-phase motor that develops 5 HP

Saw with built-in single-phase motor and stand

\$849.99



(2) CRAFTSMAN® 12-in. Industrial Radial Saw with single-phase motor. Priced \$50 less than our 1981/82 Tools Special price of \$899.99.

MOTOR: Continuous-duty, 3450 rpm, 1½-HP motor develops 3½ HP. Thermal overload protector helps prevent motor burnouts. Low-voltage protector meets OSHA requirements. Motor is direct-drive, totally enclosed and fan-cooled. 5/8-in. blade arbor accepts sanding discs, dadoes, molding heads; see page 68 for radial saw accessories.

BLADE, CAPACITY: 12-in. blade. Lower blade guard. Rear-mounted depth-of-cut and miter controls. Blade, motor swivel for up to 27-in. wide out-ripping. Crosscuts to 16 in. wide in 1-in. stock. Max. depth of cut 4 in. at 90°, 2½ in. at 45°. Fixed miter stops at vertical, 45°, horizontal. Anti-kickback pawls. Automatic blade brake.

CONSTR: Motor, blade carriage ride on 4 perm. lubed ball bearings in 2 machined tracks. Cast-iron arm, column support. Column is cadmium plated. Masonite® hardboard worktable 29½x38½x1 in.

STAND: Steel. Black finish. 26x32 inches. Sent unassembled.

ELECTRICAL INFORMATION: Push-button power switch with key lock. Factory-wired for 120/208-240-volt, 60-Hz. AC. Wire directly to power box.

ORDER INFO: Power switch key included.
T 9 GT 2318N—Shipping weight 235 pounds \$849.99

Saw with 3-phase motor. Priced \$100 less than our 1981/82 Tools Special price of \$1099.99. As above, except motor is 3-phase.

MOTOR: Continuous-duty, 3450 rpm, 2-HP motor develops 5 HP . . . gives you plenty of ripping power for those heavy-duty jobs.

CUTTING BLADE, CAPACITIES, CONSTRUCTION, STAND: Same as described above.

ELEC INFO: Push-button, magnetic-type power switch with key lock. 208-240-v.; can wire for 480-v., 60-Hz. AC. 8-ft., 3-wire cord.

ORDER INFO: Power switch key included.
T 9 GT 2319N—Shipping weight 242 pounds \$999.99

(1) CRAFTSMAN® 12-inch Radial Saw. UL listed. Meets "UL Standard 987 for Safety".

MOTOR: Capacitor-start, capacitor-run, 3450 rpm. 2-HP motor develops 3½ HP. Direct-drive, induction-run for quiet, low-maintenance operation. Permanently lubricated ball bearings. Automatic blade brake stops blade in seconds. Thermal overload protector helps prevent motor burnouts. Double-end shaft; 5/8-inch arbor, 1/2-20 threaded end for mounting accessories.

CUTTING BLADE, CAPACITY: 12-inch Kromedge® blade. Depth-of-cut, bevel, miter controls are mounted up-front for easy access and accurate set-ups. Retractable lower blade guard. Blade and motor swivel for 26-inch rip capacity. Cross-cuts up to 15½ inches wide in 1-inch stock. Maximum depth of cut is 4 inches at 90°, 2½ inches at 45°. Fixed miter stops at center, 45° left or right; fixed bevel stops at vertical, 45° and horizontal. Blade guard with spreader helps prevent binding. Anti-kickback pawls help protect operator.

CONSTRUCTION: Motor, carriage glide along replaceable steel tracks on steel ball bearings, eliminates need to replace entire arm due to wear from carriage bearings . . . simply replace tracks. Cast-aluminum arm, column support. Machined steel column. Our largest chipboard worktable resists wear, warping. Measures 27½x44x1 inch thick overall.

ELECTRICAL INFORMATION: Pull-on/push-off switch with removable locking key. Runs only on 240-volt, 60-Hz. AC. 1650 full-load input watts. 6-foot, 3-wire cord.

ORDER INFO: See warranty on page 62. Stand and stand components are sold separately on opposite page. Help protect your eyes . . . order goggles from page 68.

9 GT 1989N—Shipping weight 171 pounds \$619.99




Use Sears Credit

Our finest CRAFTSMAN® 10-in. Radial Saw has a 1½-HP motor that develops 2½ HP. Our largest, easiest-to-read bevel, miter scales make settings quicker and more accurate.

Saw with built-in motor
\$449.99

*Sears * Best*



QUALITY BY DESIGN

...features like these on our best 10-inch Radial Saw represent the quality that's built into every CRAFTSMAN® tool

- A Rugged die-cast construction for long wear
- B Front-mounted on/off switch is readily accessible for all sawing operations; safety key lock
- C Replaceable steel arm tracks, eliminates the need to replace entire arm due to wear from carriage bearings
- D Quick-connect terminals for 120-volt or 240-volt motor operation
- E Permanently lubricated sealed ball bearings ensure a smooth-wearing long life
- F Capacitor-start, induction-run, 1½-HP motor develops 2½ HP for quiet, low-maintenance operation

Save \$38.94

when you buy
Radial Saw
Outfit

Includes saw with motor, stand with locking front panel, 3 drawers and casters
Separate prices total
\$638.93

\$599.99

Order stand and accessories separately below

(3) Sears Best CRAFTSMAN® 10-inch Radial Saw

UL listed. Meets "UL Standard 987 for Safety".

MOTOR: Capacitor-start, 3450 rpm. 1½-HP motor develops 2½ HP. Permanently lubricated sealed ball bearings. Direct-drive, induction-run motor for smooth, powerful cutting. Automatic blade brake. Thermal overload protector helps prevent motor burnouts. Double-end shaft with ½-in. arbor, ½-in. threaded end for accessories.

CUTTING BLADE, CAP.: 10-in. Kromedge® blade. Up-front depth-of-cut, miter and bevel controls for fast, accurate set-ups. Blade and motor swivel for 26-in. rip capacity. Cross-cuts up to 15½ in. wide in 1-in. thick stock. Max. depth of cut 3 in. at 90°, 2¼ in. at 45°. Fixed miter stops at center, 45° right or left. Fixed bevel stops at vertical, 45° and horizontal. Blade guard with spreader reduces binding. Anti-kickback pawls.

CONSTRUCTION: Motor and carriage glide along replaceable steel tracks on sealed ball bearings. Cast-aluminum arm and column support; machined steel column. Chipboard table measures 27½x40x1 inch thick.

ELEC INFO: Pull-on/push-off switch, removable locking key. 120-v., 60-Hz. AC. Change quick-connect terminals to replace plug with 240-v. type for 240-v. use. 1050 full-load input watts. 6-ft., 3-wire cord.

ORDER INFO: Warranty, p. 62. Order goggles, p. 68. Accepts 7-in. diameter, 1½-in. width dado, p. 61. 9 GT 1992N—Shipping weight 156 pounds \$449.99

Radial Saw Outfit. Shown at left. Incl. saw (3), 1 of each access. (4, 5, 7), three drawers (6). Unassembled. 9 GT 19921N—Shipping weight 256 pounds Outfit \$599.99

(4) Radial Saw Stand

Heavy-gauge steel for stable support. Measures 24x25x32½ inches high overall. Rubber-padded leveling feet resist creeping. Storage area. Baked charcoal-gray enamel finish. Shipped unassembled. Order components (5 thru 7) below.

9 GT 22205L—Shipping weight 57 pounds... \$69.99

(5) Locking Front Panel for stand (4)

Steel with red enamel finish. Slides inside stand when open, covers front of stand when closed. Lock and two keys included.

9 GT 10335C—Shipping weight 11 pounds .. \$21.99

(6) Drawer for stand (4)

Heavy-gauge steel. Red enamel finish. Compound-action steel slides are rust-resistant and galvanized. Aluminum pull. Measures 16½x15¾x4¼ inches deep.

Shipping weight 8 pounds 11 ounces.
9 GT 10326 Each \$18.99

(7) Heavy-duty Caster Set with 4 casters

Fits all Craftsman power tool stands, cabinets and leg sets. Plastic wheel, steel frame. Supports up to 400 lbs. Two 2½-inch diameter front casters swivel with foot-operated lever for raising and lowering. Two 2½-inch diameter rear casters are non-swivel.

Shipping weight 6 pounds.
9 GT 22221 Set \$39.99

Caster Set with 4 swivel casters (not shown).

As (7) above, except all four casters swivel.
Shipping weight 10 pounds.
9 GT 22222 Set \$49.99

(8) CRAFTSMAN® 10-inch Radial Saw. UL listed. Meets "UL Standard 987 for Safety".

MOTOR: 3450 rpm. 1-HP motor develops 2 HP. Ball, sleeve bearings. Direct-drive, induct. run. Manual brake. ½-in. arbor.

CUTTING BLADE, CAP.: 10-in. Kromedge® blade. Rear-mounted depth of cut, miter controls. Blade and motor swivel for 24-in. rip cap. Crosscuts up to 12 in. wide in 1-in. stock. Max. depth of cut is 3 in. at 90°, 2¼ in. at 45°. Fixed bevel stops at vertical, 45° and horizontal. Blade guard, spreader. Anti-kickback pawls.

CONSTRUCTION: Motor, carriage move along formed steel arm. Machined steel column. Chipboard table measures 24½x36x¾ inches thick.

ELEC., ORD. INFO: Pull-on/push-off switch with removable locking key. 120-v., 60-Hz. AC. 1100 full-load input watts. 6-ft., 3-wire cord. Warranty, p. 62. Order stand and accessories at left and on p. 68. Accepts 7-in. diam., 1½-in. width dado, p. 61. 9 GT 1978N—Shpg. wt. 95 lbs. \$249.99

CRAFTSMAN® 10-in. Radial Saw (not shown). Similar to (3) above. 1-HP ball-bearing motor develops 2 HP. Rips up to 25½ inches. Cross-cuts up to 15½ inches wide. Chipboard table measures 27½x40x¾ inches thick.
9 GT 1976N—Wt. 145 lbs. \$399.99

CRAFTSMAN® 10-inch Radial Saw with 1-HP motor

Saw with built-in motor
\$249.99



Radial Saw Accessories

Make your radial saw more versatile and easier to use

Radial Saw Accessory Kit



Side Extension Table

Sawdust Collector

Miter Square

Picture Framing Kit



CRAFTSMAN® Radial Saw Accessory Kit. Includes items (1 thru 6). For descriptions of each, see below. **ORDER INFO:** For 9, 10, 12-in. radial saws with 5/8 or 3/4-in. arbors. Not for radial saws with universal motors. **Separate prices total \$93.72.** 9 GT 32781—Shipping weight 9 lbs. 5 oz. .Kit \$79.99

(1) **Adjustable Dado.** Use to plough, dado, lap, joint, groove, etc. Use on laminates, sensitive materials.

CONSTRUCTION: 7-inch Kromedge® blade body of tough, heat-tempered steel for strength, fortified with chromium to resist rust. 16-carbide-tipped teeth, individually brazed onto the dado blade. Diamond-ground for accurate, smooth cuts. 3/4-in. arbor, 9/16-in. bushing. **CUTTING CAPACITY:** Adjustable dado lets you dial widths from 3/16 to 1 1/16 inches without removing dado from saw. Maximum depth of cut is 1 1/2 inches.

ORDER INFO: Use with 9, 10, 12 or 14-in. table or radial saws only, not for radial saw with universal motor. 9 GT 3263—Shipping weight 2 lbs. 8 oz. \$34.99

(2) **Hold-down Clamp**

Holds workpiece in place for accurate, smooth cuts. Notched clamp even holds round workpieces.

ORDER INFO: Includes clamp, rounded rod, 4 hooks. Fits most radial saws. 9 GT 29502—Shipping weight 1 lb. 3 oz. \$13.99

(3) **Triple-cutter Molding Head**

CONSTRUCTION: 7-in. diameter. Steel. No bits incl. **ORDER INFO:** Use Kromedge® bits, below. Use radial saw guards or table saw inserts, sold separately.

9 GT 3214—Shipping weight 2 lbs. 10 oz. \$14.49

Kromedge® Cutter Bit Sets. Tool steel. 3 bits per set. All bits cut 1 inch wide. For more bits, see p. 61.

9 GT 2302—1-in. Planer and Jointer. Wt. 5 oz. . \$4.79

9 GT 2353—Cabinet Door Lip. Wt. 4 oz. 4.79

(4) **Flexible Mask Impact Goggles**

CONSTRUCTION: Polycarbonate plastic lenses and body help reduce possibility of eye injury. Perforated side shields for ventilation. Adjustable elastic strap.

ORDER INFO: Fit over regular eye glasses. 9 GT 1859—Shipping weight 2 oz. \$2.69

(5) **Radial Saw Molding Head/Dado Guards.** Must be used with molding head and dado blades when saw shaft is in the vertical position.

SIZES, ORDER INFO: Not for former saw 9-2922.

For up to 7-inch diameter. (Included in kit, above). 9 GT 29524—Shipping weight 12 oz. \$10.99

For up to 8-inch diameter. (Not included in kit). 9 GT 29523—Shipping weight 1 lb. 1 oz. \$10.99

(6) **Only at Sears . . . Stop-length Gauge.** For making quick, simple and accurate repetitive cuts. Clamps to radial saw worktable. Uses two 3/4-in. dowel rods (not incl.). With 1 adjustable, 2 permanent clamps.

ORDER INFO: For radial saws only. 9 GT 3242—Wt. 13 oz. \$6.99

(7) **Side Extension Table.** Mounts on left or right side of all Craftsman table or radial saws. Fits most other saws. Adds 612 sq. in. of extra work area.

CONSTR., ORDER INFO: 1 1/2-in. thick particleboard top, 34x18 in. wide. Steel frame with baked enamel finish. Legs adjust to uneven floors, angle-braced for strength. Hardware incl. Folds for storage. 9 GT 32787C—Shpg. wt. 14 lbs. 8 oz. \$26.99

(8) **CRAFTSMAN® Sawdust Collector.** Helps keep work area clean. Collector traps sawdust, wood chips. Adapter incl. for collecting sawdust from rip cuts.

CONSTRUCTION: High-impact plastic and steel. 19x14x13 inches. Includes adapter to attach vacs (sold on p. 80 and 81) with 1 1/4 and 2 1/2-inch diam. hose. **ORDER INFO:** Does not fit radial saw 9-1978. 9 GT 16997—Shipping weight 6 lbs. 6 oz. \$25.99

(9) **Miter Square.** Specially designed for holding wood picture frame moldings. Helps you make square joints, even if radial saw is not perfectly in line. Adjustable pads help hold irregular shapes of molding.

ORDER INFO: For radial saws with 2 3/4-in. depth of cut or more. 9 GT 32056—Shipping weight 4 lbs. 4 oz. \$20.99

(10) **Picture Framing Kit.** Includes aluminum framing set with four clamps, adjustable from 4x4 to 35x35 inches square; X-acto® Mat cutter; miter square, as in (9), above; and How-to-Measure booklet.

ORDER INFO: For radial saws only. 9 GT 32055C—Shipping weight 9 lbs. 7 oz. \$45.99

(11) **Sanding Drum.** 3-in. face, 2 1/4-in. diameter. Medium-grit sanding sleeve over expandable rubber drum. For 1/2-20 threaded ends.

ORDER INFO: Sanding sleeves sold below. With drill press, order work arbor (9 GT 24645), p. 19. 9 GT 25246—Shipping weight 15 oz. \$8.49

Sanding Sleeves (not shown). For drum above. 9 GT 25221—Fine grit 9 GT 25223—Coarse grit

9 GT 25222—Medium grit Shipping weight 1 ounce. Each \$1.19

(12) **Buffing Wheel**

CONSTR: 8-in. diam. Bias-cut edge stops thread-fraying. 100% industrial-grade cotton wheel woven with 120 threads per sq. in. 1/2-in. width, 9/16-in. arbor.

ORDER INFO: 9 GT 64941—Shipping weight 6 oz. \$3.79

(13) **Rotary Surface Planer**

CONSTRUCTION: Body is made of die-cast aluminum. 3 carbide-tipped steel blades plane up to a 2-in. path. **ORDER INFO:** For radial saws with 5/8-inch arbors. Not for saw 9-2922. 9 GT 29513—Shipping weight 12 oz. \$19.99

Extra 3-piece Blade Set for (13) above (not shown). 9 GT 29531—Shipping weight 1 oz. Set \$10.99

(14) **Hold-down Attachment Set.** Holds workpiece firmly when it may be difficult to hold and guide work manually. Includes 2 clamps with 4 adjustable spring steel holding fixtures.

ORDER INFO: Fits most radial saws and many table saws. Shipping weight 2 lbs. 10 oz. 9 GT 3230 Set \$13.99

(15) **Drill Chuck.** Converts radial saw into an on-the-spot drill or router. Just screw on the chuck and insert a bit (not included).

CONSTRUCTION: Hardened steel. Nickel-chrome alloy jaws. Chuck holds bits with 5/64 to 1/2-inch diameter shanks. Fits 1/2-20 threaded accessory ends. Chuck key is included.

ORDER INFO: Order drill bits on pages 16 and 17. Order router bits on pages 13 thru 15.

Shipping weight 13 ounces. 9 GT 2980 \$9.99

(16) **Carriage Return**

ORDER INFO: For 10 and 12-inch radial saws except models 9-2945, 9-2316 and 9-1978.

Shipping weight 1 lb. 1 oz. 9 GT 2956 \$26.99

(17) **Floating Ring Guard.** Helps protect operator from sides of blade when not cutting.

CONSTRUCTION: Steel. **ORDER INFO:** Available in 2 models.

For former radial saws 9-2933, 9-2934, 9-2941, 9-2943, 9-2944 and 9-1940.

Shipping weight 1 lb. 7 oz. 9 GT 29007 \$16.99

For former radial saws 9-2945 and 9-2946. Shipping weight 1 lb. 8 oz. 9 GT 29008 \$29.99

(18) **Retractable Lower Blade Guard.** Helps protect operator from blade when not cutting.

CONSTRUCTION: Made of clear plastic with aluminum frame.

ORDER INFO: For 10-in. radial saws 9-1976, 9-1977, 9-2310, 9-2311, 9-2316 and 9-1978.

Shipping weight 1 lb. 1 oz. 9 GT 29009 \$19.99

(19) **Craftsman® Radial Saw Book.** Includes instructions on use of radial saw. Includes chapters on standard and special operations, use of accessories. Sections on use of band saw, drill press, wood lathe, wood shaper, stationary sander and planer. Woodworking tips also included. Fully illustrated section on how to make over 32 different wood joints. Over 600 operations described. 224 pages.

ORDER INFO: Shipping weight 14 oz. 9 GT 2917 \$7.99

CRAFTSMAN® Jointer-Planers

Smooth boards so that joints are almost invisible. 3 precision-cutting steel knives and a 1/2-HP motor give you the accuracy and the power to do finishing jobs that would be nearly impossible with any other tool



Jointer-Planer lets you chamfer decorative edges

Smooth rough surfaces on stock up to 6 inches wide

Square edges on large pieces of wood stock


Joint edges for a tight flush fit



New at Sears! Motorized Jointer-Planer has a unique design . . . small enough to take with you yet strong enough to cut hardwood with ease. Planes boards up to 4 1/2 in. wide, 1/8-in. maximum depth of cut

\$279⁹⁹

Use **Sears Credit**



(1 and 2) UL listed. Meets "UL Standard 987 for Safety".

CAPACITY, CONSTRUCTION: Cutter head revolves on permanently lubricated ball bearings. 3 precision-ground steel knives cut up 1/8-in. depth. Cutter guard covers knives. Makes up to 10,000 cuts per minute. Cast-iron fence, infeed table and outfeed table. Fence has pre-cast holes to allow for addition of auxiliary fences (not incl.) to join wide boards more accurately. Fence tilts 45° for chamfer/bevel cuts. 2 structural foam hold-down push blocks with contoured handles and rubber gripping pads. **MOTOR:** Quiet, induction-run motor. Capacitor-start. 1/2-HP, 3450 rpm.

ELEC INFO: Motorized Jointer-Planer (1) and Jointer-Planer (2) have lockable pull-on/push-off power switches; 6-ft., 3-wire cord. (2) has receptacle for 115-v. motor.

(1) Motorized Jointer-Planer

Planes boards up to 4 1/2 inches wide in one pass. Infeed table adjusts to a maximum 1/8-inch depth of cut. Center-mounted locking fence can be adjusted with one hand, leaving the other hand free to hold stock. 2 knobs for accurate, quick adjustments. Fence is hinged for added stability. Jointer-Planer measures 22 1/2 x 12 1/2 x 6 1/2 inches high overall. Can be mounted on workbench, or on legs sold separately at right. Direct-drive, direct-mounted motor provides powerful drive for cutter head; no belts, brushes to replace; no loss of power due to slippage of belts. Motor runs on 120-volt, 60-Hertz, AC. 650 full-load input watts.

ORDER INFO: See our full one-year warranty for power tools on page 62. Order impact goggles from opposite page. Shipping weight 32 pounds. 9 GT 2064C ...\$279.99

(2) Jointer-Planer with 1/2-HP motor and stand

Planes boards up to 6 inches wide in one pass. Fence has single lock knob for bevel and lateral adjustments. Measures 40 1/2 x 20 3/4 x 9 1/2 inches high. Motor mount included. Motor (9 GT 1216C) has prelubed sleeve bearings. Runs on 115-v. 720 full-load input watts. 4-ft., 3-wire cord. Includes V-belt, machine and motor pulleys, belt guard. Heavy-gauge steel stand. Rubber-padded leveling feet resist creeping, marring of floors. Height can be adjusted. Stand top measures 37 1/2 x 15 1/4 inches wide. **ORDER INFO:** Stand shipped unassembled. See tool warranty, p. 62, motor warranty, p. 90. Order safety goggles, p. 68. *Separate prices total \$499.97 here and on page 89.*

9 GT 20687N—Shipping weight 186 lbs. ...\$449.97

Jointer-Planer with 1/2-HP motor (not shown).

ORDER INFO: *Sep. prices total \$439.98 here, p. 89.* 9 GT 20681N—Shipping weight 143 lbs. ...\$399.98

Jointer-Planer alone (not shown).

ORDER INFO: As described above. 9 GT 2068N—Shipping weight 125 lbs. ...\$359.99

Steel Stand for jointer-planer alone. Shown in illustration (2), at right. As described above, in set.

ORDER INFO: Unassembled. See "N" note, p. 91. 9 GT 22216N—Shpg. wt. 43 lbs.\$59.99

Extra Push Blocks for jointer-planer

Shown in illustration above. **CONSTRUCTION:** Structural foam with contoured handles and rubber gripping pads. **ORDER INFO:** Set of two. 9 GT 2299—Shpg. wt. 1 lb. 3 oz.Set \$9.99

(3) Leg Set for jointer-planer

CONSTRUCTION: Steel. Adjustable rubber-padded leveling feet for uneven or sloping floors. Resist creeping and marring of floors.

ORDER INFO: Unassembled.

Shpg. wt. 30 lbs.

9 GT 22245C\$54.99

(4) Jointer Chip Collector

CONSTRUCTION: Steel frame with heavy-duty collection bag to catch chips.

ORDER INFO: Wt. 3 lbs. 8 oz.

9 GT 29977C\$39.99

(5) Knife-setting Gauge Set

Install new or sharpened knives.

CONSTRUCTION: Cast-iron gauge with micrometer adjustments.

ORDER INFO: Blade touch-up stone incl. Wt. 1 lb. 4 oz.

9 GT 2647\$22.99

Replacement Knives (not shown). For Sears jointer-planers.

CONSTR: Precision-ground steel.

ORDER INFO: Order knife-setting gauge set (5) sold above.

6 1/8-inch Cutting Knives

Fit most 6 1/8-inch Craftsman jointer-planers. Package of 3.

Shipping weight 7 ounces.

9 GT 2293Package \$19.99

4 1/4-inch Cutting Knives

Fit former 4 1/4-inch Craftsman jointer-planers. Package of 3.

Shipping weight 8 ounces.

9 GT 2291Package \$19.99

4 1/4-inch Cutting Knives

Fit former Craftsman models 9-2180, 9-2184, 9-2186 and current jointer-planer (1). Pkg. of 3.

Shipping weight 3 ounces.

9 GT 21866Package \$12.99

6 1/8-inch Jointer Planer

Jointer-Planer alone **\$359⁹⁹**

Save \$40

when you buy 6 1/8-in. Jointer-Planer and 1/2-HP motor

Sep. prices **\$399⁹⁸**
total \$439.98

Save \$50

when you buy 6 1/8-in. Jointer-Planer, 1/2-HP motor and stand

Sep. prices **\$449⁹⁷**
total \$499.97



CRAFTSMAN® Planer-Molders can surface-plane rough stock and



Planer-Molder Outfit with 2-HP motor

Heavy-duty Planer-Molder surface-planes rough stock up to 12 inches wide and 6 inches thick; automatic power feed allows fast, smooth, ridgeless planing on hard and soft woods

Planer-Molder alone
\$799⁹⁹

Planer-Molder Outfit with 2-HP motor
\$1199⁹⁹

Planer-Molder Outfit with 5-HP motor
\$1349⁹⁹

CAPACITY, CONSTRUCTION: 3-knife ball-bearing cutter head planes to $\frac{3}{16}$ inch deep, turns at 4000 rpm. Molds to $\frac{3}{4}$ inch deep with cutter bits and knives sold below, right. Handles wood up to 12 inches wide, 6 inches thick. Automatic power feed moves board at 12 feet per minute. Non-marking rubber rollers. 42-inch steel bed. Cast iron, 2-groove motor pulley.

Planer-Molder alone

Does not include stand, motor, switch, motor pulley, V-belts. Order below and on opposite page except motor, sold on page 90.

ORDER INFO: See warranty, p. 62.
T 9 GT 2339N—Wt. 225 lbs. \$799.99

Planer-Molder Outfit with 2-HP motor

Includes stand, motor and machine pulleys, V-belt, switch.

MOTOR: High-torque, 2-HP motor (9 GT 1231C). Capacitor-start, induction-run. Totally enclosed. Fan-cooled. Permanently lubricated ball bearings.

ELECTRICAL INFORMATION: 115-230-v., 60-Hz. AC. 2200 full-load input watts. Wiring, plug not included.

ORDER INFO: See tool warranty on page 62, motor warranty on page 90.

Shipping weight 300 pounds.
T 9 GT 23389N \$1199.99

Planer-Molder Outfit with 5-HP motor

For commercial and continuous runs. Includes stand, machine and motor pulleys, V-belts and switch.

MOTOR: High-torque, 5-HP motor (9 GT 1232N). Capacitor-start, induction-run. Totally enclosed. Fan-cooled. Permanently lubricated ball bearings for long life. Manual-reset overload protector helps prevent motor burnouts.

ELECTRICAL INFORMATION: 230-v., 60-Hz. AC. 5500 full-load input watts. Wiring, plug not included.

ORDER INFO: Warranties, pgs. 62, 90.


Shipping weight 356 pounds.
T 9 GT 23385N \$1349.99

Steel Stand for Planer-Molder

20 $\frac{1}{2}$ in. high, 24 $\frac{3}{4}$ in. square bottom.

ORDER INFO: See "N" note, p. 91.

Unassembled. Shpg. wt. 51 lbs.
9 GT 23398N \$79.99



Use Sears Credit

(1 thru 12) Molding Cutter Bits

Use cutter bits to cut a wide variety of designs on edges and surfaces.

CONSTRUCTION: Made of alloy steel.

ORDER INFO: Sets of three, except (12), set of six. For planer molders sold on these two pages.

Molding Cutter Type	Catalog Number	Wt. oz.	Set
(1) Ogee window stop	9GT23308	2	\$7.49
(2) Rabbet	9GT23301	2	7.49
(3) Glue joint	9GT23307	2	7.49
(4) 90° flute V-groove	9GT23309	2	7.49
(5) Clover-leaf screen mold	9GT23305	2	7.49
(6) $\frac{3}{16}$ -in. qtr.-round cove	9GT23312	2	7.49
(7) 3-bead	9GT23305	2	7.49
(8) 1-in. radius flute	9GT23311	2	7.49
(9) $\frac{3}{16}$ - $\frac{1}{2}$ -in. qtr.-round	9GT23313	2	7.49
(10) $\frac{1}{4}$ - $\frac{1}{2}$ -in. qtr.-round	9GT23304	2	7.49
(11) Base mold	9GT23303	2	7.49
(12) Tongue and groove	9GT23302	4	12.99

Molding Cutter Bit Set

Save \$5.39. Set includes all the molding cutter bits (1 thru 12) sold above.

ORDER INFO: Separate prices total \$95.38.

Shipping weight 1 pound 10 ounces.
9 GT 2301 Set \$89.99



make attractive moldings to give your projects a finished, professional look

Use Molding Cutter Bits and Knives to make decorative edges, window and door trim, paneling and more . . .



Make ornate trim Add decorative designs Make edge trim Build elaborate frames Make snug-fitting joints Add crown molding

Motorized Jointer-Planer-Molder planes rough stock up to 8 inches wide, 4 inches thick

1-HP motor provides power for most home shop projects

\$799⁹⁹

(A) Versatile tool performs these tasks:
Jointing: Fence tilts up to 45° right or left for accurate bevels and chamfers. Use to prepare rough-sawn, warped stock for planing.

Planing: Precise planing from 0 to 1/32 in. on each pass. Knives handle hard and soft wood easily.

Molding: Make edge, surface moldings with bits and knives sold separately, below.

CAPACITY, CONSTR: 2-knife ball-bearing cutter head joints to 1/8 in. deep to 6 1/2 in. wide. Planes to 5/32 in. deep, makes molding up to 3/4 in. deep per pass. Planes and molds wood to 8 in. wide. 3450 rpm. Power feed guides stock through at 28 ft. per min. Non-marring rubber rollers. 2-pc. formed steel jointer bed is 36 1/2 in. long. Planing bed 28 1/2 in. long. Bed supported at corners with synchromesh corner screws for precise, accurate planing. Hinged side panels provide quick access for adjustment and cleaning. Large scale makes setting correct depths easier.

MOTOR: Built-in high-torque 1-HP motor develops 2 HP. Capacitor-start, induction-run. Pre-lubricated sleeve bearings for smooth operation and long life.

ELECTRICAL INFO: 110-120-v., 60-Hz. AC. 1250 full-load input watts. Switch has 6-foot, 3-wire cord.

ORDER INFO: See warranty, p. 62. More motor info. and warranty on p. 90. T9GT23377N-Wt. 198 lbs. \$799.99

(B) Planer-Molder

Same as above, but without jointer. T9GT23371N-Wt. 170 lbs. \$649.99



(13-22) Molding Cutter Knives

Use to cut simple and elaborate moldings.

CONSTRUCTION: Alloy steel.

ORDER INFO: Sets of 3. Knives (16 thru 20) come with back relief knife. For planer-molders sold on these 2 pages.

Molding Knife Type	Catalog No.	Shpg. wt.	Set
(13) Base Shoe	9 GT 23331	11 oz.	\$29.99
(14) Stop	9 GT 23332	12 oz.	\$34.99
(15) Cove	9 GT 23333	11 oz.	\$29.99
(16) Large Casing	9 GT 23334	1 lb. 11 oz.	\$79.99
(17) Base	9 GT 23335	1 lb. 4 oz.	\$79.99
(18) Deco. Casing	9 GT 23336	1 lb. 4 oz.	\$59.99
(19) Fancy Casing	9 GT 23337	1 lb. 3 oz.	\$59.99
(20) Chair Rail	9 GT 23338	1 lb. 7 oz.	\$59.99
(21) Tongue/groove	9 GT 23339	1 lb. 11 oz.	\$79.99
(22) Crown	9 GT 23341	1 lb. 10 oz.	\$119.99

2-groove Pulleys for planer-molders on opposite page (not shown).

CONSTRUCTION: Made of cast iron with high content of alloy steel.

ORDER INFO:

9-inch diameter for use with 5-HP motor
Shipping weight 10 pounds.
9 GT 23315.....\$39.99

5-inch diameter for use with 2-HP motor
Shipping weight 4 pounds 12 ounces.
9 GT 23314.....\$36.99

V-belts for 2-groove pulleys at left (not shown).

ORDER INFO: Set of two.

62-inch length for 9-inch pulley
9 GT 23321—Wt. 1 lb. ...Set \$9.99

57-inch length for 5-inch pulley
9 GT 23322—Wt. 1 lb. ...Set \$9.99

Replacement Knives (not shown).


CONSTRUCTION: High-speed, hard steel for long use.

For planer-molder on opposite page
ORDER INFO: Set of three.
9 GT 4749—Wt. 1 lb. ...Set \$34.99

For planer-molder above.
ORDER INFO: Set of two.
9 GT 23342—Wt. 6 oz. ...Set \$24.99

Extension Roller and Stand

Ideal for working with large pieces



Extension Roller and Stand

Use to support lumber and molding for feeding into or out of planer-molder, table saw or radial saw. Helps avoid "snipe" that occurs when longer pieces of lumber rise into the cutter head knives. Helps eliminate lumber waste. Roller 2x14 inches wide. Stand height adjusts from 24 to 39 inches. Steel legs.

ORDER INFO: Shipping weight 14 lbs.
9 GT 23316C.....\$34.99



Includes cutter-guard for inside and contour shaping

CRAFTSMAN® High-speed Shaper lets you scallop, rabbet, contour and mold so smooth that almost no sanding is needed
Includes cutter guard, ground cast iron worktable and individually adjustable fences

High-speed Shaper alone **\$289.99** push blocks not included

Shaper Outfit. UL listed. Meets "UL Standard 987 for Safety". Includes shaper, stand and motor.

CONSTRUCTION, CAPACITY: Cutter head revolves at approximately 9000 rpm to give smooth cuts. One-piece, ground cast-iron table measures 27x19 in. . . . has 3/4x3/8-in. groove for miter gauge (9 GT 29929) and hold-down clamp (9 GT 29928) sold separately on page 65. Each half-fence is individually adjustable from left to right and front to back. Features cutter guard that attaches behind table and allows inside and contour shaping. Spindle turns on permanently lubricated ball bearings. Spindle height adjusts 7/8 in. and accepts cutters of 1/2-in. bore, up to 2 1/2 inches in diameter. Cutters (not included) may be used individually or in combination.

STAND: Steel construction with rubber-padded leveling feet . . . adjust to uneven floors, resist creeping and marring of floors. Shipped unassembled.

MOTOR: Capacitor-start, 1/2-HP motor (9 GT 1269) has built-in reversing switch. 3450 rpm. Pre-lubricated sleeve bearings.

ELECTRICAL INFO: Tool has lockable switch; 6-foot, 3-wire cord; receptacle for motor. Motor is factory-wired to run on 115-volt, 60-Hertz, AC. 4-foot, 3-wire cord. 720 full-load input watts.

INCLUDES: Belt-pulley guard, hardened collars, nuts, washers, motor and machine pulleys and V-belt.

ORDER INFO: See tool warranty on page 62 and motor warranty on page 90. Order casters on page 65. Help protect your eyes—order safety goggles on page 88.

9 GT 23924N—Shipping weight 144 pounds \$399.97

Shaper alone. As above, but without stand or motor. Order stand (9 GT 22213C) or leg set (9 GT 22236C) on page 57.

ORDER INFO:
9 GT 23924N—Shipping weight 97 pounds \$289.99

Save \$40

when you buy Shaper Outfit . . . includes shaper, stand and motor

Separate prices total \$439.97 here and on pgs. 57 and 89

\$399.97



Push Blocks

For high-speed shaper at left, jointer-planers. Use for added stability when working with small pieces of stock. Made of structural foam. Contoured handles, rubber gripping pads. Set of 2. Shpg. wt. 1 lb. 3 oz. 9 GT 2299 Set \$9.99



High-speed Steel Shaper-cutters

(1 thru 15) Cutters are made of long-lasting high-speed steel. All cutters have 1/2-inch bore. 2-inch diameter except (5) and (14) which have a 2 1/2-inch diameter. All are 1 inch high except (8) which is 1/2 inch high and (10) which is 3/4 inch high.

ORDER INFO: Fit shaper above.

Type Shaper-cutter	Catalog Number	Wt. oz.	Price	Type Shaper-cutter	Catalog Number	Wt. oz.	Price
(1) Lip Cupboard Door or 3/4-in. Quarter-Round	9 GT 3011	4	\$11.99	(9) Reversible Glue Joint	9 GT 3019	3	\$11.99
(2) 1-inch Jointer	9 GT 3012	3	11.99	(10) 1/4-inch Groove	9 GT 3020	1	11.99
(3) 3-bead, 3/4-in. Molding	9 GT 3013	3	11.99	(11) Taper Edge	9 GT 3021	3	11.99
(4) 1/2-in. radius Base Shoe Molding or 1/2-in. 1/4-Round	9 GT 3014	3	11.99	(12) Drop Leaf Bead	9 GT 3022	3	11.99
(5) 2 1/2-in. diam., 3/4-in. Ogee	9 GT 3015	3	11.99	(13) 1/8-in. Ease Edge or Screen Molding	9 GT 3023	3	11.99
(6) 1/4 and 1/2-in. radius Ease Edge or 1/4-inch Glass Bead	9 GT 3016	3	11.99	(14) 2 1/2-in. diam., 3/4-in. Quarter-Round	9 GT 3024	3	11.99
(7) Drop Leaf Cove	9 GT 3017	3	11.99	(15) 1/4-in. Tongue-and-groove Matched Set	9 GT 3025	5	21.99
(8) 1/2-inch Groove	9 GT 3018	2	11.99				

15-piece Set of High-speed Shaper-cutters.

Save \$24.86 when you buy set.

Includes items (1) thru (15).

ORDER INFO: Separate prices total \$189.85. Shipping weight 2 pounds 12 ounces.


9 GT 30135 Set \$164.99

5-piece Shaper Collar Set (not shown).

Fits 1/2-in. spindle. Provides bearing surface above or below cutter for part not being shaped.

ORDER INFO: For use with shaper above or with former shapers 9-2393 and 9-2394.

9 GT 23672—Shpg. wt. 5 oz. Set \$7.79



Shaper-cutters with CARBIDE tips

Last up to 15 times longer than our other cutters

(16 thru 21) Carbide tips, individually brazed onto alloy steel cutter, diamond-ground for keen, long-lasting cutting edge; have 1/2-inch bore, 2-inch diameter; and are 1 inch high, except (19) which is 1/2 inch high and (20) which is 3/4 inch high.

ORDER INFO: Fit shaper above.

Type Shaper-cutter	Catalog No.	Wt.	Price
(16) Lip Cupboard Door or 3/4-in. Quarter-Round	9 GT 3041	4 oz.	\$49.99
(17) 1-inch Jointer	9 GT 3042	4 oz.	39.99
(18) Taper Edge	9 GT 3043	4 oz.	52.99
(19) 1/2-inch Groove	9 GT 3044	2 oz.	39.99
(20) 3/4-inch Groove	9 GT 3045	2 oz.	34.99
(21) 1/4-in. Tongue-and-groove Matched Set	9 GT 3046	8 oz.	99.99

6-piece Set of Tungsten Carbide-tipped Shaper-Cutters.

Save \$47.95. Includes (16 thru 21). Separate prices total \$317.94.

9 GT 3047—Shpg. wt. 1 lb. 12 oz. Set \$269.99

Industrial-type Drill Press

(1) Split-head and double-row lower ball-bearing assembly for commercial-type applications and long, continuous use. See specifications for drill presses, listed below, at right. UL listed. Meets "UL Standard 987 for Safety".

HEAD CONSTRUCTION: Cast-iron split head with take-up adjustment to help compensate for normal quill wear and maintain accuracy. Double-row lower ball-bearing assembly is pre-loaded. Adjustable feed tension for smooth returns. 1 7/8-in. diameter quill. Has spindle lock, column lock, quick belt-tension release for easy speed changes. Pulley turns on permanently lubricated ball bearings.

COLUMN, TABLE, BASE: Steel column. Durable cast-iron worktable with "T" slots for attaching drill press accessories; has trough for catching liquid coolants. 14x14 1/2-inch table slides up and down on column a total of 42 1/2 inches. Sturdy cast-iron base with pre-cast holes for bolting base to floor (bolts not incl.).

MOTOR: Capacitor-start, 1725 rpm, 1/2-HP motor (9 GT 1278C). Permanently lubricated ball bearings.

ELECTRICAL INFORMATION: Tool has power switch with 6-ft., 3-wire cord and receptacle for 115-volt motor. Built-in light has separate switch. Motor uses 115-volt, 60-Hz. AC. 660 full-load input watts. 4-ft., 3-wire cord connects to power switch in press. Switch for 115-volt only.

ORDER INFO: Includes belt, chuck, key, machine and motor pulleys, pulley guard. See full one-year warranty on page 62. Additional motor information on page 89. Motor warranty is on page 90. Help protect your eyes, use goggles sold on page 88. *Separate prices total \$534.98.*

9 GT 24522N—Shpg. wt. 220 lbs. \$499.98

Industrial-type Drill Press alone (not shown).

As above, but without motor.

ORDER INFO: Order press with motor above, or use minimum 1/2-HP, 1725 rpm motor.

9 GT 2452N—Shpg. wt. 200 lbs. \$439.99

Replacement V-belt (not shown).

For all 8-speed Craftsman drill presses.

9 GT 1745—Shpg. wt. 6 oz. \$7.99

Home-shop Drill Press

(2) 1-piece head is designed for home or light industrial use. See specifications for drill presses, listed below, at right. UL listed. Meets "UL Standard 987 for Safety".

HEAD CONSTRUCTION: 1-piece, cast-iron. Single-row lower ball-bearing assembly for smooth operation. Pulley turns on ball bearings. 1 5/8-inch diameter quill.

COLUMN, TABLE, BASE: Steel column. Cast-iron slotted worktable with clamping ledges for mounting accessories. Table measures 10x12 inches. Slides up or down column a total of 42 1/2 inches. Cast-iron base has pre-cast holes for bolting base to floor (bolts not included).

MOTOR: Capacitor-start, 1725 rpm, 1/2-HP motor (9 GT 1279C). Sleeve bearings.

ELECTRICAL INFORMATION: Tool has power switch with 6-ft., 3-wire cord, receptacle for connecting 115-volt motor. Built-in worklight with separate switch. Motor uses 115-volt, 60-Hz. AC. 660 full-load input watts. 4-foot, 3-wire cord connects to power switch in drill press.

ORDER INFO: Includes belt, chuck, key, machine and motor pulleys. See tool warranty on page 62, motor warranty on p. 90. More motor information on page 89. See accessories on page 74. Help protect your eyes . . . order impact goggles on page 88. *Separate prices total \$459.98.*

9 GT 21378N—Shpg. wt. 204 lbs. \$439.98

Home-Shop Drill Press alone (not shown).

As described above, but without motor.

ORDER INFO: Order drill press with motor as sold above, or use a minimum 1/2-HP, 1725 rpm motor.

9 GT 2137N—Shpg. wt. 177 lbs. \$369.99

Speed Reducer for drill presses (not shown).

Reduces speed to 140 or 210 rpm. Slower speeds allow you to bore larger diameter holes in iron, steel.

CONSTRUCTION: Machined aluminum, 2-step pulley self-adjusts. 2 V-belts (26, 31 inch).

ORDER INFO:

For all Craftsman 8-speed drill presses.

Shipping weight 1 pound 10 ounces.

9 GT 24646 \$49.99

Replacement V-belts for speed reducer above (not shown).

ORDER INFO:

3/8x31-inch belt. Shipping weight 4 ounces.

9 GT 1741 \$4.99

3/8x26-inch belt. Shipping weight 4 ounces.

9 GT 1742 \$4.99

Here and on the next 2 pages you'll find

CRAFTSMAN® Drill Presses and Accessories

Choose from industrial-type, commercial-use or home-shop capacities . . . add to your accuracy and versatility with our complete line of accessories



8-speed
Industrial-type
Drill Press

\$439⁹⁹

Drill press alone


Save \$35

when you buy Drill
Press and 1/2-HP motor

\$499⁹⁸

SPECIFICATIONS FOR BOTH DRILL PRESSES ON THIS PAGE

- Speeds—380, 480, 720, 1325, 2300, 4250, 6400, 8550 rpm
- Motor pulley—6 inch, 8 step, 3/4-inch bore keyed
- Table travel—4 1/2 inches
- Spindle—#33 Jacobs taper
- Spindle travel—4 in. (max.)
- Drive splines—Six
- Chuck capacity—0-1/2 inch
- V-belt—3/16x45 inches
- Spindle to column—7 3/4 in.
- Base to chuck—48 1/2 in. (max.)
- Depth graduations—1/16 in., mm
- Machine pulley—6 in., 8 step
- HxWxD—72 1/4x15x27 inches
- Motor—Uses 1/2 HP, 1725 rpm



QUALITY BY DESIGN

... features like these on our best Drill Press represent the quality that's built into every CRAFTSMAN® tool

- A Pre-loaded double-row lower ball bearing assembly for added durability
- B Split head has take-up screws to help compensate for normal quill wear and maintain accuracy
- C Sturdy cast-iron construction
- D Rack and pinion quill feed helps make accurate drilling a sure thing
- E Adjustable quill return spring allows you to adjust the rate of return

8-speed
Home-shop
Drill Press


\$369⁹⁹

Drill Press alone

Save \$20

when you buy
Drill Press
and 1/2-HP motor

\$439⁹⁸



More of our selection of
CRAFTSMAN®
Drill Presses



**4-speed Home-shop
Drill Press
with 1/3-HP motor**

\$279.99

Four speed settings from 650 to 4600 rpm. . . ideal for your home work projects

UL listed. Meets "UL Standard 987 for Safety".

HEAD CONSTRUCTION: Rugged, die-cast aluminum head. Machine, motor pulleys and spindle turn on ball and sleeve bearings. Powerful torsion spring provides quick quill return. 1 1/2-inch diameter quill. Depth scale is graduated in 1/16-inch and 1 mm increments with depth stop. Four speed settings from 650 to 4600 rpm. Charts on side show drill size and correct spindle speed to use for drilling various materials.

COLUMN, TABLE, BASE: Steel column. Die-cast aluminum slotted worktable with clamping ledges for mounting drill press accessories. Table measures 9x9 inches, slides up or down 4 1/2-inch column. Sturdy polypropylene base has precast holes for bolting base to floor.

CAPACITIES: 6 inches from spindle to column; drills to center of 12-inch diameter circle. 3/4 to 1/2-inch capacity key chuck. Base to chuck up to 40 in. 1/2x20 threaded spindle. Spindle travels four inches, maximum.

SIZE: Measures 65 1/4x18x22 inches overall.

MOTOR: 1725 rpm. 1/3-HP motor. Has pre-lubricated sleeve bearings for long life.

ELECTRICAL INFORMATION: Tool has locking power switch. 6-foot, 3-wire cord. Motor is factory-wired to run on 115-volts, 60-Hertz. AC.

ORDER INFO: Includes motor chuck, key, V-belt, machine and motor pulleys. See full one-year warranty for Craftsman® stationary bench power tools on page 62. "N" suffix note on page 91. Bolts not included. Also, see our complete line of drill press accessories on this and the following page. Help protect your eyes . . . order impact goggles on page 88.

Shipping weight 65 pounds.
9 GT 21381N \$279.99

Drill Press Accessories add versatility to your drill

Work on wood . . .



1



5



2



6



4

3-spur tip design helps prevent motor bind or burnout



7

(1) Sanding Drum

CONSTR: 3-in. face, 2 1/4-in. diameter. Medium-grit sleeve on expandable rubber drum. For 1/2x20 thread ends.

ORDER INFO: Replacement sanding sleeves, p. 26. Order work arbor (9 GT 24645) on p. 75.
9 GT 25246—Shipping weight 15 ounces . . \$8.49

(2) CRAFTSMAN® Rotary Planer. Mounts on spindle in place of chuck to surface-plane wood. Reduces stock to a desired thickness. Also dresses, trues up and finishes rough or warped stock.

CONSTR, CAP: Die-cast alum. body, steel blade. Planes 2 1/4-in. wide path. Fits drill presses sold on p. 73, former 9-2131 and most presses with No. 33 Jacobs taper, 1 1/16-20 threaded locking collar.

ORDER INFO: Not for use with drill press 9 GT 21381, due to speed and mounting requirements.
9 GT 2745—Shipping weight 11 ounces . . \$26.99

(3) 5-piece Stop Collar Set. For drilling holes which must be kept to certain depth. Can be used with portable drill or drill press. Fits over drill bit; tightens at depth setting you desire. Fits 1/4, 3/16, 3/8, 1/2, 5/8-in. brad point drill bits in (4), below. Steel.

ORDER INFO: Set of five (only two shown).
9 GT 67063—Shpg. wt. 3 oz. Set \$9.99

(4) Brad Point Drill Bits for wood. Center spur locks bit on course. 2 cutting spurs dimension around holes. Sharp flutes extend from 2 cutting spurs, action through wood. Flutes designed for max. chip ejection. Heat-treated, alloy steel.

ORDER INFO: For portable drills, drill presses with 3/8-inch chuck or larger.

Size	Catalog Number	Shpg. wt.	Price
1/4 inch	9 GT 67053	1 ounce	\$2.99
3/16 inch	9 GT 67054	1 ounce	3.99
3/8 inch	9 GT 67055	1 ounce	4.49
1/2 inch	9 GT 67056	1 ounce	4.99
5/8 inch	9 GT 67057	1 ounce	5.49
3/4 inch	9 GT 67058	3 ounces	5.99
1 inch	9 GT 67059	3 ounces	7.99
1 1/4 inch	9 GT 67062	6 ounces	11.99
1 1/2 inch	9 GT 67061	6 ounces	13.99

5-piece Bit Set. Includes 1/4 thru 1/2-inch brad point bits in (4). *Separate prices total \$21.95.*
9 GT 6830—Shipping weight 8 oz. . . . Set \$17.99

(5) CRAFTSMAN® Circle Cutters

Bit made of high-speed ground tool steel; graduated in 1/16-inch. Set screw included.

1/2-in. shank. Cuts 1 3/4 to 6 1/2-in. diameters.
9 GT 3640—Shpg. wt. 12 oz. . . . \$11.99

1/4-inch shank. Cuts 1/8 to 4-inch diameters.
9 GT 3645—Shpg. wt. 4 oz. \$8.29

(6) Mortising Chisel Housing

For chisels (7) below. Fits Craftsman drill presses with 1/8 or 1/4-inch quill. Due to speed or mounting requirements, not for use with drill press 9 GT 21381, at left.
9 GT 2465—Shpg. wt. 2 lbs. 13 oz. \$21.99

(7) Hollow Mortising Chisels and Bits

For (6) above and former 9-2464. Not for use with drill press 9 GT 21381, left.

Size	Cut depth	Catalog No.	Shpg. wt.	Each
Mortising Chisels				
1/4 in.	1 1/2 inch	9 GT 24206	2 oz.	\$18.99
3/8 in.	1 1/2 inch	9 GT 24207	2 oz.	18.99
1/2 in.	1 1/2 inch	9 GT 24208	2 oz.	19.99
Mortising Bits				
1/4 in.	1 1/2 inch	9 GT 24224	2 oz.	\$10.99
3/8 in.	1 1/2 inch	9 GT 24225	2 oz.	10.99
1/2 in.	1 1/2 inch	9 GT 24226	2 oz.	11.99

(8) Drill Press Mortising Kit

Use to make mortises for mortise and tenon joints.

CONSTRUCTION: Hold-down guide of cast aluminum, for work pieces up to 4 1/2 inches thick. Mortising bits of high-speed steel. Fits most drill presses.

ORDER INFO: Hold-down guide, 1/2, 3/8, 1/4-inch diameter bits for mortises 1/2 inch wide to 2 inches deep, 3/8 inch wide to 1 1/2 inches deep, 1/4 inch wide to 1 1/4 inches deep. Attaching nuts, bolts included.

9 GT 29503—Wt. 1 lb. 9 oz. . . Kit \$23.99

Replacement Bits for (8)

9 GT 24215—1/4-in. Chisel. Wt. 1 oz. \$3.49
9 GT 24216—3/8-in. Chisel. Wt. 1 oz. 4.79
9 GT 24217—1/2-in. Chisel. Wt. 2 oz. 4.99

press...make your job easier with a wide variety of time-saving attachments

Work on metals, plastics and woods...

Make your work easier...



(9) Drill Press Milling Attachment

Performs milling, facing, slotting and drilling operations with precision on a variety of woods, plastics and metals.

CONSTRUCTION: Aluminum alloy. Lead screws are covered to prevent entry of chips and sawdust while working. Lubricated nylon bearings located at all wear points to prolong life of attachment. When attachment is rotated, handle moves workpiece 1/8-inch per revolution. Scale graduated in 1/1000-inch increments. Lengthwise travel of 11 in.; crosswise travel of 7 in. Measures 20x15x2 in. high with table surface of 5 1/2x17 in. long. Gib adjustments and locks provided on both sides. Clamps or bolts to drill press table. Bolts not included.

CAPACITY: Clamping capacity is 14x6 inches. Four workpiece clamps, studs, wingnuts included.

ORDER INFO:
Shipping weight 8 pounds.
9 GT 27585.....\$79.99

(10) Heavy-duty Machinist Vise

For use with milling attachment (9) only.

CONSTRUCTION: Aluminum and steel. Durable satin anodized finish. Steel jaws.

CAPACITY: 3-inch wide jaws open to 2 inches maximum. Slot guide automatically sets up square to milling attachment (9) table. Vise swivels and locks into any position for doing angle work. Rear jaws have "V" slots for holding round objects.

ORDER INFO: Mounting bolts are included with vise. Wt. 7 lbs.
9 GT 2759.....\$42.99

(11 and 12) End Mills

CONSTRUCTION: High-speed steel, type M-7 for milling, trimming, shaping of edges and profile-cutting in plastic and most metals. Single-end. 3/8-inch diameter shank.

(11) 2-flute End Mills

Ideal for material removal.

ORDER INFO:

Shipping weight 1 oz. each.

Size in.	Length of cut	Catalog Number	Price each
1/8	3/8 in.	9 GT 20609	\$12.99
1/8	1/2 in.	9 GT 20611	12.99
1/8	3/4 in.	9 GT 20612	12.99
1/8	1 in.	9 GT 20613	12.99
1/8	3/4 in.	9 GT 20614	12.99

5-piece, 2-flute End Mill Set

(not shown). Includes all the individual end mill cutters (11) listed above.

ORDER INFO: Separate prices total \$64.95.

Shipping weight 5 oz.

9 GT 20615.....Set \$57.99

(12) 4-flute End Mills

Ideal for finishing and working with close tolerances.


ORDER INFO: Shpg. wt. 1 oz. ea.

Size in.	Length of cut	Catalog Number	Price each
1/8	3/8 in.	9 GT 20603	\$12.99
1/8	1/2 in.	9 GT 20604	12.99
1/8	3/4 in.	9 GT 20605	12.99
1/8	1 in.	9 GT 20606	12.99
1/8	3/4 in.	9 GT 20607	12.99

5-piece, 4-flute End Mill Set

(not shown). Includes all end mill cutters (12) listed above.

ORDER INFO: Separate prices total \$64.95.
Shpg. wt. 5 oz.
9 GT 20608.....Set \$57.99



(13) 29-piece Twist Drill Bit Set

CONSTRUCTION: High-speed steel. Black oxide finish. Precision-ground margin, point-reliefs, flutes. Point of bit accurate to .002 tolerance. Exceed Federal Specification GGG-D-751. Polystyrene index case.

SIZES: 1/16 to 1/2-inch by 64ths of an inch. Jobber length.

ORDER INFO: Sep. prices total \$92.90 on page 17.

Shpg. wt. 2 lbs. 11 oz.
9 GT 6817....Set \$69.99

Work Arbor (not shown).

For buffing wheels, sanding drums. 1/2-20 threaded steel. Fits both presses on page 73.

ORDER INFO:
Shpg. wt. 5 oz.

9 GT 24645.....\$9.99

Holding Collar for collet chuck and end mills (not shown).

For wood bits with 1/4, 3/8 and 1/2-inch shank. Fits No. 33 Taper Jig.

ORDER INFO: Shpg. wt. 10 ounces.

9 GT 24672.....\$12.99

(14) Buffing Wheel

CONSTRUCTION: 8-inch diameter. Bias-cut edge eliminates thread-fraying. 100% industrial-grade cotton, woven 120 threads per square inch. 1/2-in. width. 5/8-in. arbor.

ORDER INFO: Wt. 6 oz.
9 GT 64941.....\$3.79

(15) General-purpose Vise

CONSTR. CAP. ORDER INFO: Steel-faced jaws open 3 in. 8-in. cast-iron base. Bolts to drill press table (bolts not incl.).
9 GT 2757—Shipping weight 7 lbs. 8 oz.\$41.99

(16) Dual-purpose Vise with swivel base. 1981/82 Tools Special price \$64.99.

Operates on bench or drill press. Use on either side, end or horizontally.

CONSTR. CAP. ORDER INFO: Steel-faced jaws open 2 1/2 in. 8-in. cast-iron base. Bolts to drill press table (bolts not incl.).
9 GT 2758—Shipping weight 8 pounds.....\$44.99

(17) Angle Vise with swivel base.

For angle drilling or when vise jaws are out from under drill chuck, bit.

CONSTR. CAP. ORDER INFO: Steel-faced jaws open 2 1/2 in. Vise adjusts from 0° to 90°... turns 360° on detachable swivel base. Detachable base can be bolted to table (bolts not incl.).
9 GT 2752—Shipping weight 12 lbs. 7 oz.\$64.99

(18) Rotary Indexing Table.

Cast-iron and steel. Use with industrial-type drill press sold on page 73. For layout, indexing, holding, drilling, milling, routing and shaping operations.

CONSTR. CAP. ORDER INFO: Steel-faced jaws open to 4 1/2 in. Dial calibrated in 3-minute intervals to .001-in. tolerance. 8-in. diam. table rotates 360°. Bolts to table (bolts not incl.).
9 GT 2495L—Shipping weight 41 pounds.....\$349.99

(19) Tilt Table.

Use to hold workpieces on a drill press table from 0° to 45°. Fits all drill presses.

CONSTRUCTION: Stamped steel. 6x9-in. work surface.

ORDER INFO: Mounts to existing drill press tables. Unassembled.
9 GT 29976—Shipping weight 3 pounds.....\$19.99

(20) Heavy-duty Tilt Table.

Rotates, locks at any angle between 45° and 90°, right or left.

CONSTRUCTION: Cast-iron. 8 1/2x11 1/4 in. Mounts to back of existing table. Not for use with drill press on p. 74.
9 GT 2439—Shipping weight 13 pounds.....\$36.99

(21) Drill Press Height Adjuster.

Raises or lowers table up to 36 in. with crank. Fits 2 3/4-in. diam. column.

CONSTR: Steel and aluminum. Adjusts in precise increments.
9 GT 27587—Shipping weight 5 lbs. 4 oz.\$64.99

(22) Adjustable Hold-down and Guide

CONSTR. CAP: Cast-iron. Adjusts to accommodate workpieces to 5 in. thick. Fits most drill presses. Bolts to table.

ORDER INFO: Bolts not included.
9 GT 2457—Wt. 5 lbs. 2 oz.\$19.99



QUALITY BY DESIGN

...features like these on our 12-inch Band Saw-Sander represent the quality that's built into every CRAFTSMAN® tool

- A** Easy-to-use spring-loaded tension-adjustment knob lets you regulate proper tension for operation. Tension scale indicator shows degree of tension
- B** Permanently lubricated and sealed ball bearings in upper/lower wheel assembly for smooth operation
- C** Built-in work light illuminates work area
- D** Blade guides have micro adjustments with sight lines for quick, accurate adjustments
- E** Die-cast aluminum worktable tilts 45° for bevel cuts
- F** Rugged one-piece die-cast aluminum frame
- G** Balanced die-cast aluminum wheels provide dependable operation

CRAFTSMAN® 12-inch Band Saw-Sander

Cuts curves and intricate contours in wood up to 6x12 in. wide, plastic laminates, tiles; accepts speed reducer for metal-cutting. Sands hard-to-reach crevices in wood workpieces

Band Saw-Sander alone **\$309⁹⁹**

(1) Band Saw-Sander alone

Overall measures 38x26x14½ inches deep. Built-in light illuminates work area. UL listed. Meets "UL Standard 987 for Safety".

USES: Ideal for general-purpose sawing, plus cutting intricate shapes. Cuts wood, plastic laminates, floor tiles, more. Cut metal with speed reducer (6), metal-cutting blades (12, p. 77) sold sep. Replace blade with sanding belt (incl.) for finishing wood.

DRIVE MECHANISM: Balanced 12¾-in. drive, idler wheels revolve on permanently lubed ball bearings. Knob for adjusting blade tension. Micro-adjustable upper, lower blade guides.

CUTTING CAPACITY: Cuts wood up to 6x12 inches wide. FRAME, TABLE: Cast aluminum. 14x12½ in. table tilts 45° for bevel cuts. ¾x¾-in. groove for miter gauge (not included, order (3) at right).

INCLUDES: ¼x80-in. skip-tooth blade; ½x80-in. sanding belt; sanding platen; machine, motor pulleys; V-belt; belt-pulley guard. Pull-on/push-off switch with removable locking key. 6-ft., 3-wire cord; built-in receptacle for connecting 115-volt motor.

ORDER INFO: See stationary bench power tool warranty on page 62. 9 GT 2433N—Wt. 74 lbs. ...\$309.99

Band Saw-Sander with motor, legs MOTOR: Capacitor-start, ½-HP motor (9 GT 1279C). 1725 rpm. 115-v., 60-Hz. AC. 660 full-load input watts. Comes with 4-ft., 3-wire cord.

LEGS: 18-gauge steel. Adjustable rubber-padded leveling feet resist creeping. Shipped unassembled.

ORDER INFO: Warranties, p. 62, 90. Shipping weight 120 lbs.

9 GT 24331N\$429.99

(2) Band Saw Rip Fence. For ripping evenly at pre-set widths to 5 in. Single-lock knob. Includes fittings. 9 GT 23433—Wt. 3 lbs.\$29.99

(3) Miter Gauge. For use with band saws (1) and (5) and most other saws with ¾x¾-in. deep miter slots. Locks at any angle from 0° to 60° right or left. Use with stop rods and hold-down clamps sold on page 65. Shipping weight 2 lbs. 9 GT 29929\$23.99

(4) Extension Table

Attaches to worktable side of band saw-sander (1) or band saw (5) below for a total work area of 14x22½ in. CONSTRUCTION: Solid, formed steel. 14x10 inches.

ORDER INFO: Hardware included. Shipping weight 7 pounds. 9 GT 24302\$31.99

(5) CRAFTSMAN® 10-inch Motorized Band Saw **\$269⁹⁹**

Cuts wood to 4x10 in. wide . . . also cuts plastic, tiles

38x26x14½ in. deep overall. UL listed. Meets "UL Standard 987 for Safety". USES: Ideal for general-purpose sawing, plus cutting of intricate contours. Cuts wood, plastic laminate, floor tile and more.

DRIVE MECHANISM: Direct-drive. Balanced 8-inch drive and 12¾-inch idler wheels revolve on sleeve and permanently lubricated ball bearings. Knob lets you quickly adjust blade tension.

CUTTING CAPACITY: Cuts wood up to 4x10 inches wide. FRAME, TABLE: Cast aluminum. 14x12½-inch table tilts 45° for making bevel cuts. Has ¾x¾-in. groove for miter gauge (not included).

INCLUDES: ½x72½-inch skip-tooth blade (order extra blades on opposite page). Pull-on/push-off switch with removable locking key. 6-ft., 3-wire cord.

MOTOR: Built-in, 1725-rpm, ½-HP motor. 115-volt, 60-Hertz. AC. 500 full-load input watts. Has 6-foot, 3-wire cord.

ORDER INFO: See full one-year warranty for CRAFTSMAN® stationary power bench tools on page 62. Order steel leg set (9 GT 22236C) on page 57. Order rip fence (9 GT 23433) and extension table (9 GT 24302), above. Order miter gauge (9 GT 22574) on page 55. Order circle-cutting attachment (9 GT 24301) at right. See "N" suffix note on page 91. 9 GT 2444N—Shipping weight 55 pounds\$269.99

Accessories for band saws



(6) Speed Reducer for band saw-sander (1)

Reduces saw blade speed to 135 ft. per min. 21.5 to 1 reduction. Lets you use metal-cutting blades on steel, non-ferrous metals, brass, aluminum.

CONSTR: Steel. Motor mounts on reducer. Switch from reduced to normal by changing belt position.

ORDER INFO: Use with 1725-rpm motor only. Incl. mounting bracket, adjusting rod. Not for (5). Fits most Craftsman 12-in. band saws. Use with legs (9 GT 22236C) in outfit at left, or with stand (9 GT 22213C) p. 57. Wt. 14 lbs. 1 oz. 9 GT 23896\$129.99



(7) Replacement Sanding Belts for band saw-sander

Each is 80x½ inches wide. Medium-fine grit.

ORDER INFO: Package of 5. Shipping weight 6 oz. 9 GT 22361 ...Pkg. \$5.99



(8) Circle-cutting Attachment for (1), (5)

Cut up to 12-in. diameter circles in wood, plastic. Will cut thin, non-ferrous metals when used with band saw-sander (1). Easy set-up and operation.

ORDER INFO: Hardware incl. Also fits Craftsman 9-2420, 9-2429, 9-2434, 9-2435.

Shpg. wt. 1 lb. 9 oz. 9 GT 24301\$22.99

Save

\$24⁹⁸

when you buy
Band Saw-Sander with
½-HP motor, legs


Sep. prices total
\$454.97 here and on
pages 57 and 89

\$429⁹⁹





Choose a Band Saw Blade to suit your cutting job



(9 thru 12) Band Saw Blades. Alloy steel. Endless.

Materials you can saw	Length x width, in.	Teeth per in.	Catalog Number	Wt. oz.	Price Each
(9) Regular-tooth Blades for solid wood					
Wood	62 x 1/4	6	9 GT 26641	2	\$4.49
Wood	62 x 3/8	6	9 GT 26642	3	4.49
Wood	72 1/2 x 3/8	6	9 GT 26575	4	4.29
Wood	72 1/2 x 1/2	6	9 GT 26576	3	4.29
Wood*	78 x 1/4	6	9 GT 26572	3	4.49
Wood	80 x 1/4	6	9 GT 26232	3	4.49
Wood	80 x 3/8	6	9 GT 26233	4	4.49
Wood	80 x 1/2	6	9 GT 26234	5	4.49
(10) Blades for extra-fast cutting of thick wood Skip-tooth Blades					
Wood, plastic	72 1/2 x 1/4	4	9 GT 26574	4	\$4.29
Wood	72 1/2 x 3/8	4	9 GT 26573	5	4.29
Wood	80 x 1/4	4	9 GT 26595	3	4.49
Wood	80 x 3/8	4	9 GT 26596	4	4.49
Wood	80 x 1/2	4	9 GT 26597	5	4.49
Wood	80 x 3/8	7 1/2	9 GT 26577	2	4.49
Wood	72 1/2 x 1/2	7 1/2	9 GT 26578	2	4.29
Hook-tooth Blades. Professional-quality. Hard tooth.					
Wood	80 x 1/4	4	9 GT 26585	4	\$5.79
Wood	80 x 3/8	4	9 GT 26586	5	5.79
Wood	80 x 1/2	3	9 GT 26598	5	5.79
(11) Regular-tooth Blades for thin materials such as thin plywood, thin wood. Also for veneer, plastic					
Wood*†	54 x 3/8	15	9 GT 26582	2	\$4.49
Thin plywood only	80 x 1/8	15	9 GT 26592	2	4.49
Plywood	80 x 1/4	15	9 GT 26593	3	4.49
(12) Steel-cutting Blades. Blades for non-ferrous metals					
Steel*	54 x 3/8	24	9 GT 26255	2	\$5.29
Steel*	80 x 1/4	14	9 GT 2625	4	7.49
Brass, non-ferrous metals	80 x 1/4	10	9 GT 2624	3	4.49

*Fine-tooth †Also for chipboard, hardboard
*Must also use speed reducer on page 76

11-ft. Blades for former band saw 9-2360 (not shown)

For material	Width	Teeth per in.	Cutting Depth	Catalog Number	Wt. oz.	Price Each
Wood...	1/4	6	For wood to saw's size limit	9 GT 27151	5	\$8.79
Wood...	3/8	6		9 GT 27152	7	8.79
Wood...	1/2	6		9 GT 27153	10	8.79
Metal...	1/4	18	0-1/4 in.	9 GT 27525	5	9.79
Metal...	3/8	14	1/8-1/2 in.	9 GT 27526	7	9.79
Metal...	1/2	10	1/2-2 in.	9 GT 27527	9	9.79

CRAFTSMAN® Belt-disc Sander

Rough-sands for shaping and fine-sands for high-gloss finishing... versatile enough to handle straight or beveled edges, inside curves and even irregular-shaped pieces

Sander alone
\$229⁹⁹



Use 9-inch diameter sanding disc to finish ends of long boards at 90° or at a 45° bevel



Sand board edges with 6x48-inch belt... remove backstop to work with pieces over 15 inches long



Save \$25

when you buy
Belt-disc Sander
Outfit

Separate prices total
\$374.97

\$349⁹⁷

Includes sander,
stand and motor



Sand inside curves on belt-disc idler drum... 3-inch diameter drum can finish curves of 1 1/2-inch radius or larger



End-finishing is easy because the sanding belt tilts and locks at any angle from 0° to 90° (horizontal to vertical). Table can be used with either belt or disc



13

Caster Set for stand
\$39⁹⁹

Belt-Disc Sander Outfit. Includes sander, motor and stand. UL listed. Meets "UL Standard 987 for Safety".

BELT, DISC: 6x48-in. belt tilts, locks. Removable backstop braces work-piece. Belt travels about 2100 ft. per min. Disc rotates at approx. 2700 rpm. Adjustable belt tension, tracking. 9-in. diameter disc.

TABLE, BASE: Removable, 6 1/2 x 12-in. cast aluminum table tilts to 45° for bevel sanding; 3/4 x 3/8-in. groove for miter gauge (not incl., order (3) on p. 76). Drive shaft, pulleys revolve on perm. lubed ball bearings.

STAND: Steel. Rubber-padded leveling feet adjust to uneven or sloping floors, resist creeping and marring of floors. 19 1/2 x 15 1/4 in.

MOTOR, ELECTRICAL INFO: Capacitor-start, 3/4-HP, 3450-rpm motor (9 GT 1226C). Pre-lubricated sleeve bearings. Runs on 115-v., 60-Hz. AC. 4-ft., 3-wire cord. 1000 full-load input watts. Tool has lockable pull-on/push-off switch; 6-ft., 3-wire cord, receptacle for motor.

INCLUDES: 1 medium-grit sanding disc, belt; machine, motor pulleys; guard with 2 1/2-in. diameter coupling for vac (vac not incl.); V-belt.

ORDER INFO: Unassembled. Warranties: for tool, p. 62; motor, p. 90. 9 GT 22592N—Shipping weight 128 pounds.....Outfit \$349.97

Sander alone. Sander described above, but without motor or stand. 9 GT 2259L—Shipping weight 67 pounds\$229.99

Stand alone. Fits sander above, shaper on page 72. Unassembled. 9 GT 22213C—Shipping weight 39 pounds\$59.99

Motor alone. Fits sander above. 9 GT 1226C—Shipping weight 22 pounds.....\$84.99



Turn wood into a number of decorative and useful items with a 12-in. CRAFTSMAN® Wood Lathe and Accessories

You can make table and chair legs, chair spindles, lamp bases, cookie jars, bowls, candle holders and many other items . . . add sizing gauge, copy crafter and sanding table for versatility



Use
Sears Credit

Lathe
alone
\$229⁹⁹

Lathe with
motor
\$309⁹⁹

Save \$100
when you buy lathe
with motor and bench

Sep. prices total \$543.89
here and on pages 89, 140
\$443⁸⁹

LATHE CONSTRUCTION: 19x11x54½ in. long. Heavy cast-iron head, tailstock have No. 1 Morse taper. Cast-iron tool rest base helps eliminate chatter. Steel tubing bed is 45½ in. long, has 2½-in. diameter. Spindle turns on permanently lubed ball bearings. ¾-16 threaded spindle.

CAPACITY, CONTROLS: Turning capacity of 12 inches over bed for faceplate turnings, 8-inch diameter over tool rest, 37 inches between centers. Hinged belt guard eases speed changes. Side-mounted chart helps you select proper speed for job. Convenient-to-use front-mounted hand levers let you lock tool rest, tool rest base, tailstock and ram in position. Tailstock slides along bed, hand-wheel advances ram to 2¾ inches. Index pin in headstock for settings to 36 equal spacings.

MOTOR: Capacitor-start, 1725 rpm, ½-HP motor (9 GT 1279C). Sleeve bearings. 4-step machine and motor pulleys for speeds of 875, 1350, 2250 and 3450 rpm.

ELECTRICAL INFORMATION: Tool has pull-on/push-off switch with key; 6-foot, 3-wire cord. Motor runs on 115-volts, 60-Hertz, AC. 660 full-load input watts. 4-foot, 3-wire cord. Plugs into receptacle on lathe switch.

INCLUDES: 4-step machine and motor pulleys; V-belt; 6-inch and 12-inch tool rests; spur and cup centers (No. 1 Morse taper); operating instructions.

WORKBENCH CONSTRUCTION: Steel frame with five 4¼-inch deep steel drawers, 1 locking steel door and 2 steel shelves. Industrial-grade hardboard top. For complete construction info., see Craftsman workbenches and accessories on pages 140 and 141. Unassembled.

ORDER INFO: See tool warranty on page 62 and motor warranty on page 90. Order woodturning tools on opposite page.

(1) **Lathe with motor and workbench**
Separate prices total \$543.89 here and on pages 89 and 140. Shipping weight 204 lbs.

9 GT 22818N Outfit \$443.89

Lathe with motor (not shown). **Save \$9.99.** As above, but without workbench. Separate prices total \$319.98 here and on page 89.

9 GT 22816N—Wt. 83 lbs. . . . \$309.99

Lathe alone (not shown).

As above, but without motor or workbench. UL listed. Meets "UL Standard 987 for Safety". See "N" suffix note on page 91.

9 GT 2280N—Shpg. wt. 63 lbs. \$229.99

(2) Diameter Sizing Gauge

Size various diameters along length of a turning spindle without resetting caliper for each diameter.

CONSTRUCTION, CAPACITY: Steel and plastic. 12 indicator arms, 16ths-inch, mm. markings. For turnings up to 6 inches in diameter and up to 36 inches long.

ORDER INFO: Order parting tool (5) on next page. For most Craftsman wood lathes.

9 GT 24909C—Shipping weight 6 pounds \$49.99

Lathe Gauge Set (not shown). Additional indicators for sizing gauge (2) above. Package of 6.

9 GT 24911—Shipping wt. 1 lb. 4 oz. . . . Package \$11.99

(3) Copy Crafter for wood lathe

Make identical spindles for chairs, table legs quickly and easily. Follow outline of original turning or template; cutting tool duplicates workpiece. Helps eliminate costly mistakes, wasted wood. Won't interfere with normal lathe operation. Spindle turnings up to 2½ in. in diameter, 36 in. long can be duplicated from original turning; up to 8 in. in diameter, 36 in. long from template. Shallow faceplate turning up to 8 in. in diameter can be duplicated from template. Bit gives shear-type cut, doesn't scrape turning.

CONSTR: Made of cast iron, steel. 36½x11x3¼ in.

ORDER INFO: Includes stone for sharpening bit, hardware and operating instructions.

9 GT 24907C—Shipping weight 40 pounds . . . \$119.99

Replacement Bit for Copy Crafter. High-speed tool steel.

9 GT 24908—Shipping weight 1 ounce \$4.79

QUALITY BY DESIGN

...features like these on our wood-turning tools represent the quality that's built into every CRAFTSMAN® tool

- A** High-speed steel cutting edge with precision-ground tips that hold their edge
- B** Steel blade is triple-tempered for strength
- C** 10-in. long hardwood handle for sturdy, secure positioning of cutting edge
- D** Tight grooves for positive grip



There's a CRAFTSMAN® Wood-turning Tool specially designed for every operation

(1 thru 12) CRAFTSMAN® Wood-turning Tools. Triple-tempered, 4½-in. long tool steel blade. High-speed steel cutting edge; precision-ground tips hold their cutting edge longer than ordinary carbon tool steel. 10-in. long hardwood handles.
ORDER INFO: See hand tool warranty on page 107.

Tool	Catalog Number	Shpg. wt.	Price
(1) ¼-inch Gouge.....	9 GT 28521	5 oz.	\$7.49
(2) ½-inch Gouge.....	9 GT 28522	6 oz.	7.99
(3) ¾-inch Gouge.....	9 GT 28523	8 oz.	9.79
(4) ½-inch Round Nose ...	9 GT 28525	8 oz.	7.49
(5) ½-inch Parting Tool ...	9 GT 28526	5 oz.	7.49
(6) ½-inch Spear Point ...	9 GT 28524	8 oz.	7.69
(7) ½-inch Skew Chisel	9 GT 28527	7 oz.	7.49
(8) 1-inch Skew Chisel	9 GT 28528	8 oz.	9.79
(9) Half-round	9 GT 28531	9 oz.	9.79
(10) Full-round	9 GT 28532	9 oz.	9.79
(11) Left Skew	9 GT 28533	9 oz.	9.79
(12) Right Skew	9 GT 28534	9 oz.	9.79

12-pc. Set of Wood-turning Tools. Incl. (1 thru 12) above.
Sep. prices total \$104.38.

Shpg. wt. 5 lbs. 13 oz.
9 GT 2867Set \$84.99

8-pc. Set of Wood-turning Tools. Incl. (1 thru 8) above.
Sep. prices total \$65.22.

Shpg. wt. 3 lbs. 8 oz.
9 GT 2859Set \$54.99



4-pc. Set of Spindle-turning Tools. Incl. (3, 4, 5, 8) above.
Sep. total \$34.56.

Shpg. wt. 1 lb. 14 oz.
9 GT 2853Set \$30.99

4-pc. Set of Faceplate-turning Tools. Incl. (9 thru 12) above.
Sep. total \$39.12.

Shpg. wt. 2 lbs. 5 oz.
9 GT 2869Set \$33.99

(13) 8-pc. Precision/Hobby Tool Set. Tempered high-speed steel blades, 3½ in. long. Ground tips. 5½-in. long hardwood handles. Use with large lathes or small hobby lathes.

ORDER INFO: Wt. 1 lb. 6 oz.
9 GT 2984Set \$35.99



(14) Work Arbors. 2 steel flanges, nut on head clamps wheels. ½-20 thread.

No. 1 Morse Taper
Wt. 8 oz.

9 GT 21534\$5.59

No. 2 Morse Taper
Wt. 10 oz.

9 GT 21522\$5.59

(15) Work Arbors. 3⅞ in. long. 2½ in. spindle. ½-20 thrd. Carbon-steel arbor. 2-in. steel flanges. Wire brushing, buffing, sanding only. Max. 1,750 rpm.

½-inch bore. Wt. 9 oz.

9 GT 21643\$3.29

¾-inch bore. Wt. 10 oz.

9 GT 21644\$3.99

(16) Work Arbors with Chuck. 3-jaw screw-on. ½-in. capacity. ½-20 thread.

No. 1 Morse Taper
Wt. 1 lb. 2 oz.

9 GT 22344\$8.99

No. 2 Morse Taper
Wt. 1 lb. 4 oz.

9 GT 22472\$8.99

(17 thru 21) Morse Taper Centers

ORDER INFO:

Tool	Description	Catalog Number	Wt. oz.	Price
(17)	No. 1 60-degree No. 2 60-degree	9 GT 21102 9 GT 21112	2 5	\$4.49 4.99
(18)	No. 1 60° Ball Brg. No. 2 60° Ball Brg.	9 GT 21122 9 GT 21132	7 10	9.99 11.29
(19)	No. 1 Tailstock Cup No. 2 Tailstock Cup	9 GT 21002 9 GT 21012	2 4	4.49 4.99
(20)	No. 1 Screw No. 2 Screw	9 GT 21164 9 GT 21152	5 6	6.19 6.19
(21)	No. 1 Spur No. 2 Spur	9 GT 21062 9 GT 21072	3 6	4.99 6.19

Draw Bolt (not shown). Use to secure center (9 GT 21164) and work arbor (9 GT 21534) at left to spindle.
9 GT 21542—Shpg. wt. 2 oz.\$1.69

(22 and 23) Centers. Fit ⅝-inch arbors.

(22) Tailstock Cup
9 GT 21022—Shpg. wt. 4 oz.\$4.99

(23) Headstock Spur
9 GT 21052—Shpg. wt. 4 oz.\$5.59

(24) 6-inch Face Plate
Made of cast iron. Six holes. For ¾-16 threaded arbor.
Shpg. wt. 2 lbs. 12 oz.

9 GT 24904\$17.99

(25) 4-in. Face Plate. Cast iron. 6 holes. For ¾-16 threaded arbor. Wt. 1 lb. 4 oz.
9 GT 2489\$12.99

4-in. Face Plate (not shown). Cast iron. 8 holes. For ¾-16 threaded arbor. Wt. 1 lb. 4 oz.
9 GT 23865\$9.99

(26) 3-in. Face Plate
Cast iron. For ¾-16 threaded arbor. Wt. 1 lb. 2 oz.
9 GT 20912\$14.49

(27) Bowl Turning Rest
Cast iron. ⅞-inch diameter shank. For inside and contour cuts. Wt. 3 lbs. 8 oz.
9 GT 24903\$19.99

(28) Sanding Disc
9-inch diameter. ¾-16 threaded. Includes 1 sanding disc. Shpg. wt. 1 lb. 9 oz.
9 GT 24906\$16.99

(29) Speed Reducer. Reduces as low as 300 rpm with 1,725 rpm, 48 or 56-frame motors. Wt. 8 lbs. 2 oz.
9 GT 23895\$42.99

Gouges are used for reducing a workpiece to a round of approximate desired size and for cutting coves, long curves



A roundnose chisel is used for cutting coves and smoothing curved surfaces at right angles to spindle axis



A parting tool is used to cut straight into the workpiece as deep as desired




A spear point chisel is used for cleaning out corners, cutting shallow vees and beads and for smoothing deeper ones



Skews let you make a shearing cut for the smoothest possible finish. Use to cut vees, beads, and to square shoulders



Faceplate work: use half, full-round tools to hollow bowls or cut curved edges of plates; left, right skews cut flat surfaces



(30) Lathe Sanding Table
For accuracy in sanding large or small stock. Allows bevel, surface or edge finishing.

CONSTRUCTION: Steel, aluminum. 6½x12-inch table tilts 45° for bevel sanding. ⅞x⅝-inch groove for miter gauge (not included, order miter gauge (3) on page 76). Plastic guard. 2½-inch opening for attaching Wet-Dry Vac (not incl.).
ORDER INFO: Use with disc (28) at left, below. Fits most Craftsman wood lathes.
9 GT 24922—Shpg. wt. 10 lbs.\$49.99

Accessories for our former 12¼-in. metal lathe

(31) Crotch Center. For cross-drilling round work. V-slot. Steel.
ORDER INFO: No. 2 Morse taper.
9 GT 21142—Wt. 12 oz.\$6.79

(32) Keyless Chuck. 3-jaw, screw-on, knurled. For ½-20 thread spindle.
9 GT 22482—¼ in. Wt. 3 oz.\$2.89
9 GT 22562—½ in. Wt. 10 oz.4.49

(33) Adapter
No. 2 to No. 1 Morse taper.
9 GT 21612—Wt. 4 oz.\$5.59

Indoors or out, these CRAFTSMAN®

QUALITY BY DESIGN
... features like these on our best Wet-Dry Vac represent the quality that's built into every CRAFTSMAN® tool



- A** Double-insulated heavy-duty motor with ball bearings
- B** Patented bleed-off system increases air velocity for increased suction power
- C** Float guide for reliable positive shut-off during liquid pick up... no overfill
- D** Neoprene float gasket, filter gasket and lid gasket remain flexible ... won't crush or crack causing leaks
- E** Semi-permanent wet-dry filter cartridge of phenolic-impregnated paper is washable and reusable



16-gallon Vac holds
1.8 bushels of dry debris,
13 gallons of liquid

\$139⁹⁹



32-gallon Vac holds 3.5 bushels
of dry debris, 26 gallons of liquid

\$169⁹⁹

CRAFTSMAN® Large-capacity Wet-Dry Vacs for really big clean-ups

Lab tests prove these vacs to be fast and efficient:

- **Sawdust:** Picked up 1/2 bushel of fine, dry sawdust in less than 6 seconds
- **Nails:** Picked up over 9 lbs. of 7/8-inch roofing nails in less than 15 seconds
- **Spackling Powder:** Picked up 1/2 bushel of powder in less than 11 seconds
- **Liquid:** Picked up 1 gallon of standing water in less than one second
- **Gravel:** Picked up more than 40 lbs. (3/8-inch average diameter) in 30 seconds

(1 and 2) CRAFTSMAN® Large-capacity Wet-Dry Vacs

Equipped with our most powerful utility vac motor. Develops 175 cubic feet per minute suction power to pick up sawdust, water, gravel and even nails.

MOTOR: Sealed ball bearings for quiet operation and long life. High-efficiency blower wheel, patented air-venting system and large exhaust port help generate high-velocity air flow for strong pick up power. Converts to blower action when hose is placed in exhaust port. Suction shuts off automatically when tank is full during wet pick-ups. On-off switch mounted on side of motor housing.

FILTER: Semi-permanent filter cartridge made of phenolic-impregnated paper. Filter remains in vac during wet and dry pick-ups. Filter is reusable and washable... simply remove, rinse, return to vac.

TANK: High-impact polypropylene plastic won't dent, peel or rust. Steel lid with plastic motor housing. Neoprene foam rubber lid gasket. Tank lid snaps off for dumping dry debris; convenient side-mount drain for emptying liquid. 4-caster dolly assembly provides mobility.

ACCESSORIES: Includes 2 1/2-in. diam., 6-ft. flexible hose, utility nozzle. Use 2 1/2-in. diameter accessories, p. 81.


ELECTRICAL INFO: Double-insulated. For 2-prong outlet. 110-120-v., 60-Hz. AC. 16-ft., 2-wire cord. UL listed.

ORDER INFO: See "N" suffix, page 91, warranty, p. 81.

Item	Tank		Capacity		Catalog Number	Shpg. wt.	Price
	Ht.	Diam.	Wet	Dry			
(1) 16 gal.	28 3/4 in.	22 in.	13 gal.	1.8 bu.	9 GT 1782N	33 lbs.	\$139.99
(2) 32 gal.	34 3/4 in.	26 1/4 in.	26 gal.	3.5 bu.	9 GT 1797N	37 lbs.	169.99

Vacs are so versatile, they will lift virtually any debris, wet or dry,

that will pass through the hose . . . quickly and efficiently



Drain clogged sinks

Clean wet or flooded basement

Vacuum car or van

Clean deck or patio

Clean power tools

Pick up broken glass and wood chips



12-gallon Vac holds 1.2 bushels of dry debris, 7.5 gallons of liquid

\$119⁹⁹

FULL ONE-YEAR WARRANTY ON CRAFTSMAN® WET-DRY VACS:

If, within 1 year from date of purchase any of these Vacs fails due to a defect in material or workmanship, Sears will repair it, free of charge. Warranty service is available by simply returning it to the nearest Sears store or Service Center throughout the United States. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.



8-gallon Vac holds .8 bushel of dry debris, 5 gallons of liquid

\$89⁹⁹



6-gallon Vac holds .6 bushel of dry debris, 3.75 gallons of liquid

\$69⁹⁹



5-gallon Vac holds .45 bushel of dry debris, 2.8 gallons of liquid

\$44⁹⁹



(3 thru 6) CRAFTSMAN® Wet-Dry Vacs in 5, 6, 8 and 12-gallon capacities
MOTOR: Sealed ball and sleeve bearings for quiet operation. High-efficiency blower wheel and patented bleed-off vents. Converts to blower action when hose is placed in exhaust port. Suction shuts off automatically when tank is full during wet pick-ups. On-off switch located on top of motor housing.
FILTER: Semi-permanent filter is washable and reusable. Made of phenolic-impregnated paper and urethane. Remains in vac during wet or dry pick-ups.
TANK: Rustproof polypropylene tank. Snap-off lid. Swivel hose for reaching into corners and crevices without twisting vac hose. Hose strap aids in maneuverability, stability. Sturdy 4-caster dolly assembly.
INCLUDES: 1½-in. diam., 6-ft. hose, utility nozzle. Use 1½-in. or 2½-in. diam. access. sold below.
ELECTRICAL INFORMATION: 110-120-volt, 60-Hz., AC. UL listed.
ORDER INFO: See warranty at left. For item (3), see "N" suffix note on page 91.

Item	(3) 12-gal. Vac	(4) 8-gal. Vac	(5) 6-gal. Vac	(6) 5-gal. Vac
Dry Capacity	1.2 bushels	.80 bushel	.60 bushel	.45 bushel
Liquid capacity	7.5 gals.	5.0 gals.	3.75 gals.	3.25 gals.
Suction	120 CFM*	60 CFM*	56 CFM*	52 CFM*
Height	29½ in.	24¾ in.	21¼ in.	17½ in.
Hose nozzle diameter	2½ in.	1½ in.	1¼ in.	1¼ in.
Cord length	15 feet	9 feet	9 feet	6 feet
Catalog Number	9 GT 1781N	9 GT 1780L	9 GT 1779L	9 GT 1778L
Shipping weight	23 lbs.	22 lbs.	20 lbs.	18 lbs.
Price	\$119.99	\$89.99	\$69.99	\$44.99

*Cubic feet per minute

With Accessories below, vacs do all the above jobs and more

(10 thru 16) CONSTRUCTION: Made of plastic, except vinyl plastic extension hose (10). Wet nozzle (15) has rubber squeegee insert.

Item	Description	Catalog Number	Wt. lbs. oz.	Price	Catalog Number	Wt. lbs. oz.	Price
2½-inch diameter					1½-inch diameter		
(10)	Ext. Hose†	9 GT 17818C	2 4	\$10.49	9 GT 17866	1 7	\$9.49
(11)	Ext. Handle	9 GT 16964*	1 6	8.59	9 GT 17861B	1 12	7.59
(12)	Crevice Tool	9 GT 16902	...	4.89	9 GT 17863	...	3.89
(13)	Car Nozzle	9 GT 16978	...	4.89	9 GT 17868	...	3.89
(14)	Dusting Brush	9 GT 16901	...	4.89	9 GT 17862	...	3.89
(15)	Wet Nozzle	9 GT 17817	...	14 8.59	9 GT 17826	...	12 7.59
(16)	Dry Nozzle	9 GT 16925	...	12 8.59	9 GT 17825	...	10 7.59

†6 feet long; connector for joining 2 hoses

*2 pieces; 44¼ in. long when assembled ‡2 pieces; 38 in. long assembled

Save \$5.56 when you buy 6-piece Accessory Kit

6-piece Accessory Kits. Include extension handles, crevice tool, dusting brush, wet nozzle and dry nozzle.

For vacs with 1½-in. diameter connector. *Separate prices total \$30.55.*

9 GT 17869—Shpg. wt. 2 lbs. 6 oz.Kit \$24.99

For vacs with 2½-in. diam. connector. *Sep. prices total \$35.55.*

9 GT 16919—Shpg. wt. 5 lbs. 3 oz.Kit \$29.99



Vac Filters

(7) Semi-permanent Wet-Dry Cartridge Filters

CONSTR: Styrene and phenolic-impregnated paper filters remain in vac for wet or dry pick-ups. Washable and reusable. ORDER INFO: Order appropriate filter from chart below.

For use with the following wet/dry vacs	Catalog Number	Wt. lbs./oz.	Price
9-1782, 9-1786, 9-1796, 9-1797	9 GT 17804	2 4	\$9.19
9-1785, 9-1792, 9-1787, 9-1788, 9-1793, 9-17802, 9-17851, 9-17855, 9-17885, 9-17871, 9-17881, 9-17931	9 GT 17809	1 8	7.99
9-1778, 9-1779, 9-1780, 9-1781	9 GT 17812	1 8	7.99

(8) Cloth Filter Bag. Use with (9) below. Fits former 9-1785, 9-17821, and 9-17831 only.

9 GT 16967—Shipping weight 1 oz.\$3.69

(9) Paper Filter Bags. Use with (8) above. Package of 5.

9 GT 16946—Shpg. wt. 2 oz.Pkg. \$2.89





New at Sears! Stainless Steel Industrial Wet-Dry Vac Outfit

- Picks up corrosive-type liquids or mixtures such as cleansing agents that may be harmful to conventional steel tanks
- Picks up dirt and other debris
- Heavy-duty Vac Cart lets you move vac easily . . . even up and down stairs

(1) Stainless steel Industrial Wet-Dry Vac

MOTOR: Stainless steel vac has powerful 1.7-peak HP, two-stage motor. Provides 102 cubic feet per minute air flow to lift dirt, nails, chips and mildly corrosive liquids or mixtures that may be harmful to other steel tanks. Float shuts off suction when liquid capacity is reached, eliminates risk of overflow.

ACCESSORIES: 12-ft., 1 1/2-inch diam. crushproof hose, interlocking chrome-plated extension wands, 14-in. wide master nozzle, brush shoe, rug shoe and squeegee shoe. Heavy-duty cart has two 10-in. diameter wheels to provide easy mobility.

ELECTRICAL INFO: 120-v., 60 Hz, 18-ft., 3-wire cord. **ORDER INFO:** Warranted by Shop Vac Co.; write for free copy, see p. 91; see "N" note, p. 91.

Size	Tank	Capacity	Catalog	Shpg.	Price		
	Ht.	Diam.	Wet	Dry			
10 gal.	22½ in.	15 in.	7½ gal.	10 gal.	T 9 GT 1761N	52 lbs.	\$389.99
20 gal.	30 in.	17 in.	16¼ gal.	20 gal.	T 9 GT 1762N	60 lbs.	449.99



(1) Pedestal Stand for bench grinders

CONSTR: Tubular steel post is 2 3/4-in. diam. Cast-iron base has holes for bolting to floor (bolts not incl.). 7 1/2 x 8 7/8-in. table fits all Craftsman grinders (not incl.) except 9-1911, 9-1912, 9-1913 and former 9-1931, 9-1932, 9-1933. **Unassembled.** **ORDER INFO:** Wt. 32 lbs. 9 GT 2964C . . . \$59.99

(2) Grinding, Sharpening and Polishing Wheels. Fine grit for knives, keen-edge tools, finishing, polishing. Med.-fine grit for axes, wood-cutting tools, preparation for finishing. Med.-coarse grit for mach. shop. **CONSTR:** Aluminum-oxide grains. 5-in. and 6-in. sizes fit 1/2-in. shaft; 7-in. fits 3/8-in. shaft, bushed for 1/2-in. shaft; 8-in. size fits 3/4-in. shaft.

ORDER INFO:

Size in.	Catalog Number	Wt. lbs. oz.	Price each
Fine, 100 grit			
5x1/2	9GT64243	14	\$3.79
6x3/4	9GT64321	1	13 6.19
7x1	9GT64353	3	4 7.39
8x1	9GT64354	4	4 8.49
Medium-fine, 60 grit			
5x1/2	9GT64244	14	\$3.79
6x3/4	9GT64211	1	14 6.19
7x1	9GT64324	2	9 7.29
8x1	9GT64214	3	6 7.39
8x1	9GT64355	4	8 8.49
Medium-coarse, 36 grit			
5x1/2	9GT64245	15	\$3.79
6x3/4	9GT64232	1	13 6.19
7x1	9GT64323	2	7 7.29
8x1	9GT64235	3	8 7.39
8x1	9GT64236	4	10 8.49

(3) Grinding Wheel for sharpening twist drill bits Use with attachment (6) for side grinding.

CONSTR: Alum.-oxide grains. 6x1 in. thick wheel has 3/8-in. center hole, bushed for 1/2-in. shaft. 60 grit.

ORDER INFO: See safety note, opposite page.

Shpg. wt. 2 lbs. 2 oz. 9 GT 64222 . . . \$7.29

Grinding Wheel for sharpening carbide-tipped tools (not shown).

CONSTR: Fine (100) grit. Use wet or dry. Vitrified (crystallized) green silicone carbide. 6x1/2-in. thick wheel has 1/2-in. arbor hole.

ORDER INFO: See safety note on opposite page.

Shpg. wt. 1 lb. 5 oz. 9 GT 64242 . . . \$7.59


(4) Grinding Wheel Dresser For dressing, shaping, removing glaze from aluminum oxide and carbide grinding wheels. Also for other grains.

CONSTRUCTION: Silicone carbide dressing stone enclosed in plastic handle

ORDER INFO: Wt. 8 oz. 9 GT 6491 . . . \$10.49



Sharpen drill bits



Remove rust



Sharpen tools



Polish metals

With these Accessories and your bench grinder, you'll be equipped to perform the above operations . . . and more

(5) Drill Bit Sharpener

CONSTR: Made of steel and plastic. Use to sharpen drill bits of any length; letters, numbers, fractions and metric sizes 1/8 to 1/2-in. diam. Rotary action feature keeps drill point on center. Fine-adjusting screw for accurate feed; cam-action feed for equal clearance on both lips. Use with pedestal-mounted and bench grinders. Grinding done on front of grinding wheel. Use med.-coarse grit grinding wheel.

ORDER INFO: Wear safety goggles. Sold on page 88.

Shpg. wt. 3 lbs. 3 oz. 9 GT 6672 . . . \$24.99

(6) Bit Grinding Attachment

Locks drill bit at proper angle for sharpening. For twist drill sizes 1/8 to 3/4 in. Nos. 1 to 30, A to Z, 3 to 19 mm.

CONSTRUCTION: Hardened steel body and cross bar. Precision-built aluminum frame. Adjustable for all popular drill point angles. Use with grinding wheel (3) sold at left. Attachment fits all Craftsman bench grinders.

ORDER INFO: See grinding safety note, opposite page.

Shpg. wt. 2 lbs. 4 oz. 9 GT 6677 . . . \$15.99

(7) Tool Holder. For sharpening chisels, screwdrivers and wood chisels. Adapts to most pedestal and bench grinders. Holds tool at proper angle when sharpening. Fine-feed adjusting screw for excellent feed control. Blade guide sharpens garden tools and long blades.

CONSTR: Cast aluminum and steel fasteners, plastic knobs. 2 3/4-inch rack and pinion travel. Measures 1 1/2 x 6 in. high. For use with all Craftsman grinders.

ORDER INFO: See grinding safety note, opposite page.

Shpg. wt. 4 lbs. 2 oz. 9 GT 19596 . . . \$29.99

(8) Flexible Flap Sanding Wheel. For sanding wood, grinding and polishing metals, fiber glass; also for removing rust. Flexible abrasive flaps allow sanding of contoured or flat surfaces. Simplifies tedious sanding normally done by hand. 1x6-inch diameter wheel, 1/2-in. arbor hole. Includes adapter for use with portable drills.

ORDER INFO: Wear safety goggles. Shpg. wt. 10 oz. 9GT64868-Fine Grit . . \$12.99

9GT64869-Med. Grit . . 11.99

(9) Commercial Production Wire Wheel

CONSTRUCTION: Double-section, heavy-duty carbon steel wire. 6-inch diameter face, 3/4 inch wide. 5/8-inch arbor hole.

ORDER INFO: See safety note on opposite page.

Shpg. wt. 1 lb. 14 oz. 9 GT 64814 . . . \$12.69

(10) Wire Wheels

Use to remove rust, paint. For wide work area, use 2 or more wheels in tandem. 1/2-in. center holes also bushed for 3/8-in. shaft. 5/8-in. center holes bushed for 1/2-in. shaft. Wheels have 3/8-in. arbor hole, except 5-in. diam. wheels have 1/2-in. hole.

ORDER INFO: See safety note, on opposite page.

Diam. in.	Width in.	Catalog Number	Wt. lbs. oz.	Price each
Fine				
5	1/2	9 GT 64818	10	\$4.49
6	19/16	9 GT 64824	15	4.99
7	1/2	9 GT 64815	1	3 6.29
Coarse				
5	1/2	9 GT 64819	11	\$4.29
6	9/16	9 GT 64812	15	4.79
7	10/16	9 GT 64816	1	3 6.29
8	1 1/16	9 GT 64813	1	10 6.79
Wide-face Coarse Wheels				
6	1	9 GT 64834	1	12 \$8.49
8	1 1/4	9 GT 64835	3	11.99

(11) Professional-quality Buffing Wheels

CONSTRUCTION: 100% industrial-grade cotton. Bias-cut edge eliminates fraying. All wheels 1/2 in. thick. 4-in. and 6-in. sizes have 1/2-inch hole; 8-in. size has 3/8-inch hole. Use with buffing compounds sold below.

ORDER INFO:

Diameter	Catalog Number	Shpg. wt.	Price each
4 inches	9 GT 64938	3 oz.	\$2.69
6 inches	9 GT 64939	4 oz.	3.19
8 inches	9 GT 64941	6 oz.	3.79

(12) Buffing Compound Set

INCLUDES: Four 3-oz. bars: emory (black), red rouge, white, Tripoli (brown). Use with buffing wheel (11) sold above.

ORDER INFO: Shpg. wt. 1 lb. 5 oz. 9 GT 2896 . . . Set \$2.49

Buffing Compound (not shown). For metal, plastic. 3-oz. bar. Use with (11) above. 9 GT 2865—Wt. 4 oz. . . . \$1.09

White Rouge Buffing Compound For buffing stainless steel, chrome, aluminum or brass. 3-oz. bar. Use with (11) above.

9 GT 2860—Wt. 5 oz. . . . \$1.09

*You'll appreciate the versatility and high-performance you get when you add a **CRAFTSMAN® Bench Grinder** to your workshop*

- Direct-drive motors... no belts or brushes to adjust or replace
- Removable wheel covers simplify wheel change
- Adjustable tool rests provide correct work angle



1-HP Grinder with 8x1-inch wheels for large-size work pieces **\$219⁹⁹**




3/4-HP Grinder with 7x3/4-inch wheels and adjustable gooseneck lamp **\$189⁹⁹**



1/2-HP Grinder with 6x3/4-inch wheels and adjustable gooseneck lamp **\$149⁹⁹**



1/4-HP Grinder with 6x1/2-inch wheels and adjustable swivel lamp **\$79⁹⁹**



Light-duty Grinder with 5x1/2-inch wheels **\$44⁹⁹**

(1 thru 5) CRAFTSMAN® Bench Grinders

MOTOR: Direct-drive motors with permanently lubricated bearings for lasting high performance.

GRINDING WHEELS: Two aluminum-oxide wheels (med.-fine, med.-coarse). Removable wheel covers.

HOUSING: Rubber mounts help reduce grinder vibration. Adjustable Lexan® plastic eye shields resist shattering; help protect operator from flying debris. Adjustable tool rest and spark arrestors. On/off switch. Grinder (1) has built-in quench tray; (2) thru (4) have removable quench tray. Flat-face models (1) thru (3) have 16-in. gooseneck lamp (use 50-watt rough service bulb, not incl.). 1/3 and 1/4-HP models have swivel lamp (use 6-watt vibration bulb, not incl.). Order bulbs below.

ELECTRICAL INFORMATION: UL listed. 60 Hz. AC. Includes 6-ft., two-wire cord.

ORDER INFO: See warranty and safety note below. For (5), use grinding wheels for 1/2-inch shaft.

GRINDER	(1) 1-HP Grinder	(2) 3/4-HP Grinder	(3) 1/2-HP Grinder	1/3-HP Grinder (not shown)	(4) 1/4-HP Grinder	(5) Light-duty Grinder
WHEEL SIZE, INCHES	8 x 1-in. diameter	7 x 3/4-in. diameter	6 x 3/4-in. diameter	6 x 1/2-in. diameter	5 x 1/2-in. diameter	5 x 1/2-in. diameter
WHEEL CLEARANCE	12 inches	11 1/2 inches	10 1/8 inches	7 3/4 inches		
HP/CAPABILITY	Develops 1 1/2 HP	Develops 1.1 HP	Develops 3/4 HP	Develops 1/2 HP	Develops 1/3 HP	(Not stated)
MOTOR	Capacitor-start, split-phase, induction-run	Split-phase, Induction-run				Shaded pole
VOLTAGE	230	115				
BEARINGS	Ball	Roller				Sleeve
THREADED SHAFT	5/8-18-in.	1/2-20-in.				3/8-24-in.
HOUSING	Flat-face aluminum			ABS thermoplastic		
OVERALL SIZE LGTH./WDTH./HGT.	20 x 11 x 12 1/2 in.	17 1/4 x 7 1/2 x 10 1/2 in.	15 1/2 x 7 1/2 x 10 1/4 in.	14 1/2 x 6 1/2 x 9 1/2 in.	10 1/8 x 5 x 7 1/2 in.	
CATALOG NUMBER	9 GT 1916L	9 GT 1915C	9 GT 1914C	9 GT 1913C	9 GT 1912C	9 GT 1911
SHIPPING WEIGHT	46 lbs.	34 lbs.	27 lbs.	18 lbs.	17 lbs.	10 lbs.
PRICE	\$219.99	\$189.99	\$149.99	\$99.99	\$79.99	\$44.99

FULL ONE-YEAR WARRANTY ON CRAFTSMAN® BENCH GRINDERS: If Grinder fails to give complete satisfaction within 1 year from date of purchase, return it to the nearest Sears store or Service Center throughout the United States, and Sears will replace it, free of charge. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

GRINDING SAFETY NOTE: Do not grind on side of wheels, except with wheel (3) sold on opposite page. Use only with straight relieved flanges as large as, or larger than diameter shown in table below. Use guard and shatter-proof glass shield covering 3/4 of wheel. Never exceed rpm shown. Wear safety goggles. Stand aside for 1 minute after starting wheel. Follow instructions on wheels. Not for use on wood.

Wheel diameter (inches)	5	6	7	8
Flange diameter (inches)	1 1/16	2	2 3/8	2 1/16
Maximum RPM	4966	4138	3600	3600

50-watt Rough-service Bulb (not shown). Fits 1, 3/4 and 1/2-HP grinders above.
34 GT 3832—Wt. 2 oz. Each \$1.79
Three for 3.99

6-watt heavy-duty Vibration Bulb (not shown). Fits 1/3 and 1/4-HP grinders.
34 GT 3803—Wt. 1 oz. Each \$2.59
Three for 5.99


The CRAFTSMAN® 2-stage Oxy-Acetylene Welding Outfit with Sav-fuel thumbwheel torch cut welding fuel costs by 42% in an actual usage test conducted by an independent testing agent

... think of the fuel savings it can mean for you!

An independent testing agent compared the efficiency of the CRAFTSMAN® Sav-fuel thumbwheel torch to a standard torch in the construction of a steel log rack. Using 16-gauge, 1-inch square steel pipe, the standard torch required \$8.08 in fuel (48 cubic feet of oxygen and 48 cubic feet of acetylene) to perform this job; whereas the CRAFTSMAN® Sav-fuel thumbwheel torch completed this operation using only 27 cubic feet of oxygen and 28 cubic feet of acetylene for a total fuel cost of \$4.66. THAT'S AN INCREDIBLE 42% SAVINGS IN FUEL AND MONEY! Of course this percentage may vary according to the type of job, but it is representative of the savings potential you may experience



- A** Exclusive thumbwheel control lets you switch back and forth between full flame and fuel-saving pilot light with an easy thumb rotation . . . lets you save money by preventing the waste of oxygen and acetylene that occurs every second a torch flame burns yet is not actually applied to work; lets you save time by eliminating constant lighting, flame adjusting and torch shut-off, which adds materially to output efficiency. Automatic pilot light lets you switch on a preset flame every time torch is started . . . once flame is established it can be turned off by thumbwheel control on torch handle; returning to full flame is as simple as pushing forward on thumbwheel and providing spark.
- B** 2-stage regulation delivers constant gas flow to torch by making continuous adjustments to compensate for dropping cylinder pressure; no job interruptions for manual adjustment
- C** Outfit includes rosebud (No. 1) heating tip which throws a wide flame to heat large areas quickly and efficiently . . . the ideal tip for working on exceptionally heavy-duty farm, industrial and construction equipment, as well as auto body repairs



Rosebud (No. 1) heating tip throws a wide flame to heat large areas quickly and efficiently

Shop By Phone



These accessories included with both torch outfits on this page

CRAFTSMAN® Sav-fuel Two-stage Oxy-Acetylene Welding Outfit with Sav-fuel thumbwheel torch
Cuts steel up to 6 inches thick, welds steel up to 5/16 inch thick with tips sold on opposite page

Save \$77.80
when you buy outfit

Outfit
\$289.99

TORCH: Forged-brass body. Needle-type valve stems. Flash-back-resistant mixer with double "O" ring for leak-free connections. Comfort-balanced handle. Reverse-flow check valves for added torch and hose life. UL listed. Includes three welding tips (Nos. 3, 5, 7) to fusion-weld steel up to 1/4 inch thick; welds steel up to 5/16 inch thick with 2-stage tips sold on opposite page. On/off thumbwheel eliminates the need for resetting the flame each time torch is turned on. Once flame is set, turn wheel to off for pilot light (when welding, soldering or brazing) or complete-off (when heating or cutting). Set-screw on handle lets you adjust pilot light. If complete-off is used, preset flame will need relighting when torch is turned on again. Includes No. 1 heating tip.

CUTTING ATTACHMENT: Forged-brass cutting head. Includes No. 1 cutting tip, cuts steel up to 1 inch thick. Torch can cut steel up to 6 inches thick with cutting tips sold separately on opposite page.

REGULATORS: Two-stage regulation maintains constant pressure to torch, automatically making adjustments as cylinder pressure drops. Two pressure-tested, brass-forged regulators (one oxygen and one acetylene). 2-inch diameter gauges with white-on-black faces, Lexan® plastic covers. UL listed.

ACCESSORIES: Includes 20 feet of twin hose with brass fittings; one-piece, high-grade goggles; spark lighter; wrench; welding and owner's manuals.

ORDER INFO: See warranty on page 86. Extra tips and regulators sold on opposite page. *Separate prices total \$367.79 on these two pages.*

9 GT 5442C—Shipping weight 18 pounds . . . Outfit \$289.99
Extra Welding Torch for outfit with Sav-fuel torch above
Thumbwheel control. No tips included (order welding and heating tips on opposite page).

9 GT 5442B—Shpg. wt. 1 lb. 7 oz. \$93.99

Extra Cutting Attachment for outfit with Sav-fuel torch above and standard torch outfit below. Black handle. No tips included (order cutting tips on opposite page).

9 GT 5440B—Shpg. wt. 1 lb. 13 oz. \$52.99

CRAFTSMAN® Standard Two-stage Oxy-Acetylene Torch Outfit (not shown)


Save \$60.81 when you buy outfit. Same as two-stage Sav-fuel torch outfit above, except does not have thumbwheel control and does not include No. 1 heating tip.

ORDER INFO: See warranty on page 86. Order extra tips and regulators sold on opposite page. *Separate prices total \$300.80 on these two pages.*

9 GT 5441C—Shipping weight 17 pounds . . . Outfit \$239.99

Extra Welding Torch for standard torch outfit above
Does not have thumbwheel control. No tips included.

9 GT 5440B—Shpg. wt. 1 lb. 11 oz. \$49.99



Regulators and Tips for 2-stage oxy-acetylene welders

(1 and 2) Individual Regulators

See description on page 84.

ORDER INFO:

(1) Oxygen Regulator

9 GT 54302—Shipping weight 4 lbs. \$69.99

(2) Acetylene Regulator

9 GT 54303—Shipping weight 4 lbs. \$69.99

(3) Heating Tips

Heat broad surface area evenly; quicker than using large welding tip. Ideal for auto repair.

ORDER INFO: For torches 9 GT 54426 and 9 GT 54406 or outfits 9 GT 5442C, 9 GT 5441C, 9-5444 and 9-5446 only.

Size Number 1

9 GT 54439—Shipping weight 7 oz. \$22.99

Size Number 2

9 GT 54471—Shipping weight 7 oz. \$22.99

(4) Individual Welding Tips

ORDER INFO: Use with torches 9 GT 54426 and 9 GT 54406 or with outfits 9 GT 5442C, 9 GT 5441C, 9-5444 and 9-5446 only.

Size	Capacity	Catalog No.	Wt.	Price
No. 8	1/4 to 1/16 in.	9 GT 54448	5 oz.	\$8.09
No. 7	3/16 to 1/8 in.	9 GT 54447	5 oz.	8.09
No. 6	1/8 to 3/16 in.	9 GT 54446	5 oz.	8.09
No. 5	3/32 to 1/16 in.	9 GT 54445	5 oz.	8.09
No. 4	1/16 to 3/32 in.	9 GT 54444	5 oz.	8.09
No. 3	3/64 to 1/16 in.	9 GT 54443	5 oz.	8.09
No. 2	1/32 to 3/64 in.	9 GT 54442	5 oz.	8.09
No. 1	up to 1/32 in.	9 GT 54441	5 oz.	8.09

5-piece Welding Tip Set. Includes tip sizes No. 8, 6, 4, 2 and 1 above.

ORDER INFO: For torches 9 GT 54426 and 9 GT 54406 or outfits 9 GT 5442C, 9 GT 5441C, 9-5444 and 9-5446 only.

9 GT 54429—Shpg. wt. 9 oz. ...Set \$34.99

(5) Individual Cutting Tips. Use propane tips when acetylene is inconvenient.

ORDER INFO: For use with cutting attachments 9 GT 54408, 9-54422, 9-54425 and 9-54407 or outfits 9 GT 5442C, 9 GT 5441C, 9-5444 and 9-5446 only.

Size	Capacity	Catalog No.	Wt.	Price
No. 0	3/8 to 1/2 in.	9 GT 54451	5 oz.	\$9.69
No. 1	1/2 to 1 in.	9 GT 54452	5 oz.	9.69
No. 2	1 to 2 in.	9 GT 54453	5 oz.	9.69
No. 3	2 to 3 in.	9 GT 54454	5 oz.	9.69
No. 4	3 to 6 in.	9 GT 54455	5 oz.	9.69

Propane Tips (not shown)

No. 1 3/8 to 1 in. 9 GT 54456 4 oz. \$9.69

No. 3 2 to 3 in. 9 GT 54457 4 oz. 9.69

4-piece Cutting Tip Set. Includes oxy-acetylene tip sizes No. 0, 1, 2 and 3.

ORDER INFO: For use with attachments 9 GT 54408, 9-54422, 9-54425 and 9-54407 or outfits 9 GT 5442C, 9 GT 5441C, 9-5444 and 9-5446 only.

9 GT 54428—Shpg. wt. 9 oz. ...Set \$34.99

12-piece Welding and Cutting Tip Set

INCLUDES: Cutting tips Nos. 0 thru 3 and welding tips Nos. 1 thru 8 above.

ORDER INFO: For torches 9 GT 54426 and 9 GT 54406, cutting attachments 9 GT 54408, 9-54422, 9-54425 and 9-54407 or outfits 9 GT 5442C, 9 GT 5441C, 9-5444, 9-5446 only.

9 GT 54472—Wt. 2 lbs. 4 oz. ...Set \$81.99

Gas Rod Assortment (not shown).

23 copper-coated welding rods; 40 3/32 in. 56 flux-coated brazing rods; forty 3/32 in., sixteen 1/8 in. Package of 79 rods. Wt. 3 lbs. 3 oz.

9 GT 20074Pkg. \$14.99

(12) Tip Cleaners. Set of 12.

9 GT 5424—Wt. 1 oz. ...Set \$3.69

(13) Spark Lighter. Incl. 1 flint.

9 GT 5440—Wt. 4 oz.99c

Extra Flints for spark lighter above. Package of 6.

9 GT 54405—Wt. 2 oz. ...Pkg. 99c

TORCH: Forged-brass body. Needle-type valve stems. Flashback-resistant mixer with stainless steel ball shut-off valves. Reverse-flow check valves. UL listed. Includes three welding tips (Nos. 3, 5, 7) to fusion-weld steel up to 1/4 inch thick.

CUTTING ATTACHMENT: Forged-brass. Outfit includes No. 0 tip to cut steel up to 1/2 inch thick. Torch can cut steel up to 2 inches thick with cutting tips sold separately below.

REGULATORS: Single-stage regulation. Two pressure-tested, forged-brass regulators (1 oxygen, 1 acetylene). 2-inch diameter gauges with white-on-black faces. Lexan® plastic covers. UL listed.

ACCESSORIES: 12 ft. of twin welding hose with brass fittings; 1-piece, high-grade safety goggles; spark lighter; wrench; how-to-weld and owner's manuals.

ORDER INFO: See warranty on page 86. *Separate prices total \$213.81.*

9 GT 5432—Wt. 12 lbs. 12 oz.Outfit \$189.99

(6 thru 9) Individual Single-stage Torch Components

Item	Description	Catalog Number	Wt. lbs. oz.	Price
(6)	Welding Torch (no tips)	9 GT 54491	12	\$43.99
(7)	Cutting Attach. (no tips)	9 GT 54402	14	46.99
(8)	Oxygen Regulator	9 GT 54403	4	46.99
(9)	Acetylene Regulator	9 GT 54404	4	46.99

Welding Tips (not shown). For outfits 9 GT 5432, 9-5443; for torches 9 GT 54491, 9-54401 only.

Tip size	Welding capacity	Catalog Number	Wt.	Price each
No. 1	up to 1/32 in.	9 GT 54431	4 oz.	\$6.39
No. 3	1/32 to 1/16 in.	9 GT 54432	4 oz.	6.39
No. 5	1/16 to 3/32 in.	9 GT 54433	4 oz.	6.39
No. 7	3/32 to 1/8 in.	9 GT 54434	4 oz.	6.39

Cutting Tips (not shown).

For cutting attachment in outfit 9 GT 5432 and cutting attachment 9-54402 only.

Tip size	Cutting capacity	Catalog Number	Wt.	Price each
Oxy-Acetylene Tips				
No. 0	1/4 to 1/2 in.	9 GT 54435	3 oz.	\$8.69
No. 1	1/2 to 1 in.	9 GT 54436	3 oz.	8.69
No. 2	1 to 2 in.	9 GT 54437	3 oz.	8.69
Propane Tip				
No. 3	1/2 to 1 in.	9 GT 54438	3 oz.	8.69

3-piece Tip Set (not shown).

INCLUDES: No. 1 welding tip; Nos. 1 and 2 oxy-acetylene cutting tips. Use with outfit 9 GT 5432. Welding tip for torches 9 GT 54491, 9-54401 and outfit 9-5443 only. Cutting tips for cutting attachment 9 GT 54402 only.

ORDER INFO: See capacities in charts above.

9 GT 54427—Shipping weight 3 oz.Set \$23.99




CRAFTSMAN® Single-stage Oxy-Acetylene Torch Outfit

Welds steel 1/4 in. thick, cuts steel 1/2 in. thick (up to 2 in. thick with tips sold separately)

Save \$23.82
when you buy outfit

\$189.99



(10) Truck

For cylinder combinations: 110-cubic foot oxygen/122-cubic foot acetylene; 122-cubic foot oxygen/145 or 169-cubic foot acetylene. Base 20x10 1/2 inches deep. 38 1/2 inches high. Steel frame, tray, retainer chains. 10-in. wheels. See "N" suffix on page 91. Shpg. wt. 26 lbs. 9 GT 5429N\$49.99

(11) Flux-coated Gas Brazing Rods

3/32-in. diameter size. Pkg. of 14. 9 GT 20413—Wt. 9 oz.\$4.49
1/8-in. diameter size. Pkg. of 13. 9 GT 20414—Wt. 14 oz.\$6.09

Gas Rod Assortment (not shown).

23 copper-coated welding rods; 40 3/32 in. 56 flux-coated brazing rods; forty 3/32 in., sixteen 1/8 in. Package of 79 rods. Wt. 3 lbs. 3 oz. 9 GT 20074Pkg. \$14.99

(12) Tip Cleaners. Set of 12.

9 GT 5424—Wt. 1 oz. ...Set \$3.69

(13) Spark Lighter. Incl. 1 flint.

9 GT 5440—Wt. 4 oz.99c

Extra Flints for spark lighter above. Package of 6.

9 GT 54405—Wt. 2 oz. ...Pkg. 99c

(14) Reverse-flow Check Valves.

Stop accidental mixing of oxygen and fuel gas in hose and regulator. Two factory-tested valves. UL listed. For welding outfits sold on these two pages. 9 GT 54423—Wt. 5 oz.\$6.99

(15) Soap Stone Kit. Includes 5 soap stones and holder.

For marking metal before welding. 9 GT 54476—Wt. 4 oz.\$4.79

(16) Accessory Kit. Incl. 5 soap stones, holder, welding gloves, tip cleaners, chipping hammer.

9 GT 20227—Wt. 2 lbs. ...\$23.49

(17) Welding Gloves

Heavy-duty leather. 9 GT 26025—Wt. 11 oz. \$13.99

(18) Welding Goggles

Polyethylene. Headband adjusts. Fit over glasses. No. 5 filter for cuts up to 6 in. thick, welds up to 1/2 in. thick. 2x4 1/2-in. window. 9 GT 18636—Wt. 6 oz.\$8.99

(19) Rubber Twin Welding Hose

Brass fittings. 20 ft. long. Use as replacement or extension hose. Shpg. wt. 5 lbs. 2 oz. 9 GT 54271\$22.89

(20 thru 23) Clamping Tools

CONSTRUCTION: Nickel-plated, heat-treated alloy steel.

ORDER INFO:

(20) Chain Clamp. Holds and locks around stock of any shape.

Adjusts to ratchet action. Won't crush thinwall tubing. 19-in. long chain. Wt. 1 lb. 12 oz. 9 GT 54484\$16.99

(21) Sheet Metal Clamp

3 1/2-inch jaw width. 1 1/4-inch throat depth. 8 inches long. Shipping weight 1 lb. 2 oz. 9 GT 54481\$10.99

(22) Welding Clamp. Locks in place. Jaws adjust 1 1/2 inches.

9 inches long. Wt. 1 lb. 7 oz. 9 GT 54482\$12.99

(23) "C" Clamp

Set jaws, squeeze to lock. Jaws adjust 3 3/4 inches. 11 inches long. Shipping weight 1 lb. 11 oz. 9 GT 54483\$12.99

Oxy-Acetylene Welding Handbook. (not shown).

306 pages. Hard cover. Illustrations. 9 GT 5412—Wt. 10 oz.\$8.19



CRAFTSMAN® AC-DC Arc Welders

Let you choose from 3 different kinds of current to suit your welding job



50 to 230-amp
AC range;
20 to 140-amp
DC range

\$319⁰⁰



30 to 250-amp
AC range;
30 to 250-amp
DC range

\$459⁰⁰

CRAFTSMAN® Arc Welders with

CRAFTSMAN® AC Arc Welders

- Metal thickness gauge verifies metal thickness and indicates recommended electrode size for the job

- Electrode size index helps verify the correct electrode size



Dual-range Welders
Low range for maximum arc stability; high range for minimum current draw

30 to 200-amp
and 40 to 295-amp ranges

\$249⁹⁹

30 to 140-amp
and 40 to 230-amp ranges

\$199⁹⁹



30 to 200-amp Welder

Higher heat range lets you weld metal twice as thick as (5) at right

\$169⁹⁹



20 to 70-amp Welder

\$99⁹⁹

CRAFTSMAN® Tungsten Inert Gas Conversion Outfit for arc welders

This T.I.G. (Tungsten Inert Gas) unit allows welding of alloy metals and stainless steel up to 1/4 inch thick. Use both arc stabilizer and T.I.G. torch to connect AC or AC-DC arc welders.

HOW IT WORKS: Arc stabilizer operates continuously to maintain long arc for AC units—tip need not touch metal during welding. Process shields weld puddle with protective inert gas (usually argon). Prevents oxidation, embrittlement of weld. No preheating. T.I.G. torch uses 1/16, 3/32 or 1/8 inch diameter tungsten electrodes. 1/16-inch electrode included.

ARC STABILIZER AND CABINET: Air-cooled. Cabinet 18x6 1/2 x 8 1/2 inches high.

T.I.G. TORCH: Brass shut-off valve. Includes hose, regulator, 3 collets (1/16, 3/32, 1/8 in.).

ELECTRICAL INFORMATION: Stabilizer uses 115-v. outlet. 8-ft., 3-wire cord.

ORDER INFO: Gas not incl. Warranty at right. *Separate prices total \$304.98.*

9 GT 20149C—Wt. 25 lbs. Outfit \$269.00

(6) Arc Stabilizer

See description at left. For easy starts with AC or AC-DC welders in stick electrode or T.I.G. welding.

ORDER INFO: See warranty at right. 9 GT 20119C—Wt. 21 lbs. \$164.99

(7) T.I.G. Torch with Argon regulator

See description at left. **ORDER INFO:** Gas not included. See warranty at right.

9 GT 20112—Wt. 4 lbs. 12 oz. \$139.99

Electrode Cup (not shown).

ORDER INFO: Shpg. wt. 3 oz.

For 1/16 and 3/32-inch diameter electrodes

9 GT 20163 \$4.59

For 1/8-inch diameter electrodes

9 GT 20168 \$5.69

Tungsten-tip Electrodes (not shown).

ORDER INFO: Shpg. wt. 3 oz.

9 GT 20161—1/16-in. diam. ... Each \$2.39

9 GT 20164—3/32-in. diam. ... Each 4.59

9 GT 20166—1/8-in. diam. ... Each 6.89

FULL ONE-YEAR WARRANTY ON CRAFTSMAN® ELECTRIC WELDERS, ARC STABILIZER, T.I.G. TORCH, GAS WELDING TORCHES AND REGULATORS:

If, within 1 year from date of purchase, Electric Welder, Arc Stabilizer, T.I.G. Torch, Gas Welding Torch or Regulator fails due to defect in material or workmanship, Sears will repair electric welder or arc stabilizer or replace T.I.G. torch, gas welding torch or regulator, free of charge. Warranty service available by returning item to nearest Sears store or Service Center throughout U.S. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.



CRAFTSMAN® Tungsten Inert Gas Conversion Outfit for arc welders Outfit includes items (6) and (7)

Save \$35.98 \$269⁰⁰

Outfit

variable heat selection and easy one-hand control

Whether you use a welder in your work or just to repair tools, vehicles and equipment around your home, shop or farm, there's a CRAFTSMAN® Welder designed expressly for your needs

CRAFTSMAN® ARC WELDER FEATURE COMPARISON CHART

WELDER	(1)	(2)	(3)	(4)	(5)
HEAT SELECTIONS	50-230-amp AC range; 20-140-amp DC range	30-250-amp AC range; 30-250-amp DC range	30-200-amp and 40-295-amp ranges	30-140-amp and 40-230-amp ranges (not shown)	30 to 200-amp range
CAPACITY: most electrodes low-hydrogen or stainless steel	up to 1/8-inch diameter up to 3/16-inch diameter	up to 3/16-inch diameter up to 1/2-inch diameter	up to 3/16-inch diameter up to 1/2-inch diameter	up to 3/16-inch diam. Not recommended for use with low-hydrogen or stainless steel electrodes	up to 3/32-in. diam.
TRANSFORMER	Advanced aluminum-wound design. Permanently lubricated cooling fan and multiple insulation increase duty cycle (ratio of welding time to cooling time per 10-min. cycle). Extended duty cycle lets you weld for longer periods of time				Aluminum-wound and convection-cooled
CONTROLS	Front-mounted control for heat adj.; infinite amperage adj.; twin grip control allows amperage setting in seconds	Top-mounted control lets you change and lock-in heat settings; just set indicator at recommended electrode size according to electrode size index; unit automatically sets to correct heat			
CABINET	Steel with baked enamel finish. Front-mounted welding-aid charts for fast set-ups. Flow-through, side-to-side ventilation allows unit to be placed against wall. Measures 11 1/2 x 13 1/2 x 21 inches high	Steel with baked enamel finish. Top-mounted welding-aid charts for fast set-ups. Flow-through, side-to-side ventilation allows unit to be placed against wall. Measures 15 x 12 x 21 inches high	Steel with baked enamel finish. Top-mounted welding-aid charts for fast set-ups. Flow-through ventilation for efficient cooling. Measures 13 x 13 x 17 inches high	Steel with baked enamel finish. Top-mounted welding-aid charts for fast set-ups. Flow-through ventilation for efficient cooling. Measures 13 x 13 x 17 inches high	Steel with baked enamel finish. Cable-wrap/carrying handle. Front-mounted welding-aid charts for fast set-ups. Measures 10 1/4 x 10 1/4 x 10 1/4 inches high
ACCESSORIES	12-foot electrode cable, 10-foot work cable, heavy-duty electrode holder, work clamp, full-face welder's helmet, welding manual, operating instructions				6-foot electrode cable and work cable, electrode holder/carbon arc torch, full-face welder's helmet, assorted electrodes, manual and instructions
ELECTRICAL INFORMATION	230-volt, 60-Hz. AC. UL listed. NEMA rated. Before ordering, carefully read electrical specifications below for additional important information				110-120-volt, 60-Hz. AC. UL listed. Before ordering, see electrical specifications below for additional important information
WARRANTY	Full one-year warranty on Craftsman® Arc Welders, see opposite page				
ORDER INFO	Order dolly kit (14) at right	Order dolly kit (14) at right	Order dolly kit (14) at right	Order dolly kit (14) at right	Order dolly kit (14) at right
SHIPPING WEIGHT	92 pounds	142 pounds	104 pounds	87 pounds	80 pounds
CATALOG NUMBER	9 GT 20186N	9 GT 20188N	9 GT 20139N	9 GT 20137N	9 GT 20144N
PRICE	\$319.00	\$459.00	\$249.99	\$199.99	\$169.99

ELECTRICAL SPECIFICATIONS:
Before ordering, first check input voltage, frequency cycle, phase and capacity of your input power line with your electric utility company or local REA office. Models 9 GT 20186N, 9 GT 20137N and 9 GT 20144N include power cord and 230-volt plug; order receptacle (11) at right for these models.

Catalog Number	Rated input amps	Short circuit input amps	Fuses amps	Rod sizes (in.)	Maximum KVA	Maximum KW	Maximum open circuit secondary	Duty cycle	Max. power factor	Requires direct wiring
9 GT 20143L	20	36	20	1/8-3/32	2.8	2.0	38-volts	20%	71.7	no
9 GT 20144N	42	55	40	1/8-3/16	9.6	8.3	45-volts	†	66.0	no
9 GT 20137N	50	66	50	1/8-3/16	10.8	7.1	80-volts	†	66.0	no
9 GT 20139N	60	100	60	1/8-1/4	14.8	10.3	80-volts	†	70.0	yes
9 GT 20186N	48	62	50	1/8-3/16	13.0	6.2	72-volts	†	47.7	no
9 GT 20188N	80*	155	60	1/8-1/4	22.7	11.2	78-volts	†	49.3	yes
9 GT 20186N	76**	130	60	1/8-1/4	20.7	11.2	78-volts	†	54.1	yes

*Wired for 208-v. **Wired for 230-v. †20-100% depending on amp setting

FOR CONVENIENT SHOPPING...



Welding Accessories

(9) Arc Welding Accessory Kit
Includes chipping hammer, gauntlet-type gloves, 6-inch "C" clamp (jaws adjust 0 to 2 in.; squeeze to lock).
ORDER INFO: Shpg. wt. 2 lbs. 4 oz.
9 GT 20226Kit \$23.49

(10) Full-length Welder's Apron
Leather. Rivet-reinforced at stress points. Full-front bib, two pencil pockets. Shoulder straps. Pearl gray color. 42 inches long.
ORDER INFO: Shpg. wt. 2 lbs. 2 oz.
9 GT 26024\$39.99

(11) Receptacle. For 230-volt arc welders. Rated 50 amps at 250 volts. 2-pole, 3-wire ground. Surface mount. Hardware included.
ORDER INFO: Shipping weight 15 oz.
9 GT 20691\$6.49

(12) Chipping Hammer. For removing slag after welding or peening machineable nickel. Has steel head.
ORDER INFO: Shipping weight 1 lb.
9 GT 20715\$7.89

(13) "Arc Weld-it-Yourself" Manual
Explains arc welding processes, gives you complete how-to-do-it instructions. Illustrated, 36 pages.
ORDER INFO: Shipping weight 3 oz.
9 GT 20256\$9.90

(14) Dolly Kits. Two 5 1/2-inch plastic wheels. Plastic axle and handle.
ORDER INFO: Unassembled. Wt. 4 lbs.
For 9 GT 20186N, 9 GT 20188N and former 9-20176, 9-20177, 9-20178
9 GT 20483Kit \$14.69
For 9 GT 20137N, 9 GT 20139N and 9 GT 20144N
9 GT 20486Kit \$17.99

(15) Heavy-duty Helmet
Ratchet-type adjustment. Slide-in, lift-front plate holder. Has cover lens. Number 10 filter.
ORDER INFO: Shpg. wt. 1 lb. 13 oz.
9 GT 1322\$18.99

Number 10 Replacement Filter Lens (not shown). For (15). Number 10 shade.
ORDER INFO: Shipping weight 1 oz.
9 GT 13277\$1.99

(16) Twin Arc Carbon Torch
For any 230-volt arc welder. 5-foot cables. Insulated thermostat plastic handle, 14 in. long. Use to braze, temper, solder and heat for bending and shaping of metal. Also for aluminum welding. Use with AC or DC arc welders.
ORDER INFO: Shpg. wt. 2 lbs. 7 oz.
9 GT 20071\$33.59

Extension Cord (not shown). 25 feet long, 3-wire. For all 230-volt arc welders. Not for use with welder 9 GT 20188N.
ORDER INFO: Shipping weight 9 lbs.
9 GT 20699\$45.99

Cored Carbons (not shown) for (5), (16) above.
ORDER INFO: 6 inches long.

Size (in.)	Heat Set (amps)	Pkg. of	Catalog Number	Wt. oz.	Price Pkg.
1/4	20-40	8	9 GT 20236	3	\$6.99
3/8	20-100	6	9 GT 20237	4	6.99

(8) Contact-type Electrodes. Type E-7014. Start on contact, restrike instantly. For all welding positions. Iron powder in coating makes a smooth deposit with very low spatter. For AC or DC arc welders.

Size (in.)	Heat Range (in amps)	Pkg. of	Catalog Number	Shpg. wt. lbs. oz.	Price
5/64 x 9	10-100	21††	9 GT 20265	9	\$4.19
3/32 x 14	40-100	71††	9 GT 20212	3 3	5.99
1/8 x 14	100-170	40††	9 GT 20213	3 3	5.99

General-purpose Electrodes (not shown). Type E-6013. All-position, high tensile strength rod makes smooth deposit. For all welding positions. For all mild steel and general-purpose welding jobs. Use with AC or DC arc welders.

Size (in.)	Heat Range (in amps)	Pkg. of	Catalog Number	Shpg. wt. lbs. oz.	Price
1/16 x 9	10-60	55††	9 GT 20215	9	\$3.69
3/64 x 12	30-90	28††	9 GT 20216	9	3.69
3/32 x 14	30-80	78††	9 GT 20217	3 3	5.99
1/8 x 14	70-180	52††	9 GT 20218	3 3	5.79

Brazing Rods (not shown).
SIZE: 3/32 x 14 in. long.
ORDER INFO: For any carbon arc or gas torch. Package of 33.†† Shipping weight 1 pound 1 ounce.
9 GT 20266Pkg. \$8.29

Electrode Assortment (not shown). 154 electrodes in 2 widely used types.
TYPES, SIZES: Includes fourteen 3/32 x 14-inch and one hundred five 1/16 x 9-inch general-purpose electrodes (type E-6013); twenty-eight 3/32 x 14-inch and seven 1/8 x 14-inch contact-type electrodes (type E-7014).
ORDER INFO: For use with AC or DC arc welders. Shipping weight 3 pounds 3 ounces.
9 GT 20475Pkg. \$8.89


Electrodes for cast-iron (not shown). Weld cast iron to cast iron or cast iron to steel. Made of machineable nickel. May be filed or machined after deposit.
SIZE: 1/8 inch in diameter.
ORDER INFO: Package of 7. For AC or DC arc welders. Shpg. wt. 9 oz.
9 GT 20211Pkg. \$6.99

Cutting Electrodes (not shown). Mild steel rod with special flux to make clean cuts on all metals.
SIZE: 1/4 x 14 inches long.
ORDER INFO: Package of 15.†† For use with AC or DC arc welders. Wt. 1 lb. 1 oz.
9 GT 20223Pkg. \$3.79
††Quantities figured by weight; may vary due to density of electrode flux

Electrodes for arc welders

New at Sears! MIG Wire Feed Welder

The state-of-the-art in welding!



- Loaded with versatility to handle the high-strength and thin-gauge metals of today
- Designed for professional-quality results without having to be used by a professional welder
- Fast, easy and economical to use . . . helps increase shop efficiency

Ideal for a wide variety of auto body work, demanding metal fabrication jobs, light or heavy-duty maintenance around shop, farm or home

The MIG (Metal Inert Gas) welding process joins metal by heating with an arc between a continuous fine wire filler metal and the work. An inert gas, such as carbon dioxide or argon, is delivered through the welding gun to shield the fluid metal from contamination by the surrounding atmosphere and help stabilize the arc.

The MIG Wire Feed Welder is designed for versatility in sheet and panel welding. Wire feed welding is the only acceptable repair method for body panels of the new high-strength steels; it's also the most effective method for welding sheet metal. Weld the thinnest sheet metal or aluminum, heavy-plate, high-carbon or even stainless steel in overhead, vertical or any position with precision, speed and economy.

Continuous welding is almost spatter-free with virtually all of the feed wire ending up in the weld. **Spot welding** of panels can be performed by simply pressing the top panel to fit with the mating surface using the special spot torch nozzle . . . especially useful in welding flat sheet metal to curved body panels. A special **stitch weld control** permits long welds in thin sheet metal with minimal heat distortion; welding interval can be adjusted.

The welding gun is held in constant position against the weld joint so there's less chance of varying the arc or losing it completely. Wire advance control allows operator to feed wire without gas or welding current flow. Integrated circuitry monitors wire drive motor for increased accuracy and easy reset. Gas purge control allows operator to adjust gas flow or change gases without turning on wire drive or welding current. Wire feed mechanism accommodates .024, .030 and .035-inch diameter wire.

Welding is fast, with no stops for new rods and no relighting torches. Change wire spools quickly to switch from steel to aluminum welding. Waste is minimized. No gas is used unless the welding gun is triggered. No unused rod stubs to throw away.

CONSTRUCTION: Accepts all spool sizes from 4 to 12 inches. Wire feed mechanism has patented single drive roller which handles .024, .030 and .035-inch diameter wire . . . designed to eliminate need for frequent tension adjustment. Special composition roller prevents crushing or "bird-nesting" if wire sticks to nozzle or gun liner . . . eliminates distortion of aluminum welding wire. Single trigger control to turn on wire feed, welding current and gas flow; wire feed and gas flow adjust independently to meet the demands of different jobs and varying work conditions. Polyester glider assures free rotation of wire spool. Metal welding cart with rubber wheels.

CAPACITY: Weld steel thicknesses from 26-gauge to 1/4 inch in one pass—up to 1/2 inch thick steel with beveling and multiple passes. Weld aluminum up to 1/4 inch thick.

ACCESSORIES: Lift-lens welding helmet; regulator flow and pressure gauges; 10 lbs. of .030 wire on spool; accessory parts bag; guide tubes for steel; nozzles for steel, aluminum and spot welding; tip wrench; barbed hose fitting; felt wire pre-wiper; six each: .024, .030 and .035 contact tips; air-cooled welding gun; gun hose and liners for both steel and aluminum use; spot stitch component; ground cable and clamp; 30-foot power cord and plug.

ELECTRICAL INFO: Primary volts 208/230. Primary amps 13.6/12. Single-phase, 60-Hz. 4.0 KVA. Secondary amps—100 at 20 volts output. Duty cycle is 20% at 100 amps. Maximum open circuit voltage is 29.

ORDER INFO: Warranted by Century Mfg. Co.; write for free copy, see page 91. Shipped from factory in Minneapolis, Minn. Pay motor carrier charges from factory. Allow extra time for delivery. No. C.O.D.'s.

F9 GT 20101N—Shipping weight 179 pounds . . . \$1649.00

Wire Spools for MIG welder above

Metal thicknesses	Wire size (in.)	Catalog Number	Shpg. wt.	Price
For welding steel to 1/8 in.	.024	9 GT 2120	11 lbs. 2 oz.	\$67.99
1/8 to 1/4 in.	.030	9 GT 2121	3 lbs.	15.99
1/4 to 1/2 in.	.030	9 GT 2122C	33 lbs.	64.99
1/2 in. and up	.035	9 GT 2123	3 lbs.	12.99
For aluminum up to 1/4 in.	.030	9 GT 2124	1 lb. 9 oz.	12.99

Job Safety Equipment



(1) **Paint Spray Respirator**
Replaceable filters. Adj. rubber headband. Not for use with ammonia. Wt. 12 oz.
9 GT 18583 \$21.99

Replacement Filters for (1).
Pkg. of 2.
9GT18585—Wt. 1 oz. . \$2.29
Extra Filter Cartridges for (1)
Pkg. of 2 with pre-filters.
9GT18584—Wt. 4 oz. . \$8.49

(2) **Dust and Mist Respirator.**
For most dusts including pollen, grain, wood. Pliable rubber. Replaceable filter.
9GT1852—Wt. 7 oz. . \$11.49
Extra Filters for (2). Pkg. of 5.
9GT18525—Wt. 1 oz. . \$3.29

(3) **Disposable Dust Mask**
For non-toxic dusts, powders and pollen. Pkg. of 2.
9 GT 18535—Wt. 2 oz. . .99c

(4) **CRAFTSMAN® Face Shield.** Polycarbonate window, 8x11 1/2 in. high. Headgear adjusts to fit head size.
9GT18613—Wt. 8 oz. . \$9.99

Replacement Window for (4)
9GT18614—Wt. 3 oz. . \$4.99

(5) **Protective Plastic-lens Glasses.** Repl. clear lenses.
9GT18642—Wt. 1 oz. . \$7.99
Replacement Lens for (5)
Shpg. wt. 1 oz.
9GT18633 Ea. \$2.69

(6) **Flexible Mask Impact Goggles**
Polycarbonate plastic lenses and body help reduce possibility of eye injury. Perforated side shields for ventilation. Elastic strap adjusts; fits over regular eyeglasses.
9 GT 1859—Shpg. wt. 2 oz. . . \$2.69

Dust and Chemical Goggles (not shown).
Like (6) above, but with indirect side vents and rubber headband.
9 GT 18593—Shpg. wt. 4 oz. . . \$3.19

Replacement Lens for (6) and 9 GT 18593
Shipping weight 1 ounce.
9 GT 18591 Ea. \$1.59

(7) **Protective Eye Guards.** Light-duty, polycarbonate eye guards help protect eyes from minor impacts. Fit over regular eyeglasses. Shipping weight 2 oz.
9 GT 18645—Clear \$1.99
9 GT 18646—Tinted 1.99

Welding Goggles (not shown). Polyethylene. Headband adjusts; fits over glasses. No. 5 filter for cuts up to 6 in. thick, welds up to 1/2 in. thick. 2x4 1/2-inch window.
9 GT 18636—Shpg. wt. 6 oz. . . \$8.99

(8) **Hearing Protector**
Plastic ear cups. Contoured foam air cushions. Adjustable headband.
Shipping weight 8 ounces.
9 GT 1863 \$12.49

(9) **CRAFTSMAN® Hard Hats.** High-density polyethylene, fully dielectric. Inside headband adjusts to head size.
Shipping weight 13 ounces.
9 GT 18627—Yellow Ea. \$3.99
9 GT 18626—White Ea. 3.99

Arbor Presses

Use when heavy pressure is needed, such as removing or pressing in a bearing, riveting, squeezing or bending tubing



CONSTR: Steel. 4-position revolving anvil. Steel ram with heavy stub teeth, driven by machined rack and pinion. Adjustable single level. Holes in base for bolting to workbench or pedestal (bolts not included).

1/2-ton Press. Press height 10 inches. Vertical capacity 4 1/4 in. Maximum diameter 7 in. 1 1/2x3/4-in. ram. Maximum arbor 1 in.
9 GT 22616C—Shpg. wt. 23 lbs. . \$69.99

1-ton Press. Press height 12 in. Vertical capacity 5 1/4 in. Maximum diameter 8 in. 1x1-inch ram. Maximum arbor 1 in.
9 GT 22617C—Shpg. wt. 39 lbs. . \$94.99

2-ton Press. Press height 16 1/2 in. Vertical capacity 8 in. Maximum diameter 10 in. 1 1/2x1 1/4-inch ram. Maximum arbor 1 3/4 in.
9 GT 22618N—Wt. 114 lbs. . . \$179.99

3-ton Press. Press height 22 in. Vertical capacity 12 1/2 in. Max. diameter 16 3/8 in. 1 3/4x1 3/8-inch ram. Max. arbor 1 3/4 in.
9 GT 22623N—Wt. 126 lbs. . . \$259.99

CRAFTSMAN® Medium-duty, Capacitor-start Motors

For hard-starting tools

(1) Capacitors in these motors reduce required starting current and increase starting torque needed for hard-to-start loads.

CONSTR: Rigid base is 3x4 $\frac{7}{8}$ -in. mounting (NEMA 56 frame). Mounts any position; drip-proof in horizontal position. ELECTRICAL INFO: 60-Hz. AC. Motors with ball bearings run on 115 or 230 volts; motors with sleeve bearings run on 115 volts. None have switch, all are electrically reversible. Motors with ball bearings have manual-reset overload protection to help prevent motor burnouts under heavy load; motors with sleeve bearings don't have overload protection, customer should provide in-line protection.

ORDER INFO: See warranty, page 90. $\frac{5}{8}$ -inch diameter shaft with $\frac{3}{16}$ -inch square keyway.

3450 rpm. For high-speed tools like table saws, jointer-planers, shapers, sanders.

HP	Bearings	Watts†	Catalog Number	Shpg. wt.	Price
$\frac{1}{2}$...	Ball	720	9 GT 1218C	18 lbs.	\$89.99
$\frac{3}{4}$...	Ball	1000	9 GT 1219C	22 lbs.	99.99
1...	Ball	1250	9 GT 1220C	24 lbs.	109.99
1 $\frac{1}{2}$...	Ball	1800	9 GT 1221C	25 lbs.	119.99
$\frac{1}{2}$...	Sleeve	720	9 GT 1216C	18 lbs.	79.99
$\frac{3}{4}$...	Sleeve	1000	9 GT 1226C	22 lbs.	84.99
1...	Sleeve	1250	9 GT 1217C	24 lbs.	99.99

1725 rpm. For lower-speed tools like band saws, drill presses, lathes. Ball-bearing types good for pumps, compressors.

HP	Bearings	Watts†	Catalog Number	Shpg. wt.	Price
$\frac{1}{2}$...	Ball	660	9 GT 1278C	20 lbs.	\$94.99
$\frac{3}{4}$...	Ball	850	9 GT 1283C	26 lbs.	109.99
1...	Ball	1200	9 GT 1215C	32 lbs.	129.99
$\frac{1}{3}$...	Sleeve	490	9 GT 1282C	17 lbs.	69.99
$\frac{1}{2}$...	Sleeve	660	9 GT 1279C	20 lbs.	89.99
$\frac{3}{4}$...	Sleeve	850	9 GT 1284C	26 lbs.	99.99

†Full-load input watts

3450-rpm Reversible Motor (not shown). As-(1) exc. toggle switch reverses motor (motor must come to complete stop before reversing). $\frac{1}{2}$ -HP. Ball bearings. 625 watts.† 9 GT 1269C—Shipping weight 18 pounds\$94.99


QUALITY BY DESIGN

...features like these on our best Medium-duty Motors represent the quality that's built into every CRAFTSMAN® tool

A Capacitor reduces required starting current and increases starting torque

B Manual-reset overload protection helps prevent motor burnouts under heavy loads

C Ball bearings provide efficient, low-friction power transfer to shaft for long life



CRAFTSMAN® Medium-duty Motors

For fans, furnace blowers, belt-disc sander, bench-top drill press and various easy-starting tools



(2) Split-phase, $\frac{1}{2}$ -HP Motor with built-in switch for belt-disc sanders 9 GT 22611, 9 GT 22612 and other tools without a built-in switch
CONSTRUCTION: Sleeve bearing. 1725 rpm. Single-end, $\frac{1}{2}$ -inch shaft with $\frac{3}{16}$ -inch square keyway. Ventilated. $1\frac{1}{4}$ x1 $\frac{3}{4}$ -inch rigid base mount (NEMA 56YZ frame). Mounts in any position, drip-proof in horizontal. ELECTRICAL INFORMATION: 115-volt, 60-Hz. AC. 490 full-load input watts. No overload protector. Non-reversible. Has built-in, lockable on/off switch. 4-foot, 3-wire cord.

ORDER INFO: See warranty, page 90.

9 GT 1257C—Shipping weight 16 pounds\$74.99

(3) Split-phase, $\frac{1}{4}$ -HP Motor for bench-top drill presses 9 GT 22614 and 9 GT 22615

CONSTR: Sleeve bearing. 1725 rpm. Single-end, $\frac{1}{2}$ -in. shaft with $\frac{3}{16}$ -in. square keyway. Ventilated. Rigid base, $1\frac{1}{4}$ -in. (NEMA 48 frame).

ELECTRICAL INFORMATION: 115-volt, 60-Hz. AC. 370 full-load input watts. No overload protector, switch or cord. Non-reversible.

ORDER INFO: See warranty, page 90.

9 GT 1286C—Shipping weight 14 pounds\$64.99

(4) Split-phase Motors for easy-starting tools. For easy-starting tools like grinders, sanders and band saws.

CONSTRUCTION: 1725 rpm. Rigid base, 3x4 $\frac{7}{8}$ -inch mounting (NEMA 56 frame). Sleeve bearings. Single-end, $\frac{1}{2}$ -inch shaft* (except 9 GT 1285C) which has $\frac{3}{16}$ -inch shaft). Mount in any position, drip-proof when horizontal.

ELECTRICAL INFO: 115-v., 60-Hz. AC. 4-ft., 3-wire cord. Electrically reversible. No switch. No overload protector. Customer should provide own in-line protection.

ORDER INFO: See warranty, page 90.

HP	Watts	Catalog No.	Shpg. wt.	Price
$\frac{1}{4}$	420†	9 GT 1251C	16 lbs.	\$49.99
$\frac{1}{2}$	490†	9 GT 1252C	17 lbs.	54.99
$\frac{1}{2}$	670†	9 GT 1285C	16 lbs.	59.99

*With $\frac{5}{16}$ -inch adapter sleeve. $\frac{3}{16}$ -inch flat on shaft. †Full-load input watts.

(5) Split-phase, $\frac{1}{2}$ -HP Motors for fans and blowers. Replace motors $\frac{1}{2}$ to $\frac{1}{4}$ HP.

CONSTRUCTION: Sleeve bearings. Single-end, $\frac{1}{2}$ -inch shaft. Resilient mount. Thru-bolts for direct-drive fans. Mount in any position, drip-proof when horizontal.

ELECTRICAL INFORMATION: 115-volt, 60-Hz. AC. Automatic-reset overload protector. Electrically reversible. No switch or cord.

ORDER INFO: See warranty, page 90.

RPM	Mounting (inches)	NEMA Frame	Watts†	Catalog Number	Shpg. wt. lbs.	Price
1725	2 $\frac{7}{16}$ x4 $\frac{1}{4}$	48	450	9GT1980C	19	\$59.99
1725	3x4 $\frac{1}{8}$	56	450	9GT1983C	20	59.99
1140			400			
1725	3x4 $\frac{1}{8}$	56	540	9GT1971C	22	74.99

(6) Capacitor-start $\frac{1}{2}$ -HP Motor

For hard-starting belt-driven blowers such as fans or furnaces with central air conditioning.

CONSTRUCTION: Sleeve bearings. 1725 rpm. Single-end, $\frac{5}{8}$ -inch shaft with $\frac{3}{16}$ -inch square keyway. Resilient mount, 3x4 $\frac{7}{8}$ -inch (NEMA 56 frame). Mounts in any position, drip-proof when horizontal.

ELECTRICAL INFORMATION: 115 or 208/230-volt, 60-Hz. AC. 650 full-load input watts. Overload protector. Electrically reversible.

ORDER INFO: See warranty, page 90.

Shipping weight 22 pounds.

9 GT 1972C.....\$99.99

(7) Split-phase start, capacitor-run Motors for fans and blowers

For hard-starting belt-driven blowers such as fans or furnaces with central air conditioning.

CONSTRUCTION: Split-phase start/permanent-split capacitor-run motors run on less electricity, but still have the high-starting torques of split-phase motors. Open frame. Resilient mount. Mounts in any position. Sleeve bearings. 1725 rpm. $\frac{1}{2}$ -HP motor is NEMA 48 frame; $\frac{1}{2}$ -HP motor is NEMA 56 frame. $\frac{1}{2}$ -HP has $\frac{1}{2}$ -inch shaft; $\frac{1}{2}$ -HP motor has $\frac{5}{8}$ -inch shaft. Both have $\frac{3}{16}$ -inch square keyway.

ELECTRICAL INFO: 115-volt, 60-Hz. AC. Automatic-reset overload protector. Electrically reversible. No switch or cord. See full-load input watts below.


ORDER INFO: See warranty, p. 90.

$\frac{1}{2}$ -HP Motor. 365 full-load input watts. Shpg. wt. 19 lbs.

9 GT 1276C.....\$89.99

$\frac{1}{2}$ -HP Motor. 535 full-load input watts. Shpg. wt. 23 lbs.

9 GT 1277C.....\$99.99



CRAFTSMAN® Heavy-duty Motors

For farm and industrial equipment like augers, compressors and grain elevators

(1 and 2) For tools and equipment requiring high starting torque. All are induction-run except 5-HP motors which are capacitor-run.

CONSTRUCTION: Permanently lubricated ball bearings. Fan-cooled. Rigid base mount. Mount in any position... open-frame motors are drip-proof in horizontal position, enclosed motors drip-proof anywhere.


ELECTRICAL, ORDER INFO: 60-Hz. AC. (see volts in chart). No switch or cord. Electrically reversible. All have manual-reset overload protector, except where noted. Not sparkproof. Do not use in situations where sparks could ignite grain dust, gas, etc. See warranty below.

HP	RPM	Frame	Base Mount (in.)	Shaft Diam. (in.)	Volts	Watts*	Catalog Number	Wt. lbs.	Price
(1) With open-frame housing									
1	1725	143T	4x5 1/2	3/4	115 or 230	1200	9 GT 1240C	33	\$139.99
1 1/2	1725	145T	5x5 1/2	7/8	115 or 230	1600	9 GT 1241C	38	159.99
2	1725	145T	5x5 1/2	7/8	115 or 230	2200	9 GT 1242L	45	179.99
2	3450	145T	5x5 1/2	7/8	115 or 230	2400	9 GT 1243C	37	179.99
5	1700	184T	5 1/2 x 7 1/2	1 1/8	230	5500	9 GT 1244N	94	379.99
(2) With totally enclosed aluminum housing									
1	1725	56	3x4 1/2	3/4	115 or 230	1200	9 GT 1228C	33	149.99
1 1/2	1725	143T	4x5 1/2	7/8	115 or 230	1600	9 GT 1229C	40	179.99
2	1725	145T	5x5 1/2	7/8	115 or 230	2200	9 GT 1230L	44	199.99
2	3450	145T	5x5 1/2	7/8	115 or 230	2200	9 GT 1231C	38	199.99
5	1700	184T	5 1/2 x 7 1/2	1 1/8	230	5500	9 GT 1232N	91	399.99
(2) With totally enclosed steel housing									
1/2	1725	56	3x4 1/2	3/4	115 or 230	660	9 GT 1223C	26	99.99
3/4	1725	56	3x4 1/2	3/4	115 or 230	850	9 GT 1224C	33	109.99

*Full-load input watts

▲No overload protector, customer should provide in-line protection

Before placing your order,
measure to make sure Heavy-duty Motors fit



Using diagrams at left, measure

"A"—length of housing (excluding shaft).

"B"—bottom of base plate to center of shaft.

"C"—bottom of base plate to top of housing.

"D"—maximum width of housing. Then use chart below to determine if motor will fit. Measurements in inches.

Catalog No.	A	B	C	D
9 GT 1240C	9 1/4	8 5/8	3 1/2	6 1/2
9 GT 1241C	10 1/4	8 5/8	3 1/2	6 1/2
9 GT 1242L	10 3/4	8 5/8	3 1/2	6 1/2
9 GT 1243C	10 5/8	8 5/8	3 1/2	6 1/2
9 GT 1244N	14 7/8	9 1/4	3 1/2	13 3/32
9 GT 1228C	9 7/8	9 1/8	3 1/2	9 1/8
9 GT 1229C	10 1/2	9 1/8	3 1/2	9 1/8
9 GT 1230L	11 3/8	9 1/8	3 1/2	9 1/8
9 GT 1231C	9 7/8	9 1/8	3 1/2	9 1/8
9 GT 1232N	16 1/8	9 1/4	4 1/2	13 3/32
9 GT 1223C	8 1/2	8 3/8	3 1/2	8 3/8
9 GT 1224C	9 1/2	8 7/8	3 1/2	8 3/8

FULL ONE-YEAR WARRANTY ON CRAFTSMAN® MOTORS, MANUAL STARTERS, RIVETERS: If any of these items fails to give you complete satisfaction within one year from date of purchase, return it to the nearest Sears store throughout the U.S. and Sears will replace it, free of charge. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

NOTE FOR ALL MOTORS ON PAGES 89 AND 90: NEMA frame sizes given for all motors. The National Electrical Manufacturers Association (NEMA) is an organization that develops standards for motors, one of which governs motor dimensions. Motors with same NEMA frame sizes are interchangeable. Dimensions like base mount and shaft height are the same.

(3 thru 5) CRAFTSMAN® V-pulleys for motors or machines

CONSTR: Zinc alloy, aluminum finish. Grooves machined to maximum accuracy to help reduce belt slipping, power loss. Bore reamed to exact size.

Determine motor pulley diameter by multiplying machine pulley diameter by machine rpm wanted. Divide this figure by motor rpm.

Determine machine pulley diameter by multiplying motor pulley diameter by motor's rpm rate. Divide this figure by machine rpm you want.

(3) **Single-groove V-pulleys with hubs.** Socket-head setscrew. Fit 3/8 (3L) or 1/2-inch (4L) V-belts, except 9 GT 2800 which is for 3/8-inch (3L) belt only. 5/8-inch bores have standard keyway.

Out-side diam.	Bore size in.	Catalog Number	Wt. oz.	Each	Out-side diam.	Bore size in.	Catalog Number	Wt. oz.	Each
1 1/2 in.	1/2	9GT2800	2	\$1.39	4 in.	1/2	9GT28041	8	\$3.39
2 in.	1/2	9GT28011	3	1.69	4 in.	5/8	9GT28042	8	3.39
2 in.	5/8	9GT28012	3	1.69	5 in.	1/2	9GT28051	10	3.99
2 1/2 in.	1/2	9GT28021	4	2.29	5 in.	5/8	9GT28052	11	3.99
2 1/2 in.	5/8	9GT28022	5	2.29	6 in.	1/2	9GT28061	13	5.09
3 in.	1/2	9GT28031	5	2.59	6 in.	5/8	9GT28062	14	5.09
3 in.	5/8	9GT28032	6	2.59					

†These pulleys are spoke type

(4) **Cone V-pulley.** 3 or 4-step design. Socket-head setscrew. Pulleys are made to fit 3/8-in. and 1/2-in. V-belts. Pulleys with 3/8-in. bores have standard keyway.

Step diam. (inches)	Bore (in.)	Catalog Number	Wt. lbs.	Each
3 3/8, 2 5/8, 2...	1/2	9GT27881	13	\$5.19
3 3/8, 2 5/8, 2...	5/8	9GT27882	13	5.19
4, 3 3/8, 2 5/8, 2...	1/2	9GT27921	1	3.69
4, 3 3/8, 2 5/8, 2...	5/8	9GT27922	1	3.69
5, 4, 3, 2...	1/2	9GT27931	1	7.79
5, 4, 3, 2...	5/8	9GT27932	1	7.79

(5) Hubless Single-groove V-pulleys

Socket-head setscrew. Fit 3/8-in. (3L) or 1/2-in. (4L) V-belts. 2 1/2, 3-in. diam. pulleys in 5/8-in. bores have standard keyways.

Outside diameter	Bore in.	Catalog Number	Shpg. wt.	Each
2 in.	1/2	9 GT 29011	3 oz.	\$1.69
2 in.	5/8	9 GT 29012	3 oz.	1.69
2 1/2 in.	1/2	9 GT 29021	4 oz.	2.49
2 1/2 in.	5/8	9 GT 29022	4 oz.	2.49
3 in.	1/2	9 GT 29031	5 oz.	2.79
3 in.	5/8	9 GT 29032	5 oz.	2.79

(6) Adjustable Pulley

CONSTRUCTION: Machined cast iron. Class 3 threaded barrel, balanced, set-screws. Locking doesn't mar barrel threads. Diameter adjusts in 1/16-inch increments. Outside diameter is 3.15 inches. Bore size 1/2 inch. For 3L, 4L belts. Pitch 1.7-2.5 or 1.9-2.9 inch. 9 GT 28072—Shipping weight 1 pound 4 ounces.....\$6.99


(7) CRAFTSMAN® V-belts

Balanced to run true. Tough, yet elastic enough to handle heavy shock loads. High-twist cover fabric is neoprene-impregnated. Length-coding helps matching for multiple drives. 1/2-in. width.

ORDER INFO: See chart. Measure length around outside edge, not groove. State catalog number.

NOTE: Check manufacturer's number on old belt before ordering.

Length	Mfr's. No.	Catalog No.	Wt.	Each
24 in.	4L240	9GT1624	1 oz.	\$2.09
28 in.	4L280	9GT1628	2 oz.	2.09
29 in.	4L290	9GT1629	2 oz.	2.09
30 in.	4L300	9GT1630	2 oz.	2.19
32 in.	4L320	9GT1632	2 oz.	2.19
33 in.	4L330	9GT1633	2 oz.	2.19
34 in.	4L340	9GT1634	2 oz.	2.19
35 in.	4L350	9GT1635	2 oz.	2.19
36 in.	4L360	9GT1636	2 oz.	2.29
37 in.	4L370	9GT1637	3 oz.	2.29
38 in.	4L380	9GT1638	3 oz.	2.39
39 in.	4L390	9GT1639	3 oz.	2.49
40 in.	4L400	9GT1640	3 oz.	2.49
41 in.	4L410	9GT1641	3 oz.	2.49
42 in.	4L420	9GT1642	3 oz.	2.49
48 in.	4L480	9GT1648	4 oz.	2.79



(8) **Motor Mount.** Fastens to motor base to help maintain proper V-belt tension. Motor provides weight for belt tension. Swivel-type, fits all size motors. Made of steel. Punched for bolts (bolts not incl.). 9 GT 2730—Wt. 1 lb. 9 oz.\$6.49

(9) Power Tool Switch

CONSTR: Pull-on/push-off switch, locking key. Keyhole slots for mounting.

ELECTRICAL, ORDER INFO: 6-ft., 3-wire cord. Use with grounded power source. Not for equipment rated over 15 amps. 9 GT 13632—Wt. 1 lb. 3 oz.\$21.99

Replacement Shaft Key (not shown).

3/16x1-inch square. Fits motors with 3/16x3/16 keyway. Package of four. 9 GT 1929—Shpg. 2 oz.Pkg. \$1.49

(10) **Caster Dolly.** Steel triangular dolly, blue vinyl covering. Three 1 1/2-inch diameter ball-bearing casters, non-marking wheels. Rubber pads grip flat surfaces, deep center holes hold legs securely. 125-lb. load cap.

ORDER INFO: Package of two.

9 GT 7421—Shipping weight 2 pounds 2 ouncesPkg. \$5.99

(11 thru 13) **Heavy-duty Casters.** For office, industry use. Semi-steel casters for use on wood or chip-littered floors. Atlasite® hard-rubber tread on hard rubber core for shock-resistance on carpet or hard, smooth floors. Biron® powdered-iron wheels for use on rough, chip-littered floors.


CONSTRUCTION: Flat top-plate. Zinc-plated finish resists rust. Atlasite® casters have self-lubricating ball bearings; Semi-steel and Biron® have plain ball bearings (wheel serves as bearing material).

ORDER INFO: Load capacities are maximum per caster when in motion. When motionless, load capacities double.

Item	Load cap. lbs.	Tread width in.	Rigid				Swivel			
			Catalog Number	Wt. lbs. oz.		Each	Catalog Number	Wt. lbs. oz.		Price Each
3-inch diameter wheel; caster height 3 $\frac{1}{8}$ in. Swivel caster radius 2 $\frac{1}{2}$ in.										
(11) Biron	250	1	T 9 GT 74472	2	1	\$4.99	T 9 GT 74475	2	5	\$5.49
(12) Atlasite	210	1	T 9 GT 74471	1	8	4.99	T 9 GT 74474	1	13	5.49
4-inch diameter wheel; caster height 5 in. Swivel caster radius 3 $\frac{1}{2}$ in.										
(12) Atlasite	300	1 $\frac{1}{2}$	T 9 GT 74477	2	12	\$8.48	T 9 GT 74481	3	9	\$9.49
(13) Semi-steel	350	1 $\frac{1}{2}$	T 9 GT 74478	3	10	8.49	T 9 GT 74482	4	7	9.49



These Clamps let you assemble accurate 90° angles



Make Clamps work for you

Hold projects for gluing, nailing, sawing, drilling and more

(1) Heavy-duty Picture Framing Vise

HOW IT WORKS: Professional-type vise firmly holds two 45° cut sides of picture frame in position for nailing or gluing a precise 90° angle. Helps minimize alignment problems.

CONSTR: Cast iron, steel. Knobs on each side let you tilt vise 90°, rotate 360°. Accepts molding up to 4 in. wide, yet you can join frames as small as 3 1/2 x 3 1/2 in.

ORDER INFO: Not Craftsman.

Shpg. wt. 14 lbs. 8 oz.
9 GT 5170 \$119.99

(2) CRAFTSMAN® Corner and Miter Clamp Set

CONSTRUCTION: Holds pieces up to 3 inches wide. Holes for fastening to work surface. Includes 3 corner clamps, 1 miter clamp. Aluminum alloy.

ORDER INFO: Shpg. wt. 2 lbs. 14 oz.
9 GT 66624 Set \$24.99

Corner Clamps alone. 3 needed with miter clamp sold separately below.

ORDER INFO:
9 GT 6666—Wt. 5 oz. Each \$6.99

Miter Clamp alone

Guides saw for precise 45° angle cutting. Fits any back or hand saw.

ORDER INFO: Shpg. wt. 1 lb. 4 oz.
9 GT 6664 \$9.99

(3) Adjustable Framing Clamp

CONSTRUCTION: Aluminum. Includes four threaded rods, four clamps and wing nuts to let you adjust from 4x4 to 36x36 inches square.

ORDER INFO: Wt. 5 lbs. 1 oz.
9 GT 32054 \$19.99

(4) CRAFTSMAN® Polycast Adjustable Gluing Clamps

High-impact plastic for durability.

Opens to	Catalog No.	Shpg. wt.	Each
2 in.	9 GT 66631	8 oz.	\$7.99
4 in.	9 GT 66632	1 lb. 5 oz.	9.99

(5) CRAFTSMAN® Adjustable Gluing Clamps. Jaws of select hardwood.

Opens to	Catalog No.	Shpg. wt.	Each
6 in.	9 GT 66636	2 lbs. 8 oz.	\$11.99
8 in.	9 GT 66638	3 lbs. 5 oz.	13.99
10 in.	9 GT 66639	4 lbs. 1 oz.	16.99

(6) CRAFTSMAN® Spring Clamps

Steel. Spring tension action.

Opens to	Lgth.	Catalog No.	Wt.	Each
1 in.	4 in.	9 GT 66697	2 oz.	\$2.39
2 in.	6 in.	9 GT 66698	6 oz.	3.99
3 in.	9 in.	9 GT 66699	12 oz.	5.99

(7) CRAFTSMAN® Standard Malleable-iron "C" Clamps

Plated steel screw; sliding handle.

Opens to	Throat depth	Catalog Number	Wt. lbs. oz.	Each
1 in.	1 in.	9 GT 66671	2	\$1.99
2 in.	1 1/2 in.	9 GT 66672	5	2.99
3 in.	1 3/4 in.	9 GT 66673	14	4.49
4 in.	2 in.	9 GT 66674	15	7.49
5 in.	2 1/2 in.	9 GT 66675	27	8.99
6 in.	2 3/4 in.	9 GT 66676	21	9.99
8 in.	3 1/2 in.	9 GT 66678	4	12.99

CRAFTSMAN® Deep-throat "C" Clamps (not shown). Pearlite iron frame.

Opens to	Throat depth	Catalog Number	Wt. lbs. oz.	Each
1 in.	3 in.	9 GT 66681	6	\$3.99
2 1/2 in.	4 1/2 in.	9 GT 66682	11	6.99
4 in.	5 in.	9 GT 66684	28	10.99

(8 and 9) Pipe Clamps

HOW THEY WORK: Use with threaded pipe for gluing extra-long work pieces (pipe not included). Each set contains two pieces.

(8) Clamp fits 1/2-in. pipe

CONSTRUCTION: Cast iron. Jaw face measures 1 1/4 x 1 1/2 inches. T-handle. Imported.

ORDER INFO:
Wt. 1 lb. 7 oz.
9 GT 6675 Set \$7.99

(9) CRAFTSMAN® Clamp fits 3/4-inch pipe

CONSTRUCTION: Cast iron. Jaw face measures 1 3/4 x 1 1/4 inches. Spin-quick handle. Imported.


ORDER INFO:
Wt. 2 lbs. 8 oz.
9 GT 6674 Set \$10.99

(10) CRAFTSMAN® Bar Clamp

CONSTRUCTION: Iron clamp with 1/4 x 3/4 x 24-inch steel bar.

ORDER INFO:
Wt. 2 lbs. 5 oz.
9 GT 6663C \$11.99

These Clamps help you assemble large projects



(11) X-acto® Oval Mat Cutter

Makes oval and circle cuts. Set trolley pins at desired dimensions and move cutter along guide wire for a smooth, beveled cut.

BODY, CUTTING CAP: Plastic body with blade lock. Cuts minimum 2x3-in., max. 9 1/2 x 17-in. ovals. 7/32 in. max. depth of cut. 60° bevel cut.

ORDER INFO: Incl. 5 blades, 4 pins, instr.
9 GT 52642—Shpg. wt. 6 oz. \$24.99

(12) Tite-Bond® Glue. For secure bonding. Stronger than our white glue. Spreads easily, sets quickly and dries clear. Sandable. Use for woodworking and other projects.

Size	Catalog No.	Shpg. wt.	Each
8 oz.	9 GT 80617	10 oz.	\$1.99
16 oz.	9 GT 80618	1 lb. 4 oz.	3.49
32 oz.	9 GT 80621	2 lbs. 8 oz.	4.99



Shop
By Phone

HELPFUL INFORMATION ABOUT YOUR SEARS CATALOG ORDER

REGARDING OUR CATALOG PRICES: Prices quoted in Sears catalogs do not include (unless stated otherwise) charges for handling and shipping of goods to you. These charges may differ depending on method of shipping. Information on how shipping weights are determined and details on charges for shipping by USPS/UPS or non-Sears truck can be obtained from the information pages of our Big Book. Specific details on charges for handling and shipping to a Sears Catalog Selling Unit for pick-up or delivery (if available) can be obtained from the unit. Catalog merchandise prices and assortments may vary from those in our Retail Stores and between regional editions of a catalog.

SHIPPING INFORMATION: Pick up your order at a Sears Catalog Selling Unit . . . ask about pick-up charges. Home delivery from the Sears unit may also be available at an additional charge, please inquire.

"N," "NH" suffix (such as 9-1234N) means that the item if shipped directly to your home, is sent by motor carrier. (See shipping information pages in our Big Book.)

ABOUT OUT-OF-STOCK MERCHANDISE: We make every effort to stock enough merchandise to fill all orders. Our policy on out-of-stock merchandise is explained in our Big Book.

COPIES OF WARRANTY STATEMENTS: A warranty is included with any product covered by a specific written warranty. If you wish a free copy before you order, please state: catalog number, page number in catalog, description of product and manufacturer's name, if mentioned. Address your request to:

Warranty Information,
Department 698/731A,
Sears, Roebuck and Co., Sears Tower, Chicago, IL 60684.

GENERAL INDEX

Abrasives 22, 26, 55, 65, 68

AIR TOOLS, ACCESSORIES:

Air Compressors, Accessories 93-99
Air Pumps 43, 93
Air Tanks 98
Air Tools, Accessories 110-112

AUTOMOTIVE CARE EQUIPMENT:

Analyzers 42
Auto Body Repair Tools 105
Auto Repair Tools 108, 109
Auto Testing Equipment 42, 47
Battery Chargers 44
Body and Fender Tools 105
Bolt Cutters 115
Brake Tools 109
Gauges, Auto 38, 108
Gear Pullers 109
Hex Keys 121
Jacks, Accessories 43
Lubricants and Lubricating Equipment 44
Mechanics' Tool Chests, Cabinets and
Accessories 134-137
Mechanics' Tool Sets 124-133
Meters, Electrical 47
Nutdrivers 143
Nutdriver Bit Sets 20
Oil, Oilers 44, 115
Oscilloscopes 18, 19, 22, 23
Polishers, Accessories 108, 116
Ratchets 107, 109
Reamers 107, 109
Rethreading Tools 34
Tap and Die Sets 106, 107
Timing Lights 42
Torque Wrenches 113
Tune-up Tools 38, 108, 109
Axes, Accessories 32, 33
Belts, V 90
Bolt Cutters 115
Cable and Chains 58
Cases, Carrying 23

CARPENTRY TOOLS, ACCESSORIES:

Aprons, Work 27
Books 104
Braces and Bits 31
Chests, Tool 35, 142
Chisels 53, 105
Crowbars 105
Door Lock Installation Kit 19
Files, Accessories 107
Hack Saws 106
Hammers, Accessories 32
Hand Saws 31
Levels, Carpenters' 30, 41
Mallets 32
Measuring Tapes 30
Miter Boxes 2, 3
Nail-setting Tools 126
Planes, Hand 31
Pliers 108, 114, 115
Punches 105
Rules 30
Sawhorse Brackets, Legs 31
Screwdrivers 25, 143, 144
Scribers 39
Squares 30, 39
Tool Belts, Holders 27
Tool Boxes 43, 142
Clamps 91
Drawing Tables, Chairs, Lamps 103, 140

DRILLING TOOLS, ACCESSORIES:

Air-drive Drills 111
Braces and Bits 31
Doweling Jigs 19
Drill Bit Sharpeners 20, 82
Drill Bits 16, 17
Drill Presses, Accessories 54, 55, 73-75
Drill Stands 20
Electric Drills 16-20, 24
Accessories 16-20, 24
Hand Drills 31
Industrial Drills 24
Mandrels 19
Nutdriver Bit Sets 20
Screwdriver Bit Sets 20
Tabletop Drill Press 54

ELECTRICAL REPAIR TOOLS, ACCESSORIES:

Analyzers, Electrical 42
Appliance Repair Kits 48, 49
Electrical Outlets 48
Electrical Testers 47
Electricians' Tools 48
Meters 47
Power Outlet Strips 48
Shock Detectors 50
Strippers, Wire 48
Terminal Kits 49
Wiring Supplies 48, 49
Engraving Tools 51, 126
Extension Cords 23, 48

FASTENING TOOLS:

Clamps 91
Glue 28, 91
Glue Guns 28
Nail Guns 29, 110
Rivet Tools, Accessories 29
Soldering Guns, Irons, Accessories 53
Staplers, Accessories 29, 110

Generators 46

Grinders 22, 24, 82, 83
Hammers, Accessories 32
Hatchets, Accessories 33
Heaters, Portable 46
Hydro Washers 98
Impact Tools, Accessories 110-112
Jointer-Planers, Accessories 54, 55, 63, 69, 71
Knives 28
Ladders 100
Lamps, Drafting 140
Lanterns 50
Lathe, Metal 57
Lathe, Wood 54, 78, 79

LAWN AND GARDEN EQUIPMENT:

Blowers, Lawn 102
Hoses, Garden 102
Hydro Washers 98
Lawn Mowers 102
Wheelbarrows 102
Leg Sets 55, 57, 69
Levels 30
Log Handling Equipment 32, 33, 44, 45
Lumber-Makers 45
Magnetic Pick-up Tools 107

MATERIAL LIFTING AND MOVING EQUIPMENT:

Casters 57, 65, 67, 77, 90
Dollies 101
Hand Trucks 101
Hoists 58
Jacks, Accessories 43
Pulleys 58, 90
Wheelbarrows 102
Winches, Accessories 43
Metal-cutting Band Saws 56

METAL GRINDING, CUTTING, WELDING TOOLS:

Anvils 33
Arbor Press 88
Arc Welders, Accessories 86, 87
Chisels 105
Files 107
Gas Welders, Accessories 85, 86, 88
Grinders, Accessories 22, 24, 82, 83
Mapp Gas Kit and Cylinders 53
Metal-cutting Band Saws 56
Metal Lathe, Accessories 57
Milling Accessories 57
Nipper Shears 114
Propane Torches, Accessories 53
Rethreading Tools 34
Sheet Metal Shears 25
Snips 115
Thread Cutters 34
Torches, Accessories 53
Welders, Oxy-Acetylene 84, 85
Welders' Personal Protectors 88

METRIC TOOLS:

Measuring Tapes, Meter Stick 30
Sockets 117-119, 122, 123
Tap and Dies 106, 107
Tool Sets 124, 125, 127-133
Wrenches 120-123
Motors, Accessories 89, 90

PAINTING EQUIPMENT:

Air Brush Sets 94
Air Compressors, Accessories 93-99
Airless Sprayers 95
Air Pumps 93
Air Tanks 98
Heat Guns 48
Ladders 100
Paint Remover 48
Paint Sprayers, Accessories 94, 95, 97, 98
Respirators 98

PERSONAL SAFETY EQUIPMENT:

Eye Protectors 65, 68, 88
Face Shields 15, 88
Hard Hats 88
Hearing Protectors 88
Masks 88, 98
Respirators 88, 98
Welders' Personal Protectors 88
Planer-Molders, Accessories 70
Planer, Portable Electric 23
Pliers 108, 114, 115

PLUMBING TOOLS:

Augers, Drain 34
Dies, Accessories 106, 107
Flaring Tools 34
Hack Saws 106
Pipe Wrenches 34
Plumbing Tools 34
Sewer Rods 34
Tap and Die Sets 106, 107
Thread Cutters 34
Tubing Tools 34
Power Washers 98

PRECISION TOOLS:

Calipers 36, 38, 39
Dividers 39
Gauges, Precision 36-39
Magnifiers 39
Micrometers 37, 38
Mirrors, Inspection 39
Precision Tools 36-41, 57, 79, 115
Protractors 30, 39
Rules 30, 39
Squares 36

Riveters 28, 29
Rotary Grinders, Accessories 51, 52
Routers, Accessories 8-15
Sander-Grinders 97

SANDERS, ACCESSORIES, ABRASIVES:

Abrasives 26
Air-drive 110
Band Saw-Sander 76
Belt-Disc 52, 54, 77
Portable Electric Belt 21
Portable Electric Pad 21
Portable Sander-Grinders 55

SAWING TOOLS, ACCESSORIES, BLADES:

Back Saws, Hand 31
Band Saws, Accessories 76
Band Saw Blades 77
Chain Saws, Accessories 45
Circular Saws, Accessories 4, 5, 25
Circular Saw Blades 59, 60
Crosscut Saws, Hand 31
Cutter Heads, Molding 61, 65, 68
Dado Blades 55, 61, 65, 68
Hack Saws, Blades 106
Hole Saws, Mandrels 19
Industrial Saws 25
Jigsaws, Blades 52
Metal-cutting Band Saws 56
Miter Boxes 2, 3
Miter Saws 3
Radial Saws, Accessories 26, 57, 66-68
Radial Saw Blades 59-61
Reciprocating Saws, Blades 23, 25
Sabre Saws, Accessories 6, 7, 25
Sabre Saw Blades 7
Table Saws, Accessories 52, 54, 55, 62-65
Table Saw Blades 59-61, 63

Screwdrivers 143, 144
Shapers, Accessories 55, 72
Sharpening Wheels 82
Small Engine Repair Tools 102
Soldering Guns 53
Splitting Wedges 33
Stamping Sets 126
Staplers 29, 110
Stools 140

STORAGE AND ORGANIZATION EQUIPMENT:

Carts, Tools 134-137
Cases, Carrying 23
Chests, Tool 35, 142
Machinists' Cabinets 35
Mechanics' Tool Chests, Cabinets and
Accessories 134-137
Organizers 137, 139
Shelving 104
Stands, Tool 21, 54, 55, 57, 67, 69, 77, 82
Storage Units 104, 139
Tool Boxes 43, 142
Workbenches 138-141
Workshop Cabinets 134-136

SURVEYING TOOLS:

Dial Indicators, Accessories 36, 38
Levels, Building and Surveying 40, 41
Surveying Instruments 40, 41
Tripods 41
Tap and Die Sets 106, 107
Trucks, Hand 101
Vacuums, Shop 80-82
Vises, Accessories 33
Wedges 33
Welders 84-88
Whetstone 28

WOOD SHAPING, PLANING, JOINTING:

Cutter Bits 14, 65, 70
Cutter Heads, Molding 61, 65, 68
Dado Blades, Accessories 61, 65, 68
Door and Panel Decorating Kits 11
Dovetailing Attachment 10
Edge-Crafter 10
Jointer-Planers, Accessories 54, 55, 63, 69, 71
Lathes, Accessories 54, 78, 79
Planer-Molders, Accessories 70, 71
Portable Electric Planer 23
Routers, Accessories 8-15
Router Bits 9-15
Shapers, Accessories 55, 72
Shaper-Cutter Bits 72
Sign-making Kit 12
Templates 11, 12
Workbenches 138-141
Worklights 50, 140
Wrecking Bars 105

WRENCHES, ACCESSORIES:

Adjustable 112
Air-drive 111, 112
Box-end 120, 121
Combination 120, 121
Cross Rim 108
Crowfoot 117
Distributor 108
Hex Key 121
Ignition 120
Impact 111, 112
Open-end 120, 121
Pipe 34
Ratchet 34, 108, 116, 120
Socket 116-119, 122-124
Tap and Reamer 107
Tappet 120, 121
Torque 113



Air Pumps restore original air power

- Single-stage pump delivers up to 125 PSI**
- Two-stage pump delivers up to 175 PSI**

Single-stage (1) supplies air power for home and small shop; 2-stage pump (2) is for heavy-duty use.

PRESSURE, MOTOR REQUIREMENTS: Built to operate with motor running at 1725 RPM and HP as indicated in chart below. Use chart to determine air pressure (PSI) and air delivery (SCFM). (2) has centrifugal unloader.

FLYWHEEL: Single-stage pump has single-grooved "A" section flywheel. Two-stage pump has double-grooved "A" section flywheel.

Item	Bore diam. in.	Stroke inches	For Motor HP	Motor Pulley Diameter inches	SCFM delivery at			
					40 PSI	90 PSI	125 PSI	175 PSI
(1) Single-stage pump	2 3/4	2	1	3.0	5.8	4.8	4.2	
				3.5	6.7	5.6	4.8	
			1 1/2	3.75	7.1	6.0	5.1	
				4.25	8.1	6.9	5.9	
(2) Two-stage pump	4 3/4	2 1/2	2	4.25	8.1	6.9	5.9	
				4.75	9.1	7.4	6.4	
			3	3.8 ^A		10.2	10.1	10.0
				4.8 ^A		12.1		
			5	6.4 ^A		17.3	17.2	17.0
				7.4 ^A		20.0		

^AB Section pitch diameter ^{AA}Not recommended

ORDER INFO:

- (1) 30 GT 17511L—Single-stage. Wt. 39 lbs. \$169.99
 (2) 30 GT 17523N—Two-stage. Wt. 130 lbs. \$599.99

MINIMUM PRESSURE REQUIREMENTS

The charts below give the minimum SCFM* required to operate air compressor accessories sold on pages 94 through 99 and air-drive tools sold on pages 110 and 111.

Compressor Accessory	Minimum SCFM* at 40 PSI**
Spray Guns:	
Medium-duty (30 GT 15583).....	1.5
General Purpose (30 GT 15614).....	3.0
Production-type (30 GT 15634).....	8.3
Professional Quality (30 GT 15624).....	6.4
Heavy-duty Sandblasters	
(30 GT 16804C and 30 GT 16803).....	6.5
Sandblaster Gun (30 GT 16802).....	3.0
Caulk Gun (30 GT 16308).....	1.5
Pro Air Brush (30 GT 15506).....	0.8
Hobby Air Brush (30 GT 15504).....	0.8
Mini-Spray Gun (30 GT 15502).....	0.5
Hydro-Wonder-Washer II (30 GT 16222).....	5.8 SCFM* at 90 PSI**

Air-drive Tools (See charts on p. 110, 111 for proper PSI**)	SCFM*
Impact Hammers (9 GT 18915, 9 GT 18894).....	4.0
Drills (9 GT 18896, 9 GT 18928).....	4.0
Sanders (9 GT 18828, 9 GT 18968).....	9.0
Straight-line Sander (9 GT 18967).....	8.0
Die-Grinder (9 GT 18887).....	18.0
Impact Wrenches:	
(9 GT 18886, 9 GT 18811).....	4.0
(9 GT 18882, 9 GT 1888).....	3.5
(9 GT 18959).....	7.5
(9 GT 18964).....	12.0
Ratchet Wrench (9 GT 18803).....	4.0
Bostitch Nailer (9 GT 18971).....	9.6
Roofing Stapler (9 GT 18991).....	4.7
Sheathing, Decking Stapler (9 GT 18981).....	5.9

SPRAYER/COMPRESSOR FACTS

*SCFM (Standard Cubic Feet per Minute): The higher the SCFM rating, the more air moving through the hose to the spray gun or air tool. High SCFM is needed to deliver high air volume for heavy-duty air tools.

**PSI (Pounds per Square Inch): Measure of air pressure delivered to spray gun or air tool nozzle.

†ASME—Meet specifications established by the American Society of Mechanical Engineers for the design, manufacture, inspection and certification of pressure vessels.

Full One-year Warranty on Portable Air Compressor:


If this air compressor fails due to a defect in material or workmanship within one year from the date of purchase, return it to the nearest Sears store or Service Center throughout the United States and Sears will repair it free of charge. If air compressor is used for commercial or rental purposes, warranty will apply for 30 days from date of purchase. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

Full One-year Warranty on Stationary Air Compressor:

If this stationary air compressor fails due to a defect in material or workmanship within one year from the date of purchase, contact the nearest Sears store or Service Center throughout the United States and Sears will repair it, free of charge. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

PORTABLE AIR COMPRESSORS

Designed for reliability, high performance and long life
do these things and more with accessories sold in this catalog



Heavy-duty 1-HP Electric Air Compressor

With features for on-the-job use:

- 20-gallon ASME† air tank
- Heavy-duty 5/16-in. diam. air hose
- Large 10-inch diameter wheels

\$519.99 Delivers 6.6 SCFM* at 40 PSI**
5.3 SCFM at 90 PSI

Designed for use where large air storage is needed and only 115-v. power is available.

DELIVERY RATE: 6.6 SCFM* at 40 PSI** with 100 PSI** maximum.

MECH. INFO: Single-stage compressor with 2-cylinder pump. 1-HP capacitor-start electric motor runs at 3450 RPM. Protective belt and pulley guard. 42x21x32 in. high.

ACCESSORIES: Air chuck, 25 ft. of 1/2-in. diam. air hose, tank shut-off valve. "How To Power Spray" booklet. More access. on p. 97-99.

ELECTRICAL INFO: 60-Hz. AC. 110-120-v. (can convert to 220-240-v.) 20-amp circuit breaker or slow-blow fuse required (not included). 5-ft., 3-wire grounded cord.

ORDER INFO: See Compressor Facts, warranty at left; electrical receptacle in Big Book. Wt. 138 lbs. 30 GT 17751N\$519.99

Portable Electric Air Compressor

With twin cylinders . . . provides air power for spraying, inflating and operating most air tools

Low as **\$519.99** 2-HP with air chuck and air hose

MECHANICAL INFO: Air tank has automatic pressure switch with gauge. Die-cast aluminum pump with cast iron cylinder sleeves cast into pump for increased cooling efficiency and long life. Operates at 3450 RPM. Multi-groove belt for efficient operation. Belt-pulley guard. Manual overload protection.

ACCESSORIES: Air chuck, 15 feet of 1/4-in. air hose, tank shut-off valve, 8-in. diameter wheels, "How To Power Spray" booklet. Other accessories sold on pages 97 through 99.

ELECTRICAL INFO: 220-240-v., 60-Hz. AC. 5-ft., 3-wire grounded cord. Use 15-amp circuit breaker or slow-blow fuse.

ORDER INFO: See Sprayer/Compressor Facts, warranty at left. 2, 4-HP units not sold in Massachusetts, Arkansas, New Jersey, Oregon, Puerto Rico in compliance with state codes. Order ASME† approved model if you live in these locales. Electrical receptacle and extension cord sold in Big Book.

HP	SCFM*		Max. PSI	Tank Size gals.	Size (LxWxH) inches	Catalog Number	Wt. lbs.	Price
	at 40 PSI**	at 90 PSI**						
2	7.5	6.1	100	20	42x21x31	30 GT 17752N	136	\$519.99
4	9.3	7.7	125	20	42x21x31	30 GT 17754N	145	639.99
5	10.2	8.5	125	30†	44x22x34	30 GT 17755N	163	729.99

Gas-powered Portable Air Compressors

Provide on-the-job power
anywhere. Single-stage models
with twin-cylinder pump, recoil start


Low as **\$469.99** 3-HP delivers up to 100 PSI** with 12-gallon tank

MECHANICAL INFO: 2-cylinder compressor pump. 4-cycle, Briggs & Stratton® gasoline engine. 5-HP unit has automatic throttle control, other units have constant speed unloader. Belt, and pulley guard. 3-quart fuel tank.

ACCESSORIES: Air chuck, 15 feet of 1/4-in. air hose, tank pressure gauge, tank shut-off valve, instr. More accessories sold on pages 97-99.

ORDER INFO: 3-HP unit not sold in Arkansas, Massachusetts, New Jersey, Oregon, Puerto Rico in compliance with state codes. Order ASME† approved models if you live in these locales or if unit is to be used for commercial purposes. See Sprayer/Compressor Facts and warranty at left.

HP	Delivery Rate (SCFM)*		Max. PSI	Tank size gals.	Size (LxWxH) inches	Catalog Number	Wt. lbs.	Price
	at 40 PSI**	at 90 PSI**						
3	7.0	5.8	100	12	39x18x27	30 GT 17853N	119	\$469.99
4	8.5	7.2	100	12†	39x18x30	30 GT 17854N	121	599.99
5	11.3	9.3	110	20†	41x20x32	30 GT 17855N	141	759.99




5-HP unit mounts in bed of pick-up truck (mounting kit included)



Order our FREE "Sprayer/Compressor" booklet 39 GT 7679

Compact Air Compressor Kits . . . small and lightweight, yet powerful enough to perform all your inflation and many spray paint tasks; also operate air brushes



QUALITY BY DESIGN

...features like these on our best Compact Air Compressor represent the quality that's built into every CRAFTSMAN tool

- A** Safety valve helps prevent pressure overload
- B** Easy-to-inspect air filter keeps clean air flowing into compressor and spraying accessories working efficiently
- C** Teflon® coated cylinder and piston seal for smooth, quiet operation... never needs lubrication
- D** On/off switch for convenience and safety
- E** 1/2-HP motor delivers 3.0 SCFM at 40 PSI with 50 PSI maximum
- F** Balanced flywheel for smooth, quiet operation
- G** Cooling fan dissipates heat... unit runs cooler, longer



Our best CRAFTSMAN Compact Air Compressor/Sprayer Kit

Includes Craftsman Spray Gun, inflator kit, air hose

\$179⁹⁹

COMPRESSOR, MOTOR: Teflon®-coated cylinder and Teflon® resin piston seal. Has 1/2-HP motor, safety valve, on/off switch, stainless steel valves, air intake filter, balanced flywheel, cooling fan. 11 1/4 x 6 1/2 x 12 1/4 in. high. **SPRAY GUN:** Craftsman 30 GT 15583 ((3) on page 97). Fluid control knob. 1-quart aluminum screw-on canister.

ACCESSORIES: 15 feet safety orange air hose. Inflator kit includes air chuck, inflator needle, dusting tube, inflating tube. Instructions.


ELECTRICAL INFO: UL listed. 110-120-v., 60-Hertz AC. 7.7 amps. 6-foot, 3-wire grounded cord.

ORDER INFO: See Sprayer/Compressor Facts and warranty on page 93, Spray Gun Terms on page 97, "N" suffix on page 91.

30 GT 15057N—Wt. 27 lbs. \$179.99

*SCFM=Standard Cubic Feet per Minute

*PSI=Pounds per Square Inch



1/4-HP Compressor Kit

Use to inflate automobile and most bicycle tires. Also operates air brushes and spray gun (3) on p. 97. See Sprayer/Compressor Facts, p. 93.

DELIVERY RATE: 1.7 SCFM* at 30 PSI** (45 PSI max.).

COMPRESSOR, MOTOR: 1-cylinder, oilless diaphragm compressor. 1/4-HP motor. 11 1/4 x 5 1/2 x 10 1/4 in. high.

ELECTRICAL INFO: UL listed. 110-120-v., 60-Hz. AC. 5.8 amps. 6-ft., 3-wire grounded cord.

ACCESS: 15-ft. safety orange air hose, air chuck.

ORDER INFO: See warranty on page 93.

30 GT 15066—Wt. 20 lbs. \$142.99



1/10-HP Compressor Kit

Use for inflating automobile tires, air mattresses, bicycle tires requiring 40 PSI or less or operating air brushes. Will also operate spray gun (7) on p. 97. See Sprayer/Compressor Facts, p. 93.

DELIVERY RATE: .8 SCFM* at 10 PSI** (40 PSI max.).


COMPRESSOR, MOTOR: 1-cylinder, oilless diaphragm compressor. 1/10-HP motor. 8 1/4 x 4 1/4 x 7 1/8 in. high.

ELECTRICAL INFO: UL listed. 110-120-v., 60-Hz. AC. 3.3 amps. 6-ft., 3-wire, grounded cord.

ACCESS: 15-ft. safety orange air hose, air chuck, inflator needle, inflator and dusting tubes, instr.

ORDER INFO: See warranty, page 93.

30 GT 15055C—Wt. 10 lbs. 9 oz. \$89.99



Commercial Art

Pro-style Air Brush Set **\$89⁹⁹**



94 **Sears** ALL₂

Air Brush Sets . . . for painting with detail and precision

(1) Professional-style Air Brush Set. For commercial artwork, fine detailing, retouching, automotive customizing or arts, crafts.

SPRAY CONTROL: Double-action fingertip control lets you vary the width of spray without stopping spraying operation. Internal mix for thorough paint atomization . . . helps eliminate overspray; gives smoother, more uniform coverage. Pattern adjusts from 1/8 to 1 1/4 inches. Adjustable screw to set and hold spray pattern.

COMPONENTS: 1 spray tip for fine detailing, 1 for heavy-viscosity materials and faster spray, heavier coverage. 8 feet of heavy-duty braided hose. Operates on regulated air supply; 1/4-inch National Pipe Tapered adapter for compressor use. Not for use with propellant pack sold at right. Also includes one 2-oz., two 1/4-oz. paint jars, metal paint cup, air brush holder, spray tip guard, instr.

ORDER INFO: Wt. 2 lbs. 4 oz. 30 GT 15506Set \$89.99

Order our FREE

"Air Brush Booklet," 39 GT 7681

(2) Hobby Air Brush Set. For arts, crafts, touching up furniture, automotive touch-up, customizing; antiquing and models.

SPRAY CONTROL: Single-action air brush . . . finger lever controls air flow, needle adjuster controls spray width. Pro-type internal mix. Pattern adj. from 1/8 to 1 1/4 in.

COMPONENTS: 8-ft. vinyl hose, 1/4-in. NPT adapter for compressor use. Four 3/4-oz. jars. Instructions. With on/off valve for use with propellant pack sold below.

ORDER INFO: 30 GT 15504—Wt. 1 lb. 2 oz. .Set \$49.99

(3) Mini Spray Gun Set. For school projects, posters or glazing ceramics.

SPRAY CONTROL: Single-action air brush . . . finger lever controls air flow, needle adjuster controls width of spray. External mix. Pattern adjusts 1/8 to 1 1/4 inches.

COMPONENTS: 8-ft. vinyl hose, 1/4-in. NPT adapter for compressor use. One 4-oz. jar. Instructions. With on/off valve for use with propellant pack sold below.

ORDER INFO: 30 GT 15502—Wt. 11 oz. . . .Set \$13.99

Propellant Pack (not shown). For (2) and (3) above. Ten 11-oz. cans. Not sold in the state of Oregon. Wt. 2 lbs. 8 oz.

30 GT 15509GPack \$8.99




Ceramic Glazing

Model Finishing



Hobby Air Brush Set

\$49⁹⁹




Mini Spray Gun Set

\$13⁹⁹

ELECTRIC AIRLESS SPRAYERS

... the quick and easy way to paint almost everything inside and outside of your home ... easy-to-operate sprayers minimize overspray and require no air compressor



\$69⁹⁹

Sprays up to 4 fl. oz. per minute of light-viscosity material

\$109⁹⁹

Sprays up to 5 fl. oz. per minute, even interior latex

\$139⁹⁹

Sprays up to 10 1/4 fl. oz. per minute of any paint, even exterior latex

(1 thru 3) Lightweight Hand-held Airless Sprayers

MOTOR, SPRAY GUN: Electromagnetic linear motor. Single control knob adjusts fluid flow. General-purpose .7mm spray nozzle with guard. Handle, housing of tough, solvent-resistant plastic for years of use. Instructions.

ELECTRIC INFO: UL listed. 110-120-v., 60-Hz. AC. 1-ft. 3-wire grounded cord. **ORDER INFO:** Not for use as a compressor. See warranty below. See spray rates and recommended spraying materials for each sprayer in chart below.

(1) Light-duty Airless Sprayer

For small household painting tasks, hobby work. Sprays thin-viscosity materials. Hardened steel paint pump and piston. 24-oz. liquid reservoir. 35 w. 0.6 amps. Measures 8 1/2 x 4 1/2 x 8 1/2 in. high. Wt. 2 lbs. 10 oz. 30GT15508...\$69.99

(2) Medium-duty Airless Sprayer

Handles household tasks quickly. Sprays varnish, interior latex paints, enamels, oil-base paints, stains. Durable tungsten carbide steel paint pump. Hardened chrome steel piston. 1-qt. liquid reservoir. 45 w. 1.1 amps. 8 1/4 x 5 x 9 3/4 in. high. Wt. 3 lbs. 6 oz. 30GT15519...\$109.99

(3) CRAFTSMAN Airless Sprayer

For big painting jobs, even the outside of your home. Sprays all paints, including latex. Durable tungsten carbide steel paint pump with hardened steel piston. 1-qt. liquid reservoir. 85 w. 1.9 amps. 8 1/4 x 5 x 9 3/4 in. high. Wt. 4 lbs. 30GT15528...\$139.99

Key	Catalog Number	Fl. oz. per minute	Oil-base paints, stains	Lacquers, Insecticide	Interior Latex Enamel	Interior Latex Wall paint	Exterior Latex House paint	Exterior Latex Stain
(1)...	30 GT 15508	4	yes	yes	no	no	no	no
(2)...	30 GT 15519	5	yes	yes	yes	yes	no	no
(3)...	30 GT 15528	10 1/4	yes	yes	yes	yes	yes	yes

Use 16-ga., 3-wire extension cord (on page 48) for sprayers on this page.

Accessories for sprayers (2) and (3)

(4) Carrying/Storage Case. Double-wall durable Perma-nex® polyethylene with large latch and integral handle. Textured finish resists chemicals, oil. Washable. Inside storage compartment for small accessories. 13x10 1/2 x 7 1/4 in. high. 30 GT 16345—Shipping weight 2 pounds\$19.99

(5) Flexible Extension. Flexible extension with .7mm spray tip to spray floors, ceilings, hard-to-reach areas. 30 GT 16313—Shipping weight 2 ounces\$13.99

(6) 5-ft. Suction Tube. For (3) only. Sprays from full can of paint without refilling. Allows greater gun maneuverability. 30 GT 16315—Shipping weight 6 ounces\$13.99

(7) 1 1/2-quart Paint Reservoir Contains pick-up tube, filter and storage cap. 30 GT 16206—Wt. 5 oz.\$9.99

Mist Control Fan Spray Tip (not shown). Sprays in fan pattern. Tungsten carbide steel. For (3) only. 30 GT 16318—Shipping weight 1 ounce\$28.99

Spray Valve Replacement Kit (not shown). Includes 2 valves. Valves should be replaced after spraying 3 to 5 gallons. 30 GT 16319—Shipping weight 1 ounceKit \$3.99

Piston Replacement Kit (not shown). Includes piston, spring. 30 GT 16316—Shipping weight 1 ounceKit \$9.99

Spray Tips (not shown). Hardened steel.

Size	For use with	Catalog No.	Wt.	Price Ea.
.4mm	lacquers, varnishes, stains	30 GT 16324	1 oz.	\$8.99
.6mm	enamels, oil base, primers	30 GT 16326	1 oz.	8.99
.7mm	general purpose	30 GT 16327	1 oz.	8.99
.8mm	latex; heavy materials	30 GT 16328	1 oz.	8.99



Adjustable, quick-clean Spray Tip (included) lets you vary spray pattern ... eases clog removal



CRAFTSMAN High-speed Airless Sprayer

Ideal for farm, ranch, homeowners' painting needs or light industrial maintenance

\$499⁹⁹ Sprays up to 29 fl. oz. of paint per minute

*Sears * Best*

(8) Sprays all types of paint quickly. Ideal for painting houses, outbuildings, cement block walls, etc. Sprayer can paint the exterior of an average-size ranch house (10 gallons) in a day. Use for interior or exterior painting.

SPRAY RATE: Up to 29 fl. oz. per minute at 1850 PSI. Max. pressure 2500 PSI. **MOTOR, SPRAY GUN, PUMP:** Totally enclosed, fan-cooled 1/2-HP motor. Tungsten carbide inlet, outlet and priming valves. Gun has safety lock, diffuser. Tungsten carbide seat and needle. Gun, hose meet OSHA (Occupational Safety and Health Act). Control knob adjusts pressure to prevent surge in spray pattern.

ACCESSORIES: One quick-clean adjustable spray tip for spraying thin stains as well as latex paint. 15 feet of 1/4-inch airless spray hose (can use up to 100 feet of hose). 6-quart paint reservoir lets you paint for longer periods of time without stopping to refill. Instructions.

ELECTRICAL INFO: 110-120-volts, 60-Hertz AC. 500 watts at maximum pressure. 6-foot, 3-wire cord. Use 15-amp slow-blow fuse (not included).

ORDER INFO: Not for use as a compressor. Partly assembled. See accessories and warranty below. 14 1/2 x 17 1/2 x 24 inches high. "N" suffix note, page 91.

30 GT 15559N—Shipping weight 40 pounds\$499.99

Accessories for sprayer (8) above

(9) Adjust. Quick-clean Airless Tip. Adjust dial to vary spray pattern, remove clogs. For all paints, stains. Tungsten carbide tip, built-in guard. 30 GT 16287—Wt. 1 oz.\$54.99

High-pressure Airless Spray Hose (not shown). Wireless conductive to prevent static build-up. 1/4-in. nylon. Connect with nipple sold below. **25-foot hose.** Wt. 2 lbs. 15 oz. 30 GT 16213\$48.99

50-foot hose 30GT16214—Wt. 4 lbs. 6 oz. \$79.99

High-pressure Hose Connection Nipple (not shown). Steel. 1/4 in. Use to join lengths of hose sold above. 30 GT 16215—Wt. 2 oz.\$2.99

Gun Filter Accessory Kit (not shown). Kit includes filter housing: 1 medium and 1 fine filter. For use between gun and hose. 30 GT 16229—Wt. 5 oz. ..Kit \$27.99

Replacement Filters (not shown). For accessory kit sold above. Includes 1 medium and 1 fine filter. 30 GT 16207—Shpg. wt. 1 oz.\$9.49

12-inch Extension Pole (not shown). Attaches to end of spray gun. For painting overhangs, ceilings, etc. 30 GT 16212—Shpg. wt. 6 oz. \$23.99

5-ft. Whip Hose Extension (not shown). Fits between existing hose and gun. Improves spray gun maneuverability. 30 GT 16216—Shpg. wt. 8 oz. \$22.99

FULL 6-MONTH WARRANTY for airless sprayers on this page. If any of these airless sprayers fail due to a defect in material or workmanship within 6 months from the date of purchase, return it to the nearest Sears store or Service Center throughout the United States, and Sears will repair it, free of charge. If these Airless Sprayers are used for commercial or rental purposes the warranty will apply for 30 days from the date of purchase. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

Order our FREE "Airless Sprayer" Booklet 39 GT 7151

all 2 **Sears** 95

Powerful Stationary Air Compressors

Precision-built for commercial, industrial and other heavy uses... air tanks and safety valves meet ASME codes



Use vertical model in areas where a horizontal unit with a tank of similar size might not fit



(1 and 2) Two-stage Electric Air Compressors deliver higher constant pressure, run cooler, longer than single-stage models... deliver up to 175 PSI**

Low as **\$1679⁹⁹** 5-HP, 3-phase, 80 gallon tank

Provides air power needed for hydraulic lifts, air tool operation or heavy-duty spray coating. Designed for auto repair shops, body shops and other commercial and industrial applications.

DELIVERY RATES: 17.0 SCFM* at 175 PSI. Delivers higher SCFM at lower PSI. **AIR RECEIVERS:** 80-gallon tank. Pressure gauge, safety valve meet ASME† code. Air outlet: 3/4-in. NPT (National Pipe Tapered), also includes reducer and tank shut-off valve with 1/2-in. female NPT outlet.

COMPRESSOR, MOTOR: 2-stage compressor pump consists of 2 different size cylinders. Large cylinder compresses intake air to approximately 40 PSI (1st stage). Compressed air is discharged through cooling fins to dissipate heat; then into smaller cylinder which compresses air to 175 PSI (2nd stage), then into storage tank. 5-HP motor. Centrifugal unloader for load-free starts. Relief, check valves. Fan-bladed flywheel, positive controlled lubrication, enclosed crankcase. Protective belt/pulley guard.

ELECTRICAL INFORMATION: 6000 watts at maximum pressure. Volts in chart below. Consult local contractor for wiring, electrical codes. Requires magnetic starter, not supplied, subject to local codes.

ORDER INFO: See warranty on page 93.

Catalog Number	Size, LxWxH inches	Shpg. wt.	Price
(1) Compressors with horizontal air tanks			
1-Phase 60-Hertz AC: operates on 220-240-v.			
30 GT 17516N	68x23x49	570 lbs.	\$1879.99
3-Phase: See important note at right			
30 GT 17515N	68x23x49	530 lbs.	\$1679.99
(2) Compressors with vertical air tanks			
1-Phase 60-Hertz AC: operates on 220-240-v.			
30 GT 17536N	32x25x82	550 lbs.	\$1879.99
3-Phase: See important note at right			
30 GT 17535N	32x25x83	540 lbs.	\$1679.99

IMPORTANT NOTE

5-HP units, 30 GT 17515N and 30 GT 17535N operate on 220-240-volts (convertible to 460 volts). 3-Phase 60-Hz. AC. Check with local power co. to be certain proper electrical power is available before ordering.

*SCFM = Standard Cubic Feet per Minute

**PSI = Pounds per Square Inch

†ASME = Meets specifications established by the American Society of Mechanical Engineers

(3) Single-stage Electric Air Compressor with maximum pressure of 125 PSI**

Low as **\$519⁹⁹** 1-HP, 30-gallon tank

Designed for spray painting, inflation, blow-off cleaning, air tool and small machine operation and other commercial and light industrial applications.

DELIVERY RATES: See chart below. Maximum pressure is 125 PSI**

AIR RECEIVERS: 30-gallon air tank, safety valve meet ASME† code. 3/8-inch female NPT (National Pipe Tapered) air outlet.

COMPRESSOR, MOTOR: 2-cylinder air pump. Automatic switch starts pump load-free. With relief and check valves, fan-bladed flywheel. Overload protector. Protective belt/pulley guard. 39 1/4 x 16 1/4 x 31 1/4 inches high.

ELECTRICAL INFORMATION: Volts in chart below. Requires 20-amp circuit breaker or slow-blow fuses.

ORDER INFO: See warranty on page 93.

HP	Catalog Number	SCFM* at 40 PSI**	SCFM* at 90 PSI**	Shpg. wt.	Price
This unit operates on 115-volts (convertible to 230-v.), 60-Hz. AC, 1-Phase					
1	30 GT 17021N	6.6	5.3	148 lbs.	\$519.99
These units operate on 230-volts, 60-Hertz AC, 1-Phase					
3	30 GT 17023N	9.3	7.7	152 lbs.	\$619.99
5	30 GT 17025N	11.3	9.3	158 lbs.	739.99

(4) Two-stage 10-HP Gas-powered Air Compressor

Provides on-the-job power anywhere: on the farm, ranch, remote construction sites or for tire service trucks

\$2149⁹⁹ With electric-start engine, 30-gallon ASME coded tank... delivers up to 175 PSI**

For tire service or lubrication trucks, utility vehicles. Provides reliable heavy-duty air power on job site. Fits most pick-ups with 43-inch wide bed.


DELIVERY RATE: Delivers 18.2 SCFM* at 175 PSI**

AIR RECEIVER: 30-gallon ASME† coded tank; cradle-mounted to reduce vibration. Air pressure gauge reads 0-300 pounds in 5-pound graduations. Air outlet: 1/2-inch female NPT (National Pipe Tapered) air outlet with shut-off valve.


COMPRESSOR, ENGINE: 2-stage with centrifugal unloader, drain and service valves. Constant-speed head unloaders; pilot set at 160-170 PSI. Removable elements in intake filter silencer for ease of service. Multiple "V" belt drive with belt guard. 4-cycle gas-powered cast iron engine with electric starter. Requires 12-volt system; 12-foot battery cables, 3-foot ground cable included. Pneumatic throttle control automatically slows engine during non-pumping cycle. 1 1/2-gallon fuel tank. Runs up to 3 hours on one fill-up. 42x23x40 in. high.

ORDER INFO: See warranty on page 93.

30 GT 17317N—Shipping weight 490 pounds\$2149.99



Fits in most pick-up truck beds with interior widths of 43 inches or more



Heavy-duty Sandblasters

With seamless Permanex® polyethylene hopper that resists cracking, leaking and corrosion

120-lb. capacity roll-about Sand Hopper and Gun

\$99⁹⁹

60-lb. capacity Sand Hopper and Gun

\$79⁹⁹



Designed with these features for ease of operation:

- A** Large easy-carry handle
- B** Contoured sand screen for easy filling
- C** Ventilated palm grip handle for comfort and control
- D** Long-lasting ceramic nozzle
- E** With 15 feet of material hose

(1 and 2) Spray either sand or other granular abrasives at high pressure.

PRESSURE REQUIREMENTS: 1-HP compressor or larger.

CONSTRUCTION: Rustproof Permanex® polyethylene hopper is seamless. Compact design for use in hard-to-reach places, for convenient storage. Instructions included.

SPRAY CONTROL: 3/32-in. air jet, 3/16-in. ceramic nozzle. Non-bleeder, siphon feed.

ORDER INFO:

(1) Roll-about 120-lb. capacity Sand Hopper and Gun. With 8-in. diam. wheels for added maneuverability. Hopper is 12 1/2 x 1 x 26 in. high. 30 GT 16804C—Wt. 17 lbs. \$99.99

(2) 60-lb. capacity Sand Hopper and Gun. Hopper is 10 x 20 x 10 in. high. 30 GT 16803—Wt. 8 lbs. \$79.99

Replacement Nozzles (not shown). 3/16-in. orifice. For sandblasters above. Ceramic. 30 GT 16815—Wt. 1 oz. \$12.99

Gun with 1-quart canister for small sandblasting jobs

\$44⁹⁹



PRESSURE REQUIREMENTS: For 1/2-HP or larger continuous-run or tank-type compressor.

CONSTR: 1-quart aluminum canister.

SPRAY CONTROL: Soft, ventilated palm grip handle for comfort, better control. 3/64-in. air jet, 7/64-in. hardened steel nozzle. Non-bleeder/bleeder type spray control. Pressure feed.

ORDER INFO: Instructions included. 30 GT 16802—Wt. 2 lbs. 8 oz. \$44.99

Replacement Nozzles (not shown). For gun above. 7/64-in. Ceramic. Wt. 2 oz. \$12.99

30GT16805—Ceramic. Wt. 2 oz. \$12.99

30GT16825—Steel. Wt. 2 oz. 6.49

CRAFTSMAN SPRAY GUNS

For reliable performance with the flexibility to handle all spray paint operations... FULLY WARRANTED FOR ONE YEAR



3 Medium-duty Spray Gun
\$39⁹⁹

4 General-purpose Spray Gun... this tough, versatile gun sprays all finishing materials and paints, even latex
\$59⁹⁹

Professional-quality Spray Gun paints large areas fast
\$89⁹⁹

6 Production-type Spray Gun... Our Best... for professional-like results on precision jobs like auto refinishing, applying furniture lacquer; handles stain, acrylics, lacquers, primers and automotive metallics
\$148⁹⁹

(3 thru 6) **ORDER INFO:** See specs, order spray guns from chart below. See warranty, Spray Gun Terms below.

(3) **CRAFTSMAN Medium-duty Spray Gun.** For all finishing materials and paints. Fluid control. Aluminum head. Screw-on type 1-quart aluminum cup.

(5) **CRAFTSMAN Professional-quality Spray Gun**

For fine finishing such as automotive painting as well as heavy latex paints. Stainless steel fluid needle. Sensitive fluid and fan controls. Aluminum head. Drip-free, screw-on type, 1-qt. aluminum cup.

(4) **CRAFTSMAN General-purpose Spray Gun**

Our most versatile, sprays all finishing materials, even latex paint and lacquers. 1-quart aluminum cup. Drip-free, screw-on type. Aluminum head with epoxy finish. Fluid and fan controls.

(6) **CRAFTSMAN Production-type Spray Gun.** Our best... for precision jobs. Siphon feed. Stainless steel fluid needle. Sensitive fluid and fan controls offer variety of precise spray patterns. Aluminum head. 2-prong quick-release. 1-quart aluminum cup with wide mouth. Drip-free design. (For latex paints, must use with pressurized paint tank.) Order low air consumption cap below to use gun with 1-HP compressor. Use as is for larger air compressors.

Item	Nozzle (mix)	Gun type	Minimum Air Volume Needed	Catalog No.	Shpg. wt.	Price
(3)	internal/external	bleeder/non-bleeder pressure/siphon feed	1.5 SCFM* at 40 PSI**	30 GT 15583	2 lbs.	\$39.99
(4)	internal/external	bleeder/non-bleeder pressure/siphon feed	3.0 SCFM* at 40 PSI**	30 GT 15614	2 lbs. 6 oz.	59.99
(5)	external	bleeder/non-bleeder pressure/siphon feed	6.4 SCFM* at 40 PSI**	30 GT 15624	2 lbs. 9 oz.	89.99
(6)	external	non-bleeder siphon feed	8.3 SCFM* at 40 PSI**	30 GT 15634	3 lbs. 3 oz.	148.99

Spray Guns Kits

Includes (4) plus pressure regulator and gauge (21) on page 99.

30 GT 15732—Shipping weight 3 pounds 10 ounces. \$74.99

Non-bleeder gun similar to (3), but not Craftsman, pressure regulator, gauge. 30 GT 15702—Shipping weight 3 pounds 3 ounces. \$59.99

Low Air Consumption Cap (not shown). For using spray gun (6) with 1-HP compressor delivering at least 4.8 SCFM* at 40 PSI**. 30 GT 16431—Wt. 3 oz. \$24.99

FULL ONE-YEAR WARRANTY ON CRAFTSMAN SPRAY GUNS: If this Craftsman Spray Gun fails due to a defect in material or workmanship within one year from the date of purchase, return it to the nearest Sears store or Service Center throughout the United States and Sears will repair it free of charge. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

SPRAY GUN TERMS: **Bleeder Type:** Air flows at all times, paint flows only when trigger is pulled. Use with continuous-running compressor. **Non-bleeder Type:** Spray gun trigger controls flow of air and paint. For tank-type compressors with regulators. **Pressure Feed:** Air pressure forces paint through spray gun to nozzle. For faster painting with heavy-bodied liquids when fine finishing results aren't essential. **Siphon Feed:** Air passes to nozzle over top of fluid tube to create vacuum in tube. Atmospheric pressure forces paint into gun. For fine finish with thin-bodied liquids. **Internal Mix Nozzle:** Paint and air mix in nozzle. For pressure-feed spray guns, heavy-bodied, slow-dry paints. **External Mix:** Paint, air mix outside nozzle. For pressure or siphon-feed. For fast-dry paints and liquids.

(7) **PRESSURE REQUIREMENTS:** For compact compressors, without air tanks, up to 3/4-HP delivering at least .8 SCFM* at 10 PSI**.

HEAD, SPRAY CONTROL: Aluminum. Bleeder type. Fluid control.

CUP: Aluminum. 1-qt., screw-on type.

ORDER INFO: Not for use with paint tank sold on p. 98. See Spray Gun Terms at left. Wt. 1 lb. 8 oz.

30 GT 15582 \$19.99

Replacement Spray Gun Strainers (not shown). Fit inside any spray gun on this page except (6). Nylon.

30 GT 16383—Wt. 1 oz. Pkg. \$3.99

Our Low-priced Spray Gun Pressure feed, internal Mix
\$19⁹⁹



Use these accessories with your air compressor to increase the number of jobs you can tackle around the shop, factory or job site

Ideal at construction site for degreasing and cleaning machinery and equipment



Use for cleaning siding, under eaves and other large or hard-to-reach areas



Hydro-Wonder-Washer II

Blasts away dirt and grime with a high-speed mixture of air and water, degreaser or detergent

\$49⁹⁹

PRESSURE REQUIREMENTS: For 1-HP compressor or larger delivering 5.8 SCFM* at 90 PSI** maximum.

CONSTRUCTION: Air-line and garden hose hook-up. Water control valve, air control valve. 30-ft. hose for drawing detergents from large or portable containers. Discharge nozzle. If you need hose, see page 102.

ORDER INFO: Detergent, degreaser sold at right.

30 GT 16222—Wt. 3 lbs. 4 oz.\$49.99

*SCFM—Standard Cubic Feet per Minute

**PSI—Pounds per Square Inch

Concentrated Detergent, Degreaser



(1 and 2) For use with Hydro-Wonder-Washer II. 1-quart container, makes 2 gallons. Wt. 2 lbs. 2 oz.

(1) Industrial Strength Detergent
30 GT 16422\$6.99

(2) Degreaser
30 GT 16423\$6.99


(3) **Protective Mask.** Protects against non-toxic paint particles, pollen and dust. Non-allergenic polyethylene. Replaceable filter. Replaceable filters sold below.
30 GT 16351—Shipping weight 2 ounces\$3.99

Replaceable Filters for (3). Package of 2.
30 GT 16361—Shipping weight 1 oz. Package \$1.99

(4) **Paint Spray Respirator**
Provides respiratory protection while using lacquers, varnishes, enamels (except those containing ammonia).
9 GT 18583—Shipping weight 12 ounces\$21.99

(5) **Disposable Paint Respirator**
Lightweight, provides excellent protection for spray painting. Flexible cushioned nose piece. Built-in filter of activated carbon. Centered exhalation valve for comfort.
30 GT 16709—Shipping weight 4 ounces\$9.99

Job Safety Equipment



(6) Paint Tank

Lets you spray up to 3 gallons of paint without refilling

Holds 3 gallons of paint or a 1-gallon can set in bottom.

CONSTRUCTION: Galvanized steel. Ductile iron lid for added strength. 9 1/4 x 9 1/4 x 21 1/2 in. high.

OPERATION: Pressure feed. Maximum pressure is 60 PSI**

ACCESS: Pressure regulator, self-limiting (to 60 PSI), ASME† approved ring-pull safety valve. Order 1/4-in. diam. air hose, 3/4-in. diam. paint hose to connect spray gun to tank. Hose sold on page 99.

ORDER INFO: Not sold in Arkansas, New Jersey, Oregon or Puerto Rico.
30 GT 16105C—Wt. 25 lbs.\$91.99

(7) **Paint Strainers.** Paper with gauze inserts. For filtering paint into tank or spray gun. Pkg. of 3 medium, 3 fine filters.

30 GT 16371—Wt. 2 oz.Pkg. \$1.69
†ASME—Meets specifications established by the American Society of Mechanical Engineers

(8) Air-powered Caulk Gun

For smooth, easy caulking with even a compact compressor. Dispenses caulks, adhesives, crack fillers, sealants from standard 11-ounce cartridge.

CONSTR: 9x7-in. plastic body. Pistol grip. 1/4-in. metal air hose connection.

OPERATION: Use with tank-type or compact compressor (bleeder valve incl. for use with compact compressor). Runs on 10 - 70 PSI max.

ORDER INFO:
30 GT 16308—Wt. 1 lb. 2 oz.\$17.99

(9) Portable Air Tanks

Reserve compressed air storage whenever or wherever needed

WORKING PRESSURE: 85 to 125 PSI**.

ACCESSORIES: Air distribution valve, pressure gauge. 4 feet of 3/4-in. air hose with air chuck.

ORDER INFO: Not sold in New Jersey, Oregon, Arkansas or Puerto Rico.

3 1/2-gallon Air-Tank
8 1/4 x 10 1/2 x 16 1/4 in. long.
30 GT 16125C—Wt. 16 lbs.\$39.99

9-gallon Air Tank, 12 1/2 x 15 x 21 in. long.
30 GT 16124C—Wt. 29 lbs.\$54.99

Inflators and Blow Guns

(10) **Inflator Kit**

Use with any of our compressors. With inflator needle, inflating tube, air dusting tube, tire inflator-adaptor.

ORDER INFO:
30 GT 16276—Wt. 1 oz.Kit \$4.29

(11) **Long Tire Chuck and Gauge**
Reads 10-90 PSI**. 12-in. hose, 6-in. chuck. Turns 360°. 1/4-in. female thread.

ORDER INFO:
30 GT 16311—Wt. 2 lbs. 14 oz. \$22.99

(12) **Dual Tire Air Chuck**
ORDER INFO: 1/4-in. female thread.
30 GT 16272—Wt. 3 oz.\$5.29

(13) **Tire Air Chuck**
ORDER INFO: 1/4-inch thread. Wt. 1 oz.
30 GT 16269—Male thread\$2.29
30 GT 16271—Female thread 2.29

(14) **Heavy-duty Blow Gun**
Meets OSHA† requirements. Control lever. Round tip. 1/4-in. female thread. Plastic. Max. inlet pressure 135 PSI**. **ORDER INFO:**
30 GT 16234—Wt. 2 oz.\$3.99

(15) **Professional-type Blow Gun**
Meets OSHA† requirements. Outlet pressure drops to less than 30 PSI** when deadened. Lever action. Round tip. Maximum inlet pressure is 135 PSI. 1/4-in. female thread. **ORDER INFO:**
30 GT 16236—Wt. 8 oz.\$6.29
†Occupational Safety and Health Act



Strong, durable Air and Paint Hoses and Connectors

Extend your range from compressor to work project without extension cords . . . attach to all Sears air compressors



(1) Quick Connector Sets
Steel. 4-piece sets for male and female couplings. Use with air only.
ORDER INFO:

1/4-inch. Shpg. wt. 6 oz. . . . Set \$6.29
30 GT 16244
3/8-inch. Shpg. wt. 8 oz. . . . Set \$7.49
30 GT 16246

(2) 1/4-inch Female/Male Stud Set

Use with quick connector sets (1) above. 3 male and 3 female studs.
30 GT 16247—Wt. 5 oz. . . . Set \$4.29

(3) Double Male Couplings for hose

Brass. Use to connect hoses.
ORDER INFO: Package of 3.
1/4-inch. For air only.
30 GT 16281—Wt. 2 oz. . . . Pkg. \$2.29
3/8-inch. For air or paint.
30 GT 16291—Wt. 4 oz. . . . Pkg. \$3.49

(4) Assorted Double Male Couplings

Brass. One connects hose to hose, one connects hose to accessory, one connects hose accessory to other NPT (National Pipe Tapered).
ORDER INFO: Pkg. of 3.

1/4-inch. For air only.
30 GT 16288—Wt. 2 oz. Pkg. \$2.29
3/8-inch. For air or paint.
30 GT 16289—Wt. 4 oz. Pkg. \$3.69

(5) Tee Adapter. Brass. 1/4-in. male threads. Allows use of 2 guns or air tools at same time.

ORDER INFO:
30 GT 16217—Wt. 1 oz. . . . \$2.99

(6) Hose Repair Kit

For 1/4-inch or 3/8-inch inside diameter hose. Includes 1 female fitting, 1 splicer, and 3 clamps.
ORDER INFO:
30 GT 16302—Wt. 2 oz. . . Kit \$2.89

(7) Flexible Air Hose. Flexible vinyl tubing with nylon braided outer cover. 1/4-in. female fittings; 800-lb. bursting strength, 200-lb. working pressure. For air only.

ORDER INFO:

Inside diam.	Length (feet)	Catalog Number	Wt.		Price
			lbs.	oz.	
1/4-in.	15	30 GT 16162	...	12	\$12.99
1/4-in.	25	30 GT 16166	1	1	16.99
3/8-in.	25	30 GT 16172	1	11	19.99
3/8-in.	50	30 GT 16176	3	1	32.99
3/8-in.	15	30 GT 16182	1	5	15.99

(8) Paint or Air Hose. Flexible rubber tubing, durable cover reinforced with rayon braid. 3/8-in. female fittings; 1000-lb. bursting strength, 250-lb. working pressure.

ORDER INFO:

Inside diam.	Length (feet)	Catalog Number	Wt.		Price
			lbs.	oz.	
1/4-in.	15	30 GT 16191	1	15	\$16.99
3/8-in.	25	30 GT 16201	3	1	25.99
3/8-in.	15	30 GT 16211	2	14	\$32.99

Paint, Lacquer Hose only (not for use as air hose)

(9) Coiled Nylon Air Hose

Retains flexibility—coils when stored. Extends to 25 feet. Recommended for use with air-drive tools on pgs. 110, 111. Working pressure of 200 PSI**. 800 PSI bursting strength. For air only.

ORDER INFO:

1/4-inch diameter (1/4-inch male fittings).
Shpg. wt. 8 oz.
30 GT 16221 \$14.99

3/8-inch diameter (3/8-inch male fittings).
Shpg. wt. 1 lb. 9 oz.
30 GT 16223 \$22.99

*SCFM=Standard Cubic Feet per Minute
**PSI=Pounds per Square Inch

Air Filtering, Lubricating and Regulating Accessories increase compressor effectiveness



Mini Air Line Filter (10) attaches directly to spray gun or air tool . . . Mini Air Tool Lubricator (11) attaches directly to air tool

(10) Mini Air Line Filter

Attaches to spray gun or air tool. Removes dirt and dust; helps protect spray gun and air tools.
30 GT 16219—Wt. 2 oz. . . \$5.99

(11) Mini Air Tool Lubricator

Attaches to and lubricates air tools for applications where large capacity is not required.
30 GT 16209—Wt. 3 oz. . . \$17.99

(12) Pressure Gauge

For air, water, oil. Gives readings to 200 PSI**. 1/4-inch male thread.
30 GT 16042—Wt. 3 oz. . . \$6.99

(13) Tank Drain Valve

Brass. 1/2-inch diameter fitting.
30 GT 16253—Wt. 1 oz. . . \$2.49

(14) Tank Shut-off Globe Valve

Controls air flow through pipes, hoses. Forged brass. 3/8-inch diameter fittings.
30 GT 16257—Wt. 5 oz. . . \$6.39

(15) Viscosimeter. Measures thickness of paint to obtain proper spraying viscosity. Plastic.

For compressed air spraying

30 GT 16393—Wt. 1 oz. . . \$3.99

For airless sprayers

30 GT 16396—Wt. 2 oz. . . \$3.99

(16) Felt Filter Pad. 4 1/2 x 1 1/2-in. pad fits air intake head of Sears air compressors 30-15821N, 30-15822N, 30-H15823N, 30-17621N, 30-17631N, 30-17632N, 30-17751N, 30-17752N, 30-17754N, 30-17755N, 30-1568, 30-1566B, 30-1567B, 30-1568B. Package of 2. Wt. 1 oz.

30 GT 16279 Pkg. \$1.99

(17) Wall Bracket

Attaches (18), (19), (20) to wall.
30 GT 16019—Wt. 3 oz. . . \$6.29

(18 thru 21) Threaded 3/8-inch inlet and outlet ports with 2 extra 1/4-in. reducing bushings for use with 1/4-in. air hose fittings.

ORDER INFO:

(18) Air Filter, Regulator, Gauge

Removes dirt and liquids before entering gun or air tools. Max. inlet pressure 150 PSI**. Regulates pressure 5 to 175 PSI. Wt. 2 lbs. 9 oz.
30 GT 16023 \$32.99

(19) Air Line Filter

Removes dirt, liquids from air, before entering spray gun or air tools. For professional results with oil-base paints, lacquers. Maximum inlet pressure 150 PSI**. Wt. 1 lb. 9 oz.
30 GT 16009 \$15.99

(20) Oil Fog Lubricator

Lubricates air tools; prevents friction damage, extends life of air tools. Not for use with spray guns.

Shpg. wt. 1 lb. 6 oz.

30 GT 16017 \$21.99

Portable Accessory Kit (not shown)

For mounting (19) and/or (20) on belt. Incl. air hose assembly with 5 ft. of 1/4-in. hose and one 1/4-in. and one 3/8-in. double male connector and universal belt hook. Wt. 11 oz.
30 GT 16011 Kit \$8.99

Portable Air Filter, Oil Fog Lubricator Kit (not shown). Save \$3. Separate prices total \$46.97. Includes (19), (20) and portable accessory kit sold above. Mounts on user's belt. Not for use with spray gun. Wt. 3 lbs. 10 oz.

30 GT 16013 Kit \$43.97

(21) Heavy-duty Pressure Regulator and Gauge. Maximum input is 300 PSI**, maximum output is 1-25 PSI. Regulates air pressure between 5 to 125 PSI. Air pressure gauge incl. Wt. 1 lb. 12 oz.

30 GT 16036 \$17.99



CRAFTSMAN Aluminum Ladders

Built so strong and durable, we back them with a FULL 10-YEAR WARRANTY

FULL 10-YEAR WARRANTY ON CRAFTSMAN LADDERS: If, within 10 years from the date of purchase, any of these Craftsman Ladders fails due to a defect in material or workmanship, return it to the nearest Sears store in the United States, and Sears will repair it or replace it free of charge. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

Tested to 1200 lbs., recommended load 300 lbs.

Here's what makes Craftsman Aluminum Extension Ladders the best we sell:

Top section is in rear of ladder... ladder is raised from front, making it easier to see when locks are engaged and for surer footing when climbing up or down

Long, anti-slip swivel feet provide added stability

Solid, stamped aluminum hooks resist damage and bending

2

Heavy-duty CRAFTSMAN "250" with impact-forged rungs

\$119.99

16-ft. size

Tested to 1000 lbs., recommended load 250 lbs.

(1 and 2) Craftsman Aluminum Extension Ladders

RUNGS, SIDE RAILS: Rungs begin 6-in. from bottom for added strength. Top of front rails is capped for protection. Braces at top and bottom for added strength.

ENDS: Grooved, anti-slip 1½-in. diameter double-top rollers. Rubber anti-slip swivel feet.

EXTENSION MECHANISM: Heavy-duty automatic locks on rear section. No missing rung on climber's side. Nylon pulley and non-rot polypropylene rope.

ORDER INFO: UL listed. See warranty above; "N" suffix, page 91.

(1) CRAFTSMAN "300"


With 3-inch "wide-tread" flat rungs riveted to 1½x3½-in. wide side rails. Base is 18 inches wide across feet. 6-inch long feet with spike holes.

(2) CRAFTSMAN "250"

1½-in. wide flat rungs are impact-forged into rugged 1½x3-inch wide side rails. 17½-in. base width. 5-inch long feet.

Length		(1) CRAFTSMAN "300"			(2) CRAFTSMAN "250"		
Total*	Extended	Catalog Number	Wt. lbs.	Price	Catalog Number	Wt. lbs.	Price
16 ft.	13 ft.	30GT42962N	34	\$169.99	30GT42802N	24	\$119.99
20 ft.	17 ft.	30GT42964N	41	219.99	30GT42804N	31	144.99
24 ft.	21 ft.	30GT42965N	48	269.99	30GT42805N	38	174.99
28 ft.	25 ft.	30GT42966N	64	329.99	30GT42806N	47	214.99
32 ft.	28 ft.	30GT42967N	68	389.99	30GT42807N	61	254.99
36 ft.	32 ft.	30GT42968N	77	439.99	30GT42808N	77	309.99
40 ft.	35 ft.	30GT42969N	97	499.99	30GT42809N	85	359.99

*2 sections



(3) CRAFTSMAN "250" Aluminum Stepladder

Tested to 1000 lbs., recommended load 250 lbs.

STEPS, SIDE RAILS: Grooved, 3-in. steps are riveted to 1½x3-in. wide side rails. Rigid braces under top and bottom steps. Cross braces: 3 channels on back section of 6-ft. size, 4 on 8-ft., 5 on 10-ft. sizes. Anti-slip rubber feet.

PAIL SHELF: Rimmed 7½x11-in. wide pail shelf.

TOP PLATE: 5x13-inches wide.

ORDER INFO:

UL listed. See warranty above, "N" suffix note, page 91.

Size ft.	Catalog Number	Shpg. wt.	Price
6 ..	30 GT 42496N	15 lbs.	\$79.99
8 ..	30 GT 42498N	21 lbs.	99.99
10 ..	30 GT 42491N	26 lbs.	139.99

Order our FREE "Quality Ladders" Booklet 39 GT 7694

Combination Aluminum Extension Ladder

Converts to stairway or stepladder in seconds; when used as stairway ladder, rear section has 3-in. locking intervals to fit any stair rise

Medium-duty Type II Commercial. Tested to 900 lbs., recommended load 225 lbs. Ideal for ranch or mobile homes. With folding pail shelf. **STEPS, RUNGS, SIDE RAILS:** Front has 3-in. steps. Rear has round rungs forged into 1x3-inch rails.

ENDS: Rubber-top rollers grip and protect walls. Anti-slip rubber feet.

EXTENSION MECHANISM: Back section extends up, locks securely in place with tubular reinforcement for maximum load-bearing at overlap when used as extension ladder. Rear section extends up, swings out and locks to front section with heavy-duty detachable hinge straps when used as a step or stairway ladder.

ORDER INFO: UL listed. See "N" suffix, page 91.

10-ft. Extension Ladder (6-ft. stepladder). Wt. 27 lbs. 30 GT 42286N... \$94.99

14-ft. Extension Ladder (8-ft. stepladder). Wt. 33 lbs. 30 GT 42288N... \$119.99

Quick-set Portable Scaffold

For indoor or outdoor use. Ideal for decorating, maintenance, renovation. Sets up in minutes without tools. Fits through standard doorway either folded or setup. 16-gauge tubular steel frame. Steel-supported wood platform.

ORDER INFO: See "N" suffix note on page 91.

4 work heights (53, 39, 25 and 11 inches). Measures 57x26x68 inches high. Compacts to 13x26 in. 17x46½-in. platform. Tested to 1000 lbs. 4-in. diameter lockable caster wheels. Non-skid rubber feet.

Shpg. wt. 70 lbs. 30 GT 43600N... \$199.99

2 work heights (28 and 15 inches) (not shown). 46½x23½x39 in. high. Folds to 11x23 inches. 15x30-in. platform. Tested to 500 lb. work load. Rubber feet. Shpg. wt. 39 lbs. 30 GT 43603N... \$109.99

Extension Ladder Accessories

(4) Extension Ladder Stabilizer. Helps prevent dangerous side-to-side sliding. 48-in. arm spread holds ladder 10 in. from wall. Rubber bumpers. Clamps on or off without tools. Tubular steel. With 1 paint can hook.

ORDER INFO: For extension ladder use only. 30 GT 43352C—Wt. 7 lbs. \$21.99

(5) Ladder Jacks. Rail, rung type. Fits round or "D" rungs. Upper, lower brackets give minimum 10-inch spread on rung. 20-inch long bearing bar. Black-enameled steel. Use inside of ladder. Package of 2.

ORDER INFO: For extension ladder use only. 30 GT 43090C—Wt. 25 lbs. \$49.99

(6) Wood Extension Plank. Extends 8 feet closed to 14 feet open. 1½-inches thick. 1-foot wide. For 1 person and extension ladder use only. Maximum load 200 lbs.

ORDER INFO: See "N" suffix, p. 91

30 GT 43058N—Wt. 36 lbs. \$92.99

(7) Extension Ladder Levelizer. For use on uneven surfaces. Heavy-duty, handles working loads up to 250 lbs. 28 in. wide. Attaches without tools to extension, convertible ladder. Adjusts up to 9 in. with toe-touch mechanism. Yellow-painted steel. Anti-slip rubber feet. 30 GT 43482C—Wt. 11 lbs. \$32.99

Sears * Best

CRAFTSMAN "300"


Our finest Extension Ladder with "wide-tread" 3-in. wide riveted rungs

\$169.99

16-ft. size



100 ME.S.2



CRAFTSMAN® Material Handling Trucks

Help make light work of heavy, cumbersome loads



700-lb. capacity Appliance Truck **\$179.99**

300-lb. capacity Hand Truck **\$44.99**

500-lb. capacity Hand Truck with flowback handle and nose plate extension **\$79.99**

500-lb. capacity Hand Truck with flowback handle for push or pull hauling **\$64.99**

400-lb. capacity Hand Truck with lightweight aluminum frame for easy maneuvering **\$139.99**

400-lb. capacity Hand Truck converts to a 4-wheel cart **\$74.99**

(1) 700-lb. capacity Appliance Truck

Ideal when job requires moving heavy appliances up or down stairs. CONSTR: Tubular steel frame has extruded rubber front bumper. Felt-padded, crossbars. Appliance ratchet, web belt. Belt-type stair climbers. Enamel finish. 60x16½-in. wide. 24x4½-inch toe plate.

WHEELS: Solid rubber wheels, 6x2 inches wide.

ORDER INFO: See "N" note, page 91. Shipping weight 56 pounds. T 9 GT 87261N \$179.99

(2 thru 6) CRAFTSMAN Hand Trucks

CONSTR: Welded tubular steel frames; (5) has aluminum frame. 14x8-in. toe plate. (3) has 24-in. fold-down nose plate extension. Protective enamel finish.

WHEELS: Semi-pneumatic rubber tires (except 9-87226N, which has fully-pneumatic tires). Wheels have ballbearings for rolling and maneuvering ease.

ORDER INFO: See "N" suffix note on page 91.

Truck	(2)	(3)	(4)	(5)
Capacity	300 lbs.	500 lbs.	500 lbs.	400 lbs.
Size (h x w)	46½ x 14 in.	50 x 21 in.	50 x 21 in.	46 x 22 in.
Tire size (in.)	8 x 1.75, semi-pneumatic	10 x 2.75, semi-pneumatic	10 x 2.75, semi-pneumatic	10 x 3.50, semi-pneumatic
Catalog No.	9 GT 87216N	T 9 GT 87262N	9 GT 87217N	T 9 GT 87226N
Shpg. wt.	26 lbs.	52 lbs.	46 lbs.	18 lbs.
Price	\$44.99	\$79.99	\$64.99	\$139.99

(6) 400-lb. capacity Convertible Truck

Adjust steel handle to make 4-wheel cart. Measures 47½x14 inches wide; adjusts to 61 inches high. 14x8-inch toe plate. Two 3¾-inch swivel casters; two 8x1.75-inch rubber tires. 9 GT 87218N—Wt. 38 lbs. ... \$74.99

300-lb. capacity Convertible Truck with bag frame attachment (not shown). As in (6) above, except 46½x14 inches wide; 14x7-inch toe plate. Two 6x2-in. blended polyolefin wheels; two 3¾-in. swivel casters. Attach frame (included) to hold trash bag. 9 GT 87235N—Wt. 25 lbs. ... \$54.99

New at Sears! Equipment designed for convenient moving and handling of drums or barrels



(7) Drum Dolly

CONSTR: Heavy-duty steel frame has welded slats to provide support from underneath. Seat drum or barrel on dolly for mobility.

Dolly for 30-gallon drum

500-lb. capacity. Four 3x1-inch wide solid rubber, caster-type wheels. T 9 GT 87274C—Shpg. wt. 15 lbs. ... \$29.99

Dolly for 55-gallon drum


800-lb. capacity. Four 3x1½-inch wide blended polyolefin, caster-type wheels. T 9 GT 87275C—Shpg. wt. 20 lbs. ... \$39.99

(8) 800-lb. capacity Barrel Cradle

CONSTRUCTION: 1½-in. tubular steel frame. Cross-bar provides additional support. Heavy-duty handle lets you tilt barrel up or down. Four 3x1½-inch solid rubber wheels.

ORDER INFO: Unassembled. Shipping weight 36 pounds. T 9 GT 87273L \$59.99

Platform Trucks with caster wheels and large decks



(9) 700-lb. capacity Platform Truck

CONSTRUCTION: Heavy-gauge steel deck, 24x42 in. long. Tubular steel handle with lock pin. Rubber protectors at front of platform. Enamel finish.

WHEELS: 5-inch, heavy-duty, solid-rubber casters; 2 stationary and 2 swivel. ORDER INFO: Unassembled. Hardware included. See "N" note, page 91. T 9 GT 87219N—Shpg. wt. 55 lbs. ... \$109.99

1200-lb. capacity Platform Truck (not shown).

CONSTRUCTION: Heavy-gauge steel deck, 27x54 inches long, has angle-iron frame support. Tubular steel handle.

WHEELS: Cast aluminum with molded-on rubber treads. Two 6x2-inch stationary, two 8x1½-in. swivel casters.

ORDER INFO: Sent unassembled. Hardware included. T 9 GT 87271N—Shpg. wt. 101 lbs. ... \$219.99

(10) 2000-lb. capacity Platform Truck

CONSTRUCTION: 1½-in. hardwood deck. Tubular steel handle.

WHEELS: 6x2-in. casters (2 stationary, 2 swivel) bolted to crossboards and deck provide mobility, maneuvering ease.

ORDER INFO: Sent unassembled. T 9 GT 87276N—24x48-inch deck. Shpg. wt. 83 lbs. ... \$199.99
T 9 GT 87277N—30x60-inch deck. Shpg. wt. 105 lbs. ... 229.99



500-lb. capacity Steel Shelf Truck
Top tray reverses for making table top

(11) Steel Shelf Truck


CONSTRUCTION: Strong angle-steel legs and shelves welded into one solid unit. Trays have rolled edges for added strength. Tubular steel handle. Enamel finish. Truck measures 32x26x42 inches long. Shelves, 24x36x3 inches deep. 19-inch clearance between shelves. Hardware included.

WHEELS: 5-in. diameter rubber casters; 2 stationary and 2 swivel.

ORDER INFO: Unassembled. See "N" suffix note, p. 91. 9 GT 87265N—Wt. 52 lbs. \$79.99

Compact-sized Shelf Truck. As (11) above, except with 16x30x3-inch shelves, 500-lb. capacity.

9 GT 87264C—Wt. 35 lbs. \$69.99



(1) CRAFTSMAN® Commercial-duty Rotary Mower with solid-state ignition and full two-year home-owner warranty . . . the longest warranty we offer on a mower

ENGINE, STARTER: CRAFTSMAN® XL, variable-speed, 164-cc. engine has 4.0 reserve power*. Heavy-duty components; cast-iron cylinder liners, bronze bearings, hardened journals, Stellite exhaust valve and seat. Solid-state ignition eliminates need for tune-ups . . . simply replace spark plug. Pressurized engine lubrication system provides continuous lubrication to all moving parts. EZ Oil Fill 'n' Drain with dipstick. Large remote, automotive-type paper air filter. Soft-tone muffler for extra noise-reduction. Bump-on-cam compression release. Throttle-type engine control. 4-quart rustproof fuel tank with built-in filter. Gear-assist, pull-up starter.

HOUSING, HANDLE, TIRES: Lightweight, durable die-cast aluminum housing resists corrosion. Vacuum-action design for efficient cutting and discharge. Thermoplastic trailing shield. Chute deflector. Chrome-plated, loop-type handle adjusts to any of 3 heights, folds for storage; comfort grip. 8x1 3/4-in. wide tires, ball-bearing wheels.


CUTTING, WIDTH, HEIGHTS: Cuts 20-inch wide path. Quick-adjust lever at each wheel lets you choose from any of five cutting heights from 1 3/8 to 3 1/2 inches.

ORDER INFO: See full two-year warranty below. Order catcher (2) below.
9 GT 9084N—Shipping weight 71 pounds \$349.99

(2) Catcher for mower above. Heavy-duty fabric with steel frame. Attaches easily.
9 GT 80474—Shipping weight 5 pounds 2 ounces \$24.99

FULL TWO-YEAR WARRANTY (THE LONGEST WARRANTY WE OFFER ON A CRAFTSMAN® MOWER): If this mower fails to perform properly due to a defect in material or workmanship within two years from the date of purchase, Sears will repair it, free of charge. If this mower is used for commercial or rental purposes, this warranty coverage applies for only one year from the date of purchase. Warranty service is available by contacting the nearest Sears store or Service Center throughout the United States. Warranty applies only while this mower is in use in U.S. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

***RESERVE POWER NOTE:** Mechanical governor automatically adjusts engine to keep blade speed constant in tall grass and weeds . . . virtually eliminates stalling.



CRAFTSMAN® Contractor-type Wheelbarrows

(5) 5-cubic foot capacity watertight Wheelbarrow

CONSTRUCTION: Steel tray has baked-on, automotive-type finish; rolled edges. Tray, 30x25x13-in. deep. Steel guard joints varnished hardwood handles at front. Front tray supports. Steel legs, 4x16-in. diameter, pneumatic tire has permanently lubricated sleeve bearings. Unassembled.

ORDER INFO: See Warranty below. See "N" note, page 91. Wt. 57 lbs.
9 GT 87187N \$79.99

(6) 5-cubic foot capacity Wheelbarrow

CONSTR: Seamless steel tray has baked enamel finish, rolled edges. Tray, 36 1/2 x 27 1/2 x 7 1/2-in. deep. Steel guard joints varnished hardwood handles at front. Steel legs, 4x14-in. diam. pneumatic tire. Wheel has permanently lubricated sleeve bearings. Unassembled.

ORDER INFO: See Warranty below. See "N" note, page 91. Wt. 36 lbs.
9 GT 8782N \$56.99

CRAFTSMAN® Commercial-quality Rubber Hose

(7) CONSTR: Extra-heavy rubber tube, cover; rubber, polyester reinforcements. Solid brass hex couplings. Withstands water pressure to 800 psi (20 times average city pressure). Flexible to minus 35°F. May be used with extremely hot water.

ORDER INFO: See warranty below.


Lgth., ft.	Catalog Number	Shpg. wt. lbs.	Price Roll
3/4-inch inside diameter			
50	9 GT 69282	11 1/2	\$38.99
100	9 GT 69286C	22	72.99
1-inch inside diameter			
50	9 GT 69284C	16 1/2	46.99
50	9 GT 69288C	25 1/2	74.99

FULL UNLIMITED WARRANTY ON CRAFTSMAN® COMMERCIAL-QUALITY GARDEN HOSE: If this hose ever fails to give complete satisfaction, return it to the nearest Sears store in the U.S. and Sears will replace it, free of charge. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

CRAFTSMAN® Variable-speed Electric Blower Outfit

For clearing leaves, clippings and other debris, drying cars, tents or awnings

*Sears * Best*



(3) CRAFTSMAN® Variable-speed Portable Electric Blower

Lets you adjust air speed to suit the job. Use low air speeds for work in delicate areas, full power air speed for big cleaning jobs or when drying awnings, vans or cars.

MOTOR: 1-HP, air-cooled, permanent magnet motor. Produces up to 125-mph maximum air velocity at nozzle, 290 cubic feet per minute.

HOUSING: High-impact Cylolac® plastic housing. Separate on/off switch, speed control slide switch. Two handles provide stability, better operating control.

ATTACHMENTS: Two 15-inch long extension tubes, each 2 3/4 inches in diameter; fan-shaped diffuser nozzle for flat surfaces; curved reducer nozzle for concentrated air flow. Shoulder strap helps minimize user fatigue. Parts list and instructions included.

ELEC. INFO: Double-insulated, 110-120-volts, 60-Hz. AC. Stub-length, 2-wire cord.

ORDER INFO: See warranty below. Order extension cord on page 48.

9 GT 79893—Shpg. wt. 8 lbs. 8 oz. . . \$78.99

(4) Vacuum Kit for Electric Blower

Simply snap blower tubes into air suction inlet and canvas bag into air dispersal outlet and you're equipped to clean debris from hard-to-reach outdoor areas.

INCLUDES: 6-inch diameter plastic pick-up nozzle. Spring for inlet cover allows easy conversion. Inlet tube adapter. Concentrator nozzle for debris disposal. Heavy-duty canvas shoulder bag with durable zipper.

ORDER INFO: Fits (3) at left, also Sears blowers 9-79883, 9-79884, 9-79885, 9-79888, 9-79892 and 9-79893.

Shpg. wt. 3 lbs. 8 oz.
9 GT 79886 . . . \$33.99

CRAFTSMAN® Small Engine Tools

(8) Flywheel Puller. Takes diameter up to 6 in. 3 in. reach. Wt. 3 lbs. 2 oz.
9 GT 47163 \$14.99

(9) Magnetic Key Inserter
Holds split-valve locks for Briggs & Stratton® engines.
9 GT 47164—Wt. 2 oz. \$3.99

(10) Valve Spring Compressor
Made of durable steel.
9 GT 47621—Wt. 15 oz. \$8.99

(11) Ring Expander
For installing or removing piston rings. 1 1/4 to 2 1/4-inch capacity.
9 GT 47162—Wt. 11 oz. \$4.99

(12) Ring Compressor
1 3/4 to 3 1/2-inch capacity. Depth, 2 inches. Takes all rings at once. Allen wrench included.
9 GT 47161—Wt. 8 oz. \$3.99

(13) Ridge Reamer. Range of 2 to 3 inches. Carbon steel blade.
9 GT 4710—Wt. 1 lb. \$21.99

(14) Groove Cutter
Range of 2 to 3 inches. Flanged side for slotted pistons. 5 points for grooving, 1 point for trimming lands. Shpg. wt. 1 lb. 3 oz.
9 GT 47221 \$10.99

(15) Cylinder Hone
No adapters needed to change size. Adjusting knob controls pressure in cylinder from 1 1/2 to 2 3/4 inches.
9 GT 47623—Wt. 7 oz. \$14.99

Replacement Stone Set for (15)
Includes three stones. Wt. 3 oz.
9 GT 47624 Set \$7.99

Small Engine Repair Tool Kit
Includes tools (8) thru (15), also valve grinder, refacer and short stem.
Shpg. wt. 11 lbs. 4 oz.
9 GT 47628C Kit \$89.99



Sears Tilting Drawing Tables, Clamp-on Lamps, Swivel Chair

(1) Drawing Table with built-in cabinet
TOP: Over 9 square feet of work area. Two heavy-duty steel arcs adjust working angle from full horizontal to 90° vertical positions. Top adjusts 32 to 40 inches high. 31x42x5/8-inch smooth-sanded plywood top. Pencil ledge. Metal side guides on 2 sides.

FRAME, BASE: 5/8-inch thick 7-ply aspen plywood, sanded smooth and lacquered. Rigid back panel.

CABINET: Aspen plywood hinged doors. Removable cabinet shelf adjusts from 6 to 11 inches. Foot room under cabinet. 21x19x10 inches deep.

ORDER INFO: Unassembled; instructions included. See "N" suffix note on page 91. Accessories not included.

3 GT 5101N—Wt. 32 lbs. \$74.99

(2) Illuminated Magnifying Lamp

CONSTRUCTION: Lamp swivels, raises and lowers easily to any position. Secures with help of damper knobs. Arm extends to 36 inches. Black enamel finish.

LIGHTING SYSTEM: 22-watt, circline fluorescent tube included. 5-inch, 3-diopter power, double convex lens. White enamel inner shade lets you do close visual work, helps provide distortion-free magnification. Black thermoplastic shade.

ELECTRICAL INFORMATION: UL listed. 110-120-volt, 60-Hertz, AC. With 6 1/2-foot cord.

ORDER INFO: Partially assembled; instructions included. Warranted by Ledu Corp. Write for free copy, see page 91.

3 GT 5145C—Wt. 8 lbs. \$84.99

(3) Draftsman's Swivel Lamp with 2 fluorescent lights

LIGHTING SYSTEM: Uses two 15-watt fluorescent tubes (included)

CONSTRUCTION: Tension spring balanced. Swivels with aid of damper knobs. Heavy-gauge steel arms. Arms extend up to 40 inches. Black enamel finish. Black thermoplastic shade.

ELECTRICAL INFORMATION: UL listed. 110-120-v. 60-Hz. AC. 6 1/2-ft. cord.

ORDER INFO: Warranted by Ledu Corp. Write for free copy, see pg. 91.

3 GT 5038C—Wt. 8 lbs. \$74.99

(4) Industrial Drawing Tables. Large, sturdy tables built to accommodate most industrial drawing and drafting needs.

TOP: Solid pine supports adjust top position from full horizontal to 90-degree vertical, lets you choose the angle that best suits your purpose. Top constructed of fine-quality aspen plywood sanded smooth.

FRAME, BASE: Solid pine frame. 4-leg base of kiln-dried lumber. Storage area measures 30x42x4 inches deep. Drawer, measure 9x12x1 1/2 inches deep. Table closed: 34 inches high.

ORDER INFO: Partially assembled, instructions included.

36x48 inches

3 GT 51024N—Wt. 70 lbs. \$116.99

36x60 inches

3 GT 51022N—Wt. 80 lbs. \$126.99

36x72 inches

3 GT 51023N—Wt. 85 lbs. \$134.99

(5) Adjustable Swivel Chair

SEAT, BACK: Black vinyl over polyurethane foam padding. Swivel seat measures 14x16 1/2 inches. Adjustable back cushion and seat height.

ORDER INFO: Unassembled; complete assembly instructions are included. See "N" suffix note on page 91.

Seat height adjusts 22 to 26 1/2 inches

T 3 GT 6438N—Wt. 25 lbs. \$89.99


Seat height adjusts 27 to 31 1/2 inches

T 3 GT 6437N—Wt. 28 lbs. \$89.99

Drawing Table
with built-in
Cabinet



Clamp-on Lamp
clamps on
any desk or table



Industrial-size
Drawing Tables

Adjustable steel
Swivel Chair



*Sears * Best*



Extra-heavyweight Steel Shelving

Double back and side bracing for strength and rigidity

CONSTRUCTION: Extra-heavyweight steel posts and shelves. Top, bottom and 1 middle shelf attach to frame with hex nuts and bolts. Wrench included. Other shelves have special height adjustment clips. No tools needed to adjust shelf height. Shelves adjust at 1½ in. intervals. Double steel sway bracing on back, sides. Plastic end caps, floor guards.

FINISH: Gray enamel finish.

ORDER INFO: Unassembled. Instructions are included. See "N" suffix note on page 91.

78x36x18 in. deep. 6 shelves.
3 GT 62701N—Wt. 48 lbs. ...\$46.99

78x42x24 in. deep. 6 shelves.
3 GT 62702N—Wt. 60 lbs. ...\$62.99

84x48x24 in. deep. 6 shelves.
3 GT 62703N—Wt. 70 lbs. ...\$72.99

78x36x18 in. deep. 8 shelves.
3 GT 62704L—Wt. 52 lbs.\$57.99

Extra Shelves. For units above.

CONSTRUCTION: Extra-heavyweight steel with gray enamel finish.

ORDER INFO: Package of 2 shelves. Be sure to order shelves of the same width and depth as your shelving unit.

36x18 in. deep. Shpg. wt. 13 lbs.
3 GT 62722CPkg. \$13.99

42x24 in. deep. Shpg. wt. 19 lbs.
3 GT 62723LPkg. \$18.99

48x24 in. deep. Shpg. wt. 21 lbs.
3 GT 62724LPkg. \$20.99

So strong each unit can hold up to a ton of bricks



Full-length Steel Storage Cabinet

CONSTRUCTION: Heavy-gauge steel. Baked-on enamel finish. Four shelves adjust every 2 inches. Locking doors with 2 keys included.

DIMENSIONS: Measures overall 36x18x72 in. high.

ORDER INFO: Unassembled. Instructions included.

3 GT 64944N—Gray 3 GT 64945N—Tan
Shipping weight 114 poundsEach \$134.99

Extra steel Shelf for cabinet above

3 GT 64946C—Gray 3 GT 64947C—Tan
Shipping weight 6 poundsEach \$9.99

New at Sears! The Time Life Series of Household Repair Books

A 17-volume library offering a variety of resource information for the amateur or professional



Advanced Woodworking

Helps provide extensive instruction in joinery and wood-shaping techniques with hundreds of illus.
3 GT 1301

The Home Workshop

Helps provide techniques for installing acoustical insulation, and info on building a well-equipped and efficient place to work.
3 GT 1305

Plumbing. You'll learn all the aspects of plumbing. The clear diagrams and directions take you through step-by-step.
3 GT 1309

Space and Storage

Helps provide new storage ideas. How to make more efficient use of existing storage space, where to look for more storage space and techniques needed to build storage units.
3 GT 1313

Weatherproofing. Tells you where to find fuel-wasting gaps in your home and shows you how to plug them.
3 GT 1314

Basic Wiring. Explains the basic wiring system in colorful illustrations. Shows you which home projects you can handle confidently.
3 GT 1302

Kitchens and Bathrooms

Helps provide modernization ideas so you can bring both rooms to new levels of style, convenience and comfort without spending thousands of dollars.
3 GT 1306

Porches and Patios. Helps provide info to improve, preserve or construct areas to enjoy your outdoor leisure.
3 GT 1310

Shipping weight ea. 1 lb. 12 oz.Each \$10.95

Working with Metal. Incl.

metal maintenance and repair, instruction in welding, sheet-metal work and an intro to blacksmithing.
3 GT 1315

Working with Wood

Shows fine points of carpentry, explains the professional techniques. Clear illus.
3 GT 1316

Fireplaces and Wood Stoves.

Detailed info on how to choose a heating device, repairs, improvements, maintenance and operation of fireplace or woodstove.
3 GT 1303

Masonry

This book shows you how to master the mason's art, the tools required, formulas for mixing various types of concrete and mortar.
3 GT 1307

Repairing Appliances. Covers maintenance and repair of household work savers.
3 GT 1311

Heating and Cooling

Helps provide info on keeping heating and air conditioning systems operating efficiently and economically.
3 GT 1304

Paint and Wallpaper. You'll learn about the preparation of the walls and all the info to help get the professional results you can be proud of.
3 GT 1308

Roofs and Siding. This volume teaches you how to repair or protect your home's outer protective surfaces.
3 GT 1312

Adding On. Shows you the principles for building space-expanders from a glassed-in sunroom to a new wing.
3 GT 1300



**CRAFTSMAN®
Body and Fender Tools**

(1 thru 5) Hammers

CONSTRUCTION: Heads polished and drop-forged for strength and durability. Strong hickory handles measure 12 inches long.

ORDER INFO:

Item	Hammer Description	Head (in.)	Square face (in.)	Round face (in.)	Pick (in.)	Cross-pein (in.)	Catalog Number	Shpg. wt. lbs. oz.	Price
(1)	Bumping	5 1/2	1 1/2	1 3/8	---	---	9 GT 4551	5	\$10.99
(2)	Light Bumping	3 1/2	7/8	1 3/8	---	---	9 GT 4550	14	10.99
(3)	Blunt Pick	5 3/4	---	1 1/2	2 1/2	---	9 GT 4553	1	10.99
(4)	Pointed Pick	5 3/4	---	1 1/2	2 1/2	---	9 GT 4556	1	10.99
(5)	Cross-pein	5 3/4	---	1 1/2	---	2 1/2 x 3/4	9 GT 4552	1	10.99

(6) 15-inch Dent Puller

Metal handle grip. 15 in. long
ORDER INFO: Not Craftsman. Imported.
Shpg. wt. 2 lbs. 2 oz.
9 GT 45701\$6.99

18 1/2-in. Dent Puller (not shown).
Not Craftsman. Imported.
9 GT 4571-Wt. 5 lbs. 1 oz. \$10.99

(7) Combination Dolly and Spoon. Drop-forged steel.
9 GT 45631-Wt. 3 lbs. 6 oz. \$13.99

(8) All-purpose Dolly. 8 molding, beading surfaces. Bottom for panel, fender-skirt work. Drop-forged steel.
ORDER INFO: Wt. 2 lbs. 14 oz.
9 GT 45651\$13.99

(9) Universal Dolly. Two beading surfaces. Drop-forged steel.
ORDER INFO: Shpg. wt. 3 lbs. 1 oz.
9 GT 45611\$13.99

(10) Heel Dolly. Drop-forged steel.
9 GT 45621-Wt. 2 lbs. 7 oz. \$13.99

9-piece Auto Body Repair Set
Includes hammers (1) thru (5) and dollies (7) thru (10).
ORD. INFO: Sep. prices total \$110.91.
9 GT 45884C-Wt. 18 lbs. Set \$89.99

10-piece Auto Body Repair Set
Includes hammers (1) thru (5), dollies (7) thru (10) above, plus flat-top tool box (9 GT 6500) on page 142.
9 GT 45887C-Wt. 28 lbs. Set \$99.99

(11) Auto Body Repair Kit

Includes dent puller, file, file blade holder, finishing hammer, dolly, sanding block and 10 assorted sandpaper refills. Instructions provided. Imported.
ORDER INFO: Not Craftsman.
9 GT 4171-Wt. 7 lbs. 8 oz. \$26.99

CRAFTSMAN® Shaping Tools

CONSTRUCTION: Chisel-like teeth in steel blade. Die-cast zinc alloy body. Cut and form materials up to hardness of mild steel.

ORDER INFO: See warranty, p. 107 (except for blades).

(12) Round File Type

Enlarges holes, shapes concave or circular wood cuts. Hardwood handle. Blade diameter 5/8 in.; 14 in. long.
9 GT 67743-Shpg. wt. 5 oz. \$6.99

(13) Plane Type

1 5/8 x 1 1/4 in. long. Order extra blade below.
9 GT 67742-Shpg. wt. 1 lb. \$8.99

(14) Pocket Plane Type. 1 5/8 x 5/8 in. long.

9 GT 67745-Shpg. wt. 8 oz. \$4.39
9 GT 67746-Extra Blade for (14). Wt. 2 oz. 1.99

(15) Flat File Type

1 5/8 x 16 in. long. Extra blade sold below.
9 GT 67741-Shpg. wt. 14 oz. \$7.99

(16) Flex Sander. 9 3/4 in. long. Spring clip holds sandpaper.
9 GT 45703-Shpg. wt. 7 oz. \$3.99

(17) Hand Shaping Tool. For rough planing on curved and irregular surfaces. 7 1/2 in. long.
9 GT 67744-Shpg. wt. 3 oz. \$3.69

Extra Blade for (13) and (15). Flat. 1 5/8 in. wide.
9 GT 67747-Shpg. wt. 2 oz. \$2.49

(18) Tack Puller. Steel.

9 GT 3810-Wt. 3 oz. \$1.99

(19) CRAFTSMAN® Steel Wrecking Bars. See warranty on pg. 107

Catalog No.	Shpg. wt.	Price
9 GT 6597C	3/4 x 24 in. long 3 lbs. 12 oz.	\$8.99
9 GT 65981C	3/4 x 30 in. long 4 lbs. 8 oz.	9.99

(20) CRAFTSMAN® 12-in. Nail Puller. Steel. Warranty on page 107. Wt. 1 lb. 3 oz.
9 GT 6595\$1.99

(21) CRAFTSMAN® Pull-n-Pry Bars. Steel. See warranty on page 107.



2x15 in. long
Shpg. wt. 1 lb. 8 oz.
9 GT 6591\$8.49
3/4 x 5 1/4 in. long
Shpg. wt. 1 oz.
9 GT 65941\$2.69

(22) CRAFTSMAN® Rip Bar. Steel. 3/4 x 18 in. Warranty, pg. 107.

Shpg. wt. 2 lbs. 7 oz.
9 GT 6577\$8.99

CRAFTSMAN® Steel Alloy Punches, Chisels and Line-up Tools with our Full Unlimited Warranty... see warranty on page 107

- Chrome vanadium steel, double heat-treated for maximum durability on cutting edge, maximum impact-resistance on striking end.
- Nickel-chrome-plated to resist rust.
- Square shape for gripping... helps prevent tool from rolling off workbench



(23) 12-piece Punch, Line-up and Chisel Set
SET INCLUDES: 6 punches: 1/8, 3/32, 1/16, 1/8-in. pin, 3/8-in. center and 3/8-in. prick. 2 line-up tools: 3/16 x 9 and 3/32 x 7 in. 4 cold chisels: 1/4, 1/2, 3/4 and 1 in.
Wt. 2 lbs. 10 oz.
9 GT 43036 ...Set \$23.99

(24) 9-piece Punch, Line-up and Chisel Set
SET INCL: 5 punches: 1/16, 3/32, 1/8-in. pin, 3/8-in. center, 3/8-in. prick. 2 line-up tools: 3/32 x 7 in. and 3/32 x 9 in. 2 cold chisels: 1/2, 3/4 in.
Wt. 2 lbs. 1 oz.
9 GT 43038 ...Set \$19.99

(29) Extra-long Cold Chisels
Cut bolts and rivets.
ORDER INFO:

Size, in.	Catalog Number	Wt. lbs. oz.	Price each
3/4 x 12	9 GT 42891	12	\$8.49
3/4 x 18	9 GT 42892	1	3.99
3/4 x 12	9 GT 42893	1	3.99

(30) Line-up Tools. Hardened ends. Meet Federal Specification GGG-P-831e. Not for impact use.
ORDER INFO:

Size, in.	Catalog Number	Wt. oz.	Price each
3/4 x 6	9 GT 42905	1	\$4.99
3/4 x 7	9 GT 42901	3	5.49
3/4 x 9	9 GT 42902	7	6.29
3/4 x 12	9 GT 42903	12	7.49

(31) Rolling Wedge Bar
With 90-degree polished rolling head. Measures 16 inches long with 3/8-in. diam.
ORDER INFO: Wt. 1 lb. 7 oz.
9 GT 42892\$9.99

(32) Center Punches
Mark points for drill holes.
ORDER INFO:

Size, in.	Catalog Number	Wt. oz.	Price each
3/8 x 4 1/2	9 GT 42861	2	\$3.79
1/2 x 6	9 GT 42862	5	4.29

(25) 5-pc. Punch and Chisel Set
SET INCLUDES: 3 punches: 1/8, 3/32, 1/8-in. pin, 3/8-in. center. 2 cold chisels: 1/2, 3/4 in.
Shipping weight 1 lb. 2 oz.
9 GT 4301Set \$11.99

(26) 4-piece Alignment Tool Set
SET INCL: Sizes 3/32, 1/16, 1/4, 3/8 in.
Shipping weight 1 lb. 9 oz.
9 GT 42906Set \$14.99

(27) 5-pc. Punch and Line-up Set
SET INCLUDES: 4 pin punches: 1/16, 3/32, 1/8, 3/8 in.; 3/32-in. line-up tool.
9 GT 4285-Wt. 8 oz. \$11.99

(28) 3-piece Chisel Set
SET INCL: Sizes 1/4, 3/8, 1/2 in.
9 GT 4309-Wt. 8 oz. \$8.99

(33) Pry Bar. Chrome vanadium steel. 1/2 x 16 in. long.
ORDER INFO: Wt. 14 oz.
9 GT 4283\$7.99

(34) Prick Punches. Pierce thin sheet metal, mark layout lines.
ORDER INFO:


Point	Lgth. in.	Catalog Number	Wt. oz.	Price each
3/8 in.	4 1/2	9 GT 42841	2	\$3.59
1/2 in.	6	9 GT 42842	4	4.29

(35) Pin Punches
Drive out pins, bolts. Meet Federal Specification GGG-P-831e.
ORDER INFO:

Point	Lgth. in.	Catalog Number	Wt. oz.	Price each
1/16 in.	4 1/4	9 GT 42881	1	\$3.79
3/32 in.	4 7/8	9 GT 42882	1	3.79
1/8 in.	4 1/2	9 GT 42883	1	3.79
3/16 in.	5	9 GT 42884	1	3.79
1/4 in.	5 3/4	9 GT 42885	2	3.79
3/8 in.	5 3/4	9 GT 42886	3	3.79

(36) Standard-length Cold Chisels. Meet Federal Specification GGG-313b for strength.
ORDER INFO:

Edge, in.	Stk. in.	Lgth. in.	Catalog Number	Shpg. wt.	Price each
1/4	1/4	4 3/4	9 GT 42971	1 oz.	\$3.99
3/8	3/8	5 1/4	9 GT 42972	2 oz.	4.29
1/2	1/2	6	9 GT 42973	4 oz.	4.99
3/4	3/4	6 1/2	9 GT 42974	6 oz.	5.49
1	1	7	9 GT 42975	10 oz.	6.49
1 1/4	1 1/4	7 3/4	9 GT 42976	1 lb.	6.99



CRAFTSMAN® STANDARD and METRIC Tap and Die Sets with our Full Unlimited Warranty



High-speed Steel Sets

Durable, heat-treated high-speed steel wears better, stays sharper longer than carbon steel. Excellent for auto and machinery repairs... even home repairs

59-piece STANDARD or METRIC Sets

CONSTRUCTION: High-speed steel. Black oxide coating reduces friction, gives smooth cutting action. Taps and dies manufactured to American Metal Cutting Institute Standards. "Cut-thread" tolerance, produce Class II fit threads as specified by the National Bureau of Standards, U.S. Dept. of Commerce. Made in U.S.A.

SET COMPONENTS: 23 taps, 23 hex dies (13 one-inch diameter, eight 1 1/2-inch diameter, two pipe taps and dies), thread gauge, case, instructions. *Separate prices total \$160.93 on page 107.*

Shipping weight 6 lbs. 2 oz.
9 GT 52008Set \$74.99

35-piece METRIC Add-on Set
SET COMPONENTS: 17 taps and 17 hex dies in metric sizes (16 one-inch diam., one pipe tap and die), thread gauge, case, instr. *Separate prices total \$87.54 on page 107.*

Shpg. wt. 2 lbs. 14 oz.
9 GT 52102Set \$54.99

24-piece METRIC Add-on Set
SET COMPONENTS: 11 taps, and 11 hex dies in metric sizes (ten 1-inch diam., one pipe tap and die), thread gauge, case and instr. *Sep. prices total \$54.87 on page 107.*

Shipping weight 2 lbs. 2 oz.
9 GT 52007Set \$34.99

Carbon Steel Kromedge® Sets

CONSTRUCTION: Tempered carbon steel. Chrome-plated for smooth cutting action. Hex-shaped dies let you use sockets, open-end, adjustable wrenches. Meet the same American Metal Cutting Institute Standards and National Bureau of Standards as high-speed steel sets sold at left. Made in U.S.A.

ORDER INFO: See warranty, page 107. See chart at right for specific sizes.

66-piece STANDARD Set

SET COMPONENTS: Includes 28 taps, 28 hex dies, 3 die stocks, "T"-handle tap wrench, 3 tap and reamer wrenches, screwdriver, thread gauge, case, instr. Extra-large sizes let you thread up to 1-in. diam. *Separate prices total \$305.36 on page 107.* Wt. 21 lbs.

9 GT 52161CSet \$229.99

METRIC Add-on Sets

For the person who already has a standard set and doesn't need wrenches, etc.

48-piece METRIC Add-on Set

SET COMPONENTS: 23 taps and 23 hex dies in metric sizes (thirteen 1-inch diameter hex dies, eight 1 1/2-inch diam., two pipe taps and dies), thread gauge, case, instructions. *Separate prices total \$160.93 on page 107.*

Shipping weight 6 lbs. 2 oz.
9 GT 52008Set \$74.99

35-piece METRIC Add-on Set

SET COMPONENTS: 17 taps and 17 hex dies in metric sizes (16 one-inch diam., one pipe tap and die), thread gauge, case, instr. *Separate prices total \$87.54 on page 107.*

Shpg. wt. 2 lbs. 14 oz.
9 GT 52102Set \$54.99

24-piece METRIC Add-on Set

SET COMPONENTS: 11 taps, and 11 hex dies in metric sizes (ten 1-inch diam., one pipe tap and die), thread gauge, case and instr. *Sep. prices total \$54.87 on page 107.*

Shipping weight 2 lbs. 2 oz.
9 GT 52007Set \$34.99

59-pc. STANDARD or METRIC Sets

SET COMPONENTS: 23 taps, 23 hex dies (13 one-in., eight 1 1/2-in. diam., 2 pipe taps, dies), 2 adjustable guide die stocks, "T"-handle tap wrench, 5 screw extractors, 2 tap and reamer wrenches, screwdriver, thread gauge, case, instr. *Separate prices total \$203.17 for Standard, \$227.36 for Metric, on p. 107.*

STANDARD. Shpg. wt. 13 lbs. 12 oz.
9 GT 52151Set \$149.99

METRIC. Shpg. wt. 13 lbs. 12 oz.
9 GT 52096Set \$159.99

41-pc. STANDARD or METRIC Sets

SET COMP: 17 taps, 17 hex dies (sixteen 1-in. diam., 1 pipe tap and die), adjust. guide die stock, 2 "T"-handle tap wrenches, tap and reamer wrench, screwdriver, thread gauge, case, instr. *Sep. prices total \$98.60 for Standard and \$109.70 for Metric, on p. 107.*

STANDARD. Shpg. wt. 4 lbs. 14 oz.
9 GT 5201Set \$69.99


METRIC. Shpg. wt. 4 lbs. 15 oz.
9 GT 52095Set \$74.99

28-pc. STANDARD or METRIC Sets

SET COMPONENTS: 11 taps, 11 hex dies (ten 1-in. diam., 1 pipe tap and die), adjust. guide die stock, "T"-handle tap wrench, Tap and reamer wrench, screwdriver, thread gauge, case, instr. *Separate prices total \$76.83 for Standard and \$88.92 for Metric, on p. 107.*

STANDARD. Shpg. wt. 3 lbs. 12 oz.
9 GT 5200Set \$49.99

METRIC. Shpg. wt. 4 lbs. 1 oz.
9 GT 52093Set \$54.99



41-piece STANDARD Set with adjustable round dies

CONSTRUCTION: Kromedge® set of tempered carbon steel. Chrome-plated finish for smooth cutting action.

SET COMPONENTS: 17 taps, 17 dies (16 adjustable round, 1-in. diam. for use only with die stocks; 1 pipe tap and die), adjustable guide die stock, tap, 2 "T"-handle reamer wrenches, thread gauge, screwdriver, plastic case, instructions.

ORDER INFO: See warranty, p. 107; chart, right for sizes.
9 GT 5209—Shpg. wt. 4 lbs. 8 oz.Set \$69.99



12-piece Instrument Set for fine work

CONSTRUCTION: Carbon steel.

SET COMPONENTS, SIZES: Five 1 1/2-in. diam. hex dies, 5 standard taps. Cuts sizes 1/4-20, 10-24, 10-32, 8-32, 6-32. Tap wrench and plastic case included.


ORDER INFO:
Shipping weight 10 ounces.
9 GT 52118Set \$11.99

STANDARD Thread Types and Sizes

Type of Cut	Thread Sizes	86-pc. Set	59-pc. Set	41-pc. Set	28-pc. Set
		52161	52311 52151	5209 5201	5200
Cuts National Coarse (USS) threads	1/4-20	X	X	X	X
	5/16-18	X	X	X	X
	3/8-16	X	X	X	X
	1/2-14	X	X	X	X
	3/4-12	X	X	X	X
	1-10	X	X		
	1-8	X			
Cuts National Fine threads	1/4-28	X	X	X	X
	5/16-24	X	X	X	X
	3/8-24	X	X	X	X
	1/2-20	X	X	X	X
	3/4-16	X	X	X	X
	1-12	X	X		
	1-10	X			
Cuts machine screw threads	4-40			X	
	6-32	X	X	X	
	8-32	X	X	X	
	10-24	X	X	X	
NPT Pipe thread	10-32	X	X	X	
	12-24	X	X	X	
NPT Pipe thread	1/2-27	X	X	X	X
	3/4-18	X	X		

METRIC Thread Types and Sizes

Thread Sizes (mm)	59-pc. Set	48-pc. Set	41-pc. Set	36-pc. Set	28-pc. Set	24-pc. Set
52001	52001	52008	52095	52102	52093	52007
Metric threads						
3x.50			X	X		
3x.60	X		X		X	
3.5x.60		X		X		
4x.70	X	X	X	X	X	
4x.75	X		X			
4.5x.75		X		X		
5x.80	X	X	X	X	X	
5x.90	X		X			
6x1.00	X	X	X	X	X	X
6.3x1.00		X		X		X
7x1.00	X	X	X	X	X	X
8x1.00		X		X		X
8x1.25	X	X	X	X	X	X
9x1.00	X		X			
9x1.25	X	X	X	X	X	X
10x1.00		X		X		
10x1.25	X	X	X	X		X
10x1.50	X	X	X	X	X	X
11x1.50	X		X			
12x1.50	X	X	X	X	X	X
12x1.75	X	X	X	X	X	X
14x1.25	X	X				
14x2.00	X	X				
16x1.50	X	X				
16x2.00	X	X				
18x1.50	X	X				
18x2.50	X	X				
BSP Pipe thread						
1/2x28	X	X	X	X	X	X
1/4x19	X	X				



CRAFTSMAN® Hack Saws


(1 thru 4) **Hacksaws.** Flush-cutting Saw (1) has front-end grip and tension wheel to help keep blade rigid; storage chamber for 6 blades. One 12-in. blade included. (2 thru 4) include one 10-in. semi-flexible blade.

Constr.	(1 and 2) Flush-cutting Saws	(3) Standard-cutting Saws	(4) Close-quarter Saw
Frame	(1) 6 positions; Chrome-plated tubular steel	(2) 4 positions; Nickel-plated welded steel, reinforced back	(3) 4 positions; Nickel-plated welded steel, reinforced back
Handle	Enclosed, die-cast aluminum 12-in.	Enclosed, plastic grip 10 or 12-in.	Plastic pistol grip 10 or 12-in.
Takes blade	9 GT 3559	9 GT 3558	9 GT 3562
Catalog number	1 lb. 3 oz.	2 lbs.	1 lb. 12 oz.
Shpg. wt.	\$10.99	\$8.49	\$6.99
Price			\$4.49

(5 and 6) **Remington™ "Grit Edge" Rod Saw and Blade.** Steel, tungsten carbide cutting edge cuts ceramic tile, cast iron, fiber glass, chrome-plated steel.
(5) 9GT65861-10-in. long Rod Saw. Wt. ea. 1 oz. Ea. \$2.99; 10 for \$19.99
(6) 9GT65862-12-in. long Blade. Wt. ea. 1 oz.Ea. 3.49; 10 for 29.99

(7 and 8) **CRAFTSMAN® Hacksaw Blades.** Alloy steel. (7) cuts iron pipe, med. tubing 1/8 thru 1/4 in. (8) cuts steel bars, brass, copper to 1/4 in.
ORDER INFO: Semi-flexible blades: Pkg. of 5. High-speed design (lasts longer than semi-flexible blades): Pkg. of 2.

Item	Teeth per in.	Lgth. (in.)	Semi-flexible	Wt. pkg.	Pkg. of 5	10 pkgs.	High-speed design	Wt. pkg.	Pkg. of 2	10 pkgs.
(7)	24	10	9GT65853	5 oz.	\$1.79	\$12.99		4 oz.		
	24	12	9GT65854	5 oz.	1.99	14.99	9GT65856	4 oz.	\$2.69	\$19.99
(8)	18	10	9GT65851	5 oz.	1.79	12.99		4 oz.		
	18	12	9GT65852	5 oz.	1.99	14.99	9GT65855	4 oz.	2.69	19.99



CRAFTSMAN® Tap and Die Accessories

(1) Tap and Reamer Wrenches

ORDER INFO: See warranty below.
Alloy steel jaws.

No. 0 Wrench

1/16 to 1/4 in., 3 to 7 mm taps and 0 to 14 machine screw size taps.
9 GT 52138—Wt. 3 oz.\$6.99

No. 4 Wrench

1/8 to 1/2 in., 3 to 12 mm taps.
9 GT 5214—Shpg. wt. 10 oz.\$7.49

No. 6 Wrench

1/4 to 3/4 in., 6 to 18 mm taps. Shpg. wt. 1 lb. 10 oz.
9 GT 52141\$10.99

No. 7 Wrench

1/4 to 1 1/2 in., 7 to 28 mm taps and 1/8, 1/4, 3/8 in. pipe taps. Wt. 2 lbs. 12 oz.
9 GT 52142\$19.99

(2) Die Stocks, Alloy steel.

ORDER INFO: See warranty below.

For 1-in. hex dies, adjustable guide
9 GT 52185—Shpg. wt. 8 oz.\$7.49

For 1-in. round dies, adj. guide
9 GT 52182—Shpg. wt. 9 oz.\$7.49

For 1 1/2-in. round, 1 1/8-in. hex dies, adjustable guide. Wt. 1 lb. 14 oz.
9 GT 52181\$12.99

For 1 1/2-in. hex dies. Wt. 3 lbs. 2 oz.
9 GT 52183\$19.99

(3) Steel Hand Reamer

Reams 1/8 to 3/8-in. diameter.
ORDER INFO: See warranty below.

9 GT 5492—Shpg. wt. 3 oz.\$7.99

(4) Tapered Reamer

Heat-treated steel. For 1/8 to 1/2-in. holes. 5 3/4 in. long.

ORDER INFO: See warranty below.
9 GT 5479—Shpg. wt. 3 oz.\$7.99

Thread Gauges. As in sets, p. 106.

ORDER INFO: See warranty below.
Shipping weight 3 ounces.

9 GT 52229—Standard\$4.19
9 GT 52029—Metric 4.19

(5) Adjustable Ratchet Tap Wrench.

Steel. Centerless ground, polished. Self-equalizing jaws. Deep-seating teeth. 0 to 1/4 in., 0 to 6.3 mm tap capacity. "T" handle.

ORDER INFO: See warranty below.
9 GT 4065—Wt. 10 oz.\$13.99

(6) Tap Wrenches, Steel.

ORDER INFO: See warranty below.
Fits up to 12 machine screw, 3 to 6 mm, 0 to 1/4-inch taps. Wt. 3 oz.

9 GT 42101\$2.09

Fits 1/16 to 1/4 in.; 4 to 14 machine screws and 3 to 6 mm taps

9 GT 4066—Shpg. wt. 7 oz.\$5.99

Fits No. 12 to 1/8 in.; 5 to 8 mm taps

Shipping weight 4 ounces.
9 GT 42102\$2.79

Fits 1/4 to 1/2 in.; 6 to 12 mm taps

Shipping weight 13 ounces.
9 GT 4067\$7.49

Fits 1/4 to 1/2 in., 6 to 12 mm taps, reamer with 1/4 to 3/8-in. sq. female shank. Use with 1/2-in. ratchet also.

Shipping weight 8 ounces.
9 GT 42103\$4.99

(7) Tap and Drill Set. 6 Kromedge® machine taps (4-40, 6-32, 8-32, 10-32, 12-24, 1/4-20) drill sizes 43, 36, 29, 25, 21, 7. "T" handle tap wrench, plastic case.

ORDER INFO: See warranty below.
Shipping weight 10 oz.

9 GT 5208Set \$13.99

Permanex® Plastic Cases

ORDER INFO:

Case as in 59-piece sets sold on page 106.

Shipping weight 3 lbs. 5 oz.
9 GT 5218\$12.99

Case as in 41-pc. set on page 106.

9 GT 5219—Wt. 1 lb. 4 oz.\$7.99

Order FREE handbook of taps, dies and threading accessories... 39 GT 7109
(Instruction handbook included when you buy sets on page 106)

FULL UNLIMITED WARRANTY ON CRAFTSMAN® HAND TOOLS:

If any Craftsman Hand Tool ever fails to give complete satisfaction, return it to the nearest Sears store throughout the United States and Sears will replace it, free of charge. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

Pickup Tools

(13) Magnetic Pickup Tool with extension. Extends to 26 1/2 inches. Double ball and socket joint. 16 1/2 inches long.

ORDER INFO:
Shpg. wt. 7 oz.
9 GT 4132\$4.99

Magnetic Pickup Tool (not shown). Similar to (13) above, but extends to 19 1/2 inches. Pocket clip. 4 1/2 inches long when closed.

ORDER INFO:
Shpg. wt. 1 oz.
9 GT 4133\$3.99

(14) Magnetic Pickup Tool/Stud Finder. Magnet ends. Pocket clip. 5 3/4 inches long.

ORDER INFO:
Shpg. wt. 1 oz.
9 GT 4001\$3.29

(15 thru 23) CRAFTSMAN Files

Chrome-plated steel. Imported.

ORDER INFO: Plastic cases included.

Type	Size in.	Catalog Number	Wt. oz.	Each
(15) Shoe Rasp	8	9GT31224	6	\$4.19
	10	9GT31225	11	5.29
(16) Wood Rasp	10	9GT31215	11	5.29
(17) Mill Files	6	9GT31292	2	2.19
	8	9GT31294	5	2.89
	10	9GT31295	9	3.49
(18) Crosscut Saw File	8	9GT31210	5	3.19
(19) Flat Bastard File	8	9GT31254	6	3.19
	10	9GT31255	11	4.19
(20) Half-round Bastard File	8	9GT31234	6	3.99
	10	9GT31235	10	5.29
(21) Round Bastard File	6	9GT31242	2	2.39
	8	9GT31244	3	2.79
	10	9GT31245	5	3.29
(22) Warding File	4	9GT3132	1	1.99
(23) Mill File (2 round edges)	8	9GT3128	5	3.19

File Assortment. Includes 1 each of 8-in. files (15), (17), (19), (21) from chart above.

ORDER INFO: Sep. prices total \$13.06.
9 GT 31289—Wt. 1 lb. 4 oz.\$11.99

8 STANDARD-size Taps and Dies 9 10

ORDER INFO: Same construction as Kromedge® sets on p. 106. Warranty, left.

Size of item	(8) Taps			Die diam.	(9) Adjust. Round Dies			(10) Hex Dies		
	Cat. No.	Wt.	Price		Cat. No.	Wt.	Price	Cat. No.	Wt.	Price
National Coarse (US) Threads										
1/4-20	9GT5222	1 oz.	\$1.29	1 in.	9GT5226	1 oz.	\$2.19	9GT5227	1 oz.	\$1.99
3/8-18	9GT52222	1 oz.	1.69	1 in.	9GT52269	1 oz.	2.19	9GT52279	1 oz.	1.99
1/2-14	9GT52221	1 oz.	2.09	1 in.	9GT52261	1 oz.	2.19	9GT52271	1 oz.	1.99
5/8-13	9GT52223	3 oz.	2.39	1 in.	9GT52262	1 oz.	2.19	9GT52272	1 oz.	1.99
1-12	9GT52224	3 oz.	2.69	1 in.	9GT52263	1 oz.	2.19	9GT52273	1 oz.	1.99
1 1/2-11	9GT52225	4 oz.	3.69	1 1/2 in.*	9GT52264	2 oz.	6.49	9GT52274	2 oz.	5.29
2-10	9GT52226	5 oz.	4.29	1 1/2 in.*	9GT52265	2 oz.	6.49	9GT52275	2 oz.	5.29
2 1/2-9	9GT52227	7 oz.	5.99	1 1/2 in.*	9GT52267	2 oz.	6.49	9GT52277	2 oz.	5.29
3-8	9GT52323	7 oz.	7.99	1 1/2 in.*	9GT52268	2 oz.	6.49	9GT52278	2 oz.	5.29
1-8	9GT52324	10 oz.	9.49	1 1/2 in.*				9GT52332	6 oz.	8.99
								9GT52334	6 oz.	8.99

National Fine (SAE) Threads

1/4-28	9GT5221	1 oz.	\$1.29	1 in.	9GT5225	1 oz.	\$2.19	9GT5228	1 oz.	\$1.99
3/8-24	9GT52211	2 oz.	1.69	1 in.	9GT52259	1 oz.	2.19	9GT52289	1 oz.	1.99
1/2-20	9GT52212	1 oz.	2.09	1 in.	9GT52261	1 oz.	2.19	9GT52291	1 oz.	1.99
5/8-18	9GT52213	3 oz.	2.39	1 in.	9GT52262	1 oz.	2.19	9GT52292	1 oz.	1.99
1-16	9GT52214	3 oz.	2.69	1 in.	9GT52263	1 oz.	2.19	9GT52293	1 oz.	1.99
1 1/2-12	9GT52215	4 oz.	3.69	1 1/2 in.*	9GT52264	2 oz.	6.49	9GT52294	2 oz.	5.29
2-10	9GT52216	5 oz.	4.29	1 1/2 in.*	9GT52265	2 oz.	6.49	9GT52295	2 oz.	5.29
2 1/2-9	9GT52217	7 oz.	5.99	1 1/2 in.*	9GT52267	2 oz.	6.49	9GT52297	2 oz.	5.29
3-8	9GT52218	7 oz.	7.99	1 1/2 in.*	9GT52268	2 oz.	6.49	9GT52298	2 oz.	5.29
1-12	9GT52320	10 oz.	9.49	1 1/2 in.*				9GT52332	6 oz.	8.99
1-14	9GT52325	10 oz.	9.49	1 1/2 in.*				9GT52334	6 oz.	8.99

Machine Screw Taps and Dies—all N.C. (except 10-32 is N.F.)

4-40	9GT52192	1 oz.	\$1.29	1 in.	9GT52232	3 oz.	\$2.19	9GT5228	1 oz.	\$1.99
6-32	9GT52194	1 oz.	1.29	1 in.	9GT52235	3 oz.	2.19	9GT52299	1 oz.	1.99
8-32	9GT52196	1 oz.	1.29	1 in.	9GT52237	3 oz.	2.19	9GT52301	1 oz.	1.99
10-24	9GT52198	1 oz.	1.29	1 in.	9GT52239	3 oz.	2.19	9GT52303	1 oz.	1.99
10-32	9GT52200	1 oz.	1.29	1 in.	9GT52241	3 oz.	2.19	9GT52305	1 oz.	1.99
12-24	9GT52202	2 oz.	1.29	1 in.	9GT52243	3 oz.	2.19	9GT52307	1 oz.	1.99

9 GT 5230—1/8-inch hex Pipe Die. NPT thread. Shpg. wt. 1 oz.\$1.99
9 GT 5238—1/4-inch hex Pipe Die. NPT thread. Shpg. wt. 2 oz. 5.29

*Round dies, 1 1/2-in. diameter. Hex dies, 1 1/8-in. diameter.

METRIC-size Taps and Dies

ORDER INFO: Same construction as Kromedge® sets on p. 106. Warranty, left.

(11) Taps				(12) Hex Dies				
(mm)	Catalog No.	Wt.	Ea.	Die Diam.	(mm)	Catalog No.	Wt.	Ea.
3x.50	9GT52031	1 oz.	\$1.89	1 in.	3x.50	9GT52011	1 oz.	\$1.99
3x.60	9GT52032	1 oz.	1.89	1 in.	3x.60	9GT52012	1 oz.	1.99
3.5x.60	9GT52057	1 oz.	1.89	1 in.	3.5x.60	9GT52087	1 oz.	1.99
4x.70	9GT52033	1 oz.	1.89	1 in.	4x.70	9GT52013	1 oz.	1.99
4x.75	9GT52034	1 oz.	1.89	1 in.	4x.75	9GT52014	1 oz.	1.99
4.5x.75	9GT52058	1 oz.	1.89	1 in.	4.5x.75	9GT52088	1 oz.	1.99
5x.80	9GT52035	1 oz.	1.89	1 in.	5x.80	9GT52015	1 oz.	1.99
5x.90	9GT52036	1 oz.	1.89	1 in.	5x.90	9GT52016	1 oz.	1.99
6x1.00	9GT52037	1 oz.	1.89	1 in.	6x1.00	9GT52017	1 oz.	1.99
6.3x1.00	9GT52051	1 oz.	2.39	1 in.	6.3x1.00	9GT52082	1 oz.	1.99
7x1.00	9GT52038	1 oz.	1.99	1 in.	7x1.00	9GT52018	1 oz.	1.99
8x1.00	9GT52059	1 oz.	1.99	1 in.	8x1.00	9GT52089	1 oz.	1.99
8x1.25	9GT52039	1 oz.	1.99	1 in.	8x1.25	9GT52019	1 oz.	1.99
9x1.00	9GT52041	1 oz.	2.09	1 in.	9x1.00	9GT52021	1 oz.	1.99
9x1.25	9GT52042	1 oz.	2.09	1 in.	9x1.25	9GT52022	1 oz.	1.99
10x1.00	9GT52081	1 oz.	3.29	1 in.	10x1.00	9GT52083	1 oz.	1.99
10x1.25	9GT52043	1 oz.	3.29	1 in.	10x1.25	9GT52023	1 oz.	1.99
10x1.50	9GT52044	1 oz.	3.29	1 in.	10x1.50	9GT52024	1 oz.	1.99
11x1.50	9GT52045	1 oz.	3.29	1 in.	11x1.50	9GT52025	1 oz.	1.99
1/4x28††	9GT52048	1 oz.	3.29	1 in.	1/4x28†	9GT52028	1 oz.	1.99
12x1.50	9GT52046	1 oz.	3.29	1 in.	12x1.50	9GT52026	1 oz.	1.99
12x1.75	9GT52047	1 oz.	3.29	1 in.	12x1.75	9GT52027	1 oz.	1.99
14x1.25	9GT52061	2 oz.	3.99	1 1/8 in.	12x1.50	9GT52071	2 oz.	6.29
14x2.00	9GT52062	2 oz.	3.99	1 1/8 in.	12x1.75	9GT52072	2 oz.	6.29
16x1.50	9GT52063	3 oz.	4.49	1 1/8 in.	14x1.25	9GT52073	2 oz.	6.29
16x2.00	9GT52064	3 oz.	4.49	1 1/8 in.	14x2.00	9GT52074	2 oz.	6.29
18x1.50	9GT52065	4 oz.	5.99	1 1/8 in.	16x1.50	9GT52075	2 oz.	6.29
18x2.50	9GT52066	4 oz.	5.99	1 1/8 in.	16x2.00	9GT52076	2 oz.	6.29
1/4x19††	9GT52067	2 oz.	3.69	1 1/8 in.	18x1.50	9GT52077	2 oz.	6.29
				1 1/8 in.	18x2.50	9GT52078	2 oz.	6.29
				1 1/8 in.	1/4x19†	9GT52079	2 oz.	6.29

†British Standard thread pipe tap

†British Standard thread pipe die

CRAFTSMAN® Files and Accessories

(24) CRAFTSMAN Kromedge® Needle File Set. Swiss pattern. Medium cut. No. 2 files. 5 1/2 in. long. Imported. Set of 12.

ORDER INFO:
9 GT 6759—Shpg. wt. 4 oz.Set \$20.99

(25) CRAFTSMAN Kromedge® Ignition File. Double-cut teeth. 5 in. long. Imported.

ORDER INFO:
9 GT 3119—Shpg. wt. 1 oz.\$1.19

(26) CRAFTSMAN Adjustable File and Tool Handle. For tools with tangs up to 1/4-in. diameter. Use with files, rasps, blades.

ORDER INFO:
9 GT 6775—Shpg. wt. 3 oz.\$3.49


(27) CRAFTSMAN File Cleaning Brush. Wire brush, wooden handle. 8 1/2 in. long.

ORDER INFO:
9 GT 6782—Shpg. wt. 2 oz.\$3.19

(28) CRAFTSMAN File Handles. High-impact, foam-molded polystyrene.

ORDER INFO:

Size	Catalog No.	Wt. ea.
------	-------------	---------

**(1) Hand Impact Driver Set**

Each impact turns bit up to 20°. Includes ½-inch square drive tool; adapter; Numbers 2, 3 and 4 Phillips. ¾-inch slotted bits; pouch.

ORDER INFO: Shipping weight 2 pounds 1 ounce.
9 GT 47641 Set \$16.99

(2) General-purpose Gasket Scraper.

Includes three blades: 1, 1½ and 2 inches wide.

ORDER INFO: Shpg. wt. 6 oz.

9 GT 47725 \$5.49

Replacement Blades for (2)

Package of six.

ORDER INFO: Shpg. wt. 1 oz.

9 GT 47729 Pkg. \$1.99

(3) Universal Nut Cracker.

Splits nuts to ¾ inch across flats with no damage to threads. 4½-inch forged steel frame with hardened cutter.

ORDER INFO: Shpg. wt. 15 oz.

9 GT 4772 \$12.49

Replacement Cutter for (3)

ORDER INFO: Shpg. wt. 3 oz.

9 GT 4773 \$3.99

(4) Tail Pipe Expander

1½ to 2½-inch range. Use with wrench or impact tool.

ORDER INFO: Shipping weight 2 pounds 12 ounces.

9 GT 47606 \$13.99

(5) Standard-size Oil Filter Wrench.

Swivel handle for hard-to-reach filters.

ORDER INFO: Shpg. wt. 13 oz.

9 GT 47608 \$6.49

Small-size Oil Filter Wrench (not shown).

ORDER INFO: Shpg. wt. 13 oz.

9 GT 47609 \$6.49

(6) Coil-type Oil Filter Wrench

For 3-inch (75mm) diameter oil filters on late-model GM cars. Also fits imported car filters. Works in confined spaces. Use with ¾-inch square drive ratchet (ratchet not included).

ORDER INFO: Shipping weight 11 oz.

9 GT 47652 \$5.99

(7) Muffler and Tail Pipe Cut-off Tool

Four cutting wheels cut quick and clean. 1½ to 2½-inch range.

ORDER INFO: Shipping weight 1 lb. 6 oz.

9 GT 47607 \$13.99

Set of 4 Replacement Cutter

Wheels for (7)

ORDER INFO: Not Craftsman. Wt. 2 oz.

9 GT 47611 Set \$3.99

(8) 8-inch Hose Clamp Pliers

High-carbon boron steel construction.

9 GT 45391—Shpg. wt. 11 oz. \$8.99

(9) Swivel-jaw Hose Pliers with locking mechanism.

Measures 8½ inches long.

9 GT 4770—Shpg. wt. 11 oz. \$5.99

(10) Cross-rim Wrench with 16½-in. arms.

Forged high-carbon steel. Openings of ¾, 1⅞, 7/8 inch, 19mm.

9 GT 44888—Wt. 2 lbs. 15 oz. \$10.99

Cross-rim Wrench with 22½-in. arms (not shown).

Forged high-carbon steel. Openings of ¾, 1⅞, 7/8, 1⅞ inch.

9 GT 44889—Wt. 4 lbs. 8 oz. \$12.99

(11) Ratcheting Fan Blade Wrench

Offset, reversible. Thin, 12-in. long flat shank with angular shape to ease servicing of hard-to-reach areas. ½ and ⅞-inch socket adapters. Lever reverses ratcheting action. Steel with acetate handle.

9 GT 46951—Shpg. wt. 1 lb. \$9.99


(12) Hub Cap Remover.

Forged steel. Tapered shaft. 14 inches long.

9 GT 47051—Wt. 1 lb. 6 oz. \$4.99

CRAFTSMAN® Auto Repair Tools

We've got the right tool for your automotive maintenance jobs... with quality you can count on, backed by our FULL UNLIMITED WARRANTY

Engine Tune-up Tools**(13) Distributor Wrench.**

Offset design for access to mounting bolt. 12-point opening. Heat-treated, chrome-plated alloy steel.

ORDER INFO:

For these makes	Opening	Catalog No.	Wt.
Buick, Olds, Pontiac...	⅞ in.	9 GT 47753	9 oz.
Chevrolet.....	⅞ in.	9 GT 47755	7 oz.
Ford, Mercury.....	⅞ in.	9 GT 47756	7 oz.
Chrys., IHC V-8 trucks.	⅞ in.	9 GT 47754	11 oz.

Each \$5.99

(14) Offset Gauge

45° offset, 26 leaves; .005 to .030 in.; each 4 in. long. 1-in. offset allows adjustment of "V" engine tappets, hard-to-reach areas. Steel.

9 GT 40802—Shpg. wt. 5 oz. \$5.29

(15) 15-leaf Feeler Gauge

For tappets, points and spark plugs. 15 leaves in sizes .003 to .018 inches. Steel. Not Craftsman.

9 GT 4058—Shpg. wt. 2 oz. \$2.29

(16) 35-blade Combination Master Gauge

For use with electronic ignitions. 35-blade gauge includes 5 brass blades. Fractional and metric sizes. Blade sizes .002mm thru .035mm.

9 GT 40811—Shpg. wt. 4 oz. \$5.29

(17) 6-wire High-energy

Spark Plug Gap Gauge

For all transistorized ignition systems. Reads in metric and standard. Steel.

9 GT 40808—Shpg. wt. 2 oz. \$3.29

Spark Plug Gap Gauge (not shown).

Steel. 8 wire sizes .002 thru .040. Exceeds Federal Spec GGG-G-17a. Not Craftsman.

9 GT 4075—Shpg. wt. 1 oz. \$1.69

(18) Ignition Gauge.

14 leaves from .012 to .032 in.; 8 wires .022 to .040 in. Steel.

9 GT 40801—Shpg. wt. 2 oz. \$3.19

(19) Distributor Adjuster.

For Delco distributors. Flexible shaft reaches points easily.

9 GT 47723—Shpg. wt. 2 oz. \$4.49

(20) Carburetor Adjuster.

For adjusting idle.

9 GT 47727—Shpg. wt. 2 oz. \$3.29

(21 thru 23) Six-point Spark Plug Sockets

CONSTRUCTION: Made of alloy steel, specially chosen for its overall strength.

Heat-treated, then oil-quenched and tempered for uniform hardness. Nickel-chrome plated to resist rust and corrosion, helps keep tool clean and bright. Chamfered ends allow socket to slip over nuts easily. Modern socket production methods permit thin sidewalls so you can work where there is limited clearance, yet there is no loss of strength. Neoprene insert holds and helps protect spark plug.

ORDER INFO:

1⅞ in. Shpg. wt. 6 oz.

9 GT 43321 \$1.99

⅞ in. Shpg. wt. 5 oz.

9 GT 43326 \$1.99

(22) ⅞-inch square drive

Flexible Spark Plug Sockets. Ideal for use on hard-to-reach plugs.

ORDER INFO:

1⅞ in. Shpg. wt. 7 oz.

9 GT 43323 \$6.99

⅞ in. Shpg. wt. 6 oz.

9 GT 43322 \$6.99

(23) ½-inch square drive

Spark Plug Socket

1⅞-inch opening. Hex end for use with wrench (wrench not included).

ORDER INFO: Wt. 6 oz.

9 GT 44241 \$2.99

FULL UNLIMITED WARRANTY ON CRAFTSMAN® HAND TOOLS AND SOCKETS: If any Craftsman® Hand Tool or Socket ever fails to give complete satisfaction, return it to any Sears store in U.S. and Sears will replace it, free of charge. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

Engine Repair and Rebuilding Tools



(1) **Lathe-type Ridge Reamer**
Steel. Large range of 2 1/8 to 5 1/8 inches; rollers assure easy turning. Offset guide jaws for rigidity. Wt. 2 lbs. 3 oz.
9 GT 4725\$18.99

Replacement Cutter for (1)
9 GT 4726—Wt. 1 oz.\$4.99

(2) **Cylinder Hone Set**
Range of 2 3/4 to 4 1/2 inches. Two 5-inch coarse, medium stone sets. Universal joint action. Shank and extension fit 1/2-inch drill or drill press (not included).
ORDER INFO: Wt. 6 lbs. 15 oz.
9 GT 4682Set \$99.99

Replacement Stones for (2)
Includes 2 stones, 2 pads.
ORDER INFO:
Medium. Shpg. wt. 7 oz.
9 GT 4687Set \$9.99
Coarse. Shpg. wt. 7 oz.
9 GT 4686Set \$9.99

(3) **Glaze Breaker**
Range of 2 to 7 inches. Operates with 1/4 to 1/2-inch electric drill (not included).
ORDER INFO: Wt. 1 lb. 4 oz.
9 GT 4633\$19.99

Replacement Stone Set for (3)
Package of 3 stones.
ORDER INFO: Shpg. wt. 2 oz.
9 GT 46331Pkg. \$6.99

(4) **Valve Grinder.** Reciprocating, progressive action. Long and short stems. 2 suction cups, 2 adapters. For automobile and small engine valves.
ORDER INFO: Wt. 1 lb. 12 oz.
9 GT 47042\$8.99

(5) **Piston Ring Expander**
For 3/4 to 1 1/4 inch rings.
ORDER INFO: Shpg. wt. 4 oz.
9 GT 4662\$3.99

(6) **Valve Spring Compressor**
9x11-inch steel frame, 9 1/2-inch opening. Nos. 1, 2 spring steel jaws. For GMC, Continental engines.
ORDER INFO: Wt. 4 lbs. 4 oz.
9 GT 47627\$13.99

(7) **Clutch Aligning Set**
8 diameters: .590, .612, .624, .668, .749, .786, .808 and .904-inch; 9 inches long.
ORDER INFO: Wt. 1 lb. 3 oz.
9 GT 4728Set \$13.99

(8) **Ratchet-type Ring Compressor**
For automobile or light truck piston rings. 2 1/2 to 5-inch range. Two tension bands. Holds up to 4 rings. Key wrench included.
ORDER INFO: Shpg. wt. 11 oz.
9 GT 4716\$4.99

(9) **Heavy-duty Valve Spring Compressor**
16x13-inch frame, 10 1/2-inch opening. 6 1/4-inch spring steel jaws.
ORDER INFO: Shpg. wt. 9 lbs. 3 oz.
9 GT 47622\$21.99

(10) **Piston Groove Cutter/Cleaner**
5 point sizes for grooving, 1 for trimming. Fits over pistons up to 5 inches in diameter.
ORDER INFO: Shpg. wt. 15 oz.
9 GT 4722\$12.99

(11) **35-piece Auto Porting Kit**
Use with 1/2-inch drill (not included). KIT COMP: Abrasive flap wheel for grinding, polishing heads and manifold parts; grind-polishing rolls (spiral and straight of assorted sizes and grits) for getting into corners and tight spots; pointed grinding stone for hard-surface cutting; butterfly strip roll for internal polishing.
ORDER INFO: Shpg. wt. 12 oz.
9 GT 64866Kit \$15.99

(12) **Brake Spring Retainer Pliers**
Chrome-plated alloy steel. Vinyl grips. Semi-circle jaw design grips brake retaining washer firmly.
ORDER INFO: Shpg. wt. 5 oz.
9 GT 47721\$5.49


(13) **Brake Cylinder Hone**
Flexible shaft. 3 stones hone and polish brake cylinder. 1/4 to 2-inch range. Controlled pressure. Use with 1/4-inch drill (not included).
ORDER INFO: Shpg. wt. 3 oz.
9 GT 4656\$12.49
Replacement Stones for (12)
ORDER INFO: Package of 3. Wt. 1 oz.
9 GT 4657Pkg. \$2.99

(14) **Brake Bleeder Wrench**
1/8 and 3/16-inch hex ends. For GM since 1955; 1965 Lincoln and Thunderbird. Chrome-plated alloy steel.
ORDER INFO: Shipping weight 3 ounces.
9 GT 4761\$5.99


(15) **Brake Spring Pliers**
Chrome-plated alloy steel. Measures 13 1/2 in. long.
ORDER INFO: Shpg. wt. 1 lb.
9 GT 46945\$10.99

(16) **Brake Adjusting Tool**
Chrome-plated, drop-forged alloy steel. 1 1/2-inch blade. Measures 3/4x9 1/4 inches long. Imported.
ORDER INFO: Shipping weight 7 ounces.
9 GT 4740\$2.99

(17) **Brake Spring Tool**
Steel construction. Specially designed for easy removing and replacing of brake shoe return springs.
ORDER INFO: Shipping weight 6 ounces.
9 GT 46942\$5.49



Brake and Suspension Tools



(18) **Seal Puller**
Insert tip of tool behind oil or grease seal, press and pull. Let leverage do the work for you. Has two different tip sizes.
ORDER INFO:
9 GT 47645—Shpg. wt. 13 oz. ...\$4.99

(19) **Lock-ring Pliers.** Opens 1 1/2 inches. Forged steel with black oxide finish, red vinyl grips. 8 1/2 inches long.
ORDER INFO: Shipping weight 8 ounces.
9 GT 46944\$7.49

(20) **MacPherson Strut Spring Compressor.** For removing MacPherson strut suspension units.
ORDER INFO: Shpg. wt. 14 lbs. 4 oz.
9 GT 47801\$79.99

(21) **2-jaw Gear Puller.** Forged high-carbon boron steel jaws. Reversible jaws for firm inside or outside grip.
ORDER INFO:

0 to 6-inch jaw spread. 3 1/2-in. reach.
9 GT 46905—Wt. 1 lb. 13 oz. ...\$19.99

0 to 8-inch jaw spread. 6 1/2-in. reach.
9 GT 46903—Wt. 3 lbs. 13 oz. ...\$24.99

(22) **2-jaw or 3-jaw Gear Puller.** As (21) above, but functions as 2-jaw or 3-jaw gear puller for more balance. Includes handy carrying case.
ORDER INFO:

0 to 6-inch jaw spread. 3 1/2-inch reach.
9 GT 46906—Wt. 3 lbs. 7 oz. ...\$34.99

0 to 8-inch jaw spread. 6 1/2-in. reach.
9 GT 46904—Wt. 6 lbs. 8 oz. ...\$49.99

(23) **Hub Puller and Striking Wrench Set.** 3 adjustable arms. For 1 1/2-inch bolt circles. Forged high-carbon boron steel construction.
9 GT 46642—Wt. 9 lbs. 5 oz. ...\$52.99

(24) **Harmonic Balance Puller.** Use with ratchet (not included) to pull hub.
9 GT 47626—Wt. 2 lbs. 11 oz. ...\$14.99






Sheathing and Decking Stapler with rapid-fire contact trip

Bostich Air-drive Tools

Give you power and dependability for the big jobs



Roofing Stapler for putting shingles on new or old roofs



Air-drive Nailer

(1 thru 3) Bostich Air-drive Tools. All feature magnesium housing, aluminum deflector. High-impact, heat-treated driver. Warranted by Bostich. Write for free copy, see page 91. See air requirements on opposite page.

(1) Sheathing and Decking Stapler. For jobs requiring speed and powerful drive. Ideal for putting down sub-flooring, applying plywood, composition board sheathing, etc. Operates at low air pressure for a longer, more reliable tool life.

CONSTR: Hardened contact trip mech., magnesium magazine. Low-profile design and pistol-grip for easy maneuverability. AIR INLET: $\frac{3}{8}$ -in. pipe thread.

ORDER INFO: Order staples below.

T 9 GT 18981—Shpg. wt. 8 lbs. 5 oz.\$349.99

Staples for (1) above

Length	Box of	Catalog Number	Shpg. wt.	Price
1½ in.	12,000	T 9 GT 18982C	34 lbs.	\$53.99
1¾ in.	12,000	T 9 GT 18983C	37 lbs.	55.99
1¾ in.	10,500	T 9 GT 18984C	33 lbs.	55.99
2 in.	9,000	T 9 GT 18985C	32 lbs.	55.99

(2) Roofing Stapler. For applying asphalt tab shingles. Fast, compact, easy to maneuver. On new roofs, use $\frac{7}{8}$ -in. long staples; for reroofing, use 1½-in.

CONSTR: Wide contact trip of wear-resistant steel. Steel magazine, adjustable steel shingle guide. Exhaust vents face away from operator. Internal muffling system for quiet operation. AIR INLET: $\frac{1}{4}$ -inch pipe thread.

ORDER INFO: Order staples below.

T 9 GT 18991—Shpg. wt. 6 lbs. 6 oz.\$319.99

Staples for (2) above

Length	Box of	Catalog Number	Shpg. wt.	Box
¾ in.	11,200	T 9 GT 18992C	24 lbs.	\$41.99
1½ in.	6,400	T 9 GT 18993C	24 lbs.	31.99

(3) Nailer. Rugged construction, excellent balance. Angle magazine puts weight at point of impact. Holds up to 75 nails (not included).

CONSTRUCTION: Hardened contact trip mechanism, magnesium magazine. Handle/grip designed for accurate control in all positions.

AIR INLET: $\frac{3}{8}$ -inch pipe thread.

ORDER INFO: Order nails below.

T 9 GT 18971—Shpg. wt. 12 lbs. 7 oz.\$549.99

Nails for (3) above

Synthetic-coated. In sticks of 25. Box of 2000 nails.

Length	Size	Catalog Number	Shpg. wt.	Box
2½ in.	8D	T 9 GT 18972C	20 lbs.	\$25.99
3 in.	10D	T 9 GT 18973C	25 lbs.	29.99
3½ in.	12D	T 9 GT 18974C	26 lbs.	32.99
3½ in.	16D	T 9 GT 18975C	27 lbs.	34.99

CRAFTSMAN® Air-drive Tools

by Chicago Pneumatic

Built to be reliable and run cooler than electric tools because there are no armatures to burn out


Impact Hammers



Long-barrel Hammer \$79.99



Short-barrel Hammer \$49.99



(4 and 5) Air-drive Impact Hammers. For removing exhaust systems, shock absorber nuts and brake drums, etc.

CONSTR: Die-cast aluminum housing. Alloy steel barrel; piston of medium-carbon steel. Piston, barrel bore-ground to mirror finish for low friction. Retainer (12) included.

ORDER INFO: See warranty below, air chart on opposite page.

(4) Long-barrel Hammer

A longer stroke makes this the hardest-hitting hammer we sell. For front end work, brakes, shocks, universal joints. 8¾ in. long.

SPEED: Built-in air regulator varies speed. Delivers up to 2100 blows per minute.

Shpg. wt. 4 lbs. 2 oz.

9 GT 18915\$79.99

(5) Short-barrel Hammer

Measures 6¾ in. long overall. SPEED: Built-in regulator varies speed. Delivers up to 3500 hammer-action blows per minute.

Shpg. wt. 4 lbs. 1 oz.

9 GT 18894\$49.99

Accessories for air-impact hammers. Forged high-carbon steel. Tempered to hold edges. Shanks ground to fit .401-inch openings of both hammers (4) and (5).

ORDER INFO:

(6) Rivet Cutter
9 GT 18814—Wt. 5 oz.\$4.49

(7) Tapered Punch
9 GT 18815—Wt. 5 oz.\$4.69

(8) Muffler Splitter
9 GT 18811—Wt. 6 oz.\$6.59

(9) Pipe and Panel Cutter
9 GT 18812—Wt. 5 oz.\$6.59

(10) ¾-inch Flat Chisel
9 GT 18813—Wt. 6 oz.\$4.49

(11) Claw Ripper
9 GT 18818—Wt. 4 oz.\$6.59

(12) Retainer Attachment
9 GT 18966—Wt. 3 oz.\$4.99

(13) Post-lock Retainer
9 GT 18929—Wt. 12 oz.\$32.99



Rotary/Orbital-action

Sanders



Orbital-action



Straight-line

(14) Rotary/Orbital-action Sander. For final finishing of auto body repairs. Rotary action provides smooth, circular sanding; orbital action helps to deliver patternless finish.

PAPER SIZE: 5-in. sanding surface. Order paper below.

SPEED: Air reg. varies speed. Free speed of 10,000 rpm.

CONSTRUCTION: Die-cast aluminum housing, rubber guard. Dynamically balanced for minimum vibration. Aluminum. Neoprene sanding disc flexes at edges for contour work. Ball-bearing construction. Circular exhaust diffuses air flow for efficient tool operation. Imported.

AIR INLET: $\frac{1}{4}$ -in. pipe thread.

ORDER INFO: See air chart on p. 111, warranty below.

9 GT 18968—Shpg. wt. 4 lbs. 8 oz.\$89.99

Replacement Pad for sander (14)

(not shown).

5-inch diameter.

Also fits former 9-18846.

ORD. INFO: Wt. 5 oz.

9 GT 18953\$9.99

Pressure-sensitive Sanding Discs for (14) (not shown).

Adhesive-backed discs. 5-in. diam.

Grit Pkg. of Catalog No. Wt.

Fine... 5 9 GT 30051 1 oz.

Med... 5 9 GT 30052 1 oz.

Coarse 4 9 GT 30053 1 oz.

Package\$2.49

(15) Orbital-action Sander. For finishing furniture, auto body repairs on flat surfaces. Orbital action helps to deliver a patternless finish.

PAPER SIZE: Standard 3½x9 in. Order on pg. 26.

SPEED: Air reg. varies speed. Free speed of 8,000 rpm.

CONSTRUCTION: Die-cast aluminum, protective rubber guard. Neoprene pad has rounded edges to protect sandpaper from tearing. Ball-bearing construction. Muffled rear exhaust minimizes air flow interference. Imported.

AIR INLET: $\frac{1}{4}$ -in. pipe thread.

ORDER INFO: See air chart on p. 111, warranty below.

9 GT 18828—Shpg. wt. 7 lbs. 4 oz.\$94.99

(16) Straight-line Sander. For body-filler shaping on flat surfaces. Molded-edge pad with dimple-free surface for smooth, streak-free finish.

PAPER SIZE: 2½x17½ in. Order below.

SPEED: Built-in air regulator varies speed. Delivers 3,000 one-inch strokes per minute.

CONSTRUCTION: Die-cast aluminum, steel cylinder, liner rack. Molded-edge pad helps prevent localized grit loading. Needle-bearing construction. One-piece valve minimizes vibration. Double-end, dual-action piston. Contoured handle for comfort, easy movement. Positive-stop, auto-release trigger for operating safety. Bottom exhaust.

AIR INLET: $\frac{1}{4}$ -in. pipe thread.

ORDER INFO: See air chart on p. 111, warranty below.

9 GT 18967—Shpg. wt. 6 lbs. 10 oz.\$109.

Sandpaper for (16). Aluminum-oxide paper. Six 2½x17 inch sheets.

9 GT 30056—Medium. Wt. 2 oz.Pkg. \$1

9 GT 30057—Coarse. Wt. 4 oz.Pkg. 1

FULL ONE-YEAR WARRANTY ON CRAFTSMAN® AIR-DRIVE TOOLS: If any CRAFTSMAN® Air-drive Tool due to a defect in material or workmanship within 1 yr. from date of purchase, Sears will repair it free of charge. Warranty service available by returning tool to nearest Sears store or Service Center throughout U.S. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.



(17) Compact-size 3/4-in. sq. dr. Ratchet Wrench \$79⁹⁹



(18) Air-drive Die Grinder Kit \$139⁹⁹



(19) 3/4-in. Variable-speed Drill with free-speed of 1800 rpm \$59⁹⁹

(17) Compact-size 3/4-inch square drive Ratchet Wrench. Perfect for work in tight places such as installing spark plugs, carburetors, water pumps, etc. Imported.
TORQUE: Delivers 45-ft.-lbs. No-load speed of 150 rpm. Finger-controlled teasing throttle. Reversible. 100% ball bearings. SPINDLE, HOUSING: Ball-type retainer spindle. Die-cast aluminum and steel housing. 10 in. long.
AIR INLET, CAP: 1/4-in. pipe thread. Standard bolts to 3/4 in.
ORDER INFO: See air chart below, warranty, opposite page.
9 GT 18803—Shipping weight 3 pounds.....\$79.99

(18) CRAFTSMAN® Air-drive Die Grinder Kit
SPEED: Built-in air regulator varies speed. 1/2-HP motor with free speed of 22,000 rpm.
CONSTRUCTION: Steel. Ball-bearing construction. Rear exhaust. Hardened steel end plates in air motor.
ACCESSORIES: 4 double-cut solid carbide rotary burrs with 1/4-in. shank diam. (3/4-in. cylindrical shape with end cut, 3/4-in. ball shape, 1/2-in. cylindrical shape with radius end, 1/2-in. taper shape—14° incl. angle). 2 chuck wrenches; 3/8-in. collet adapter; plastic case.
AIR INLET: 1/4-inch pipe thread.
ORDER INFO: See warranty on opposite page, air chart below.
9 GT 18888—Shipping weight 2 lbs. 14 oz.Kit \$139.99
Die Grinder alone. See warranty on p. 110, air chart below.
9 GT 18887—Shipping weight 1 lb. 14 oz.\$99.99

(A thru D) Burrs for die grinder above
Carbide bonded to steel. With 1/4-inch diameter solid steel shank.

Item	Description	Catalog Number	Wt. oz.	Each
(A)	1/4-in. pencil	9 GT 30086	1	\$3.99
(B)	1/4-in. pointed-pencil	9 GT 30087	1	3.99
(C)	1/2-in. small-barrel ..	9 GT 30088	1	6.99
(D)	Small round ball ...	9 GT 30089	2	6.99

(19 and 20) 3/4-inch air-drive Drills
MOTOR, BEARINGS, GEARS: Air-motor develops maximum 1/2 HP. Ball and needle bearings. Full-hardened planetary gearing. HOUSING: Die-cast aluminum one-piece gear housing, steel end plates. Exhaust vented through handle, away from operator. CHUCK: Jacobs 3/4-in. drill chuck.
AIR INLET: 1/4-in. pipe thread.
ORDER INFO: See air chart below, warranty on opposite pg.

(19) General-purpose Drill. Free speed of 1800 rpm. 8 in. long overall. Triple-idler gearing.
9 GT 18896—Shipping weight 3 lbs. 3 oz.\$59.99

(20) Heavy-duty Drill. Replaceable valve block. Free speed of 2750 rpm; locking trigger holds speed you choose; releases quickly. 6 1/2 in. long, with vibration-dampening feature for increased operator comfort. Double-idler gearing provides more torque than (19) above.
9 GT 18926—Shipping weight 2 pounds\$119.99



(21) Compact-size 3/4-in. sq. dr. Impact Wrench \$129⁹⁹



(21) Compact-size 3/4-inch square drive Impact Wrench
Small enough for one-hand operation.
TORQUE: Delivers 55–75 ft.-lbs. of torque. Built-in power regulator. Reversible butterfly throttle for single-hand control of speed and direction.
SPINDLE, HOUSING: Ring-retainer type spindle. Cast aluminum housing. Rubber scuff-guard on nose helps prevent marring of workpiece. 5 1/4 in. long.
AIR INLET, CAPACITY: 1/4-inch pipe thread. Standard bolts to 3/4 inch.
ORDER INFO: See air requirement chart below, warranty on opposite page.
9 GT 1881—Shpg. wt. 2 lbs. 8 oz.\$129.99


(22 thru 24) 1/2-in. sq. drive Impact Wrenches
SPINDLE, HOUSING: Ring-retainer type spindle. Cast aluminum housing.
AIR INLET: 1/4-inch pipe thread.
ORDER INFO: See air requirement chart below, warranty on opposite page.

(22) 1/2-in. sq. drive Impact Wrench
Ideal for auto repairs, tires, shocks, exhaust systems and much more. 7 in. long. Imported.
TORQUE: Working range 25 to 150 ft.-lbs.; ultimate 160 ft.-lbs. Trigger controls torque. Reversible.
CAPACITY: Fits standard bolt sizes up to 1/2 in.
9 GT 1888—Shpg. wt. 6 lbs. 2 oz.\$99.99


(23) Sears Best 1/2-inch square drive Impact Wrench
7 3/4 inches long. Rubber scuff guards on heel and nose help prevent scratching or marring of workpiece.
TORQUE: Working range 25 to 180 ft.-lbs.; ultimate 300 ft.-lbs. Built-in power regulator. Reversible.
CAPACITY: Standard bolt sizes to 3/8 in.
9 GT 18886—Shipping weight 6 pounds\$199.99

(24) 1/2-inch square drive Impact Wrench
6 1/4 in. long. Rubber scuff guard on nose. Imported.
TORQUE: Working range of 25 to 175 ft.-lbs.; ultimate 200 ft.-lbs. Built-in power regulator. Reversible.
CAPACITY: Standard bolt sizes up to 1/2 in.
9 GT 18882—Shipping weight 7 pounds\$119.99
Wrench (24) with extended 2-in. shank
9 GT 18883—Shpg. wt. 6 lbs. 1 oz.129.99

Impact Wrenches



(22) 1/2-in. drive Wrench delivers up to 160-ft.-lbs. of torque \$99⁹⁹



(24) 1/2-in. drive Wrench delivers up to 200 ft.-lbs. 25% more powerful than (22) \$119⁹⁹



(23) 1/2-in. drive Wrench delivers up to 300 ft.-lbs. of torque... over 30% more than wrench (24) \$199⁹⁹



Our most rugged 1-in. drive Impact Wrench has a double-mass clutch for balanced impact, delivers 1000–1350 ft.-lbs. of torque \$499⁹⁹

(25) 3/4-in. sq. drive Impact Wrench. High power in this 10 1/2-pound tool makes it ideal for spring work on mid-size trucks and tractors, tire changing, diesel engine repair and equipment assembly. Imported.
TORQUE: Delivers 500–700 ft.-lbs. of torque, built-in power regulator. Tool is reversible.
SPINDLE, HOUSING: Ring socket-retainer-type spindle. Die-cast aluminum housing. 8 in. long.
AIR INLET: 1/4-in. pipe thread.
CAPACITY: Std. bolt sizes to 1 in.
ORDER INFO: See chart below, warranty on opposite page.
Shpg. wt. 11 lbs. 8 oz.
T 9 GT 18959.....\$379.99

(26) 1-in. sq. drive Impact Wrench. Designed especially for continuous-duty truck tire changing. Double-mass clutch designed to deliver a balanced impact. Weight balanced at adjustable side handle. 6 in. shank. Imported.
TORQUE: Delivers 1000–1350 ft.-lbs. of torque. Trigger control adjusts torque to job. Reversible.
SPINDLE, HOUSING: Ring socket-retainer-type spindle. Cast aluminum housing. Side handle for 2-hand control. 15 1/4 in. long.
AIR INLET: 1/2-in. pipe thread.
CAP: Std. bolt sizes to 1 1/4 inches.
ORDER INFO: See chart below, warranty on opposite page.
Shpg. wt. 27 lbs.
T 9 GT 18964C\$499.99
Wrench (26) with short shank (not shown). Wt. 26 lbs.
T 9 GT 18963C\$499.99

Minimum air requirements for tools on pages 110, 111

Catalog Number	Working SCFM*	PSI	Hose (in.)	Tank (gal.)	Catalog Number	Working SCFM*	PSI	Hose (in.)	Tank (gal.)
9 GT 18959	7.5	90	5/16	20	9 GT 18928	4.0	90	5/16	12
9 GT 18964	12	90	1/2	80	9 GT 18803	4.0	90	5/16	12
9 GT 18886	4.0	90	5/16	12	9 GT 18807	18	90	5/16	30
9 GT 18882	3.5	90	5/16	12	9 GT 18968	9.0	75	5/16	30
9 GT 1888	3.5	90	5/16	12	9 GT 18967	8.0	90	5/16	30
9 GT 1881	4.0	90	5/16	12	9 GT 18981	5.9	80	5/16	12
9 GT 18915	4.0	90	5/16	12	9 GT 18991	4.7	80	5/16	12
9 GT 18894	4.0	90	5/16	12	9 GT 18971	9.6	80	5/16	12
9 GT 18896	4.0	90	5/16	12					

*SCFM: Standard Cubic Feet per Minute
**PSI: Pounds per Square Inch

Oil fog lubricators, air line filters and other accessories are sold on page 99

CRAFTSMAN® 1/2-inch square drive Electric Impact Wrench

• Delivers up to 100 ft. lbs. of torque

• No-load speed of 2000 rpm, with two impacts per revolution

• Removable top handle for steady, two-hand control



Impact Wrench alone
\$109⁹⁹

Save \$21.98
when you buy Wrench, Case and Chuck (12) below

Separate prices total \$151.97 **\$129⁹⁹**

(1) MOTOR, TORQUE: Motor develops maximum 1/2 HP. No-load speed of 2000 rpm, two impacts per revolution. Delivers up to 100 ft.-lbs. of torque. Trigger control lets you choose torque. Reversible. Permanently lubricated ball and roller bearings.

HOUSING: Thermoset polyester motor housing, aluminum gear housing. 12 1/2 inches long. Polymer handle. Slide switch reverses rotation. Removable top handle for 2-hand control. Rubber boot deters scuffing.

ELECTRICAL INFO: Double-insulated. . . . needs no grounding. 6-foot, 2-wire neoprene cord. 110-120-volt, 60-Hz. AC. UL listed.

ORDER INFO: See warranty (A) on page 22.
Shipping weight 7 lbs. 7 oz.
9 GT 1830 \$109.99

Wrench (1) with Case (2), Chuck (12)

ORDER INFO: See warranty (A) on page 22.
Shipping weight 10 lbs. 9 oz.
9 GT 18305 Kit \$129.99

(2) Permanex® plastic Case for impact wrench (1). 10 1/2 x 7 1/2 x 16 in.
Shipping weight 2 lbs.
9 GT 1475 \$16.99

TRY HOME DELIVERY

CRAFTSMAN® Adjustable-end Wrenches

With forged high-carbon boron steel construction for strength, precision-broached and hardened jaws for positive gripping. . . . stainless steel spring-tension knurl helps eliminate play and slipping

Low as
\$8⁹⁹

4-inch length



(3) New at Sears! Heavy-duty Hose Reel

Retractable 25-foot, 3/8-inch flexible rubber hose. Steel housing. Nylon-guide rollers. Heavy-duty brackets eliminate bending due to angular hose pull. Adjustable hose bumpers allow any desired length of hose to be maintained outside the reel (positive latch maintains length). Multi-purpose guide arms permit wall, floor, ceiling, pit or truck mounting. 3/8-inch male connectors. Permanently lubricated. 200 PSI working pressure. Measures 12 1/2 x 12 5/8 x 5 1/2 inches wide.

ORDER INFO:
Shipping weight 22 lbs.
9 GT 18999C \$129.99

(4) 2-foot Air Hose


3/8-in. diameter whip hose. 1/4-in. male connectors on both ends. Use with air-drive tools.

ORDER INFO:
Shipping weight 8 oz.
9 GT 18956 \$8.99

(5) CRAFTSMAN® Screwdriver Chuck and Bits

1/2-in. square drive. No. 2 Phillips, Nos. 12-14, 14-16 flat bits with finders.

ORDER INFO: See warranty, pg. 116.
Shpg. wt. 1 lb. 2 oz.
9 GT 18867 \$39.99



CRAFTSMAN® Impact Sockets

SOCKETS: Molybdenum alloy steel, black oxide finish. 6-point openings.

(6) CRAFTSMAN® 11-pc. 1/2-in. sq. drive Impact Socket Set. Ten 6-pt. sockets (7/16 thru 1 in.); Metal tray.

ORDER INFO: Warranty on pg. 116.
Shpg. wt. 3 lbs. 9 oz.
9 GT 44019 Set \$39.99

(7) CRAFTSMAN® 7-pc. 3/8-in. sq. drive Impact Socket Set

Seven 6-pt. sockets (5/16 thru 1 1/8 in.).
ORDER INFO: Warranty on pg. 116.
9 GT 44013—Wt. 9 oz. . . . Set \$19.99

Individual Impact Sockets.

ORDER INFO: Warranty on pg. 116.

Size	Catalog Number	Shpg. wt. lbs. oz.	Each
1/2-inch drive Sockets			
3/16 in.	9 GT 47571	3	\$3.99
1/4 in.	9 GT 47572	3	3.99
5/16 in.	9 GT 47573	3	3.99
3/8 in.	9 GT 47574	3	3.99
7/16 in.	9 GT 47575	4	3.99
1/2 in.	9 GT 47576	4	3.99
9/16 in.	9 GT 47577	4	3.99
1 1/8 in.	9 GT 44313	5	3.99

3/8-inch drive Sockets			
1/8 in.	9 GT 44001	5	4.49
1/4 in.	9 GT 44002	5	4.49
3/8 in.	9 GT 44003	6	4.49
1/2 in.	9 GT 44004	6	4.49
5/8 in.	9 GT 44005	7	4.49
3/4 in.	9 GT 44006	6	4.49
7/8 in.	9 GT 44007	7	4.49
1 in.	9 GT 44008	8	4.49
1 1/8 in.	9 GT 44009	10	4.49
1 1/4 in.	9 GT 44011	11	4.49
1 3/8 in.	9 GT 47564	6	4.49
20mm.	9 GT 47565	7	4.49
21mm.	9 GT 47566	7	4.49

(8) CRAFTSMAN® Impact Adapter. Converts 1/2-inch drive to 3/8 inch.

ORDER INFO:
See Warranty page 116.
9 GT 44124—Wt. 5 oz. . . \$5.99

(9) 1/2-inch square drive Double-end Socket. 6-point, 3/4-inch opening at one end; 6-point, 1 1/8-inch opening at other. For 1/2-inch square drive impact tools with extended shank (as 9 GT 18892) or short shank tools (as 9 GT 18882).

ORDER INFO: Use with (10).
See warranty on page 116.
9 GT 4411—Wt. 8 oz. . . \$4.99

(10) 1/2-in. sq. drive Extension Bar. Alloy steel, black-oxide finish. 6 in. long. Warranty p. 116.
9 GT 4477—Wt. 12 oz. . \$6.99

(11) CRAFTSMAN® Universal Joints

Alloy steel, black-oxide finish.

ORDER INFO: Warranty, p. 116.

Drive size	Catalog Number	Shpg. wt.	Each
3/8 in.	9 GT 44121	2 oz.	\$7.99
1/2 in.	9 GT 44122	6 oz.	8.99

(12) CRAFTSMAN® Impact Chuck. Converts 1/2-inch square drive impact wrench to drill. Grips 1/8 to 1/2-inch diameter bits. Drill wood, metals.

ORDER INFO:
See warranty on page 116.
Shipping weight 1 lb. 2 oz.
9 GT 2253 \$24.99

CONSTRUCTION: Wrench body is constructed of high-carbon boron steel, heat-treated for strength and durability. Jaws are precision-broached and hardened for positive gripping. Nickel-chrome plated to resist rust and corrosion. Stainless steel spring-tension knurl helps eliminate play to prevent slipping. Thin head for tight spots and close work. Wrenches exceed torque strength required by Federal Specifications GGG-W63 lbs.

ORDER INFO: See warranty on page 116.

Length	Capacity	Catalog Number	Shipping weight	Each
4 in.	1/2 in.	9 GT 44601	2 oz.	\$8.99
6 in.	3/4 in.	9 GT 44602	4 oz.	9.99
8 in.	1 in.	9 GT 44603	4 oz.	10.99
10 in.	1 1/8 in.	9 GT 44604	14 oz.	12.99
12 in.	1 1/2 in.	9 GT 44605	1 lb. 9 oz.	18.99
16 in.	1 3/4 in.	9 GT 44606	3 lbs. 8 oz.	28.99
20 in.	2 1/8 in.	9 GT 44608	5 lbs. 13 oz.	66.99

3-piece Wrench Set. Save \$4.98.

Includes 4-in., 8-in., 12-in., sizes sold above.

ORDER INFO: See warranty on page 116.
Separate prices total \$38.97.
9 GT 44609—Wt. 2 lbs. 5 oz. . . Set \$33.99



Adjustable-end Wrenches

Low as
\$5⁹⁹

6-inch length

CONSTRUCTION: Drop-forged alloy steel. Chrome-plated for rust-resistance. Polished face. Satin-finished handle. Milled jaws for firm grip. Imported.

ORDER INFO: Not Craftsman.

Length	Capacity	Catalog Number	Shipping weight	Each
6	3/4 in.	9GT30874	4 oz.	\$5.99
8	1 in.	9GT30871	8 oz.	6.99
10	1 1/8 in.	9GT30872	13 oz.	8.99
12	1 1/2 in.	9GT30873	1 lb. 4 oz.	10.99
15	1 3/4 in.	9GT30877	2 lbs. 5 oz.	19.99

2-piece Set. Save \$3.99. Includes 6-inch and 10-inch size wrenches sold above.

ORDER INFO: Separate prices total \$14.98.
9 GT 30893—Wt. 1 lb. 1 oz. . . . Set \$10.99

CRAFTSMAN® Torque Wrenches

When your job requires accuracy and precision, you'll want a CRAFTSMAN® Torque Wrench.

Clear readings on both English and Metric scales mean reduced chance for error

(1) CRAFTSMAN® MICROTORK™ Torque Wrench

- Desired torque can be preset to reduce chance of error
- Calibrated in English; conversion factors scale printed on wrench lets you quickly convert from English to Metric readings

CONSTRUCTION: Chrome-plated, hardened steel body. Textured plastic handle. Reversible ratchet clicks and/or momentarily releases when preset torque is reached.

TORQUE RANGES: Accurate to $\pm 4\%$ clockwise, $\pm 6\%$ counterclockwise. $\frac{1}{2}$ -inch square drive wrench measures 20 to 150 ft.-lbs. (1 ft.-lb. increments). $\frac{3}{8}$ -inch square drive wrench measures 10 to 75 ft.-lbs. (.5 ft.-lb. increments).

ORDER INFO: All torque wrenches require recalibration periodically. Order case below at right. Warranty for Microtork™ below.


$\frac{1}{2}$ -inch square drive Torque Wrench
9 GT 44476—Wt. 2 lbs. 14 oz. ...\$46.99

$\frac{3}{8}$ -inch square drive Torque Wrench
9 GT 44477—Wt. 2 lbs. 6 oz. ...\$44.99

FULL 90-DAY WARRANTY ON CRAFTSMAN® DIGITORK™ AND MICROTORK™ TORQUE WRENCHES: If, within 90 days from the date of purchase, this CRAFTSMAN® DIGITORK™ or MICROTORK™ Torque Wrench fails to perform due to a defect in material or workmanship, Sears will repair and/or recalibrate it, free of charge. **LIMITED WARRANTY:** After 90 days and until one year from the date of purchase, Sears will repair any defect in the material or workmanship of the wrench, free of charge. This warranty coverage does not include recalibration. Warranty service is available simply by returning the wrench to the nearest Sears store throughout the U.S. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

\$44.99

$\frac{3}{8}$ -in. square drive Wrench



1

(2) CRAFTSMAN® Beam-type Torque Wrench

Read both English and Metric scales at a quick glance

CONSTR: Chrome-plated steel. Nylon handle that pivots for best work angle. Measures in both directions.

TORQUE RANGES: $\frac{1}{2}$ -inch square drive wrench measures 0 to 150 ft.-lbs. and 0 to 200 Newton-meters. $\frac{3}{8}$ -inch square drive wrench measures 0 to 600 inch-lbs. and 0 to 70 Newton-meters.

ORDER INFO: All torque wrenches require periodic recalibration. Warranty below.

$\frac{1}{2}$ -inch square drive Torque Wrench
9 GT 44642—Shpg. wt. 2 lbs. ...\$19.99

$\frac{3}{8}$ -inch square drive Torque Wrench
9 GT 44644—Wt. 1 lb. 7 oz. ...\$16.99

FULL ONE-YEAR WARRANTY ON CRAFTSMAN BEAM-TYPE TORQUE WRENCH: If this CRAFTSMAN® Beam-type Torque Wrench fails to give complete satisfaction within one year from the date of purchase, return it to the nearest Sears store throughout the U.S. and Sears will replace it, free of charge. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

\$16.99

$\frac{3}{8}$ -in. square drive Wrench



2



3

(3) Sears Beam-type Torque Wrench

\$11.99

$\frac{1}{2}$ -in. square drive Wrench

CONSTR: $\frac{1}{2}$ -in. sq. dr. wrench. Chrome-plated steel. Nylon handle pivots for best angle. Measures both directions.

TORQUE RANGES: Measures 0 to 150-ft.-lbs. and 0 to 200 Newton meters.

ORDER INFO: Not Craftsman. Torque wrenches need periodic recalibration.

9 GT 44649—Wt. 1 lb. 12 oz. ...\$11.99

QUALITY BY DESIGN


... features like these on our best Torque Wrench represent the quality that's built into every CRAFTSMAN® tool

A Ball-bearing release mechanism results in accuracy to $\pm 3\%$ in both directions ... greatly reduces the chances of torquing errors

B Clicks and/or releases when present torque is reached to alert you that you've reached specified torque ... helps stop errors that could result in leakage or damage

C Digital calibrations show both English (ft.-lbs.) and Metric (Newton-meters) measurements ... eliminates the need for complicated computations

D Contoured plastic handle for comfortable grip, even after many hours of use



Sears * Best

CRAFTSMAN® DIGITORK™

When the proper torquing of nuts and bolts is critical to completing your job, rely on the extremely accurate performance of DIGITORK™

\$59.99 $\frac{3}{8}$ -in. square drive Wrench

CONSTRUCTION: Chrome-plated steel resists rust and corrosion. Ball bearings reduce friction among internal components. ... increase accuracy. Reversible ratchet. Digital readouts recessed in contoured plastic handle. Clicks and/or momentarily releases when preset torque is reached, no need to view wrench during operation.

TORQUE RANGE: Accurate to $\pm 3\%$ in both directions. Calibrated in English (foot-pounds) and Metric (Newton-meters) scales. $\frac{1}{2}$ -inch square drive wrench measures from 10 to 150 ft.-lbs. (1 ft.-lb. increments) and 10 to 200 Nm (2-Nm increments). $\frac{3}{8}$ -in. square drive wrench measures from 5 to 75 ft.-lbs. (.5 ft.-lb. increments) and 5 to 100 Nm (1-Nm increments).

ORDER INFO: All torque wrenches require periodic recalibration. See warranty on CRAFTSMAN® DIGITORK™ at left, above.

DIGITORK™ Torque Wrench with $\frac{1}{2}$ -in. sq. drive.
9 GT 44478—Shpg. wt. 3 lbs.\$64.99

DIGITORK™ Torque Wrench with $\frac{3}{8}$ -in. sq. drive.
9 GT 44479—Shpg. wt. 2 lbs. 9 oz.\$59.99

Polyethylene Carrying Case (not shown).
Fit DIGITORK™ and MICROTORK™ torque wrenches.

For $\frac{1}{2}$ -inch square drive wrench
9 GT 44467—Shipping weight 15 oz.\$4.97


For $\frac{3}{8}$ -inch square drive wrench
9 GT 44468—Shipping weight 12 oz.\$4.97



4



Use Sears Credit




CRAFTSMAN® Adjustable-joint Pliers

(1 thru 4) CRAFTSMAN® Adjustable-joint Pliers

CONSTRUCTION: High-carbon boron steel, heat-treated for durability; nickel-chrome plated to resist rust, corrosion. Precision-broached teeth. See warranty, page 116.

Size	Positions	Jaw Capacity	Catalog Number	Shpg. wt.		Price
				lbs.	oz.	
(1) Pliers with wire-cutting slot						
6 3/4 inch	2	3/16 inch	9 GT 45372		7	\$5.49
6 3/4 inch*	2	3/16 inch	9 GT 45378		7	5.99
8 inch	2	1 inch	9 GT 45373		8	5.99
8 inch*	2	1 inch	9 GT 45379		10	6.99
5 1/2 inch	2	3/16 inch	9 GT 45374		4	5.49
(2) Utility Pliers						
10 inch	7	2 inch	9 GT 45363		15	\$8.99
(3) Arc Joint® Pliers						
16 inch*	11	4 inch	9 GT 45384	2	11	\$21.99
13 inch*	7	2 1/2 inch	9 GT 45386	1	10	13.99
9 1/2 inch	5	1 1/2 inch	9 GT 45382		12	8.99
9 1/2 inch*	5	1 1/2 inch	9 GT 45381		13	9.99
7 inch*	3	7/8 inch	9 GT 45385		6	7.99
(4) Ignition Pliers with thin jaws at 45° angle						
5 inch	3	1/2 inch	9 GT 46943		3	\$4.49

*Handles have vinyl grips



CRAFTSMAN® Solid-joint Pliers

(5 thru 11) CRAFTSMAN® Solid-joint Pliers

CONSTRUCTION: Forged, high-carbon steel. Induction-hardened cutting edges. Plastic handle grips, except (7).

(5) Diagonal-cutting Pliers

Use for switchboards and ignition systems. ORDER INFO: See warranty on page 116.

Size	Catalog No.	Shpg. wt.	Price
5 inch	9 GT 45071	3 oz.	\$8.99
6 inch	9 GT 45072	4 oz.	9.99
7 inch	9 GT 45073	8 oz.	10.99

(6) Wide-jaw Diagonal-cutting Pliers

7 in. long. Heavy-duty. Use to cut steel wire. ORDER INFO: See warranty on page 116.

9 GT 45074—Shpg. wt. 8 oz. \$11.99

(7) Nail-cutting Nippers

Nippers have hand-honed cutting edges. ORDER INFO: See warranty on page 116.

Size	Catalog No.	Shpg. wt.	Price
10 inch	9 GT 45241	1 lb. 4 oz.	\$10.99
14 inch	9 GT 45231	2 lbs. 4 oz.	11.99

(8) End-cut Nippers

For use when cutting wire or nails.

ORDER INFO: See warranty on page 116.

Size	Catalog No.	Shpg. wt.	Price
6 inch	9 GT 4502	8 oz.	\$10.99
7 inch	9 GT 4504	10 oz.	11.99

(9) Lineman's Pliers

Beveled nose with side-cutting jaws.

ORDER INFO: See warranty on page 116.

Size	Jaw Capacity	Catalog Number	Shpg. wt.	Price
7 1/2 inch	1.35 inch	9 GT 45091	11 oz.	\$12.99
8 1/2 inch	1.5 inch	9 GT 45092	1 lb.	13.99

(10) Long-nose Pliers

Form wire loops, grip tiny pieces. Pliers have wide side-cutters and tapered jaws. ORDER INFO: See warranty on page 116.

Size	Catalog Number	Shpg. wt.	Price
6 inch	9 GT 45081	5 oz.	\$10.99
8 inch	9 GT 45082	7 oz.	11.99

(11) Bent-nose Pliers. 6 in. long.

ORDER INFO: See warranty on page 116.

9 GT 45083—Shpg. wt. 4 oz. \$11.99


(12) CRAFTSMAN® 3-piece Pliers Set

Save \$5.98

INCLUDES: 9 1/2-inch Arc Joint® pliers (9 GT 45381), 8-inch long-nose pliers (9 GT 45082) and 8-inch pliers with wire-cutting slot (9 GT 45373).

ORDER INFO: Shipping weight 2 lbs. 1 oz. Separate prices total \$27.97.

9 GT 45278 Set \$21.99



(13 and 14) Sears Slip-joint and Groove-joint Pliers

CONSTR: Drop-forged steel. Vinyl-covered handles. Imported.

(13) Slip-joint Pliers

2.8-in. jaw capacity, 2-position.

6-inch long Pliers

9 GT 30701—Wt. 5 oz. ... \$2.49

8-inch long Pliers

9 GT 30702—Wt. 9 oz. ... \$3.49

(14) Groove-joint Pliers

10 in., 5-position, 1 1/2-in. cap.

9 GT 30723—Wt. 13 oz. ... \$6.99

12 in., 6-position, 2-in. cap.

Shipping weight 1 lb. 4 oz.

9 GT 30724 \$8.99

(15) Sears Lineman's Pliers

CONSTRUCTION: Alloy steel. Beveled nose, honed side-cutters. Polished head. Plastic-handle grips. Imported.

9 GT 3079—7 inch, 1.35-in. jaw capacity. Shpg. wt. 11 oz. \$5.99

9 GT 3080—8 inch, 1.5-in. jaw capacity. Shpg. wt. 13 oz. 6.99

(16 and 17) Sears Diagonal-cutting and Long-nose Pliers

CONSTRUCTION: High-carbon steel. Plastic grips on handles. Wire-cutting edges on (16); side-cutter on (17). Imported.


Type	Size	Jaw Capacity	Catalog Number	Wt. oz.	Price
(16) Diagonal-cutting Pliers	6 in.	1.2 in.	9 GT 3074	5	\$5.99
(17) Long-nose Pliers	6 in.	2.2 in.	9 GT 3077	4	5.99
Long-nose Pliers	8 in.	2.2 in.	9 GT 30771	9	6.99

(18) Sears 3-piece Pliers Set. Save \$4.48

INCLUDES: 8-in. slip-joint (9 GT 30702), 10-in. groove-joint (9 GT 30723), 8-in. long-nose pliers (9 GT 30771). Imported.

ORDER INFO: Separate prices total \$17.47.

9 GT 30707—Shipping weight 1 lb. 10 oz. Set \$12.99



(19 thru 22) Sears Precision Pliers

CONSTRUCTION: Drop-forged, high-carbon steel, hardened and tempered for durability. Honed cutter edge. Vinyl handle grips. 4 in. long, each. Imported.

Type	Catalog No.	Shpg. wt.	Price
(19) Long-nose Pliers	9 GT 30746	2 oz.	\$4.99
(20) Needle-nose Pliers	9 GT 30747	2 oz.	4.99
(21) Diagonal-cut Pliers	9 GT 30748	2 oz.	4.99
(22) Bent-nose Pliers	9 GT 30749	2 oz.	4.99

(23) Sears Ring Pliers

Use to compress or expand 9 types of Truarc® retaining rings. Made of alloy steel.

ORDER INFO:

Small-size Ring Pliers. For 109 ring sizes.


Shipping weight 2 oz.

9 GT 45359 \$7.99

Large-size Ring Pliers. For 95 ring sizes.

9 GT 45351—Shipping weight 5 oz. \$7.99

CRAFTSMAN® Precision Pliers



CRAFTSMAN® Precision "Mini" Pliers

(24 thru 26) CRAFTSMAN® Precision Pliers
Ideal for intricate work on all electrical components.
CONSTRUCTION: Polished, drop-forged high-carbon steel. Edges hand-honed. Long, slender heads; thin lips for tight areas. Plastic handle grips.

ORDER INFO: See warranty on page 116.


Item	Size	Catalog Number	Shpg. wt.	Price
(24) Duck-bill flat.....	8 in.	9 GT 4509	6 oz.	\$10.99
(25) Round needle-nose.....	8 in.	9 GT 4505	6 oz.	10.99
(26) Thin-head diagonal.....	7½ in.	9 GT 4539	6 oz.	10.99

(27 thru 33) Precision "Mini" Pliers. Suitable for professional use. Use for close, delicate work.
CONSTRUCTION: Drop-forged high-carbon steel. Heat-treated and finely finished. Hand-honed cutting edge. Plastic handle grips.

ORDER INFO: See warranty on page 116.

Item	Size	Catalog Number	Shpg. wt.	Price
(27) Long-nose, cutter.....	4¼ in.	9 GT 45924	3 oz.	\$11.99
(28) End-cutter.....	4¼ in.	9 GT 45904	3 oz.	11.99
(29) Flush-cut diagonal.....	4 in.	9 GT 4503	2 oz.	9.99
(30) Extra-long nose.....	5¼ in.	9 GT 45946	3 oz.	11.99
(31) Flat-nose.....	4¼ in.	9 GT 45944	3 oz.	9.49
(32) Round-nose.....	4½ in.	9 GT 45075	2 oz.	9.99
(33) Bent-nose.....	4½ in.	9 GT 45085	2 oz.	9.99

Lubricants help keep tools in top condition



(A) Trigger Oilers. Pull trigger to dispense oil.

14-oz. Oiler with 8-inch flexible spout
9 GT 55804—Shipping weight 9 oz.\$4.99

6-oz. Oiler with 5-inch rigid spout (not shown).
9 GT 55803—Shipping weight 5 oz.\$2.49

(B) Light-duty Machine Oil. Non-corrosive. 1-qt. can.
9 GT 55941—Wt. ea. 2 lbs. 3 oz.Each \$3.49; two for \$6.23

Penetrating Oil (not shown). 1-pint can.
9 GT 55931—Wt. ea. 1 lb. 6 oz.Each \$2.49; two for \$3.73

(C) Silicone Spray. 11-oz. can.
9 GT 55761—Wt. ea. 1 lb. 10 oz.Each \$3.79; two for \$5.68

(D) WD-40 All-purpose Lubricant
Stops squeaks, helps protect metals, penetrates rust.

Size	Catalog No.	Shpg. wt. ea.	Price, ea.	2 for
9 oz. (spray)	9 GT 55777	1 lb. 1 oz.	\$1.77	
12 oz. (spray)	9 GT 55784	1 lb.	2.39	\$3.58

Refillable Sprayer. 1-pt. cap. No WD-40; ord. below.
9 GT 55783—Wt. ea. 6 oz.Each \$2.99; two for \$4.48

1 gal. of WD-40. Use to fill 9 GT 55783.
9 GT 55782—Wt. ea. 8 lbs. 2 oz.Each \$12.99; two for \$19.48

CRAFTSMAN® Locking Pliers



Remove headless bolts Hold objects while grinding Use as pipe wrench

(34 thru 36) CRAFTSMAN® Locking Pliers

Holds like pliers, locks like a vise. Use as gripping tool, pipe or locking wrench, adjustable wrench or as portable vise.

CONSTR: Cold-forged steel, nickel-plated to help resist rust. Serrated jaws for positive grip. 10-inch size provides gripping power equivalent to 2 tons of pressure, long-nose pliers up to 500 lbs. Thumb screw on handle adjusts jaw lock capacity. To lock, simply squeeze handles; slight upward pressure on release bar unlocks jaws. Strong spun-rivet assembly.

ORDER INFO: See warranty on page 116.

Maximum length	Locked Capacity	Open Capacity	Catalog Number	Shpg. wt. lbs.	oz.	Price each
(34) With straight jaws						
7½ inch	1½ inch	1¾ inch	9 GT 45342		14	\$6.99
10 inch	1½ inch	2 inch	9 GT 45341		5	7.99
(35) With double-curved jaws. Made for round stocks						
5 inch	1½ inch	1¾ inch	9 GT 45343		5	\$5.99
7½ inch	1½ inch	1¾ inch	9 GT 45964		14	6.99
10 inch	1¾ inch	2¼ inch	9 GT 45961		5	7.99
(36) With long nose						
6 inch	1½ inch	1¾ inch	9 GT 45349		5	\$6.99

CRAFTSMAN® 5-piece Locking Pliers Set. Save \$9.96.

INCLUDES: 7½ and 10-inch straight-jaw; 5-in., 7½-in. double-curved jaw and 6-in. long-nose pliers above.

ORDER INFO: Separate prices total \$34.95.

9 GT 45352—Shipping weight 3 lbs. 10 oz.Set \$24.99

CRAFTSMAN® Specialty Pliers

(37) Heavy-duty Fence Pliers

Multi-purpose pliers let you cut or splice, drive and pull staples using one handy tool. Flat head for hammering, driving.

CONSTR: Drop-forged steel. 10 inches long. Imported.

ORDER INFO:

See warranty, page 116.
Shipping weight 1 lb. 10 oz.
9 GT 45226.....\$12.99

(38) Internal/External Snap-ring Pliers

CONSTRUCTION: Steel with plastic-covered grips. Includes 4 pairs replacement tips; 2 pair straight, 1 pair 90°, 1 pair 45°.

ORDER INFO: Warranty, p. 116.

9 GT 45358—Wt. 6 oz.\$10.99
Replacement Tips for (38)
Includes 4 pairs as above.
9 GT 4535—Wt. 1 oz.\$1.99

(39) CRAFTSMAN® Rod and Bolt Cutters

CONSTRUCTION: Chrome alloy steel jaws with compound cutting action for cutting soft or medium-hard bolts. Vinyl-covered hand grips. Center cut. Imported.

ORDER INFO:

24-inch Cutter. Use for ¾-in. diam. soft or medium-hard bolts.
9 GT 6569—Shipping weight 6 lbs. 8 oz.\$32.99

14-inch Cutter. For ¼-in. diameter soft or medium-hard bolts.
9 GT 6567—Shipping weight 2 lbs. 8 oz.\$22.99

Replacement Heads for cutters above (not shown).

9 GT 65691—For 24-in. cutter. Shpg. wt. 2 lbs. 1 oz.\$14.99

9 GT 65671—For 14-in. cutter. Shipping weight 13 oz. 12.99

(40 and 41) Snips for cutting sheet metal and plastic

(40) Sears straight-cut Snips

For leather, rubber.

CONSTRUCTION: Drop-forged steel. Hardened, tempered cutting edges. 10 inches long. Maximum 2½-inch cut.

ORDER INFO: Not Craftsman.

9 GT 45432—Wt. 15 oz.\$7.99

(41) CRAFTSMAN® Duckbill Snips

For screening and wire.

CONSTRUCTION: Forged steel blades are fully hardened with tempered cutting edges. Plastic hand grips.

ORDER INFO:

Warranty on page 116.

Size, inch	Max. cut (in.)	Catalog Number	Shpg. wt. lbs. oz.	Price
7	1¼	9 GT 45463		7 \$7.99
10	2½	9 GT 45461		14 9.99
12	3	9 GT 45462		1 12 11.99

(42 thru 44) CRAFTSMAN® Compound-leverage Snips

Compound leverage provides 12-to-1 power ratio, cuts with half the effort of conventional snips.

CONSTRUCTION: Forged alloy steel, heat-treated, hardened. Chrome-plated blades, serrated edges. 10 in. long. 1¾-in. maximum cut. Vinyl hand grip guard. Color-coded lock arm, see below.

ORDER INFO: Warranty, p. 116. Shpg. wt. 14 oz.

(42) Right cuts. Green.

9 GT 4273.....\$11.99

(43) Left cuts. Red.

9 GT 4274.....\$11.99

(44) Straight cuts. Yellow.

9 GT 4275.....\$11.99



Rugged CRAFTSMAN® Ratchets . . . backed by our Full Unlimited Warranty

- Engineered for durability . . . operated over 1/2 million times in lab tests without serious wear
- Reversing lever lets you change ratcheting directions quickly and easily with just one hand

CRAFTSMAN® Quick-release Ratchets

Our best fine-tooth Ratchet is great for work in tight places . . . moving the handle only 4" will click the ratchet to turn the socket

\$15⁹⁹

3/8-inch sq. drive



CRAFTSMAN® Quick-release Ratchets

(1 thru 4) Drop-forging process increases strength at points of stress . . . alloy steel is heat-treated, oil-quenched and tempered for uniform hardness and strength. Quick-release button releases sockets instantly without hard pulling or prying. Reversing lever to change ratcheting direction. Nickel-chrome plating resists rust and corrosion.

(1) Our best fine-tooth Ratchet

Double-pawl design doubles ratcheting tooth action . . . speeds ratcheting in tight areas. Built-in knurled speeder simplifies rapid spin-down of nuts and bolts.

ORDER INFO: See warranty below.

Square drive	Length in.	Number of teeth	Catalog Number	Wt.		Each
				lbs.	oz.	
1/4 in.	5 1/4	35	9 GT 43187	4	4	\$11.99
3/8 in.	6 1/4	41	9 GT 43781	9	9	15.99
1/2 in.	10 3/4	45	9 GT 44977	1	5	19.99

(2 and 3) Flex-head Ratchets . . . choice of fine-tooth or regular

Handle adjusts from 0° to 90° for easier use in hard-to-reach work areas. Wrenches 9 GT 42794 and 9 GT 44983 have fine-tooth ratcheting feature to increase ratcheting action when working in tight places.

ORDER INFO: See warranty below.

Item	Square drive	Length in.	No. of teeth	Catalog Number	Wt.		Each
					lbs.	oz.	
(2) Fine-tooth Ratchets	3/8 in.	11 1/2	41	9 GT 42794	14	4	\$19.99
	1/2 in.	16 1/2	45	9 GT 44983	2	4	27.99
(3) Regular Ratchets	3/8 in.	11 1/4	24	9 GT 42793	14	15.99	
	1/2 in.	16 3/4	32	9 GT 44984	2	3	23.99

(4) Ratchet with standard head

Square drive	Length in.	Number of teeth	Catalog Number	Wt.		Each
				lbs.	oz.	
1/4 in.	5 1/4	24	9 GT 43185	4	8	\$8.99
3/8 in.	6 1/4	24	9 GT 43784	8	12.99	
1/2 in.	10 3/4	32	9 GT 44985	1	3	15.99
3/4 in.	19 3/4	24	9 GT 44804	5	1	49.99

CRAFTSMAN® Ratchet

(5) Reversing lever changes ratchet direction. Top-mounted knurled speeder. Nickel-chrome plating resists rust and corrosion.

ORDER INFO: See warranty below.

Square drive	Length in.	Number of teeth	Catalog Number	Wt.		Each
				lbs.	oz.	
1/4 in.	5 3/4	43	9 GT 43795	5	8	\$6.99
3/8 in.	8	43	9 GT 43796	12	9.99	
1/2 in.	10	45	9 GT 43797	1	2	12.99

CRAFTSMAN® Drive Accessories



(6 thru 12)

CONSTRUCTION: Alloy steel. Heat-treated, then oil-quenched and tempered. Nickel-chrome plating resists rust.

ORD. INFO: See warranty below, right.

(6) Extension Bars

Extend the reach of the socket for work in tight and confined places.

Square drive	Lgth. in.	Catalog Number	Wt.		Each
			lbs.	oz.	
1/4 in.	1 1/2	9 GT 43538	3	2.99	
1/4 in.	3	9 GT 43539	4	3.49	
1/4 in.	6	9 GT 43531	4	3.49	
1/4 in.	14	9 GT 43532	5	6.99	
3/8 in.	1 1/2	9 GT 43537	4	2.99	
3/8 in.	3	9 GT 44264	2	3.49	
3/8 in.	6	9 GT 44261	6	4.49	
3/8 in.	10	9 GT 44262	9	5.99	
3/8 in.	20	9 GT 44263	13	8.99	
1/2 in.	2	9 GT 43522	6	3.49	
1/2 in.	3	9 GT 44133	6	3.99	
1/2 in.	6	9 GT 44131	8	4.99	
1/2 in.	10	9 GT 44132	15	6.99	
1/2 in.	20	9 GT 44134	1	4.99	
3/4 in.	5	9 GT 4440	15	10.99	
3/4 in.	8	9 GT 4441	1	7	12.99
3/4 in.	16	9 GT 4442	2	10	19.99

(7) Speeder Wrenches

Square drive	Length in.	Catalog Number	Wt.		Each
			lbs.	oz.	
1/4 in.	15 1/2 in.*	9 GT 4281	10	8.99	
3/8 in.	16 in.*	9 GT 4427	1	10.99	
1/2 in.	18 in.†	9 GT 4416	1	12	12.99

*No center grip †With rotating center grip

(8) Flex Handles. Hinged-joint. Positive stops at 0° and 45°.

Square drive	Lgth. in.	Catalog Number	Wt.		Each
			lbs.	oz.	
1/4 in.	6	9 GT 43523	5	8.99	
3/8 in.	10	9 GT 44363	10	8.99	
1/2 in.	15	9 GT 44201	1	13.99	
3/4 in.	18	9 GT 44202	1	12	15.99
1 in.	18	9 GT 4431	3	1	24.99

(9) Slide-bar Handle

Use as "T" or "L" handle to loosen fasteners.

Sq. drive	Lgth. in.	Catalog Number	Wt.		Each
			lbs.	oz.	
1/4 in.	4 1/2	9 GT 4354	4	5.99	
3/8 in.	7	9 GT 4428	10	6.99	
1/2 in.	9	9 GT 44152	13	7.99	
3/4 in.	15	9 GT 44151	1	6	9.99
1 in.	18	9 GT 4443	4	14.99	

(10) Stud Remover

1/2-inch square drive. Use to remove broken bolts and studs. Capacity 5/16 to 3/4 inch.

9 GT 4458—Wt. 14 oz. . . . \$14.99

(11) Universal Joints. Swing 90°.

Size	Catalog No.	Shpg. wt.	Each
1/4 in.	9 GT 4280	3 oz.	\$5.99
3/8 in.	9 GT 4435	4 oz.	6.99
1/2 in.	9 GT 4425	7 oz.	7.99

(12) Socket Adapters

Allow sockets of one drive size to fit drive tools of another size.

Drive size	Converts to	Catalog Number	Wt. oz.	Each
1/4 in.	3/8 in.	9 GT 4257	3	\$2.99
3/8 in.	1/2 in.	9 GT 4256	3	2.99
1/2 in.	3/4 in.	9 GT 4258	4	2.99
3/4 in.	1 in.	9 GT 4259	4	3.99
1 in.	1 1/4 in.	9 GT 4271	6	4.99

(13) Ratchet Speeder Discs

Rust-resistant steel. Fit between ratchet and socket. Set of 3 for 1/4, 3/8, 1/2 in. drive ratchets. Vinyl storage pouch.

ORDER INFO: See warranty at right. 9 GT 44191—Wt. 4 oz. . . . Set \$3.99

(14) Spinner Handles

1/4-inch square drive. Plastic handle.

ORDER INFO: See warranty below.

9 GT 43351—4 1/2 in. Wt. 5 oz. . . . \$3.99

9 GT 43372—6 in. Wt. 3 oz. . . . 4.99

(15) 6-inch Flex Spinner. For 1/4-in. sq. dr. sockets, fittings. Flexible spring steel shaft. Plastic handle.

ORDER INFO: See warranty below.

9 GT 4355—Shpg. wt. 5 oz. . . . \$6.99

(16) 5-piece Magnetic Insert Set

1/4, 3/8, 1/2, 3/4, 1 in. 1/16, 1/8, 1/4, 1/2, 3/4, 1 in. sq. dr. sockets. Plastic handle.

9 GT 4404—Wt. 1 lb. . . . Set \$2.99

(17) Flex Extension. Flexible spring steel shaft. 1/4-inch sq. dr. 4 inches long.

ORDER INFO: See warranty below.

9 GT 4336—Shpg. wt. 3 oz. . . . \$4.99

FULL UNLIMITED WARRANTY ON CRAFTSMAN® HAND TOOLS:

If any CRAFTSMAN® Hand Tool ever fails to give complete satisfaction, return it to the nearest Sears store throughout the United States and Sears will replace it, free of charge. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.



Crowfoot Wrenches in STANDARD and METRIC Sizes

STANDARD Crowfoot Wrenches

Use with 3/8-in. square drive tools.

ORDER INFO: Construction, warranty at right.

Size	Catalog Number	Shpg. wt.	Each
3/8 in.	9 GT 43611	3 oz.	\$3.99
7/16 in.	9 GT 43621	3 oz.	3.99
1/2 in.	9 GT 43622	3 oz.	3.99
9/16 in.	9 GT 43623	3 oz.	3.99
5/8 in.	9 GT 43624	4 oz.	3.99
1 1/16 in.	9 GT 43625	4 oz.	4.99
3/4 in.	9 GT 43626	4 oz.	4.99
13/16 in.	9 GT 43627	4 oz.	4.99
7/8 in.	9 GT 43628	5 oz.	4.99
1 in.	9 GT 43629	6 oz.	4.99

10-piece STANDARD Crowfoot Wrench Set
Includes 10 wrenches above, vinyl storage pouch.

ORDER INFO: Construction warranty at right.
9 GT 4362—Wt. 1 lb. 4 oz.Set \$34.99

METRIC Crowfoot Wrenches

Use with 3/8-inch square drive tools.

ORDER INFO: Construction, warranty at right.

Size	Catalog Number	Shpg. wt.	Each
10mm	9 GT 43631	1 oz.	\$3.99
11mm	9 GT 43632	1 oz.	3.99
12mm	9 GT 43633	1 oz.	3.99
13mm	9 GT 43634	1 oz.	3.99
14mm	9 GT 43635	1 oz.	3.99
15mm	9 GT 43636	1 oz.	4.99
16mm	9 GT 43637	1 oz.	4.99
17mm	9 GT 43638	1 oz.	4.99
18mm	9 GT 43639	1 oz.	4.99
19mm	9 GT 43641	2 oz.	4.99

10-piece METRIC Crowfoot Wrench Set.
Includes 10 wrenches above, vinyl storage pouch.

ORDER INFO: Construction, warranty at right.
9 GT 4363—Wt. 15 oz.Set \$34.99



Utility Boxes

(1) **11-in. Permanex® plastic Utility Box**
Store small items including 1/2-in. drive sockets.

CONSTRUCTION: Double-wall construction, high-density polyethylene won't rust, corrode, chip. Stress-free hinges; washes clean with soap and water. 11x5x2 inches.

ORDER INFO: Shipping weight 11 ounces.
9 GT 65294\$2.99

(2) **8 1/2-in. Permanex® plastic Utility Box.** As (1) above. For 1/4 and 3/8-inch drive sockets. 8 1/2x4 1/2x2 inches.

ORDER INFO:
Shipping weight 8 ounces.
9 GT 65293\$1.99

(3) **Socket Carry Racks.** Racks for 1/4-in. drive sockets holds 16, other racks hold 14.

CONSTRUCTION: Steel. Vinyl-covered handle.
ORDER INFO: Sockets not included.

For 1/4-inch drive sockets
9 GT 41333—Shpg. wt. 4 oz.\$2.49

For 3/8-inch drive sockets
9 GT 41334—Shpg. wt. 3 oz.\$2.49

For 1/2-inch drive sockets
9 GT 41335—Shpg. wt. 4 oz.\$2.49

Replacement Clips for racks (3) above (not shown).

ORDER INFO: Pkg. of 10.

For 1/4-inch drive
9 GT 41336—Shpg. wt. 1 oz.Pkg. \$1.29

For 3/8-inch drive
9 GT 41337—Shpg. wt. 1 oz.Pkg. \$1.29

For 1/2-inch drive
9 GT 41338—Shpg. wt. 1 oz.Pkg. \$1.29

Here and on the next 2 pages... CRAFTSMAN® Sockets

QUALITY BY DESIGN

... features like these on our Sockets represent the quality that's built into every CRAFTSMAN® tool

- A** Thin-wall construction allows for easy access to hard-to-reach areas, while maintaining the socket strength needed to do heavy work without breaking or failing
- B** Radiused corners for comfortable feel
- C** Through-hardened alloy steel for strength and wear-resistance, ground and polished for easy clean-up, nickel-plated for rust-resistance
- D** Lead-in chamfer on drive square allows sockets to slide over nuts easily and reduce wear



Whether you need regular-depth or deep sockets, 6, 8 or 12-point sockets, **STANDARD** or **METRIC** size sockets, we've got the socket you need to help get the job done right

REGULAR-DEPTH:
Best for work on most mechanical, automotive and electronic equipment



DEEP:
Excellent for work on nuts with protruding bolts

6-point: For hex nuts and bolts. Grip rounded corners better than 12-pt. sockets



8-point: For square nuts only. Use at home and on farm equipment



12-point: For hex nuts, cap screws. More turning positions than 6 or 8-point



Choose **STANDARD** or **METRIC** sizes

Metric size sockets have special knurled band to help distinguish them from Standard sizes



CONSTRUCTION: Every CRAFTSMAN® socket, ratchet and ratchet accessory is made from alloy steel, specially chosen because of its strength and resistance to brittleness. Each is heat-treated, oil-quenched and tempered for uniform hardness... no inner "soft spots". Nickel-chrome plating helps protect it from rust and corrosion.

FULL UNLIMITED WARRANTY ON CRAFTSMAN® SOCKETS, RATCHETS, RATCHET ACCESSORIES AND HEX KEYS:

If any CRAFTSMAN Socket, Ratchet, Ratchet Accessory or Hex Key ever fails to give complete satisfaction, return it to the nearest Sears store in the U.S. and Sears will replace it, free of charge. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

Individual STANDARD Sockets

ORDER INFO:
See warranty, construction above.

Size	Points	Catalog No.	Wt.	Each
1/4-inch drive STANDARD, Regular-depth				
3/32 in.	6	9 GT 43481	2 oz.	\$1.49
1/8 in.	6	9 GT 43491	2 oz.	1.49
7/32 in.	6	9 GT 43492	2 oz.	1.49
1/4 in.	6	9 GT 43493	2 oz.	1.49
5/32 in.	6	9 GT 43494	2 oz.	1.49
3/16 in.	6	9 GT 43495	2 oz.	1.49
11/32 in.	6	9 GT 43496	2 oz.	1.49
3/8 in.	6	9 GT 43497	3 oz.	1.49
7/16 in.	6	9 GT 43498	3 oz.	1.49
1/2 in.	6	9 GT 43499	3 oz.	1.49
3/16 in.	12	9 GT 43608	2 oz.	1.49
1/8 in.	12	9 GT 43609	2 oz.	1.49
7/32 in.	12	9 GT 43610	2 oz.	1.49
1/4 in.	12	9 GT 43611	2 oz.	1.49
5/32 in.	12	9 GT 43612	2 oz.	1.49
3/16 in.	12	9 GT 43613	2 oz.	1.49
11/32 in.	12	9 GT 43614	2 oz.	1.49
3/8 in.	12	9 GT 43615	2 oz.	1.49
7/16 in.	12	9 GT 43616	3 oz.	1.49
1/2 in.	12	9 GT 43617	3 oz.	1.49
1/4-inch drive STANDARD, Deep				
3/16 in.	6	9 GT 43571	3 oz.	\$2.49
7/32 in.	6	9 GT 43572	3 oz.	2.49
1/4 in.	6	9 GT 43573	3 oz.	2.49
5/32 in.	6	9 GT 43574	3 oz.	2.49
3/16 in.	6	9 GT 43575	3 oz.	2.49
11/32 in.	6	9 GT 43576	3 oz.	2.49
3/8 in.	6	9 GT 43577	3 oz.	2.49
7/16 in.	6	9 GT 43578	3 oz.	2.49
1/2 in.	6	9 GT 43579	4 oz.	2.49

Individual METRIC Sockets

ORDER INFO:
See warranty, construction above.

Size	Points	Catalog No.	Wt.	Each
1/4-inch drive METRIC, Regular-depth				
4mm	6	9 GT 43505	2 oz.	\$1.49
5mm	6	9 GT 43501	2 oz.	1.49
6mm	6	9 GT 43502	2 oz.	1.49
7mm	6	9 GT 43503	2 oz.	1.49
8mm	6	9 GT 43504	2 oz.	1.49
9mm	6	9 GT 43507	2 oz.	1.49
10mm	6	9 GT 43508	3 oz.	1.49
11mm	6	9 GT 43509	3 oz.	1.49
12mm	6	9 GT 43513	3 oz.	1.49
13mm	6	9 GT 43514	3 oz.	1.49
1/4-inch drive METRIC, Deep				
4mm	6	9 GT 44401	3 oz.	\$2.49
5mm	6	9 GT 44402	3 oz.	2.49
6mm	6	9 GT 44403	3 oz.	2.49
7mm	6	9 GT 44404	3 oz.	2.49
8mm	6	9 GT 44405	3 oz.	2.49
9mm	6	9 GT 44406	3 oz.	2.49
10mm	6	9 GT 44407	3 oz.	2.49
11mm	6	9 GT 44408	3 oz.	2.49
12mm	6	9 GT 44409	4 oz.	2.49
13mm	6	9 GT 44411	5 oz.	2.49
14mm	6	9 GT 44412	4 oz.	2.49

1/4-INCH SQUARE DRIVE

Individual Sockets



Use Sears Credit

CRAFTSMAN Sockets... backed by our Full Unlimited Warranty

CONSTRUCTION: Every CRAFTSMAN socket is made from alloy steel, specially chosen because of its strength and resistance to brittleness. Each is heat-treated, oil-quenched and tempered for uniform hardness... no inner "soft spots". Nickel-chrome plating helps protect it from rust and corrosion.

FULL UNLIMITED WARRANTY ON CRAFTSMAN SOCKETS: If any CRAFTSMAN Socket ever fails to give complete satisfaction, return it to the nearest Sears store in the United States and Sears will replace it, free of charge. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

**1/2-INCH.
SQUARE DRIVE**

Individual Sockets in STANDARD and METRIC sizes

**3/8-INCH
SQUARE DRIVE**

Individual 3/8-inch square drive STANDARD Sockets
ORDER INFO: Warranty, construction features above.

STANDARD, Regular-depth

Size, in.	Pts.	Catalog Number	Wt. oz.	Each
3/8	6	9 GT 43001	3	\$1.99
1/2	6	9 GT 43002	3	1.99
3/4	6	9 GT 43003	3	1.99
1	6	9 GT 43004	3	1.99
1 1/8	6	9 GT 43005	3	1.99
1 1/4	6	9 GT 43006	4	1.99
1 1/2	6	9 GT 43007	4	1.99
1 3/4	6	9 GT 43008	4	1.99
2	8	9 GT 43341	3	2.49
2 1/8	8	9 GT 43342	3	2.49
2 1/4	8	9 GT 43343	3	2.49
2 1/2	8	9 GT 43344	3	2.49
2 3/4	8	9 GT 43345	3	2.49
3	12	9 GT 43331	3	1.99
3 1/8	12	9 GT 43332	3	1.99
3 1/4	12	9 GT 43333	3	1.99
3 1/2	12	9 GT 43334	3	1.99
3 3/4	12	9 GT 43335	3	1.99
4	12	9 GT 43336	4	1.99
4 1/8	12	9 GT 43337	4	1.99
4 1/4	12	9 GT 43338	4	1.99

STANDARD, Deep

Size, in.	Pts.	Catalog Number	Wt. oz.	Each
3/8	6	9 GT 43333	4	\$3.49
1/2	6	9 GT 43331	4	3.49
3/4	6	9 GT 43332	4	3.49
1	6	9 GT 43334	4	3.49
1 1/8	6	9 GT 43335	5	3.99
1 1/4	6	9 GT 43336	5	3.99
1 1/2	6	9 GT 43337	6	3.99
1 3/4	6	9 GT 43338	7	3.99
2	6	9 GT 43339	8	3.99
2 1/8	12	9 GT 43301	4	3.49
2 1/4	12	9 GT 43311	4	3.49
2 1/2	12	9 GT 43312	4	3.49
2 3/4	12	9 GT 43313	4	3.49
3	12	9 GT 43314	5	3.99
3 1/8	12	9 GT 43315	5	3.99
3 1/4	12	9 GT 43317	5	3.99
3 1/2	12	9 GT 43318	7	3.99
3 3/4	12	9 GT 43319	7	3.99

Individual 3/8-inch square drive METRIC Sockets
ORDER INFO: Warranty, construction features above.

METRIC, Regular-depth

Size, mm	Pts.	Catalog Number	Wt. oz.	Each
9	6	9 GT 43541	3	\$1.99
10	6	9 GT 43542	3	1.99
11	6	9 GT 43543	3	1.99
12	6	9 GT 43544	3	1.99
13	6	9 GT 43545	3	1.99
14	6	9 GT 43546	3	1.99
15	6	9 GT 43547	3	1.99
17	6	9 GT 43548	4	1.99
19	6	9 GT 43549	4	1.99
9	12	9 GT 44301	3	1.99
10	12	9 GT 44302	3	1.99
11	12	9 GT 44303	3	1.99
12	12	9 GT 44304	3	1.99
13	12	9 GT 44305	3	1.99
14	12	9 GT 44306	3	1.99
15	12	9 GT 44307	3	1.99
16	12	9 GT 44308	3	1.99
17	12	9 GT 44309	3	1.99
18	12	9 GT 44310	4	1.99
19	12	9 GT 44311	4	1.99

METRIC, Deep

Size, mm	Pts.	Catalog Number	Wt. oz.	Each
9	6	9 GT 44425	4	\$3.49
10	6	9 GT 44426	4	3.49
11	6	9 GT 44427	4	3.49
12	6	9 GT 44428	4	3.49
13	6	9 GT 44429	5	3.99
14	6	9 GT 44430	5	3.99
15	6	9 GT 44431	5	3.99
16	6	9 GT 44432	5	3.99
17	6	9 GT 44433	5	3.99
18	6	9 GT 44434	5	3.99
19	6	9 GT 44435	5	3.99
9	12	9 GT 44413	4	3.49
10	12	9 GT 44414	4	3.49
11	12	9 GT 44415	4	3.49
12	12	9 GT 44416	4	3.49
13	12	9 GT 44417	4	3.49
14	12	9 GT 44418	4	3.49
15	12	9 GT 44419	5	3.99
16	12	9 GT 44420	5	3.99
17	12	9 GT 44421	5	3.99
18	12	9 GT 44422	5	3.99
19	12	9 GT 44423	5	3.99
9	12	9 GT 44424	6	3.99

Individual 1/2-inch square drive STANDARD Sockets

Choose 6-point, 8-point or 12-point openings. 6-point sockets constructed for greatest strength; 8-point sockets are used for square nuts, refrigeration and farm equipment; 12-point sockets allow more turning positions than 6-point sockets.

ORDER INFO: See construction, warranty above.

STANDARD, Regular-depth

Size, in.	Pts.	Catalog Number	Wt. oz.	Price each
1/2	6	9 GT 44054	4	\$2.49
1/2	6	9 GT 44055	4	2.49
1/2	6	9 GT 44056	4	2.49
5/8	6	9 GT 44057	4	2.49
5/8	6	9 GT 44058	4	2.99
3/4	6	9 GT 44059	5	2.99
13/16	6	9 GT 44063	5	2.99
13/16	6	9 GT 44064	6	3.49
13/16	6	9 GT 44065	6	3.49
1	6	9 GT 44066	7	3.49
1 1/8	6	9 GT 44067	8	3.99
1 1/8	6	9 GT 44068	8	3.99
1 1/4	6	9 GT 44069	10	3.99
1 1/2	8	9 GT 44221	4	3.49
1 1/2	8	9 GT 44222	4	3.49
1 1/2	8	9 GT 44223	4	3.49
5/8	8	9 GT 44224	5	3.49
11/16	8	9 GT 44225	5	3.49
3/4	8	9 GT 44226	6	3.49
13/16	12	9 GT 47501	4	2.49
13/16	12	9 GT 47502	4	2.49
13/16	12	9 GT 47503	4	2.49
1 1/8	12	9 GT 47504	4	2.49
1 1/8	12	9 GT 47505	4	2.49
1 1/8	12	9 GT 47506	4	2.49
1 1/4	12	9 GT 47507	4	2.99
1 1/4	12	9 GT 47508	5	2.99
1 1/4	12	9 GT 47509	5	2.99
1 1/2	12	9 GT 47511	5	2.99
1 1/2	12	9 GT 47512	6	3.49
1 1/2	12	9 GT 47513	6	3.49
1 1/2	12	9 GT 47514	7	3.49
1 1/4	12	9 GT 47515	8	3.99
1 1/4	12	9 GT 47516	8	3.99
1 1/4	12	9 GT 47517	10	3.99

STANDARD, Deep

Size, in.	Pts.	Catalog Number	Wt. oz.	Price each
6-point openings				
1/2	6	9 GT 47582	4	\$3.99
5/8	6	9 GT 47583	4	3.99
5/8	6	9 GT 47584	3	3.99
3/4	6	9 GT 47585	4	4.49
3/4	6	9 GT 47586	5	4.49
13/16	6	9 GT 47587	6	4.49
13/16	6	9 GT 47588	6	4.49
13/16	6	9 GT 47589	7	4.99
1	6	9 GT 47591	8	4.99
1 1/8	6	9 GT 47592	8	4.99
1 1/8	6	9 GT 47593	10	4.99
12-point openings				
1/2	12	9 GT 47521	6	\$3.99
5/8	12	9 GT 47522	7	3.99
5/8	12	9 GT 47523	6	3.99
3/4	12	9 GT 47524	7	4.49
3/4	12	9 GT 47525	8	4.49
13/16	12	9 GT 47526	7	4.49
13/16	12	9 GT 47527	8	4.49
13/16	12	9 GT 47528	9	4.49
1	12	9 GT 47529	10	4.99
1	12	9 GT 47531	8	4.99
1 1/8	12	9 GT 47532	11	4.99
1 1/8	12	9 GT 47533	12	4.99

Individual 1/2-inch square drive METRIC Sockets

ORDER INFO: See above for construction features and our full, unlimited warranty.

METRIC, Regular-depth

Size, mm	Pts.	Catalog Number	Wt. oz.	Each
9	6	9 GT 44251	4	\$2.49
10	6	9 GT 44252	4	2.49
11	6	9 GT 44253	4	2.49
12	6	9 GT 44254	4	2.49
13	6	9 GT 44255	4	2.49
14	6	9 GT 44256	4	2.99
15	6	9 GT 44257	4	2.99
16	6	9 GT 44258	4	2.99
17	6	9 GT 44259	5	3.49
18	6	9 GT 44260	6	3.99
19	6	9 GT 44261	6	3.99
9	12	9 GT 44231	4	2.49
10	12	9 GT 44232	4	2.49
11	12	9 GT 44233	4	2.49
12	12	9 GT 44234	4	2.49
13	12	9 GT 44235	4	2.99
14	12	9 GT 44236	4	2.99
15	12	9 GT 44237	4	2.99
16	12	9 GT 44238	5	3.49
17	12	9 GT 44239	5	3.49
18	12	9 GT 44240	6	3.99
19	12	9 GT 44241	6	3.99
20	12	9 GT 44242	7	3.99
21	12	9 GT 44243	7	3.99
22	12	9 GT 44244	9	4.99
23	12	9 GT 44245	10	4.99
24	12	9 GT 44246	14	4.99

METRIC, Deep

Size, mm	Pts.	Catalog Number	Wt. oz.	Each
14	12	9 GT 44444	6	\$4.99
17	12	9 GT 44445	7	4.99
19	12	9 GT 44446	5	4.99
21	12	9 GT 44447	9	5.99
22	12	9 GT 44448	8	5.99
27	12	9 GT 44449	8	5.99



Individ. 3/4-in. sq. drive STANDARD Sockets. Reg.-depth., 12-pt.

Size, in.	Catalog Number	Wt. oz.	Each	Size, in.	Catalog Number	Wt. lbs.	Each
3/4	9 GT 47541	8	\$5.99	1 1/2	9 GT 47553	1	\$9.99
13/16	9 GT 47542	8	5.99	1 1/2	9 GT 47554	1	9.99
1	9 GT 47543	7	5.99	1 1/2	9 GT 47555	1	9.99
1 1/8	9 GT 47544	5	5.99	1 1/2	9 GT 47556	1	11.99
1 1/8	9 GT 47545	8	5.99	1 1/2	9 GT 47557	1	11.99
1 1/8	9 GT 47546	10	5.99	2	9 GT 47558	1	12.99
1 1/4	9 GT 47547	10	7.99	2 1/8	9 GT 47559	2	11.99
1 1/4	9 GT 47548	12	7.99	2 1/8	9 GT 47560	2	14.99
1 1/4	9 GT 47549	13	7.99	2 1/4	9 GT 47561	2	14.99
1 1/4	9 GT 47551	14	7.99	2 1/4	9 GT 47562	2	14.99
1 1/2	9 GT 47552	14	7.99	2 1/4	9 GT 47563	2	14.99



(1) Phillips Screwdriver Bits

No.	Catalog No.	Wt.	Price
1	9 GT 42681	1/3 oz.	\$3.99
2	9 GT 42682	3/32 oz.	3.99
3/8-in. sq. dr., 2 1/4 in. long			
1	9 GT 44369	4 oz.	3.99
2	9 GT 44370	4 oz.	3.99
3	9 GT 44372	4 oz.	3.99
4	9 GT 44373	4 oz.	3.99

(2) Slotted Screwdriver Bits

In.	Catalog No.	Wt.	Price
1/2-in. sq. dr., 1 1/4 in. long			
.030 x 1/4	9 GT 42691	3/32 oz.	\$3.99
.039 x 1/4	9 GT 42692	3/32 oz.	3.99
3/8-in. sq. dr., 1 1/4 in. long			
.030 x 1/4	9 GT 42651	4 oz.	3.99
.039 x 1/4	9 GT 42652	4 oz.	3.99
.055 x 3/8	9 GT 42653	4 oz.	3.99

(3) Hex Setscrew Bits

1/2 in. sq. dr., 1 1/8 in. long			3/4 in. sq. drive, 1 1/8 in. long					
STANDARD			STANDARD			METRIC		
Size, in.	Catalog Number	Wt. oz.	Size, in.	Catalog Number	Wt. oz.	Size, mm.	Catalog Number	Wt. oz.
3/16	9 GT 42701	3	3/32	9 GT 46669	1	4	9 GT 42674	1
7/32	9 GT 42702	3	9 GT 46661	1	5	9 GT 42675	1	
1/4	9 GT 42703	3	9 GT 46662	1	6	9 GT 42676	1	
5/16	9 GT 42704	4	9 GT 46663	1	7	9 GT 42677	1	
3/8	9 GT 42705	4	9 GT 46664	1	8	9 GT 42678	1	
.....			9 GT 46665	2	10	9 GT 42679	2	
Each			\$3.99					

Save 5% to 33% when you buy CRAFTSMAN® Socket Sets

Choice of **STANDARD** or **METRIC** sizes . . . and sets contain the most common sizes, so you'll be ready to handle a wide range of jobs



1/4-INCH SQUARE DRIVE

1/4-inch square drive STANDARD sizes

10-piece Socket Sets

Choose regular or deep-depth.

SET COMPOSITION: Nine 6-pt. sockets ($\frac{3}{16}$ thru $\frac{1}{2}$ in.); metal storage tray.

ORDER INFO: See construction and warranty at top of opposite page.

Regular-depth. *Separate prices total \$13.41 on page 117.*

9 GT 44453—Shpg. wt. 6 oz.Set \$9.99

Deep. *See prices total \$22.41, p. 117.*

9 GT 44454—Shpg. wt. 14 oz.Set \$19.99

28-pc. Socket Set—OUR MOST COMPLETE

SET COMPOSITION: Ten 6-pt. regular-depth sockets ($\frac{3}{16}$ thru $\frac{1}{2}$ in.); nine 6-pt. deep-depth sockets ($\frac{3}{16}$ thru $\frac{1}{2}$ in.); two slotted screwdriver bits (.030, .039); two Phillips bits (nos. 1, 2); five hex bits ($\frac{3}{16}$ thru $\frac{3}{8}$ in.).

ORDER INFO: See construction and warranty at top of opposite page. *See prices total \$73.22 on pgs. 117, 118. Wt. 1 lb. 7 oz.*

9 GT 44493Set \$49.99

1/4-inch square drive METRIC sizes

10-piece Socket Sets

Choose regular-depth or deep-depth sockets.

SET COMPOSITION: Nine 6-point sockets (sizes 4 thru 12mm); metal storage tray.

ORDER INFO: See construction and warranty at top of opposite page.

Regular-depth. *Separate prices total \$13.41 on page 117.*

9 GT 44455—Shpg. wt. 6 oz.Set \$9.99

Deep. *See prices total \$22.41, p. 117.*

9 GT 44437—Shpg. wt. 14 oz.Set \$19.99

28-pc. Socket Set—OUR MOST COMPLETE

SET COMPOSITION: Ten 6-pt. regular-depth sockets (4 thru 13 mm); nine 6-pt. deep-depth sockets (5 thru 13 mm); two slotted screwdriver bits (.030, .039); two Phillips bits (nos. 1 and 2); five hex bits ($\frac{3}{16}$ thru $\frac{3}{8}$ in.).

ORDER INFO: See construction and warranty at top of opposite page. *Separate prices total \$73.22 on pages 117, 118. Wt. 6 lbs. 6 oz.*

9 GT 44494Set \$49.99

3/8-INCH SQUARE DRIVE

3/8-inch square drive STANDARD sizes

9-piece Regular-depth Socket Sets with 6 or 12-point openings

SET COMPOSITION: 8 sockets ($\frac{3}{8}$ thru $\frac{1}{2}$ in.); metal storage tray.

ORDER INFO: See construction and warranty at top of opposite page.

Separate prices total \$15.92 on page 118. Shpg. wt. 14 ounces.

9 GT 44456—6-point socketsSet \$14.99

9 GT 4389—12-point socketsSet 14.99

10-piece Deep Socket Set

SET COMPOSITION: Nine 6-point deep sockets ($\frac{3}{8}$ thru $\frac{1}{2}$ inch); metal storage tray.

ORDER INFO: See construction and warranty at top of opposite page.

Separate prices total \$33.91 on page 118.

9 GT 43156—Shpg. wt. 2 lbs. 3 oz.Set \$24.99

31-piece Socket Set—OUR MOST COMPLETE

SET COMPOSITION: Eight 12-point regular-depth sockets ($\frac{3}{8}$ thru $\frac{1}{2}$ inch); nine 6-point deep sockets ($\frac{3}{8}$ thru $\frac{1}{2}$ inch); two 6-point spark plug sockets ($\frac{5}{16}$, $\frac{3}{8}$ inch); three slotted screwdriver bits (.030, .039, .055); three Phillips bits (nos. 2, 3, 4); six hex bits ($\frac{3}{16}$ thru $\frac{3}{8}$ inch).

ORDER INFO: See construction and warranty at top of opposite page. *Separate prices total \$101.69 on pages 108, 118.*

9 GT 44495—Shpg. wt. 5 lbs.Set \$69.99

3/8-inch square drive METRIC sizes

9-piece Regular-depth Socket Sets with 6 or 12-point openings

SET COMPOSITION: Eight sockets (9, 10, 12 thru 15, 17, 19mm); metal storage tray.

ORDER INFO: See construction and warranty at top of opposite page.

Separate prices total \$15.92 on page 118. Shpg. wt. 13 oz.

9 GT 4342—6-point socketsSet \$14.99

9 GT 4347—12-point socketsSet 14.99

10-piece Deep Socket Set

SET COMPOSITION: Nine 6-point deep sockets (9 thru 15, 17, 19mm); metal storage tray.

ORDER INFO: See construction and warranty at top of opposite page.

Separate prices total \$33.41 on page 118.

9 GT 44438—Shpg. wt. 1 lb. 14 oz.Set \$24.99

31-piece Socket Set—OUR MOST COMPLETE

SET COMP: Eight 12-point regular-depth sockets (10 thru 15, 17, 19mm); nine 6-pt. deep sockets (10, 12 thru 19mm); two 6-pt. spark plug sockets ($\frac{5}{16}$, $\frac{3}{8}$ in.); 3 slotted screwdriver bits (.030, .039, .055); 3 Phillips bits (nos. 2, 3, 4); 6 hex bits (4 thru 8, 10mm).

ORDER INFO: See construction and warranty at top of opposite page.

Separate prices total \$105.69 on page 118.

9 GT 44496—Shpg. wt. 6 lbs. 5 oz.Set \$69.99

1/2-INCH SQUARE DRIVE

1/2-inch square drive STANDARD sizes

14-piece Socket Sets

SET COMPOSITION: Thirteen regular-depth sockets ($\frac{1}{2}$ thru $1\frac{1}{4}$ in.); metal storage tray.

ORDER INFO: Construction, warranty at top of opposite page. *See prices total \$41.37, each set, on p. 118.*

Openings	Catalog Number	Shpg. wt. lbs. oz.	Set
6-point	9 GT 44457	3 11	\$34.99
12-point	9 GT 43482	3 10	34.99

34-piece Socket Set—OUR MOST COMPLETE

SET COMPOSITION: Thirteen 12-point regular-depth sockets ($\frac{1}{2}$ thru $1\frac{1}{4}$ in.); eleven 12-point deep sockets ($\frac{1}{2}$ thru $1\frac{1}{4}$ in.); six 8-point regular-depth sockets ($\frac{1}{2}$ thru $\frac{3}{4}$ in.); three drag link sockets ($\frac{1}{2}$, $\frac{3}{4}$, $\frac{1}{2}$ in.); $\frac{1}{2}$ -in.-6-point spark plug socket.

ORDER INFO: Constr., warranty, top of opposite pg. *See prices total \$130.16 on pgs. 108, 118. Wt. 9 lbs. 12 oz.*

9 GT 44498Set \$99.99

12-piece Deep Socket Sets

SET COMPOSITION: Eleven deep sockets ($\frac{1}{2}$ thru $1\frac{1}{4}$ in.); metal storage tray.

ORDER INFO: Construction, warranty at top of opposite page. *See prices total \$49.89, each set, on p. 118.*

Openings	Catalog Number	Shpg. wt. lbs. oz.	Set
6-point	9 GT 44469	4 15	\$39.99
12-point	9 GT 44458	5 1	39.99

1/2-inch square drive METRIC sizes

14-piece Socket Set

SET COMPOSITION: Thirteen 12-point regular-depth sockets (10, 12 thru 19, 22, 24, 27, 30mm); metal storage tray.

ORDER INFO: Construction, warranty, top of opposite page. *Separate prices total \$43.37 on page 118. Shipping weight 2 pounds 8 ounces.*

9 GT 44497Set \$34.99

Specialty Socket Sets

Save \$1 to \$19



(1) STANDARD and METRIC 1/4-inch square drive Flexible Socket Sets
Ideal for getting into hard-to-reach areas

8-pc. STANDARD Set

SET COMP: Seven 12-point sockets ($\frac{3}{8}$ thru $\frac{1}{2}$ in.); Permanex® plastic storage case.

ORDER INFO: See construction and warranty at top of opposite page. *Separate prices total \$41.93 on page 118.*

9 GT 43812—Wt. 1 lb. 2 oz.Set \$29.99

11-piece METRIC Set

SET COMPOSITION: Ten 6-point sockets (10 thru 19mm); metal storage tray.

ORDER INFO: See construction and warranty at top of opposite page. *Separate prices total \$59.90 on page 118.*

9 GT 44451—Wt. 1 lb. 15 oz.Set \$39.99



(2 and 3) Impact Socket Sets

(2) 11-pc., 1/2-in. sq. drive Set

SET COMPOSITION: Ten 6-point sockets ($\frac{1}{2}$ thru 1 in.); metal storage tray.

ORDER INFO: *Separate prices total \$44.90 on page 112.*

Shpg. wt. 3 lbs. 9 oz.

9 GT 44019Set \$39.99

(3) 7-pc., 3/8-in. sq. drive Set

SET COMPOSITION: 7 sockets ($\frac{3}{8}$ thru $\frac{1}{2}$ in.).

ORDER INFO: *Separate prices total \$27.93 on page 112.*

Shpg. wt. 9 oz.

9 GT 44013Set \$19.99

(4) 6-pc., 3/8-in. sq. drive STANDARD Screwdriver Bit Set

SET COMPOSITION: 3 Phillips bits (nos. 2, 3, 4); 3 slotted bits (.030x $\frac{1}{4}$, .039x $\frac{3}{8}$, .055x $\frac{1}{2}$ in.) 1 $\frac{1}{8}$ in. long.

ORDER INFO: *Separate prices total \$23.94 on page 118.*

9 GT 42686—Shpg. wt. 9 oz.Set \$19.99

(5) 6-pc., 3/8-in. sq. drive Hex Setscrew Bit Sets

STANDARD SET COMP: 6 bits ($\frac{3}{16}$ thru $\frac{3}{8}$ in.) 1 $\frac{1}{8}$ in. long.

ORDER INFO: *Separate prices total \$23.94 on page 118.*

9 GT 42684—Shpg. wt. 9 oz.Set \$19.99

METRIC SET COMP: 6 bits (4 thru 8, 10 mm); 1 $\frac{1}{8}$ in. long.

ORDER INFO: *Separate prices total \$23.94 on page 118.*

9 GT 42685—Shpg. wt. 9 oz.Set \$19.99

(6) 8-pc., 1/4-in. and 3/8-in. square drive Torx® Bit Set

Steel, chrome-plated holder.

SET COMPOSITION: Three 1/4-in. sq. drive bits (T-15, T-20, T-25); four 3/8-in. sq. drive bits (T-30, T-40, T-45, T-50); Vinyl storage pouch.

ORDER INFO: *Separate prices total \$31.43 on page 118.*


9 GT 42683—Shpg. wt. 8 oz.Set \$29.50

9-pc., 1/4-in. square drive Screwdriver and Hex Bit Set

SET COMPOSITION: 2 Phillips screwdriver bits (nos. 1, 2); two slotted screwdriver bits (.030x $\frac{1}{4}$, .039x $\frac{3}{8}$ in.) 5 hex setscrew bits ($\frac{3}{16}$ thru $\frac{3}{8}$ in.); vinyl storage pouch.

ORDER INFO: *Separate prices total \$35.91 on page 118.*

9 GT 42687—Shpg. wt. 9 oz.Set \$19.99



QUALITY BY DESIGN

...features like these on our CRAFTSMAN® Wrenches represent the quality that's built into every CRAFTSMAN® Tool

- A Each wrench designed as one continuous unit of alloy steel, drop-forged, heat-treated, oil-quenched and tempered to assure uniform "through-hardening" ... there are no inner soft spots
- B Precision-broached openings for accurate fit and chamfered edges for easier positioning around nut or bolt
- C Nickel-chrome plating adds resistance to rust, corrosion
- D Every CRAFTSMAN® Wrench has size forged into tool for quick, easy identification

Shop
By Phone

(1) Combination Wrenches

Individual **METRIC**
Combination Wrenches

ORDER INFO: Warranty, page 121.

Size	Length in.	Catalog Number	Shpg. wt. lbs. oz.	Each
6mm	3 1/16	9GT42909	3	\$2.49
7mm	3 1/8	9GT42911	3	2.49
8mm	4 1/8	9GT42912	3	2.49
9mm	4 3/8	9GT42913	3	3.49
10mm	4 7/8	9GT42914	3	3.49
11mm	5 1/8	9GT42915	4	3.49
12mm	5 7/8	9GT42916	4	3.99
13mm	6 1/8	9GT42917	5	3.99
14mm	6 7/8	9GT42918	5	3.99
15mm	7 1/8	9GT42919	7	3.99
16mm	8	9GT42920	7	3.99
17mm	8 1/2	9GT42921	7	4.99
18mm	8 7/8	9GT42922	8	4.99
19mm	9 1/8	9GT42923	9	4.99
20mm	10 1/8	9GT42924	8	4.99
21mm	10 7/8	9GT42925	9	6.99
22mm	11 1/8	9GT42926	11	6.99
23mm	12 1/8	9GT42927	15	6.99
24mm	12 7/8	9GT42928	14	8.99
25mm	13 1/8	9GT42929	1	2 8.99
26mm	14 1/8	9GT42930	1	4 8.99
27mm	14 7/8	9GT42931	1	7 10.99
28mm	15 1/8	9GT42932	1	10 10.99
30mm	16 1/8	9GT42933	1	11 14.99
32mm	16 7/8	9GT42934	1	13 14.99

Individual **STANDARD**
Combination Wrenches

ORDER INFO: Warranty, page 121.

Size in.	Length in.	Catalog Number	Shpg. wt. lbs. oz.	Each
1/4	3 1/16	9GT44699	3	\$2.49
5/16	4 1/8	9GT44699	3	2.49
1/2	4 3/8	9GT44699	3	2.99
5/8	5 1/8	9GT44699	3	2.99
3/4	5 7/8	9GT44699	4	2.99
7/8	6 1/8	9GT44699	5	3.99
1	7 1/8	9GT44699	5	3.99
1 1/16	8	9GT44699	7	3.99
1 1/8	8 1/2	9GT44699	7	3.99
1 1/4	9 1/8	9GT44701	9	4.99
1 1/2	10 1/8	9GT44702	10	4.99
1 3/4	11 1/8	9GT44703	11	4.99
1 7/8	12 1/8	9GT44704	12	6.99
2	13 1/8	9GT44705	1	6.99
2 1/16	14 1/8	9GT44706	1	5 9.99
2 1/8	15 1/8	9GT44707	1	5 14.99
2 1/4	16 1/8	9GT44708	1	12 14.99
2 3/8	18 1/8	9GT44709	1	15 14.99

(2) Open-end Wrenches

Individual **STANDARD**
Open-end Wrenches

ORDER INFO: Warranty, page 121.

Size, inches	Length in.	Catalog Number	Wt. lbs. oz.	Each
1/4 x 3/16	4 1/2	9GT44571	3	\$2.99
3/8 x 1/8	5 1/8	9GT44572	3	2.99
1/2 x 9/16	6 1/8	9GT44579	5	3.99
5/8 x 3/8	7	9GT44592	7	3.99
19/32 x 1 1/16	8	9GT44581	7	3.99
5/8 x 3/4	7 1/8	9GT44582	8	4.99
1 1/16 x 1 1/8	8 5/8	9GT44591	10	4.99
3/4 x 7/8	9 1/8	9GT44584	10	6.99
25/32 x 1 1/8	10	9GT44583	10	4.99
1 1/16 x 1 1/2	10 1/2	9GT44585	14	6.99
1 1/8 x 1 1/2	12	9GT44586	1	2 9.99
1 1/4 x 1 3/8	14 1/8	9GT44587	2	14.99
1 3/8 x 1 7/8	16 1/4	9GT44588	2	19.99
1 1/2 x 1 3/8	17 1/8	9GT44589	2	14 19.99

Individual **METRIC**
Open-end Wrenches

ORDER INFO: Warranty on page 121.

Size, mm	Length in.	Catalog Number	Wt. lbs. oz.	Each
6 x 8	4 1/2	9GT44502	3	\$2.99
7 x 9	5	9GT44503	4	2.99
10 x 11	5 1/2	9GT44504	4	3.99
12 x 14	6 1/2	9GT44506	5	3.99
13 x 15	7	9GT44507	6	3.99
16 x 18	7 1/4	9GT44521	7	4.99
17 x 19	8 1/8	9GT44508	8	4.99
20 x 22	9 1/2	9GT44522	11	6.99
21 x 23	10 1/8	9GT44523	15	6.99
22 x 24	10 7/8	9GT44509	13	6.99
24 x 26	11 1/8	9GT44515	1	7.99
25 x 27	11 1/2	9GT44516	1	2 7.99
28 x 30	12 1/8	9GT44518	1	5 9.99
30 x 32	13 1/2	9GT44519	1	11 14.99

(3) Box-end Wrenches

Individual **STANDARD**
Box-end Wrenches

ORDER INFO: Warranty page 121.

Size, inches	Length in.	Catalog Number	Wt. lbs. oz.	Each
3/8 x 7/16	4 1/4	9GT43866	1	\$3.99
1/2 x 9/16	5 1/2	9GT43864	1	3.99
5/8 x 3/4	6 3/8	9GT43865	3	3.99
1/2 x 9/16	7 1/8	9GT43919	3	3.49
3/4 x 7/8	7 3/8	9GT43922	4	3.49
1/2 x 1/2	8 1/8	9GT43921	5	4.49
5/8 x 3/4	9 1/8	9GT43923	5	4.49
1 1/8 x 1 1/4	10	9GT43924	6	4.49
3/4 x 3/4	10 1/2	9GT43925	7	5.99
1 1/8 x 1 1/2	11 1/8	9GT43926	7	5.99
1 1/4 x 1 3/8	11 3/8	9GT43927	8	5.99
3/4 x 7/8	12 3/8	9GT43928	10	7.99
1 1/8 x 1 1/2	15 1/8	9GT43929	13	7.99
1 1/2 x 1 1/4	17 1/8	9GT43934	1	10 12.99
1 3/8 x 1 3/8	18 1/8	9GT43935	2	2 14.99
1 7/8 x 1 1/2	22 3/8	9GT43936	2	8 19.99

Individual **METRIC** Box-end Wrenches

ORDER INFO: Warranty, page 121.

Size, mm	Length in.	Catalog Number	Wt. lbs. oz.	Each
6 x 8	7	9GT42952	3	\$3.99
7 x 9	7 1/4	9GT42953	4	3.99
10 x 11	7 1/2	9GT42954	4	4.99
12 x 14	9 1/8	9GT42956	5	4.99
13 x 15	9 1/2	9GT42957	6	4.99
16 x 18	10 1/2	9GT42961	8	6.99
17 x 19	11 1/8	9GT42958	8	6.99
20 x 22	11 3/8	9GT42965	13	6.99
21 x 23	12 1/8	9GT42966	14	7.99
22 x 24	13 1/8	9GT42959	13	7.99
24 x 26	14 1/8	9GT44962	15	7.99
25 x 28	14 3/8	9GT44963	1	4 11.99
27 x 30	15 3/8	9GT44965	1	4 11.99
28 x 32	16 3/8	9GT44966	1	7 16.99
30 x 32	17	9GT44967	1	12 16.99

CRAFTSMAN®
Specialty Wrenches
See opposite page for our
FULL UNLIMITED WARRANTY

(4) Individual **STANDARD** Ratcheting Box-end Wrenches

Size, inches	Length, inches	Catalog Number	Wt. oz.	Each
1/4 x 3/16	4 3/4	9 GT 43681	3	\$4.69
3/8 x 1/8	6 1/8	9 GT 43682	5	5.19
1/2 x 9/16	7 1/8	9 GT 43683	7	5.69
5/8 x 3/4	8 1/8	9 GT 43684	9	6.69
1 1/8 x 1 1/8	10	9 GT 43685	12	7.19

Individual **METRIC** Ratcheting Box-end Wrenches

Size, mm	Length, in.	Catalog Number	Wt. oz.	Each
6 x 8	4 3/4	9 GT 43691	3	\$4.69
10 x 11	6 1/8	9 GT 43692	5	5.19
12 x 13	7 1/8	9 GT 43693	7	5.69
14 x 16	8 1/8	9 GT 43694	9	6.69
17 x 19	10	9 GT 43695	13	7.19

(5) Individual Open-end/Socket-end Wrenches

Size, in.	Length, inches	Catalog Number	Shpg. wt.	Each
3/8	7 1/8	9 GT 42544	5 oz.	\$7.99
7/16	7 1/8	9 GT 42541	5 oz.	7.99
1/2	8 1/8	9 GT 42542	7 oz.	7.99
9/16	8 1/8	9 GT 42543	7 oz.	7.99
5/8	9 1/8	9 GT 42545	9 oz.	9.99
1 1/16	9 1/8	9 GT 42547	10 oz.	9.99
3/4	10 1/8	9 GT 42546	11 oz.	9.99

(6) Individual Tappet Wrenches

Size, inches	Catalog Number	Shpg. wt.	Price
3/8 x 1/8	9 GT 44475	5 oz.	\$4.99
7/16 x 1 1/32	9 GT 44471	5 oz.	4.99
1/2 x 1/8	9 GT 44472	6 oz.	4.99
5/8 x 1 1/8	9 GT 44473	7 oz.	4.99
3/4 x 1/8	9 GT 44474	8 oz.	4.99

Flare-nut
Wrench

7

Open-end/
Socket-end
Wrench

5

Starter and
Manifold Wrench

8

(7) Individual Flare-nut Wrenches STANDARD Flare-nut Wrenches

Size, inches	Length	Catalog No.	Shpg. wt.	Price
3/8 x 1/8	6 in.	9 GT 44174	4 oz.	\$6.49
1/2 x 9/16	6 1/2 in.	9 GT 44171	5 oz.	6.49
5/8 x 1 1/8	8 1/8 in.	9 GT 44173	8 oz.	6.49

METRIC Flare-nut Wrenches

Size	Length	Catalog No.	Shpg. wt.	Price
9 x 11mm	6 in.	9 GT 44175	4 oz.	\$6.49
10 x 12mm	6 1/2 in.	9 GT 44176	5 oz.	6.49
13 x 14mm	7 in.	9 GT 44177	5 oz.	6.49
15 x 17mm	7 1/2 in.	9 GT 44178	8 oz.	6.49
19 x 21mm	8 in.	9 GT 44179	9 oz.	6.49

(8) Starter and Manifold Wrench. For close eng. work. 12-pt. openings, 9/16 and 5/8 in. Meas. 7 1/4 in. long.

ORDER INFO: See warranty on page 121.

9 GT 4376—Shpg. wt. 7 oz.\$6.99

15

ALL 2 **Sears** 121

CRAFTSMAN® Socket Wrench Sets...so durable they're backed by our Full Unlimited Warranty

FULL UNLIMITED WARRANTY ON CRAFTSMAN® HAND TOOLS: If any CRAFTSMAN® Hand Tool ever fails to give complete satisfaction, simply return it to the nearest Sears store throughout the United States and Sears will replace it, free of charge. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state



55-pc. Set



22-pc. Set



14-pc. Set



51-pc. Set



24-pc. Set



21-pc. Set

1/2-INCH square drive

(1) **OUR MOST COMPLETE**
55-piece
STANDARD Set **\$199⁰⁰**

(2) 22-piece **\$49⁹⁹** | (3) 14-piece **\$29⁹⁹**
STANDARD Set STANDARD Set

ORDER INFO: Warr. top of pg., constr. p. 123. All ratchets are quick-release.

Tool	(1) 55-pc. Set	(2) 22-pc. Set	(3) 14-pc. Set
8-pt. Socket	6 (7/16 thru 3/4 in.)		
12-pt. Socket	13 (7/16 thru 1 1/4 in.)	10 (7/16 thru 1 in.)	10 (7/16 thru 1 in.)
12-pt. deep Socket	11 (7/16 thru 1 1/4 in.)	8 (7/16 thru 1 1/4 in.)	
6-pt. impact Socket	10 (7/16 thru 1 in.)		
Reversible impact Socket	3/4 x 13/16		
Drag link Socket	4 (9/16 thru 1 1/8 in.)		
6-pt. Spark plug Socket	13/16 in.		13/16 in.
Ratchet	2 (fine-tooth; flex head)	regular	regular
Extension bar	3 (3, 6, 10 in.)	2 (3, 6 in.)	3 in.
Flex "T"-handle	15 in.		
Universal joint	One		
Speeder; Slide bar	18 in.; 9 in.		
Storage case		Permanex plastic	Permanex plastic
Catalog Number	9 GT 44075C	9 GT 44074	9 GT 44091
Shpg. wt.	24 lbs.	7 lbs. 10 oz.	5 lbs. 1 oz.
Price	\$199.00	\$49.99	\$29.99

3/8-INCH square drive

(4) **OUR MOST COMPLETE**
51-piece
STANDARD Set **\$149⁰⁰**

(5) 24-piece **\$49⁹⁹** | (6) 21-piece **\$29⁹⁹**
STANDARD Set STANDARD Set

ORDER INFO: Warr. top of pg., constr. p. 123. Ratchets are quick-release.

Tool	(4) 51-pc. Set	(5) 24-pc. Set	(6) 21-pc. Set
6-pt. deep Socket	9 (9/16 thru 7/8 in.)	9 (9/16 thru 7/8 in.)	7 (9/16 thru 3/4 in.)
8-pt. Socket	5 (1/4 thru 1/2 in.)		
12-pt. Socket	8 (9/16 thru 1 1/4 in.)	8 (9/16 thru 1 1/4 in.)	7 (9/16 thru 3/4 in.)
Screwdriver bit	3 slotted, 3 Phillips		
Hex bit	6 (3/16 thru 3/8 in.)		
Torx bit	4 (T30, T40, T45, T50)		
6-pt. Spark plug socket	2 (9/16, 13/16 in.)		
6-pt. Flex spark plug socket	2 (9/16, 13/16 in.)	2 (9/16, 13/16 in.) *	13/16 in.
Ratchet	2 (fine-tooth; flex-head)	fine-tooth	regular
Extension bar	3 (3, 6, 10 in.)	3 (3, 6, 10 in.)	3 (1 1/2, 3, 6 in.)
Flex "T"-handle	10 in.		
Universal joint	One	One	One
Speeder; Slide bar	16 in.; 8 in.		
Storage case		Permanex plastic	Permanex plastic
Catalog Number	9 GT 44047	9 GT 44046	9 GT 33227
Shpg. wt.	11 lbs. 2 oz.	5 lbs. 10 oz.	3 lbs. 13 oz.
Price	\$149.00	\$49.99	\$29.99



27-pc. Set



12-pc. Set



21-pc. Set

3/4-INCH square drive

(7) **OUR MOST COMPLETE**
27-piece
STANDARD Set **\$299**

(8) 12-piece **\$99⁹⁹** | (9) 21-piece **\$199**
STANDARD Set STANDARD Set

ORDER INFO: Warranty, top of pg., construction, top of opposite pg. All ratchets are quick-release.

Tool	(7) 27-pc. Set	(8) 12-pc. Set	(9) 21-pc. Set
12-pt. Socket	Twenty-one (7/8 thru 2 1/2 in.) regular	Ten (1 1/2 thru 1 7/8 in.) regular	Seventeen (7/8 thru 2 in.) regular
Ratchet			
Extension bar	3 (5, 8, 16 in.)	5 in.	2 (5, 8 in.)
Flex "T"-handle	18 in.		18 in.
Slide bar	18 in.		
Cat. No.	9 GT 46305	9 GT 46307C	9 GT 46308C
Shpg. wt.	38 lbs.	15 lbs.	24 lbs.
Price	\$299.00	\$99.99	\$199.00

9-pc. STANDARD Socket Set. 12-pt. Regular-depth. SET COMPOSITION: Nine 3/4-in. square drive sockets with 12-point openings (1 1/8 thru 1 1/2 in.).

ORDER INFO: See construction on top of p. 123, warranty top of this page. Sep. prices tot. \$67.91. 9 GT 4349—Shpg. wt. 5 lbs. 6 oz.Set \$59.99

CONSTRUCTION: Every CRAFTSMAN® socket, ratchet and ratchet accessory is made of alloy steel, heat-treated for extra strength, then oil-quenched and tempered for uniform "through-hardening" so there are no inner soft spots. Heavy nickel-chrome plating adds rust-resistance. CRAFTSMAN® sockets have thin sidewalls to allow work in limited space; while CRAFTSMAN® sockets utilize this thin-wall construction, they maintain strength needed to do heavy work without breaking or failing



48-pc. Set

25-pc. Set

(10) OUR MOST COMPLETE

... 48-piece STANDARD Set \$89⁹⁹

(11) 25-piece STANDARD Set \$39⁹⁹

1/4-INCH
square drive

ORDER INFO: Construction at top of pg., warranty at top of opposite pg. All ratchets are quick-release.

Tool	(10) 48-piece Set	(11) 25-piece Set
6-pt. Socket	10 (5/8 thru 1 1/2 in.)	9 (5/8 thru 1 1/2 in.)
6-pt. deep Socket	9 (5/8 thru 1 1/2 in.)	9 (5/8 thru 1 1/2 in.)
Screwdriver bits	2 slotted, 2 Phillips	
Hex bit	3/16, 1/4, 5/16, 3/8	
Clutch bit	3/32, 1/4, 5/16	
Ratchet	fine-tooth	regular
Extension bar	3 (3, 6, 14 in.)	3 (1 1/2, 3, 6 in.)
Flex extension	6 in.	
Flex "T"-handle	6 in.	
Universal joint	one	one
Spinner handle	8 in.	6 in.
Cross bar	one	
Slide bar	4 1/2 in.	
Short hex key	3/64 in.	
Magnetic insert	5 (1/4 to 1 1/2 in.)	
Storage case	Metal	Permanex plastic
Catalog Number	9 GT 44392	9 GT 44142
Shpg. wt.	4 lbs. 11 oz.	2 lbs. 4 oz.
Price	\$89.99	\$39.99



1/4, 3/8, 1/2-INCH
square drive

Combination of
OUR MOST COMPLETE
Sets (1), (4), (10)

Our most complete Socket Wrench Set. For tools in set, see tool sets (1), (4), (10) on this and the opposite page.
9 GT 44099C—Shpg. wt. 39 lbs.Set \$399.00

CRAFTSMAN® METRIC Accessory Sets

Give your present tool set the capability to handle increasingly common metric-size fasteners



(12) OUR MOST COMPLETE . . . 145-piece METRIC Set

Save \$130 \$299⁰⁰

SET COMPOSITION:

1/4-inch square drive: Ten 6-point sockets (4 thru 13 mm); eleven 6-point deep sockets (4 thru 14 mm).

3/8-inch square drive: Eleven 12-point sockets (9 thru 19 mm); eleven 6-point deep sockets (9 thru 19 mm); six hex bits (4 thru 8, 10 mm).

1/2-inch square drive: Sixteen 12-point sockets (9 thru 19, 21, 22, 24, 27, 30 mm); six 12-pt. deep sockets (14, 17, 19, 21, 22, 27 mm).

Wrenches: Twenty-one combination wrenches (7 thru 27 mm); seven open-end wrenches (6x8, 7x9, 10x11, 12x14, 13x15, 16x18, 17x19 mm); Five box-end wrenches (10x11, 12x14, 13x15, 16x18, 17x19 mm); three flare-nut wrenches (9x11, 10x12, 13x14 mm); eight-piece metric open-end ignition wrench set; ten-piece metric combination ignition wrench set.

Miscellaneous tools: Twenty-piece metric hex key set.

ORDER INFO: See construction above, right, warranty at top of opposite page. *Separate prices total \$429.90 on pages 117, 118, 120 and 121.*

9 GT 33052C—Shipping weight 25 poundsSet \$299.00

109-piece METRIC Set

Save \$104
\$199⁰⁰

54-piece METRIC Set

Save \$61
\$99⁹⁹

SET COMPOSITION:

1/4-inch square drive: Ten 6-point sockets (4 thru 13 mm); eleven 6-pt. deep sockets (4 thru 14 mm).

3/8-inch square drive: Eleven 12-point sockets (9 thru 19 mm); eleven 6-point deep sockets (9 thru 19 mm).

1/2-inch square drive: Sixteen 12-point sockets (9 thru 19, 21, 22, 24, 27, 30 mm); six 12-point deep sockets (14, 17, 19, 21, 22, 27 mm).

Wrenches: Seventeen combination wrenches (7 mm thru 22, 24 mm); five open-end wrenches (10x11, 12x14, 13x15, 16x18, 17x19 mm); 8-piece metric open-end ignition wrench set.

Miscellaneous Tools: 14-pc. metric hex key set.

ORDER INFO: See construction at top of page, warranty at top of opposite page. *Separate prices total \$303.61 on pages 117, 118, 120 and 121.*

Shpg. wt. 17 lbs.
9 GT 33051CSet \$199.00

SET COMPOSITION:

1/4-inch square drive: Six 6-point sockets (5 thru 10 mm); five 6-pt. deep sockets (7 thru 11 mm).

3/8-inch square drive: Eleven 12-point sockets (9 thru 19 mm); eight 6-point deep sockets (10, 12 thru 18 mm).

1/2-inch square drive: Twelve 12-point sockets (10 thru 19, 22, 24 mm).


Wrenches: Twelve combination wrenches (7, 10 thru 19, 22 mm).

ORDER INFO: See construction at top of pg., warranty at top of opposite pg. *Separate prices total \$161.96 on pages 117, 118 and 120.*

Shpg. wt. 8 lbs. 11 oz.

9 GT 33138Set \$99.99


CRAFTSMAN[®] Mechanics' Tool Sets are backed by our Full Unlimited Warranty



QUALITY BY DESIGN

...features like these represent the quality that's built into every CRAFTSMAN® tool

- A** Quick-release Ratchet, with our best fine-tooth design, increases ratcheting action when working in confined areas
- B** Sockets have thin sidewalls to allow work where there is limited space without loss of socket strength
- C** Combination Open-end and Box-end Wrenches are one continuous unit of strong alloy steel. Precision-broached openings and chamfered edges allow accurate positioning around nut or bolt
- D** Extension Bar of one-piece construction for greater strength



CONSTRUCTION: Every CRAFTSMAN® flat wrench, socket, ratchet and ratchet accessory is made of alloy steel, heat-treated for extra-strength, oil-quenched and tempered for "through-hardening" so there are no inner soft spots. Tools are then finished with a heavy nickel-chrome plating to enhance durability and resist rust

and corrosion. CRAFTSMAN® sockets have thin sidewalls to allow work where there is limited clearance. Modern methods of production make possible the thin-wall construction on CRAFTSMAN® sockets without loss of strength. This permits heavy work without breaking or failing.

(1) 143-piece STANDARD Tool Set **Save \$180 \$249⁰⁰**

SET COMPOSITION: All ratchets are fine-tooth, quick-release.

1/4-inch square drive: Ten 6-point sockets (5/32 thru 1/2 inch); ratchet; spinner handle; 3 and 6-inch extension bars; Permanex® plastic storage case.

3/8-inch square drive: Eight 12-point sockets (3/8 thru 1 1/8 in.); eight 6-point deep sockets (7/16 thru 1 1/8 in.); 6-pt. spark plug sockets (5/8, 1 1/8 in.); ratchet; universal joint; three extension bars (3, 6, 10 in.); flex "T" handle.

1/2-inch square drive: Ten 12-point sockets (7/16 thru 1 in.); nine 12-point deep sockets (1/2 thru 1 inch); 6-pt. spark plug socket (1 1/8 in.); ratchet; universal joint; three extension bars (3, 6, 10 in.); flex "T" handle.

Wrenches: 14 combination wrenches (1/4 thru 1 inch); 10-pc. combination ignition wrench set.

Miscellaneous Tools: Four slotted screwdrivers; four Phillips screwdrivers; 20-piece hex key set; 12-ounce ball-pein hammer; ignition file; ignition gauge; ignition pliers; center punch; pin punch; hacksaw and ten hacksaw blades.

ORDER INFO: *Separate prices total \$429.04 on pages 32, 105, 106, 108, 114, 116, 117, 118, 120, 121 and 143.* See construction at top of page, full unlimited warranty below.

9 GT 46381C—Shipping weight 28 poundsSet \$249.00

(2) 88-piece STANDARD or METRIC Tool Set

STANDARD
Set

Save \$114

METRIC
Set

Save \$116

Your
Choice **\$99⁹⁹**

STANDARD SET COMPOSITION: All ratchets are quick-release.

1/4-inch square drive: Ten 6-point sockets (5/32 thru 1/2 inch); ratchet; two extension bars (1 1/2, 3 inch).

3/8-inch square drive: Eight 12-point sockets (3/8 thru 1 1/8 inch); eight 6-point deep sockets (7/16 thru 1 1/8 inch); 3/8-inch, 6-point spark plug socket; ratchet; two extension bars (3, 6 inch).

1/2-inch square drive: Ten 12-point sockets (7/16 thru 1 inch); ratchet; two extension bars (3, 6 inch).

Wrenches: Six open-end wrenches (1/4x5/16, 3/8x7/16, 1/2x9/16, 5/8x3/4, 1 1/8x1 1/8, 3/4x7/8 inch); 10-piece combination ignition wrench set.

Miscellaneous Tools: 20-piece hex key set; 2 Phillips screwdrivers; 2 slotted screwdrivers; center punch; pin punch.

ORDER INFO: *Separate prices total \$214.80 on pages 105, 108, 116 thru 118, 120, 121 and 143.* See construction at top of page and full unlimited warranty at right.

9 GT 33214—Wt. 12 lbs. 2 oz.Set \$99.99

88-piece STANDARD Set (above) with our most popular steel Tool Box. Full length piano-type hinges; partitioned tote tray. Gray baked-enamel finish.

ORDER INFO: *Separate prices total \$236.79 on pages listed above and page 142.*

9 GT 43483C—Shpg. wt. 22 lbs.\$114.00

METRIC SET COMPOSITION: All ratchets are quick-release.

1/4-inch square drive: Ten 6-point sockets (4 thru 13mm); ratchet; two extension bars (1 1/2 and 3 inch).

3/8-inch square drive: Eight 12-point sockets (10 thru 15, 17, 19mm); eight 6-point deep sockets (10, 12 thru 18mm); 3/8-inch, 6-point spark plug socket; ratchet; two extension bars (3 and 6 inch).

1/2-inch square drive: Ten 12-point sockets (12 thru 19, 22, 24mm); ratchet; two extension bars (3, 6 inch).

Wrenches: 6 open-end wrenches (7x9, 10x11, 12x14, 13x15, 16x18, 17x19mm); 10-pc. metric combination ignition wrench set.

Miscellaneous Tools: 20-piece metric hex key set; 2 Phillips screwdrivers; 2 slotted screwdrivers; center punch; pin punch.

ORDER INFO: *Separate prices total \$216.30 on pages 105, 108, 116 thru 118, 120, 121 and 143.* See construction features at top of page and full unlimited warranty at right.

9 GT 33215—Wt. 11 lbs. 10 oz.Set \$99.99

88-piece METRIC Set (above) with our most popular steel Tool Box. Full-length piano-type hinges; partitioned tote tray. Gray baked-enamel finish.

ORDER INFO: *Separate prices total \$238.29 on pages listed above and page 142.*

9 GT 43445C—Shpg. wt. 22 lbs.\$114.00

(3) 73-piece combination STANDARD/METRIC Set

Save \$115 \$79⁹⁸

54-piece STANDARD Set

Save \$92 \$59⁹⁹

(3) 73-piece combination STANDARD/METRIC Set

SET COMPOSITION: All ratchets are quick-release.

1/4-in. sq. drive: Ten 6-pt. standard sockets (5/32 thru 1/2 in.); five 6-pt. metric sockets (5 thru 9mm); 1 1/2-in. extension bar.

3/8-inch square drive: Eight 12-point standard sockets (3/8 thru 1 1/8 inch); nine 12-point metric sockets (10 thru 18mm). 3/8-in., 6-point spark plug socket; socket adapter (3/8 to 1/4 in.); ratchet; 3-inch extension bar.

1/2-inch square drive: Ten 12-pt. sockets (7/16 thru 1 in.); ratchet; 6-inch extension bar.

Wrenches: Five open-end standard wrenches (1/4x5/16, 3/8x7/16, 1/2x9/16, 5/8x3/4, 1 1/8x1 1/8 inch); five open-end metric wrenches (6x8 thru 13x15mm); 4-piece box-end ignition wrench set.

Miscellaneous Tools: 6-piece hex key set; center punch; pin punch; slotted screwdriver; Phillips screwdriver.

ORDER INFO: *Separate prices total \$195.47 on pages 105, 108, 116 thru 118, 120 and 143.* See construction and warranty at top of page and full unlimited warranty below.

9 GT 33195—Shpg. wt. 9 lbs. 14 oz.Set \$79.98

54-piece STANDARD Set

Includes all tools listed in set (3) above except metric tools.

ORDER INFO: *Separate prices total \$152.16 on pages 105, 108, 116 thru 118, 120 and 143.* See construction at top of page, warranty below.

9 GT 33213—Shpg. wt. 8 lbs. 5 oz.Set \$59.99

FULL UNLIMITED WARRANTY ON CRAFTSMAN® HAND TOOLS: If any CRAFTSMAN® Hand Tool ever fails to give complete satisfaction, return it to the nearest Sears store throughout the United States and Sears will replace it free of charge. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.




Use Sears Credit

246-piece STANDARD Mechanics' Tool Set

QUALITY BY DESIGN

... see page 125



246-pc. Tool Set . . .
1/4, 3/8, 1/2, 3/4-in. square drive

Save \$332 \$688⁰⁰

225-pc. Tool Set . . .
1/4, 3/8, 1/2-in. square drive

Save \$322 \$499⁰⁰

SET COMPOSITION: All ratchets are quick-release.

1/4-in. sq. dr. Ten 6-pt. sockets (3/32 thru 1/2 in.); nine 6-pt. deep sockets (3/16 thru 1/2 in.); fine-tooth ratchet; flex "T"-handle; 2 exten. bars (3, 6 in.); 6 in. flex exten.; spinner handle; universal joint; slide bar; 2 Phillips bits (nos. 1, 2); 2 screwdriver bits (.030, .039); 5 hex bits (3/16 thru 3/8 in.). Permanex® plastic case.

3/4-in. sq. dr. Eight 12-pt. sockets (3/8 thru 1 1/8 in.); eight 6-point deep sockets (7/16 thru 1 3/4 in.); seven 6-pt. flex sockets (3/8 thru 3/4 in.); five 8-pt. sockets (1/4 thru 1/2 in.); two 6-pt. spark plug sockets (3/8, 1 1/8 in.); fine-tooth ratchet; flex "T"-handle; 3 extension bars (3, 6, 10 in.); speeder; slide bar; universal joint; 3 screwdriver bits (.030, .039, .055); 3 Phillips bits (nos. 2, 3, 4); 6 hex bits (3/16 thru 3/8 in.).

1/2-in. sq. drive: Twelve 12-point sockets (7/16 thru 1 1/2 inch); eleven 12-point deep sockets (1/2 thru 1 1/2 inch); 1 1/2-in., 6-pt. spark plug socket; fine-tooth ratchet; flex "T"-handle; 3 extension bars (3, 6, 10 in.); slide bar; speeder; stud extractor; universal joint.

3/4-in. sq. drive: Seventeen 12-pt. sockets (3/8 thru 2 in.); ratchet; 18-in. flex "T"-handle; 2 extension bars (5, 8 in.).

Wrenches: Fourteen combination wrenches (1/4 thru 1 in.); eight open-end wrenches (1/4x1/8 thru 1 1/2x1 1/8 in.); three flare-nut wrenches (3/8x1/8 thru 3/4x1 1/8 in.); five tappet wrenches (3/8x1/8 thru 3/4x1 1/8 in.); three short box-end wrenches (3/8x1/8 thru 3/4x1 1/8 in.); 8-pc. open-end ignition wrench set; 10-pc. combination ignition wrench set.

Miscellaneous tools: 4 Phillips screwdrivers; 4 slot-ted screwdrivers; offset screwdriver; Arc Joint® pliers; slip-joint pliers; ignition pliers; brake adjusting tool; 5-pc. punch and chisel set; 20-pc. hex key set; ball-pein hammer; ignition gauge; ignition file; rolling wedge bar; cotter key extractor; hacksaw and 10 blades.

ORDER INFO: See construction, warranty on page 125. *Separate prices total \$1020.63 on pages 105, 106, 108, 109, 114, 116 thru 118, 120 thru 122, 143.*

9 GT 43687L—Shpg. wt. 73 lbs. . . .Set \$688.00

225-pc. Set. Includes all tools listed above except 3/4-in. sq. dr. parts. *Separate prices total \$821.63.*
9 GT 46382—Shpg. wt. 49 lbs. . . .Set \$499.00

CRAFTSMAN® Electric Security Engraver

Adjustable tungsten-carbide tip marks metal, plastic, wood, glass

Help protect tools and other possessions. Engrave them with your name, address, etc. to help aid police recovery if they are stolen.

HOUSING, TIP: Lexan® plastic housing. 1 1/2x1 1/2x8 in. long. Replaceable tungsten-carbide tip. Tip width adjusts for marking metal, plastic, wood and glass. Includes storage pouch.

MOTOR, SWITCH: .15-amp motor; 7200 strokes per min. Slide switch.

ELECTRICAL INFORMATION: Double-insulated. UL listed. 110-120-v., 60-Hz. AC. Heavy-duty 6-ft., 2-wire cord.

ORDER INFO: Warranty (A) on p. 22.
9 GT 4297—Wt. 1 lb. 1 oz. . . \$18.99

Extra Tungsten-carbide Tip for engraver above
9 GT 52839—Wt. 3 oz. . . . \$3.99

Extra Steel Tip for engraver above
9 GT 52835—Wt. 2 oz. . . . \$3.49

Sears Electric Security Engraver

Tungsten-carbide tip marks plastic, wood and most metals

HOUSING, TIP: Lexan® plastic housing. Tungsten-carbide tip for marking plastic, wood, metals. Measures 7 3/4 inches long. Includes storage pouch.

MOTOR, SWITCH: .080-amp motor delivers 7200 strokes per minute. No on-off switch.

ELECTRICAL INFORMATION: Double-insulated. UL listed. 110-120-v., 60-Hz. AC. 6-foot, 2-wire cord.

ORDER INFO: *Not Craftsman.* Wt. 10 oz.
9 GT 4295 . . . \$9.99



(1 and 2) **Stamping Sets.** Steel. Mark metal, plastic, wood, leather.

(1) **Letter Sets.** Caps A to Z, period.

Inch	Catalog No.	Shpg. wt.	Set
1/8	9 GT 37924	1 lb. 7 oz.	\$16.99
3/16	9 GT 37925	2 lbs. 3 oz.	20.99
1/4	9 GT 37926	3 lbs. 2 oz.	24.99

(2) **Number Sets.** 0, 1, 2, 3, 4, 5, 6, 7, 8, 9 inverts to 9. No period.

Inch	Catalog No.	Shpg. wt.	Set
1/8	9 GT 37912	8 oz.	\$6.49
3/16	9 GT 37913	12 oz.	7.49
1/4	9 GT 37914	1 lb. 1 oz.	9.99

CRAFTSMAN® 4-pc. Nail-setting Tool Set. Heat-treated steel. Sizes 1/32, 1/16, 3/32, 1/8 in. Pouch. Warr., p. 116.
9 GT 37547—Wt. 6 oz. . . .Set \$7.49



Contoured, balanced housing for handling ease

Starting here

... 7 pages of CRAFTSMAN® Mechanics' Tool Sets designed for the professional

They're our most complete sets, containing a wider range of sockets and wrenches, so even odd-size fasteners won't slow you down. All these sets include both STANDARD and METRIC size sockets and wrenches, so you'll be able to handle repairs on both domestic and foreign-made vehicles, and like all CRAFTSMAN® mechanics' tools, they're backed by our famous FULL UNLIMITED WARRANTY.

CONSTRUCTION: Every CRAFTSMAN® flat wrench, socket, ratchet and ratchet accessory is made of alloy steel, heat-treated for extra strength, oil-quenched and tempered for "through-hardening" so there are no inner soft spots. Tools are then finished with a heavy nickel-chrome plating to enhance durability and resist rust and corrosion. CRAFTSMAN® sockets have thin sidewalls to allow work where there is limited clearance. Modern methods of production make possible the thin-wall construction on CRAFTSMAN® sockets without loss of strength. This permits heavy work without breaking or failing.

FULL UNLIMITED WARRANTY ON CRAFTSMAN® HAND TOOLS: If any CRAFTSMAN® Hand Tool ever fails to give complete satisfaction, simply return it to the nearest Sears store throughout the United States and Sears will replace it, free of charge. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

Tool	Description	324-pc. Set on pg. 128	404-pc. Set on pg. 129	575-pc. Set on pgs. 132, 133	718-piece Set on pgs. 132, 133 OUR MOST COMPLETE
1/4-INCH SQUARE DRIVE PARTS					
Sockets	6-pt. standard 6-pt. std. deep 6-pt. metric 6-pt. metric deep 12-pt. standard Screwdriver bit Hex bit	10 (1/2 thru 1/2 in.) 9 (1/2 thru 1/2 in.) 10 (4 thru 13mm) 11 (4 thru 14mm) 4 (2 slotted, 2 Phillips) 5 (1/8 thru 3/8 in.)	10 (1/2 thru 1/2 in.) 9 (1/2 thru 1/2 in.) 10 (4 thru 13mm) 11 (4 thru 14mm) 4 (2 slotted, 2 Phillips) 5 (1/8 thru 3/8 in.)	10 (1/2 thru 1/2 in.) 9 (1/2 thru 1/2 in.) 10 (4 thru 13mm) 11 (4 thru 14mm) 9 (1/2 thru 1/2 in.) 4 (2 slotted, 2 Phillips) 5 (1/8 thru 3/8 in.)	10 (1/2 thru 1/2 in.) 9 (1/2 thru 1/2 in.) 10 (4 thru 13mm) 11 (4 thru 14mm) 9 (1/2 thru 1/2 in.) 4 (2 slotted, 2 Phillips) 5 (1/8 thru 3/8 in.)
Drive Tools	Ratchet Extension bar Flex extension Adapter Flex "T"-handle Universal joint Spinner Handle Speeder Slide bar	fine-tooth, quick-release 2 (3, 6 in.) 4 in. 6 in. one 6 in. 4 1/2 in.	fine-tooth, quick-release 2 (3, 6 in.) 4 in. 6 in. one 2 (6 in., 6 in. flex) 4 1/2 in.	fine-tooth, quick-release 2 (3, 6 in.) 4 in. 6 in. one 15 1/2 in. 4 1/2 in.	fine-tooth, quick-release 4 (1 1/2, 3, 6, 14 in.) 4 in. 6 in. one 6 in. 15 1/2 in. 4 1/2 in.
3/8-INCH SQUARE DRIVE PARTS					
Sockets	6-pt. standard 6-pt. std. deep 6-pt. flex 6-pt. std. impact 6-pt. metric 6-pt. metric deep 6-pt. metric flex 8-pt. standard 12-pt. standard 12-pt. std. deep 12-pt. metric 12-pt. metric deep Screwdriver bit Hex bit (std.) Hex bit (metric) 6-pt. spark plug 6-pt. flex spark plug	8 (1/2 thru 1 1/8 in.) 7 (1/2 thru 3/4 in.) 7 (1/2 thru 3/4 in.) 11 (9 thru 19mm) 11 (9 thru 19mm) 5 (1/4 thru 1/2 in.) 8 (3/8 thru 1 1/8 in.) 11 (9 thru 19mm) 6 (3 slotted, 3 Phillips) 6 (1/2 thru 3/4 in.) 6 (4 thru 8, 10mm) 2 (1/2, 1 1/8 in.) 2 (1/2, 1 1/8 in.)	8 (1/2 thru 1 1/8 in.) 7 (1/2 thru 3/4 in.) 7 (1/2 thru 3/4 in.) 11 (9 thru 19mm) 10 (10 thru 19mm) 5 (1/4 thru 1/2 in.) 8 (3/8 thru 1 1/8 in.) 11 (9 thru 19mm) 6 (3 slotted, 3 Phillips) 6 (1/2 thru 3/4 in.) 2 (1/2, 1 1/8 in.) 2 (1/2, 1 1/8 in.)	8 (3/8 thru 1 1/8 in.) 9 (1/2 thru 1 1/8 in.) 7 (1/2 thru 3/4 in.) 7 (1/2 thru 3/4 in.) 9 (9 thru 15, 17, 19mm) 11 (9 thru 19mm) 10 (10 thru 19mm) 5 (1/4 thru 1/2 in.) 8 (3/8 thru 1 1/8 in.) 9 (1/2 thru 1 1/8 in.) 11 (9 thru 19mm) 11 (9 thru 19mm) 6 (3 slotted, 3 Phillips) 6 (1/2 thru 3/4 in.) 2 (1/2, 1 1/8 in.) 2 (1/2, 1 1/8 in.)	8 (3/8 thru 1 1/8 in.) 9 (1/2 thru 1 1/8 in.) 7 (1/2 thru 3/4 in.) 7 (1/2 thru 3/4 in.) 9 (9 thru 15, 17, 19mm) 11 (9 thru 19mm) 10 (10 thru 19mm) 5 (1/4 thru 1/2 in.) 8 (3/8 thru 1 1/8 in.) 9 (1/2 thru 1 1/8 in.) 11 (9 thru 19mm) 11 (9 thru 19mm) 6 (3 slotted, 3 Phillips) 6 (1/2 thru 3/4 in.) 2 (1/2, 1 1/8 in.) 2 (1/2, 1 1/8 in.)
Drive Tools	Ratchet Extension bar Adapter Flex "T"-handle Universal joint Speeder Slide bar	fine-tooth, quick-release 3 (3, 6, 10 in.) 10 in. one 16 in. 7 in.	fine-tooth, quick-release 3 (3, 6, 10 in.) 10 in. one 16 in. 7 in.	2 (fine-tooth, quick-release; flex) 5 (1 1/2, 3, 6, 10, 20 in.) 2 (1/2, 1 1/2 in.) 10 in. one 16 in. 7 in.	2 (fine-tooth, quick-release; flex) 5 (1 1/2, 3, 6, 10, 20 in.) 2 (1/2, 1 1/2 in.) 10 in. one 16 in. 7 in.
1/2-INCH SQUARE DRIVE PARTS					
Sockets	6-pt. standard 6-pt. metric 6-pt. std. impact 8-pt. standard 12-pt. standard 12-pt. std. deep 12-pt. metric 12-pt. metric deep 6-pt. spark plug	12 (1/2 thru 1 1/2 in.) 11 (1/2 thru 1 1/2 in.) 15 (9 thru 19, 21, 22, 24, 27mm) 13 (1/2 thru 1 1/2 in.) 13 (1/2 thru 1 1/2 in.)	12 (1/2 thru 1 1/2 in.) 11 (1/2 thru 1 1/2 in.) 15 (9 thru 19, 21, 22, 24, 27mm) 13 (1/2 thru 1 1/2 in.) 13 (1/2 thru 1 1/2 in.)	13 (1/2 thru 1 1/2 in.) 10 (9 thru 15, 17, 19, 22mm) 10 (1/2 thru 1 in.) 6 (1/2 thru 3/4 in.) 13 (1/2 thru 1 1/2 in.) 11 (1/2 thru 1 1/2 in.) 17 (9 thru 19, 21, 22, 24, 27, 30, 32mm) 6 (14, 17, 19, 21, 22, 27mm) 13 (1/2 thru 1 1/2 in.)	13 (1/2 thru 1 1/2 in.) 10 (9 thru 15, 17, 19, 22mm) 10 (1/2 thru 1 in.) 6 (1/2 thru 3/4 in.) 13 (1/2 thru 1 1/2 in.) 11 (1/2 thru 1 1/2 in.) 17 (9 thru 19, 21, 22, 24, 27, 30, 32mm) 6 (14, 17, 19, 21, 22, 27mm) 13 (1/2 thru 1 1/2 in.)
Drive Tools	Ratchet Extension bar Adapter Flex "T"-handle Universal joint Speeder Slide bar Stud extractor	fine-tooth, quick-release 3 (3, 6, 10 in.) 15 in. one 18 in. 15 in. one	fine-tooth, quick-release 3 (3, 6, 10 in.) 15 in. one 18 in. 9 in. one	2 (fine-tooth, quick-release; flex) 3 (3, 6, 10 in.) 15 in. one 18 in. 15 in. one	2 (fine-tooth, quick-release; flex) 5 (2, 3, 6, 10, 20 in.) 15 in. one 18 in. 15 in. one

Tool	Description	324-piece Set on page 128	404-piece Set on page 129	575-piece Set on pages 130, 131	718-piece Set on pages 132, 133 OUR MOST COMPLETE
1/4-INCH SQUARE DRIVE PARTS					
Sockets	12-pt. Standard	15 (1 thru 2 in.)	14 (1 1/8 thru 2 in.)	15 (1 thru 2 in.)	15 (1 thru 2 in.)
Drive Tools	Ratchet Extension bar Flex "T"-handle Slide bar	quick-release 8 in. 18 in.	quick-release 8 in.	quick-release 2 (5, 8 in.) 18 in.	quick-release 2 (5, 8 in.) 18 in.
WRENCHES					
Combination	Standard Metric	17 (1/4 thru 1 1/4 in.) 17 (7 thru 22, 24mm)	16 (1/4 thru 1 1/4 in.) 19 (7 thru 24, 27mm)	17 (1/4 thru 1 1/4 in.) 18 (7 thru 24mm)	17 (1/4 thru 1 1/4 in.) 20 (7 thru 24, 27, 30mm)
Open-end	Standard Metric	8 (1/4 x 3/8-1 1/8 x 1 1/8 in.) 9 (1/4 x 3/8 thru 1 1/8 x 1 1/8 in.) 10 (6 x 8 thru 22 x 24mm)	8 (1/4 x 3/8 thru 1 1/8 x 1 1/8 in.) 8 (6 x 8 thru 22 x 24mm)	8 (1/4 x 3/8 thru 1 1/8 x 1 1/8 in.) 8 (6 x 8 thru 22 x 24mm)	8 (1/4 x 3/8 thru 1 1/8 x 1 1/8 in.) 8 (6 x 8 thru 22 x 24mm)
Box-end	Standard short Standard Std. ratcheting Metric ratcheting	3 (3/8 x 1/2 thru 3/4 x 3/4 in.) 3 (3/8 x 1/2 thru 3/4 x 3/4 in.) 5 (1/4 x 3/8 thru 1 1/8 x 1 1/8 in.) 5 (6 x 8 thru 17 x 19mm)	3 (3/8 x 1/2 thru 3/4 x 3/4 in.) 3 (3/8 x 1/2 thru 3/4 x 3/4 in.) 5 (1/4 x 3/8 thru 1 1/8 x 1 1/8 in.) 5 (6 x 8 thru 17 x 19mm)	3 (3/8 x 1/2 thru 3/4 x 3/4 in.) 3 (3/8 x 1/2 thru 3/4 x 3/4 in.) 5 (1/4 x 3/8 thru 1 1/8 x 1 1/8 in.) 5 (6 x 8 thru 17 x 19mm)	3 (3/8 x 1/2 thru 3/4 x 3/4 in.) 3 (3/8 x 1/2 thru 3/4 x 3/4 in.) 5 (1/4 x 3/8 thru 1 1/8 x 1 1/8 in.) 5 (6 x 8 thru 17 x 19mm)
Open-end/ socket	Standard	7 (3/8 thru 3/4 in.)	7 (3/8 thru 3/4 in.)	7 (3/8 thru 3/4 in.)	7 (3/8 thru 3/4 in.)
Flare Nut	Standard Metric	3 (3/8 x 1/2-3/4 x 1 1/8 in.) 5 (9 x 11 thru 19 x 21mm)	3 (3/8 x 1/2 thru 3/4 x 1 1/8 in.) 5 (9 x 11 thru 19 x 21mm)	3 (3/8 x 1/2 thru 3/4 x 1 1/8 in.) 5 (9 x 11 thru 19 x 21mm)	3 (3/8 x 1/2 thru 3/4 x 1 1/8 in.) 5 (9 x 11 thru 19 x 21mm)
Tappet	Standard	5 (3/8 x 1/2-3/4 x 3/4 in.)	5 (3/8 x 1/2 thru 3/4 x 3/4 in.)	5 (3/8 x 1/2 thru 3/4 x 3/4 in.)	5 (3/8 x 1/2 thru 3/4 x 3/4 in.)
Combination ignition	Standard Metric	10-pc. set 10-pc. set	10-pc. set 10-pc. set	10-pc. set 10-pc. set	10-pc. set 10-pc. set
Open-end ignition	Standard Metric	8-pc. set	8-pc. set 8-pc. set	8-pc. set 8-pc. set	8-pc. set 8-pc. set
Crowfoot (3/8 in. sq. dr.)	Standard Metric	10 (3/8 thru 1 in.)	10 (3/8 thru 1 in.)	10 (3/8 thru 1 in.)	10 (3/8 thru 1 in.) 10 (10 thru 19mm)
MISCELLANEOUS TOOLS					
Nutdrivers	Standard Metric	7 (3/8 thru 1 1/2 in.)	7 (3/8 thru 1 1/2 in.) 7 (5 thru 11mm)	7 (3/8 thru 1 1/2 in.) 7 (5 thru 11mm)	7 (3/8 thru 1 1/2 in.) 7 (5 thru 11mm)
Pliers	Arc joint Diagonal- cutting Slip-joint Bent needle-nose Ignition Snap ring	2 (9 1/2, 12 1/2 in.) 8 in. 5 in.	9 1/2 in. 7 in. 8 3/4 in. 5 in.	2 (9 1/2, 12 1/2 in.) 7 in. 8 in. 5 in.	3 (7, 9 1/2 in., 12 1/2 in.) 7 in. 2 (6 3/4, 8 in.) 6 in. 5 in. one
Screw- drivers	Slotted Phillips Offset	4 (stubby, 3/8 x 4 thru 3/8 x 8) 4 (stubby, nos. 1, 2, 3) one	4 (stubby, 3/8 x 4 thru 3/8 x 8) 4 (stubby, nos. 1, 2, 3) one	9 (stubby, 3/8 x 4 thru 3/8 x 12 in.) 7 (stubby, nos. 0, 1, 2, 2 x 8, 3, 4) one	11 (stubby, 3/8 x 4 thru 3/8 x 12 in.) 7 (stubby, nos. 0, 1, 2, 2 x 8, 3, 4) one
Hammers	Ball pein Plastic tip	2 (8 oz., 12 oz.)	12 oz.	2 (8, 12 oz.)	2 (8, 12 oz.) 6 oz.
Tap and Die sets	Standard Metric	59-pc. set 59-pc. set	59-pc. set 59-pc. set	59-pc. set 59-pc. set	59-pc. set 59-pc. set
Hex keys	Standard Metric	20-pc. set 20-pc. set	20-pc. set 20-pc. set	20-pc. set, 12, 17mm	20-pc. set, 12, 17mm
Punch and Chisel set		5-pc. set	5-pc. set	5-pc. set	12-pc. set
Additional Tools			8-in. Adjustable wrench	Gap gauge, Scratch awl	Gap gauge, Files (mill, round, 2 half-round), Pry bar, Rule, Feeler gauge, Line-up punch, Scratch awl

All sets include ignition file, rolling wedge bar, ignition gauge, cotter key extractor, brake adjusting tool, Permanex® plastic box for 1/4 in. drive tools, hacksaw and 10 blades.

CRAFTSMAN® STANDARD and METRIC Mechanics' Tool Sets, with or without chest and cabinet

324-piece Set

1/4, 3/8 and 1/2-inch square drive sizes

INCLUDES:

- 141 Sockets
- 25 Drive Tools
- 81 Wrenches
- 77 Additional Tools,
including 9 Screwdrivers
and 4 Pliers

Save \$399

when you buy Tool Set alone

\$699⁰⁰

Save \$429

when you buy Set with Chest and Cabinet

\$978⁹⁸

SET COMPOSITION: For individual tools, see chart on page 127.
ORDER INFO: See page 127 for construction and warranty information.
Separate prices total \$1098.82 on pages 32, 105, 106, 108, 109,
114, 116 thru 118, 120, 121 and 143.

324-piece Tool Set alone


9 GT 46383N—Shipping weight 97 poundsSet \$699.00

Tool Set with Chest and Cabinet

See items (5) and (6) on page 136 for descriptions of 3-drawer chest and
3-drawer cabinet. Separate prices total \$1408.80 on pages listed above
and page 136.

9 GT 43488N—Shipping weight 230 pounds\$978.98





404-piece Set

1/4, 3/8, 1/2 and 3/4-inch square drive sizes

INCLUDES:

- 176 Sockets
- 28 Drive Tools
- 117 Wrenches
- 83 Additional Tools, including 9 Screwdrivers and 4 Pliers

Save \$534

when you buy Tool Set alone

\$999⁰⁰

Save \$564

when you buy Set with Chest and Cabinet

\$1278⁹⁸

SET COMPOSITION: For individual tools, see chart, p. 127.

ORDER INFO: See page 127 for construction and warranty information. *Separate prices total \$1533.90 on pages 5, 14, 32, 105, 106, 108, 109, 112, 114, 116 thru 121 and 143.*


404-piece Tool Set alone

9 GT 46384N—Shipping weight 97 poundsSet \$999.00

Tool Set with Chest and Cabinet


See items (5) and (6) on page 136 for descriptions of 3-drawer chest and 3-drawer cabinet. *Separate prices total \$1843.88 on pages listed above and page 136.*

9 GT 43489N—Shipping weight 230 pounds\$1278.98



Use Sears Credit

CRAFTSMAN® 575-piece STANDARD and METRIC Mechanics' Tool Set,
with or without chest and cabinet... $\frac{1}{4}$, $\frac{3}{8}$, $\frac{1}{2}$ and $\frac{3}{4}$ -inch square drive sizes



INCLUDES:

- 187 Sockets
- 36 Drive Tools
- 130 Wrenches
- 222 Additional Tools,
including 17 Screwdrivers,
5 Pliers and two 59-piece
Tap and Die Sets

Save \$665

when you buy Tool Set alone

\$1499⁰⁰

Save \$728

when you buy Set with
Chest and Cabinet

\$1799⁰⁰

SET COMPOSITION: For individual tools, see
chart on page 127.

ORDER INFO: See page 127 for construction,
warranty info. *Separate prices total \$2164.91
on pages 28, 32, 105, 106, 108, 109, 112,
114, 116 thru 118, 120, 121 and 143.*

575-piece Tool Set alone

Shipping weight 134 pounds.

9 GT 46385NSet \$1499.00

Tool Set with Chest and Cabinet

See items (3) and (4) on page 136 for descrip-
tions of 4-drawer chest and 5-drawer cabinet.
*Separate prices total \$2527.89 on pages listed
above and page 136.*


Shipping weight 286 pounds.

9 GT 43477N.....\$1799.00



CRAFTSMAN® 718-piece STANDARD and METRIC Mechanics' Tool Set, with or without chest and cabinet... $\frac{1}{4}$, $\frac{3}{8}$, $\frac{1}{2}$ and $\frac{3}{4}$ -inch square drive sizes





**OUR MOST
COMPLETE SET . . .
lets you handle nearly
any job in the shop**

INCLUDES:

- 281 Sockets
- 43 Drive Tools
- 150 Wrenches
- 244 Additional Tools,
including 19 Screwdrivers,
9 Pliers and two 59-piece
Tap and Die Sets

Save \$773

when you buy Tool Set alone

\$1999⁰⁰

Save \$872

when you buy Set with Chest and Cabinet

\$2749⁹⁹

SET COMPOSITION:

For individual tools, see chart on page 127.

ORDER INFO:

See page 127 for construction and warranty information. *Separate prices total \$2772.15 on pages 28, 32, 39, 105 thru 109, 112, 114 thru 118, 120, 121 and 143.*

718-piece Tool Set alone

Shipping weight 172 pounds.
9 GT 46386NSet \$1999.00

Tool Set with Chest and Cabinet

See items (7) and (8) on pages 134 and 135 for descriptions of 12-drawer chest and 12-drawer cabinet. *Separate prices total \$3622.13 on pages listed above and page 134.*

Shipping weight 472 pounds.
9 GT 43478N\$2749.99





New at Sears! CRAFTSMAN® Mobile Tool Caddy

Rolls directly to work area and keeps tools easy to reach and organized, to save you time and effort as you work



Raise or lower tray in 4-inch increments from 12 3/4 to 40 3/4 inches to bring your tools to your work level and eliminate extra stooping or stretching

(1) Helps keep tools easy to reach and organized as you work.

CONSTR: Heavy-gauge steel with red enamel finish. Aluminum handle. Quick-release height adjustment lets you move tray up or down in 4-inch increments from 12 3/4 to 40 3/4 in. high. Tray 15x15 1/2 in. deep with 11-in. high back; has clips for 12 sockets (6 each for 3/8 and 1/2-inch square drive) and 6 hooks for hanging tools. 20x20-in. wide base can hold larger tools. 3-in. diam. casters: 2 fixed, 2 swivel with toe brakes. Overall 20x20x5 1/2 in. h. ORDER INFO: Shipped unassembled. T 9 GT 65356L—Wt. 33 lbs.\$89.99

CRAFTSMAN® Mobile Tool Cart

Gives you storage space on right and left sides plus a hardboard work surface on top

(2) Provides 31.1 square feet of storage space with a 7.5-square foot hardboard work surface on top.

CONSTR: Heavy-gauge steel with red enamel finish. Top composition-hardboard work surface is 45x24 in. wide. Chrome-plated side handle. 2 drawer pulls on each drawer. Drawer slides. All doors and drawers have keyed-alike tumbler lock (2 keys incl.). Heavy-duty 6-in. diam. casters: 2 fixed, 2 swivel. Foot-operated floor jack mounted on swivel caster end of cart; immobilizes unit when stability is needed. OVERALL SIZE: 45x24x36 1/4 inches high. DRAWERS: 7 drawers on left side, all 25 1/2x17 1/2 in. front to back; four 2 1/2 in. deep; two 4 in. deep; one 6 in. deep. COMPARTMENTS: Left side: 1 vertical with 3 shelf surfaces, all 15 1/2x17 in. front to back; one 8 1/2 in. high, one 6 1/4 in. h., one 9 1/4 in. h.; 1 locking door. Right side: 3 horizontal, one 40x11 1/2x5 1/2 in. front to back, one 40x5 1/2x5 1/2 in. front to back, one 40x6x5 1/2 in. front to back, 2 drop doors close with magnetic catches, 3-point locking system. Chain supports hold drop doors level when open.

ORDER INFO: See shipping note below. F 9 GT 65212N—Wt. 360 lbs. . \$999.99

CRAFTSMAN® Industrial Maintenance Cart

Designed to hold pails, brushes, cleanser cans as well as tools

Provides 13.7 sq. ft. of storage space and a 3.3-sq. ft. steel work surface on top.

CONSTR: Heavy-gauge steel, red enamel finish. Top surface 26 1/2x18 in. wide. Aluminum side handle. Full-length drawer pulls. 1 door has pegboard surface for hanging tools with hooks (not incl.). 1 door has 3 trays for added storage space. Handle on each door. Full-length, piano-type door hinges. All drawers and doors lock with tumbler lock (2 keys incl.). 5-in. diam. casters: 2 fixed, 2 swivel with toe brakes.

OVERALL SIZE: 26 1/2x18x43 1/2 in. high. DRAWERS: 3; all 22 1/4x16 1/2x2 1/2 in. d. SHELF: 23 3/8x13 3/8 in. front to back. Top compartment is 9 3/4 in. high, bottom compartment is 11 1/4 in. high.

ORDER INFO: Wt. 104 lbs. 9 GT 65347N.....\$269.99

SHIPPING NOTE: For "F" items such as F 9 GT 65212N, pay motor carrier charges from factory in Waterloo, Iowa. Allow extra time for delivery. No C.O.D. orders accepted.



12-drawer Chest with 11.2 sq. ft. of storage space
\$219.99

CRAFTSMAN® Professional Mechanics' Tool Chests and Cabinets

Specially designed for professional use... built strong enough to handle the tough, rugged demands of daily use, plus large enough to safely hold extensive tool collections

12-drawer Cabinet with 22.2 sq. ft. of storage space
\$329.99

(3 thru 8) Professional Mechanics' Tool Chest and Cabinets

Chests and cabinets have red enamel finish with gray enamel-finished drawers. Chests have reinforced side cover panels. Full-length staked chest-top hinge. Flexible rod in chest cover holds manuals or blueprints. Removable tote tray in chest has socket compartment, measures 17 1/8x6 3/4x1 3/4 inches deep. 1 1/4-inch wide chest corner braces wrap around inside of frame for extra strength. Chest tops and all chest and cabinet drawers lock with tumbler lock (2 keys included). Drawers on all chests and cabinets have full-length, compound-action slides and convenient full-width pulls. Cabinets have Sears exclusive I-beam frame and embossed top, bottom and back panels. Recessed handle on right side of cabinets so they can fit flush against wall. Cabinets have casters: 2 fixed, 2 swivel with toe brakes.

ORDER INFO: All dimensions below in inches except where noted.

(3, 5 and 7) Professional Mechanics' Tool Chests

Chest	(3)	(5)	(7)
Storage space	11.2 sq. ft.	15.2 sq. ft.	20.5 sq. ft.
Overall size	26Wx12Dx19H	26 1/4Wx16Dx19 1/4H	33 1/8Wx16Dx19 1/4H
Drawers	12; all 10 3/4 front to back; 6 top side, 7 1/8Wx1 1/2D; 3 top center, 4 1/2Wx1 1/2D; 3 bottom, all 22 1/2W; two 1 1/2D, one 2 1/2D	12; all 14 1/8 front to back; 6 top side, 4 1/8Wx1 1/2D; 3 top center, 1 1/8Wx1 1/2D; 3 bottom, all 22 1/2W; two 1 1/8D, one 2 1/8D	12; all 14 7/8 front to back; 6 top side, 1 1/8Wx1 1/2D; 3 top center, 4 1/8Wx1 1/2D; 3 bottom, all 29 9/16W; two 1 1/8D, one 2 1/8D
Construction	Heavy-gauge steel; 2 recessed handles	Our heaviest-gauge steel, with 2 heavy-duty loop-style side handles	
Security drawer	Locks independently for valuables	None	Locks independently for valuables
Cover panel	None	Locks over drawers for extra protection	None
Catalog No.	9 GT 65258N	9 GT 65219N	9 GT 65269N
Shpg. wt.	71 lbs.	116 lbs.	122 lbs.
Price	\$219.99	\$269.99	\$369.99

(4, 6 and 8) Professional Mechanics' Tool Cabinets

Cabinet	(4)	(6)	(8)
Storage space	22.2 sq. ft.	18.1 sq. ft.	31.4 sq. ft.
Overall size	26 1/2Wx18Dx39 3/8H	29Wx18Dx35 3/8H	34Wx18Dx41 1/4H
Drawers	12; all 16 3/4 front to back; 4 top side, 7 3/8Wx2D; 1 top center, 4 3/4Wx4 3/8D; 7 bottom, all 22 1/4W; one 2 1/2D, five 3 1/2D, one 6 1/2D	7; all 22 1/4W, 16 3/4 front to back; four 2 1/2D, two 4 1/4D, one 6 1/2D	10; all 27 1/4W, 16 3/4 front to back; four 1 1/4D, five 2 3/8D, one 6 1/4D
Construction	Heavy-gauge steel; 1 1/8-in. wide corner braces	Our heaviest-gauge steel with 2 3/8 in. wide corner braces and extended top and bottom flanges for extra strength. Protective rubber mat on top	
Security drawer	Locks independently for valuables	None	
Castors	4-inch diameter	5-inch diameter for easier rolling	
Catalog No.	9 GT 65022N	9 GT 65042N	9 GT 65041N
Shpg. wt.	148 lbs.	136 lbs.	178 lbs.
Price	\$329.99	\$309.99	\$479.99

Save \$20 when you buy both Chest (7) and Cabinet (8)

ORDER INFO: Separate prices total \$849.98.

9 GT 65391N—Shipping weight 300 pounds.....\$829.98



QUALITY BY DESIGN

...features like these on our best Mechanics' Tool Chests and Cabinets represent the quality that's built into every CRAFTSMAN® tool so you can store large tools easily and safely

- A Chest drawers are 14 1/4 inches from front to back
- B Reinforced side cover panels help make chests stronger, watertight and more rust-resistant than ordinary chests
- C Full-length chest-top hinge is staked to help prevent locked chest from being pried open
- D Full-length drawer slides and full-width drawer pulls make it easier and more convenient to open and close chest and cabinet drawers
- E Sears exclusive I-beam cabinet frame design utilizes one of the strongest, self-reinforcing structural shapes known, to provide maximum cabinet strength without sacrificing valuable storage space
- F Rib-embossed top, bottom and back panels give cabinets the strength to hold extra heavy loads without sagging
- G Extended top and bottom flanges and extra-wide, 2 1/4-inch corner braces make these 2 cabinets 50% stronger than any of our other mechanics' tool cabinets



*Sears * Best*



12-drawer Chest with locking cover panel and 15.2 sq. ft. of storage space

\$269⁹⁹

7-drawer Cabinet with 18.1 sq. ft. of storage space

\$309⁹⁹



12-drawer Chest with 20.5 sq. ft. of storage space

\$369⁹⁹

10-drawer Cabinet with 31.4 sq. ft. of storage space

\$479⁹⁹

Save \$20 when you buy both Chest (7) and Cabinet (8)

CRAFTSMAN® General-purpose Mechanics' Tool Chests and Cabinets

Built with the smaller sizes and space-saving features that home and small-shop mechanics need

Built similar to our professional Heavy-duty Chests and Cabinets chests, cabinets on p. 134



6-drawer Chest with 8.3 sq. ft. of storage space

\$169⁹⁹



9-drawer Cabinet with 17.8 sq. ft. of storage space

\$279⁹⁹



5-drawer Cabinet with 12.9 sq. ft. of storage space

\$209⁹⁹

3-drawer Chest with 6.8 sq. ft. of storage space

\$129⁹⁹

3-drawer Cabinet with 10.5 sq. ft. of storage space

\$179⁹⁹



New at Sears! Our lowest-priced Chest and Cabinet

Designed to provide dependable tool storage plus maximize work and storage space in your shop

4-drawer Chest with 6.8 square feet of storage space. Two or more can be mounted on wall or stacked on cabinet or bench to give you extra storage space

\$79⁹⁹



3-drawer Cabinet with 10.4 square feet of storage space has a 3.7-square foot hardboard work surface, so you can also use cabinet as a mobile workbench

\$119⁹⁹

(1 thru 8) General-purpose Mechanics' Tool Chests and Cabinets. Heavy-gauge steel, enamel finish: (1-6) red with gray drawers, (7, 8) gray with red drawers. Drawers have full-length slides, full-width pulls for easier, more convenient opening and closing. Cabinets have Sears exclusive I-beam frame which utilizes one of the strongest self-reinforcing structural shapes known, to provide strength without sacrificing space.

ORDER INFO: All dimensions below in inches except where noted. (8) Sent unassembled.

(1, 3, 5 and 7) General-purpose Mechanics' Tool Chests


Chest	(1)	(3)	(5)	(7)
Storage space	8.3 sq. ft.	8.4 sq. ft.	6.8 sq. ft.	6.6 sq. ft.
Overall size	26Wx12Dx14 1/2 H			26 1/2 Wx11 1/2 Dx11 1/2 H
Drawers	6: all 10 1/2" front to back: 1 top center, 4 1/2" W x 1 1/2" D; 2 top side, 7 1/2" x 1 1/2" D; 3 bottom, all 22 1/2" W: two 1 1/2" D, one 2 1/2" D	4: all 22 1/2" W, 10 1/2" front to back: three 1 1/2" D, one 2 1/2" D	3: all 22 1/2" W, 10 1/2" front to back: one 1 1/2" D, one 2 1/2" D, one 4" D	4: all 22 1/2" W, 10 1/2" front to back, 1 1/2" D
Construction	Reinforced construction makes chests watertight, rust-resistant and stronger than other chests. Full-length staked hinge for extra protection. Flexible rod in cover to hold manuals or blueprints. Removable tote tray with socket compartment. 17 1/2 Wx6 3/4 Dx1 1/4 H, 1 1/4-in. wide corner braces for strength. Tops and drawers lock with tumbler lock (2 keys included). 2 recessed side handles			Open back with holes on frame for bolting to wall (bolts not incl.). Lock bar (incl.) locks over drawers with padlock (not incl.)
Security drawer	Locks independently for valuables	None		
Catalog No.	9 GT 65256L	9 GT 65371L	9 GT 65253L	9 GT 65414C
Shpg. wt.	53 lbs.	49 lbs.	46 lbs.	33 lbs.
Price	\$169.99	\$149.99	\$129.99	\$79.99

(2, 4, 6 and 8) General-purpose Mechanics' Tool Cabinets

Cabinet	(2)	(4)	(6)	(8)
Storage space	17.8 sq. ft.	12.9 sq. ft.	10.5 sq. ft.	10.4 sq. ft.
Overall size	26 1/2 Wx18Dx39 1/2 H	26 1/2 Wx18Dx33 1/2 H	26 1/2 Wx18Dx32 1/4 H	29 1/4 Wx18 1/2 Dx35 1/2 H
Drawers	9: all 16 1/2" front to back: four 10 1/2" W x 3 1/2" D, two 22 1/4" W x 3 1/2" D, one 22 1/4" W x 4 1/2" D, one 22 1/4" W x 6 1/2" D	5: all 22 1/4" W, 16 1/2" front to back: two 3 1/2" D, one 4 1/2" D, two 6 1/2" D	3: all 22 1/4" W, 16 1/2" front to back: two 3 1/2" D, one 6 1/2" D. Compartment with cover, 23 1/2" W x 17 1/2" D x 12 1/2" H	3: all 22 1/4" W, 16 1/2" front to back: two 3 1/2" D, one 6 1/2" D. Compartment with cover, 24Wx18 1/2 Dx8 1/2 H
Construction	Embossed top, bottom and back panels for extra strength. 1 1/2-inch wide corner braces. Recessed handle on right side so cabinet fits flush against wall. Drawers lock with tumbler lock (2 keys included).			Open back. Industrial-grade hardboard top: 29 1/4 Wx18 1/2 Dx7 1/2 H. Lock bar sold below
Castors: diameter	2 fixed, 2 swivel with toe brakes; 4-in.	2 fixed, 2 swivel with toe brakes; 3-inch		4 swivel; 2 1/2-inch
Catalog No.	9 GT 65059N	9 GT 65054N	9 GT 65053N	9 GT 65402N
Shpg. wt.	135 lbs.	103 lbs.	87 lbs.	79 lbs.
Price	\$279.99	\$209.99	\$179.99	\$119.99

Lock Bar (not shown). For (8). Steel. Locks over drawers with padlock (not incl.). 9 GT 65415C—Shipping weight 1 pound 8 ounces.....\$7.99

Chest and Cabinet Accessories for extra tool organization and protection



(1) Socket Organizer

Provides space for 96 sockets, U-joints, adapters, extensions and ratchet flex handles.

CONSTR: Heavy-gauge steel. Cut-outs for 1/4-inch square drive (12 pt.), 3/8-inch square drive (6, 8 and 12 pt.), 1/2-inch square drive (6, 12 pt.), 22 1/2 x 16 1/2 x 1 1/2 in. thick. Red.

ORDER INFO: Wt. 3 lbs. 4 oz. 9 GT 65204C.....\$21.99

(2) Sliding Tray

Use for additional small tool storage and to separate certain types of tools from others.

CONSTRUCTION: Heavy-gauge steel 2 3/4 x 7 1/2 x 2 inches deep. Charcoal gray.

ORDER INFO: Fits all cabinet drawers without dividers except 9-65041, top 2 drawers of 9-65323 and 9-65324.

Shpg. wt. 2 lbs. 11 oz. 9 GT 65121.....\$8.99

(3) Cantilever Trays

For separating small parts.

CONSTRUCTION: 2 flip-out steel trays with frame that fits into drawer. Each tray is 12 1/2 x 6 1/2 x 1 1/2 in. deep with 4 compartments. Charcoal gray.

ORDER INFO: Fits into all 3 1/2-inch or deeper cabinet drawers without dividers.

Shipping weight 7 lbs. 3 oz. 9 GT 65126.....\$27.99

(4) Tool Holders and Drawer Dividers

Use to hold small hand tools like screwdrivers and wrenches or as dividers for organizing drawer into separate compartments.

CONSTRUCTION: Polypropylene, won't rust or corrode. Spring-loaded ends for easy installation. Red.

ORDER INFO: Package of 4.

For chests. Holds 10 tools. 10 3/4 x 1 1/2 in. high. Wt. 10 oz. 9 GT 65299.....Pkg. \$2.99

For cabinets. Holds 14 tools. 16 3/4 x 1 1/2 in. high. Wt. 1 lb. 9 GT 65298.....Pkg. \$3.49

(5) Parts Tray

CONSTR: 8 compartments. Polystyrene. 7 1/4 x 1 3/4 x 1 2 3/4 inches long. Charcoal gray.

ORDER INFO: Fits most chest and cabinet drawers.

Shpg. wt. 10 oz. 9 GT 65211.....\$3.99

(6) Security Drawer

Helps protect personal items or valuable tools. Locks separately from cabinet.

CONSTR: Heavy-gauge steel. Full-length, piano-type hinge. Tumbler lock (2 keys incl.). Can be bolted to drawer. 15 1/2 x 11 1/2 x 3 in. deep. Charcoal gray.

ORDER INFO: Fits all 3 1/2-inch or deeper cabinet drawers without dividers.

Shpg. wt. 6 lbs. 6 oz. 9 GT 65124.....\$27.99

(7) Lock Guard

Mounts over tumbler lock on chest or cabinet to provide extra security.

CONSTR: Nickel-plated steel hasp. Tamper-resistant hinge-pin. Hardened nickel-plated steel staple. 4 bolts.

ORDER INFO: Fits most chests and cabinets. Padlock not included. Wt. 3 oz. 9 GT 65118.....\$5.49

(8) Cabinet-top Mat.

Helps protect against mars and scratches. Black embossed vinyl. 17 3/4 x 26 1/4 in. wide.

ORDER INFO: Shpg. wt. 1 lb. 3 oz. 9 GT 65221.....\$9.99

(9) Drawer Liner.


Helps protect tools and drawer. Cork rubber, 1/2 in. thick. Cutting instructions incl.

ORDER INFO:

For chests. 10 3/4 x 4 1/2 in. long. Shpg. wt. 8 oz. 9 GT 65217.....\$9.99

For cabinets. 16 1/2 x 6 9 inches long. Wt. 1 lb. 3 oz. 9 GT 65218.....\$10.99

Cabinet Accessories for greater mobility and extra work or storage space



(10) 10-inch Outrigger Wheels. Gives cabinet extra stability and makes cabinet easier to roll over grates or cords.

CONSTR: Two 10-inch diameter rubber wheels, 2 brackets and two 1/2-inch diameter axles. Mount with existing mounting holes and hardware. Replaces existing 3, 4 or 5-inch stationary casters.

ORDER INFO: For all Craftsman cabinets. 9 GT 65123C—Wt. 27 lbs.\$79.99

(11) 6-drawer Cart

Carries heavy loads up to 1000 pounds. Holds any Craftsman mechanics' cabinet except 9-65401N.

CONSTRUCTION: Heavy-gauge steel with red enamel finish. Chrome-plated crossbar handle. Full-length drawer slides. Two 10-inch diameter steel-rimmed ball-bearing wheels with rubber tires. Two 5-inch swivel casters with toe brakes. Tumbler lock (2 keys included).

OVERALL SIZE: 43 1/2 x 20 3/4 x 35 in. high. Platform 20 x 29 in. wide. Platform to cabinet top 29 1/4 in.

DRAWERS: 6; all 16 1/2 in. wide, 12 1/2 in. front to back; one 1 1/2 in. deep, four 3 1/2 in. deep, one 5 1/2 in. deep. 9 GT 65206N.....Shipping weight 143 lbs.\$329.99

(12) 2-drawer Cart

Same as (11) above, except has 2 drawers, each 12 1/2 x 16 1/2 x 3 3/4 in. deep and lower storage compartment with retractable cover. 12 3/4 x 20 3/4 x 16 1/2 in. high.

ORDER INFO: Shipping weight 123 lbs. 9 GT 65214N.....\$279.99

(13) Sliding Work Surface

Large work surface fits over open drawer, slides out of way for easy access to tools stored in drawer.

CONSTRUCTION: Steel, covered with rubber mat. 23 3/4 x 16 1/4 in. deep and long.

ORDER INFO: Fits drawers on all cabinets except 9-65401N. Wt. 5 lbs. 14 oz. 9 GT 65122.....\$18.99

(14) Folding Side Shelf

Attaches to side or back of cabinet for extra storage or work space.

CONSTR: Heavy-gauge steel with red enamel finish. Holds up to 70 lbs. Folds for storage. Includes braces. 17 3/4 x 15 1/2 x 14 in. extended. Has 3/8-inch edge.

ORDER INFO: Wt. 10 lbs. 1 oz. 9 GT 65213.....\$29.99

(15) 6-drawer Tool Caddy. Provides extra storage space. Attach to either side of mechanics' cabinet.

CONSTR: Heavy-gauge steel, red enamel finish, gray enamel-finish drawers. Full-length drawer slides. Full-width drawer pulls. Tumbler lock (2 keys incl.).

OVERALL SIZE: 12 x 9 1/2 x 14 1/2 in. high. DRAWERS: 6; all 10 3/4 x 7 1/2 x 1 1/2 in. deep. 9 GT 65205C—Shpg. wt. 27 lbs.\$79.99

(16) 4-drawer Add-on Chest

CONSTR: Heavy-gauge steel, red enamel finish, gray enamel-finish drawers. Full-length drawer slides, full-width drawer pulls. Tumbler lock (2 keys incl.).

OVERALL SIZE: 26 1/2 x 12 1/2 x 11 1/2 in. high. DRAWERS: 4; all 10 3/4 x 22 1/2 x 1 1/2 in. deep.

ORDER INFO: Fits above all cabinets or below all chests except 9-65208, 9-65219, 9-65259, 9-65269.

9 GT 65225L—Shpg. wt. 39 lbs.\$109.99

(17) 9-inch deep Drawer. For cabinets with lower storage compartment. Stores bulky equipment. Does not interfere with retractable cover or locking ability.

CONSTR: Heavy-gauge steel. Full-length aluminum drawer pull. 23 1/4 x 16 1/2 x 9 in. deep. Charcoal gray. 9 GT 65125C—Wt. 14 lbs. 15 oz.\$44.99

(18) Hang-on Cabinet. Mount to mechanics' cabinet or bolt to flat surface (bolts not included).

CONSTRUCTION: Heavy-gauge steel with red enamel finish. Full-length piano-type hinge. "T"-handle. Tumbler lock (2 keys included).

OVERALL SIZE: 17 3/4 x 11 1/4 x 29 1/2 in. high. SHELVES: Two steel shelves, adjustable at 2 29/32-inch increments. Mount flat surface up or turned over with 1/2-inch lip on top (as shown).

ORDER INFO: See "N" suffix note, p. 91. Accepts up to 4 sets of drawers. Order drawer set (19) below. 9 GT 65245N—Shpg. wt. 31 lbs.\$89.99

(19) 2-drawer Set for cabinet (18)

CONSTR: Heavy-gauge steel with gray enamel finish. Full-length drawer slides. Full-width drawer pulls.

OVERALL SIZE: 16 3/4 x 10 1/2 x 5 3/4 in. high. DRAWERS: 2; each 9 7/8 x 13 1/2 x 2 1/8 in. deep.

ORDER INFO: For use with (18) only. 9 GT 65207—Wt. 8 lbs. 2 oz.Set \$34.99

(20) Side Box. Lets you store long tools like a speeder wrench or ratchet extension vertically.

CONSTR: Heavy-gauge steel. Slide-out drawer has perforated holes that accept pegboard hooks (not incl.). Mount to either side. Mounting hardware included. Some drilling required. Tumbler lock (2 keys included). 7 1/2 x 17 x 28 in. high.

ORDER INFO: Fits all Craftsman cabinets. 9 GT 65359C—Shpg. wt. 24 lbs.\$69.99



QUALITY BY DESIGN

...features like these on our Portable Folding Workbench/Vise represent the quality that's built into every CRAFTSMAN® tool

- A** Folds flat for easy storage
- B** Vise grips stock up to 5½ in. wide and has V-grooves for holding tubular pieces
- C** Adjustable swivel pegs let you hold odd-shaped objects
- D** Wide footrest lets you steady bench for easier work
- E** Legs adjust to allow 2 work heights



1 Portable Folding Workbench/Vise

CRAFTSMAN® Workbench/Vises

Space-saving work surface with dependable vises that hold your projects for easier, more accurate work

(1 thru 3) Vise jaws open up to 5¼ in. wide and have V-grooves for holding round or tubular objects vertically or horizontally. Adjustable swivel pegs hold odd-shaped projects. ¾ in. diameter holes on top surface for swivel pegs or accessories (sold below). Sturdy steel frame.

(1) Portable Folding Workbench/Vise. Wide footrest can be used to steady workbench. Imported.

TOP: 1½-inch thick pressed flakeboard. Handles adjust independently so vise can hold wedge-shaped work.

DIMENSIONS, CAPACITY: Legs adjust for 2 work surface heights: 31½ in. and 23¼ in. Folds flat to 8¼ in. deep for easy storage. Overall size: open, 29x26x31½ in. high; folded, 29x8¼x29¼ in. high. Swivel pegs hold objects up to 12 in. wide when held parallel to clamps, 21 in. wide when held diagonally. Supports up to 350 lbs.

ORDER INFO: See "N" suffix note on page 91.

9 GT 28876N—Shipping weight 35 lbs.\$79.99

(2) Wall-mounted Folding Workbench/Vise. Mounts to wall studs or to any workbench with vertical surface.

TOP: Heavy-duty plastic top. Removable steel covers protect vise jaws.

DIMENSIONS, CAPACITY: Folds flush to wall, protrudes just 6¼ inches. Overall size: open, 18x18x13 in. high; folded, 18x6¼x18 in. high. Swivel pegs hold objects up to 12½ in. wide when held parallel to clamps, up to 14 in. wide when held diagonally. Supports up to 200 lbs.

ORDER INFO: Shipping weight 16 pounds.

9 GT 28895C.....\$44.99

(3) Table-top Workbench. Tilts and locks at any angle from 0 to 90° for use as a drafting table, easel or drawing board. Has holes for mounting to bench. Imported.

TOP: 7/8-inch thick pressed flakeboard. Handles adjust independently so vise can hold wedge-shaped work.

DIMENSIONS, CAP: Overall 17½x16x6½ in. high. Swivel pegs hold objects up to 12 in. wide when held parallel, up to 14 in. when held diagonally. Supports 350 lbs.

9 GT 28893—Shpg. wt. 12 lbs. 8 oz.\$39.99



2 Wall-mounted Folding Workbench/Vise



3 Table-top Workbench/Vise

Workbench/Vise Accessories

Add greater versatility and precision to your workbench/vise

(4) Clamps

Secure workpieces to bench for drilling, gluing, sanding, sawing or routing. Holds items up to 3¾ in. thick. Has 100-pound clamping force. Includes 2 steel clamps.

ORDER INFO: Fit (1) thru (3) above.

Shpg. wt. 1 lb. 14 oz. 9 GT 51723—Pair \$14.99

(5) Router and Shaper Guide

Holds moldings securely to workbench/vise for easier, more accurate work. Use on wood up to 1½ inches thick. Maximum diameter of cutter is 1 inch. Steel.

ORDER INFO: Fits (1) thru (3) above. For routers with 6-inch diameter or smaller base. Router not included.

Shpg. wt. 3 lbs. 9 oz. 9 GT 51725.....\$19.99

(6) Saw and Miter Guide

Makes intricate precision cutting easier and more accurate. Use on materials up to 27½ in. thick. Makes accurate 30° cuts in material up to 7¾ in. wide and accurate 90° cuts in materials up to 17 in. wide. Steel.

ORDER INFO: Fits (1) only. For 7¼-inch or smaller circular saws with maximum 15-in. long shoe. Saw not included.

Shpg. wt. 6 lbs. 11 oz. 9 GT 51724C.....\$34.99

(7) Drill Guide

Drill accurate angle holes at 5° increments between 0° and 90°. Adjustable depth stop prevents drilling beyond desired depth. Plastic. Includes level with horizontal and vertical bubble indicator.

ORDER INFO: Fits (1) thru (3) above. For ¼ or 5/16-inch drills. Drill not included.

Shpg. wt. 1 lb. 7 oz. 9 GT 51726.....\$17.99



Work Grabber™

Supports and secures workpieces up to 24 in. wide

(8) Work Grabber™ with Vise Steel top with black-oxide finish. Non-marring rubber feet. Steel crossbraces for stability.

DIMENSIONS, CAP: Folds to 4 in. deep. Top is 3½x15½x32 in. long. Overall 31½ in. high. Clamp opens to 24 in. wide. Non-marring plastic jaws can be set at 4-in. intervals on top or side for horizontal or vertical work. Supports 350 lbs. Unassembled. Wt. 14 lbs. 7 oz. 9 GT 1444C.....\$26.99

(9) Work Grabber™ without vise

Same as (8) except has no vise capabilities.

Wt. 13 lbs. 13 oz. 9 GT 1445C.....\$16.99

Work Grabber™ Outfit

Save \$1. Includes Work Grabber with vise (8) and Work Grabber without vise (9). Separate prices total \$43.98. Wt. 28 lbs. 9 GT 1446C.....\$42.98

CRAFTSMAN® Solid Maple Woodworkers' Workbench



Side vise secures pieces for planing or sanding

End vise holds work for chiseling and carving

Solid maple woodworkers' bench is handsome and functional. CONSTRUCTION: Solid, kiln-dried maple table, legs, crossbraces, tool tray and vise jaws. Steel vise handles, screws and guide rods. Work surface 15½x70 inches long. Four dogs hold two 15½ inch long clamping bars in place. Dogs fit 14 pairs of 1-inch diameter holes. 78½-inch clamping capacity. Overall measures 75x37x33 inches high.

END VISE: 3x5½-in. face. 2 guide rods. 10½-in. capacity. SIDE VISE: Shoulder design holds pieces firmly together. 5¼-inch capacity.

TOOL TRAY: 34x8½x2 in. deep. Mounts on side or end of table. DRAWERS: 2 maple drawers with pressboard bottoms. Each measures 14x3½x9½ in. wide.

LEGS: Trestle-style with crossbraces. Table end with side vise has leg with 4 supports for stability.

ORDER INFO: Shipped partially assembled.

T 9 GT 10231N—Shipping weight 175 pounds\$429.99

(1 thru 3) **Bench-top Organizers.** Keep small tools like screws, nuts or bolts neatly organized, so they're easy to find when you need them.

FRAME: Charcoal-gray metal sides with red plastic top and bottom. Convenient handle on top of 20 and 40-drawer organizers.

DRAWERS: Clear plastic, each $2\frac{1}{2} \times 5\frac{3}{4} \times 1\frac{1}{4}$ in. deep. Dividers included for extra organization.

ORDER INFO:

Item	No. of Drawers	Width x Depth x Height (inches)	No. of Dividers	Catalog Number	Shpg. wt. lbs. oz.	Price each
(1)	20	$9\frac{3}{4} \times 6\frac{1}{4} \times 9$	12	9 GT 65262	3 15	\$11.99
(2)	40	$9\frac{3}{4} \times 6\frac{1}{4} \times 17$	18	9 GT 65266	7 4	17.99
(3)	60	$11\frac{1}{2} \times 6\frac{1}{4} \times 20\frac{1}{2}$	30	9 GT 65267	10 4	21.99

Drawer Dividers (not shown). For bench-top organizers above. Fit in drawers to create separate bins for extra organization. Package of 20.
9 GT 65315—Shipping weight 3 ouncesPackage 69c

Home Hardware Shop . . . includes 1800 fasteners



CABINET: Steel, $11\frac{1}{2} \times 6\frac{1}{2} \times 9\frac{3}{4}$ in. high. 25 clear plastic drawers, each $2\frac{1}{2} \times 5\frac{3}{4} \times 1\frac{1}{4}$ in. deep. 26 drawer dividers let you make up to 51 separate compartments. Self-adhesive, color-coded identification labels for drawers.

FASTENERS: Zinc-plated steel. Incl. 168 assorted No. 4, 6, 8, 10 wood screws in lengths from $\frac{3}{8}$ to $1\frac{1}{2}$ in.; 168 assorted No. 6, 8, 10 sheet metal screws in lengths from $\frac{3}{8}$ to $1\frac{1}{2}$ in.; 68 $\frac{3}{4} \times 18$ and $\frac{1}{4} \times 20$ mach. bolts in lengths from $\frac{3}{4}$ to $1\frac{1}{2}$ in.; 312 No. 10x24, 8x32 and 6x32 mach. screws in lengths from $\frac{3}{8}$ to 1 in.; 274 nuts in sizes from 6/32 to $\frac{1}{2} \times 18$; 92 cotter pins in 4 sizes from $\frac{1}{16} \times \frac{3}{4}$ to $\frac{1}{8} \times 2$; assorted washers in sizes 6, 8, 10, $\frac{1}{16}$; 260 flat, 260 lock, 260 tooth.

ORDER INFO: Separate prices \$34.98.
9 GT 71261—Wt. 12 lbs. 8 oz.\$27.99

Organizer Cabinet alone
9 GT 71262—Wt. 6 lbs.\$14.99

1800 Fasteners alone
9 GT 71263—Wt. 6 lbs. 8 oz.\$19.99

Freestanding Storage Units for small parts

- Durable all-steel frame and shelves
- Tough polystyrene drawers, color-coded for easy identification, have backstops to help prevent accidental spills
- Flexible clip shelf support system for changing shelf arrangement easily



Each drawer has 2 removable dividers for extra organization



(4 and 5) Heavy-duty Storage Units for small parts

FRAME, SHELVING: Durable, all-steel shelving designed for easy installation. 4 clips snap into place in the posts to hold each shelf. Individual shelves can be moved without tilting, so there's no need to disrupt other shelves while rearranging. Strong box posts allow more usable space on each shelf.

DRAWERS: High-impact polystyrene drawers fit on shelves with no front overhang. 2 wear-runners minimize sliding friction. Color-coding aids in locating parts quickly. 48-drawer units have 24 red and 24 yellow drawers; 96-drawer units have 24 red, 24 yellow, 24 blue and 24 gray drawers. Short-type drawers have peek-in fronts for even faster parts identification; long-type drawers have full fronts. $\frac{3}{4}$ -inch backstops help prevent accidental spills. Front label holders, 2 dividers per drawer included.

ORDER INFO: See shipping note below.

Item	No. of shelves	Drawers			Overall size LxWxH (in.)	Catalog Number	Wt. lbs.	Price
		No.	Type	LxWxH (in.)				
(4)	18	96	short	$11\frac{1}{4} \times 5\frac{3}{4} \times 3\frac{1}{2}$	$36 \times 12 \times 85$	F9 GT 65364N	253	\$549.99
		96	long	$17\frac{1}{2} \times 5\frac{3}{4} \times 3\frac{1}{2}$	$36 \times 18 \times 85$	F9 GT 65366N	365	899.99
(5)	9	48	short	$11\frac{1}{4} \times 5\frac{3}{4} \times 3\frac{1}{2}$	$36 \times 12 \times 40$	F9 GT 65363N	128	329.99
		48	long	$17\frac{1}{2} \times 5\frac{3}{4} \times 3\frac{1}{2}$	$36 \times 18 \times 40$	F9 GT 65365N	179	499.99

SHIPPING NOTE: Items with an "F" prefix and "N" suffix (such as F9 GT 65363N) are sent from the factory in North Canton, Ohio. Customer must pay motor carrier charges from factory. Allow extra time for delivery. Sorry, no C.O.D. order accepted.



Workbench and Storage Units

Select the unit that meets your needs best or combine units for a space-efficient 3-piece outfit

48-in. wide workbench with 2 cabinets, tool rack and drawer

24-in. wide workbench with 1 cabinet

(6 and 7) Workbench and Storage Units
TOP, FRAME: 1-in. thick heavy-duty particleboard top. Steel frame. Knockouts on front legs for electrical outlets. Overall measures 72 inches high.

STORAGE: Cabinets 24x18x5 inches deep, each with 2 adjustable steel shelves. See thru, smoke-colored plastic sliding doors. Perforated hardboard backstop and side panel inserts for hanging tools. Bottom shelf measures 10 inches front to back.

ORDER INFO: Sent unassembled. 30-piece pegboard fixture kit sold below.

(6) 48-in. Unit. Has a 6.6-sq. ft. work surface and 2.7 cu. ft. for storage. Top, 20x48 in. wide. Has adjustable tool rack, 2 cabinets, 1 drawer 12x18x3 in. deep. Wt. 76 lbs.
9 GT 1433N.....\$109.99

(7) 24 in. Unit. Has a 3.3-sq. ft. work surface, 1.2 cu. ft. for storage. Top, 20x24 in. wide. Has 1 cabinet. Wt. 48 lbs.
9 GT 1432L...\$59.99

(8) Corner Unit. 2.7 sq. ft. of work surface, plus space for hanging tools. Same top as (6) and (7). Perforated hardboard backstop fastens at 90° angle. Must be mounted between two corner units.

ORDER INFO: Unassembled. Wt. 24 lbs.
9 GT 1434L...\$29.99

3-pc. Workbench Outfit Save \$20. Includes items (6 thru 8). Separate prices total \$199.97. Wt. 146 lbs.
9 GT 14321N-\$179.97

(9) Portable Rollabout Workbench brings your workshop to you. Cabinet, drawer and tool rack all on a convenient, rollabout frame. Provides a 6.6-square foot work surface and 1.3 cubic feet of storage space.

TOP, FRAME: 20x30x $\frac{3}{4}$ -in. thick industrial-grade particleboard top. 2 hinged, 9-in. wide side-drop panels expand work surface from 30 in. to 39 or 48 in. wide. Steel frame. Legs have $2\frac{1}{2}$ -in. diam. casters that can be locked in place. Knockouts on front legs for electrical outlets.

STORAGE: Cabinet 30x10x5 in. deep with see-thru, smoke-colored plastic sliding doors. Drawer 12x18x3 in. deep. Perforated hardboard backstop and side panel inserts for hanging tools. Tool rack has removable drill bit holder. Bottom shelf 10 in. front to back. Overall measures 62 inches high.

ORDER INFO: Sent unassembled. 30-piece pegboard fixture kit sold below.
9 GT 1437L—Wt. 63 lbs.\$79.99

30-piece Pegboard Fixture Kit (not shown). Includes 22 straight hooks and 8 loop hooks. Fits $\frac{1}{2}$ -inch pegboard.
9 GT 77576—Wt. 9 oz.Kit \$2.79

(10) Steel Workbench Legs



CONSTRUCTION: Sturdy 20-gauge ribbed steel. 33 $\frac{1}{2}$ inches high. Crossbraces 18 inches long. Gray enamel finish. Knockouts for electrical outlets.

ORDER INFO: Hardware included. Shipped unassembled. Wt. 12 lbs. 9 oz.
9 GT 1447C.....Set \$14.99

(11) Magnetic Tool Holders. Hold metal hand tools securely, release them easily. **CONST.** Black magnet holder with yellow Day-Glo stripping. 2 mounting holes. **ORDER INFO:** Mounting screws included. Tools not included.

13-in. size. Mounting holes 10 in. apart.
9 GT 7173—Wt. 2 lbs. 2 oz.\$12.99

24-in. size. Mounting holes 16 in. apart.
9 GT 7174—Wt. 4 lbs.\$16.99



CRAFTSMAN® Workbenches and Workbench/Storage Outfits

Extra-strong workbenches have an industrial-grade hardboard work-surface top that supports extra-heavy loads... plus top reverses so you can use both sides and get extra years of use from your workbench



Shelf-style Workbench
\$64⁹⁹



Full-sided Workbenches

Full, one-piece sides with wrap-around corners have Sears exclusive I-beam frame which utilizes one of the strongest, self-reinforcing structural shapes known, to provide maximum strength without sacrificing storage space

New at Sears! Compact Workbench

Only 27 inches wide so it's ideal for shops with limited space or as an addition to your present workbench

\$64⁹⁹

Standard Workbench \$89⁹⁹

(1) **Shelf-style Workbench.** Has a 7.5-sq. ft. work surface, provides 1.3 cu. ft. for storage space. Heavy-duty, shock-resistant, industrial-grade hardboard top, 20 1/4 x 54 x 7/8 in. thick; reverses for extra years of use. Steel legs. Brackets included for mounting up to two drawers under top. Charcoal-gray enamel finish. 32 1/2 in. high. Accepts up to two 4 1/8-in. deep drawers (4) sold separately at right.
ORDER INFO: See "N" suffix note on page 91. Sent unassembled. 9 GT 10268N—Shpg. wt. 46 lbs.\$64.99

(2 and 3) Full-sided Workbenches

Heavy-duty, shock-resistant, industrial-grade hardboard top reverses for extra years of use. Steel frame, crossbraced in front and back for extra strength, has 1-piece, I-beam frame sides with wrap-around corners for extra support. Charcoal-gray enamel finish. 34 1/2 inches high. Accept all storage components sold separately at right.
ORDER INFO: For (3), see "N" suffix note on page 91. Unassembled.

(2) **Compact Workbench.** Has a 3.7-sq. ft. work surface, provides 3.4 cu. ft. for storage space. Top, 20 1/4 x 27 x 7/8 in. thick. Holds up to five 4 1/8-in. deep drawers or 5 shelves or any combination up to 5 (holds fewer 9 or 13-in. deep drawers).
9 GT 10266L—Wt. 39 lbs. ..\$64.99

(3) **Standard Workbench** Has a 7.5-sq. ft. work surface, provides 6.8 cu. ft. for storage. Top, 20 1/4 x 54 x 7/8 in. thick. Holds up to ten 4 1/8-in. deep drawers, 10 shelves or any combination up to 10 (fewer 9 or 13-in. deep drawers). Wt. 63 lbs.
9 GT 10269N\$89.99

Workbench Storage Components

Let you turn your workbench into a tool storage unit that can help keep your tools organized, safe and easily accessible as you work



(4 thru 6) Steel Drawers

Compound-action, heavy-duty slides with third rail for smooth opening and closing. 16 7/8 x 15 3/4 in. wide. Red.

(4) **4 1/8-inch deep Drawer**
9 GT 10326—Wt. 8 lbs. 11 oz.\$18.99

(5) **9-inch deep Drawer**
9 GT 10214—Wt. 10 lbs.\$29.99

(6) **13-in. deep Drawer.** 2 sets of slides.
9 GT 10215—Wt. 14 lbs. 13 oz.\$34.99

(7) **Sliding Steel Drawer Tray.** Tray with divider organizes small tools and instruments; slides freely in drawer. 2 trays fit in drawer. Fits all drawers above. Red.
9 GT 10213—Wt. 2 lbs. 6 oz.\$9.99

(8) Steel Drawer Dividers

Divides drawer into 9 separate compartments for small tools or parts. Red.

For 4 1/8-inch deep drawers
9 GT 10211—Wt. 3 lbs. 10 oz.\$11.99

For 9-in. and 13-in. deep drawers
9 GT 10212—Wt. 3 lbs. 4 oz.\$11.99

(9) Steel Shelf

18 1/2 x 16 1/2 inches front to back. Charcoal-gray enamel finish.

9 GT 10347C—Wt. 4 lbs.\$9.99

(10) **Locking Steel Door.** Tumbler lock. 2 keys, hardware incl. 20 9/16 x 24 in. high. Charcoal-gray enamel finish.
9 GT 10337C—Wt. 7 lbs.\$18.99

(11) **Mounting Rails.** For tools like miter saws, shapers or jointer-planers. 2 steel rails, hardware incl. Fits benches up to 1 in. thick.

ORDER INFO: Wt. 2 lbs. 13 oz.

For 20-inch wide benches
9 GT 10217\$21.99

For 24-inch wide benches
9 GT 10216\$21.99

(12) **Work Light.** 34-in. heavy-gauge steel arm. Spring tension control. Vented aluminum shade, white interior, black exterior. Bracket included for mounting to bench or wall.

ELEC. INFO: 110-120-v., 60-Hz. AC. UL listed. 6-ft., 2-wire cord. Uses 75-w. bulb (not included).

ORDER INFO: Wt. 2 lbs. 15 oz.
9 GT 2484\$26.99

(13 and 14) **Workbench Stools** Heavy-gauge steel. Pressboard seat. Steel glides. Gray enamel.

(13) **Stool with back** Back bolted to sturdy support. Rubber feet. 14 x 14 1/2 x 37 in. high. If mailed, takes 15-lb. rate, see Parcel Post info, in Big Book. Unassembled.
9 GT 10286L—Wt. 14 lbs.\$49.99

(14) **Stool without back** 14 x 14 1/2 x 26 in. high. Unassembled.
9 GT 10287C—Wt. 10 lbs.\$39.99


Corner Piece (not shown). Fits between 24-inch wide workbenches for extra work surface in corners. Flakeboard core top, laminated on each side. 24 x 24 x 1 in. thick. Hardware incl. For benches with tops 24 x 60 x 1-in. thick. Unassembled.
9 GT 10006C—Wt. 10 lbs.\$14.99

Workbench Accessories

Help make your work easier



Mounting Rails
Hold small bench tools securely to workbench for easier, more accurate work



Work Light
Attaches to bench or wall



Workbench Stools

CRAFTSMAN® Workbench/Storage Outfits

Give you a sturdy work surface for your projects, plus convenient storage for your tools . . . a complete work center in a single unit

Save \$17 to \$119 when you buy outfits sold on this page



15
5-piece
Outfit
\$129⁹⁹

16
8-piece
Outfit
\$219⁹⁹

(15 thru 19) CRAFTSMAN® Workbench/Storage Outfits
See individual item descriptions on opposite page.
ORDER INFO: Tools, accessories shown not incl. Unassembled.

(15) 5-piece Outfit. Save \$17.96 over individual item prices
Includes standard workbench, two 4 $\frac{1}{8}$ -inch deep drawers and 2 shelves. *Separate prices total \$147.95 on p. 40.* Wt. 88 lbs.
9 GT 10272N.....\$129.99

(16) 8-piece Outfit. Save \$29.93 over individual item prices
Includes standard workbench and 7 drawers: five 4 $\frac{1}{8}$ -in. deep, one 9-in. deep and one 13-in. deep. *Separate prices total \$249.92 on opposite page.* Wt. 130 lbs.
9 GT 10273N.....\$219.99

(17) 9-piece Outfit. Save \$23.92 over individual item prices
Includes standard workbench, five 4 $\frac{1}{8}$ -inch deep drawers, 2 shelves and locking steel door. *Separate prices total \$223.91 on opposite page.* Wt. 121 lbs.
9 GT 10274N.....\$199.99

(18) 13-piece Outfit
Save \$37.88 over individual item prices
Includes standard workbench, ten 4 $\frac{1}{8}$ -inch deep drawers, and two locking steel doors. *Separate prices total \$317.87 on opposite page.*
Shpg. wt. 163 lbs.
9 GT 10275N\$279.99

(19) 28-piece Outfit
Save \$119.73 over individual item prices
The largest workbench and storage outfit we sell. Outfit includes 2 standard workbenches, 1 compact workbench and twenty-five 4 $\frac{1}{8}$ -inch deep drawers. Simply place the 3 bench units together, no drilling required. *Separate prices total \$719.72 on opposite page.*
Shpg. wt. 382 lbs.
9 GT 10276N\$599.99



17
9-piece Outfit
\$199⁹⁹



18
13-piece
Outfit
\$279⁹⁹



19
28-piece
Outfit
\$599⁹⁹

CRAFTSMAN® Portable Tool Boxes and Chests

Give you dependable storage and protection for your tools in a unit that goes wherever you need it

QUALITY BY DESIGN

...features like these on our Portable Tool Boxes and Chests represent the quality that's built into every CRAFTSMAN® tool



- A** Heavy-gauge steel construction allows boxes and chests to support heavy loads
- B** Reinforced side cover panels help make boxes and chests stronger, watertight and rust-resistant
- C** Wide rolled front edges give boxes and chests extra strength without sharp edges
- D** Full-length staked hinge helps prevent boxes and chests from being pried open



Professional Tool Boxes

(1) Sears Best Flat-top Box. Our strongest box provides 2180 cu. in. of space. Holds tools up to 23 in. long. Partitioned tote tray. SIZE: Overall measures 24 $\frac{1}{2}$ x9 $\frac{1}{2}$ x9 $\frac{1}{2}$ in. high. Tray 23 $\frac{1}{2}$ x8 $\frac{3}{4}$ x2 $\frac{1}{4}$ in. deep. CONSTR: Plastisol-coated steel top handle, steel side handles. 3 drawbolt latches, center one with lock (2 keys incl.). Enamel red box, tray. ORDER INFO: Wt. 20 lbs. 9 GT 65141C.....\$49.99

(2) Carpenters' Box. Specially built for carpenters' tools. 2410 cu. in. of space. Holds tools up to 29 in. long. Partitioned tote tray. SIZE: Overall measures 30x8 $\frac{1}{2}$ x9 $\frac{1}{2}$ inches high. Tray 29 $\frac{1}{2}$ x7 $\frac{1}{2}$ x1 $\frac{1}{2}$ inches deep. CONSTR: Reinforced corners. Plastisol-coated steel top handle, steel side handles. Knockout plug for square, clip for 2 hand saws. 2 drawbolt latches; center padlock hasp. Enamel red box and gray tray. ORDER INFO: Wt. 18 lbs. 9 GT 6516C.....\$39.99

(3) Double-cover Cantilever Box. Ideal for small tools or parts. 2215 cu. in. of space. Holds tools up to 17 in. long. 4 cantilever trays (2 partitioned, 1 with cover), fold out when box is opened. SIZE: Overall meas. 18x10x13 $\frac{1}{4}$ in. high. Trays, 16 $\frac{1}{2}$ x4 $\frac{1}{2}$ x1 $\frac{1}{2}$ in. deep. CONSTR: Hip-roof design. Plastisol-coated steel top handle. 2 drawbolt latches and padlock eye. Enamel red box, gray trays. ORDER INFO: Wt. 24 lbs. 9 GT 6536C.....\$59.99

(4) Single-cover Cantilever Box. Provides 1420 cu. in. of space. Holds tools up to 16 in. long. 4 cantilever trays (2 partitioned). SIZE: Overall meas. 16 $\frac{1}{2}$ x8 $\frac{1}{2}$ x10 $\frac{1}{2}$ in. high. Trays, 15 $\frac{1}{2}$ x3 $\frac{1}{2}$ x1 $\frac{1}{4}$ in. deep. CONSTR: Hip-roof design. Polyethylene handle. Drawbolt, padlock eye. Enamel red box, gray trays. ORDER INFO: Wt. 12 lbs. 9 GT 65351.....\$44.99

Mechanics' Tool Chests

Drawers let you keep tools neatly organized

(5) Chest with 3 drawers, cantilever tray. Provides 1084 cu. in. of space. Holds tools up to 19 in. long. SIZE: Overall 20x8 $\frac{1}{2}$ x10 $\frac{1}{4}$ in. high. Drawers, 18 $\frac{1}{2}$ x7 $\frac{1}{2}$ x1 $\frac{1}{16}$ in. deep. Partitioned tray 19 $\frac{1}{2}$ x4 $\frac{1}{4}$ x1 $\frac{1}{2}$ in. deep. CONSTR: Plastisol-coated steel top handle. 2 drawbolt latches, tumbler lock (2 keys incl.). Enamel red box, gray tray and drawers. ORDER INFO: Wt. 18 lbs. 9 GT 65335C.....\$59.99

(6) Chest with 2 drawers, cantilever tray. Provides 980 cu. in. of space. Holds tools up to 19 $\frac{1}{2}$ in. long. SIZE: Overall measures 20 $\frac{1}{2}$ x8 $\frac{1}{2}$ x9 $\frac{1}{2}$ in. high. Drawers, 17 $\frac{1}{2}$ x7 $\frac{1}{2}$ x2 in. deep. Partitioned tray 19 $\frac{1}{2}$ x4 $\frac{1}{2}$ x1 $\frac{1}{2}$ in. CONSTR: Polyethylene handle. 2 drawbolt latches, tumbler lock (2 keys incl.). Black wrinkle finish box and red tray; simulated woodgrained finish on drawers, top. ORDER INFO: Wt. 19 lbs. 9 GT 6531C.....\$54.99

(7) Chest with 2 drawers, tote tray. Provides 980 cu. in. of space. Holds tools up to 17 in. long. SIZE: Overall measures 20 $\frac{1}{2}$ x8 $\frac{1}{2}$ x9 $\frac{1}{2}$ in. high. Drawers, 17 $\frac{1}{2}$ x7 $\frac{1}{2}$ x2 in. deep. Partitioned tray 18 $\frac{1}{2}$ x6 $\frac{1}{2}$ x1 $\frac{1}{2}$ in. deep. CONSTR: Full-length pulls. Polyethylene handle. 2 drawbolt latches, tumbler lock (2 keys incl.). Enamel gray box, red tray and drawers. ORDER INFO: Wt. 19 lbs. 9 GT 6536C.....\$54.99

(8) Chest with 2 drawers. 1020 cu. in. of space. Holds tools up to 19 $\frac{1}{2}$ in. long. Top storage compartment. SIZE: Overall 20 $\frac{1}{2}$ x8 $\frac{1}{2}$ x9 $\frac{1}{2}$ in. h. Drawers, 17 $\frac{1}{2}$ x7 $\frac{1}{2}$ x2 in. deep. Top compartment 2 $\frac{1}{2}$ in. d. CONSTR: Polyethylene top handle. 2 drawbolt latches, padlock hasp. Enamel gray. ORDER INFO: Wt. 16 lbs. 9 GT 6534C.....\$42.99

General-purpose Tool Boxes

(9) Flat-top Box. Provides 1610 cu. in. of space. Holds tools up to 19 in. long. Partitioned tote tray. SIZE: Overall measures 20x8 $\frac{1}{2}$ x9 $\frac{1}{2}$ in. high. Tray 19 $\frac{1}{2}$ x7 $\frac{1}{2}$ x2 in. deep. CONSTR: Polyethylene handle. 2 drawbolt latches, center padlock hasp. Enamel gray box, red tray. 9 GT 6512—Wt. 12 lbs. 8 oz.\$23.99

As (9) except 1290 cu. in. space. Holds tools up to 17 in. long. 18x8x9 in. high. Tray 17 $\frac{1}{2}$ x6 $\frac{3}{4}$ x1 $\frac{1}{4}$ in. deep. 9 GT 6500—Wt. 10 lbs. 6 oz.\$21.99

As (9) except has 1 drawbolt latch in center, plastic tray, 16 $\frac{1}{2}$ x5 $\frac{1}{2}$ x1 $\frac{1}{4}$ in. 9 GT 6501—Wt. 8 lbs. 8 oz.\$17.99

(10) Hip-roof Box. Provides 1015 cu. in. of space. Holds tools up to 19 in. long. Extra-deep partitioned tote tray. SIZE: Overall measures 19 $\frac{1}{2}$ x7x8 in. high. Tray 19 $\frac{1}{2}$ x6 $\frac{1}{2}$ x2 $\frac{1}{4}$ in. deep. CONSTR: Polyethylene handle. 1 drawbolt latch, padlock eye. Baked enamel gray box, red tray. 9 GT 6516A—Wt. 8 lbs. 14 oz.\$19.99

(11) 3/4-inch Socket and Tool Box. Provides 399 cu. in. of space. Holds tools up to 20 inches long. SIZE: 20 $\frac{1}{2}$ x6x3 $\frac{1}{4}$ in. high. CONSTR: Nickel-plated steel handle. 2 drawbolt latches. Enamel gray. 9 GT 6508—Wt. 6 lbs. 8 oz.\$19.99



Our largest CRAFTSMAN® Tool Box

Holds tools or maintenance equipment

(12) Our largest Tool Box. Heavy-duty box provides over 4 cubic feet of storage space. Holds tools or equipment up to 39 inches long. Tote tray. SIZE: 40 $\frac{1}{2}$ x16 $\frac{1}{2}$ x12 $\frac{1}{2}$ in. high. Tray 23 $\frac{1}{2}$ x8 $\frac{3}{4}$ x2 $\frac{1}{4}$ in. deep. CONSTR: Heavy-gauge steel. Bolted side handles. 3 butt hinges. Welded center hasp, padlock eye. Steel chain stops. White enamel. ORDER INFO: See "N" note, p. 91. 9 GT 6524N—Wt. 63 lbs.\$149.99

142 Sears ALL



Permanex® polyethylene Tool Boxes

Lightweight, yet durable boxes resist rust and marring

(13) Permanex® polyethylene Tool Boxes
CONSTR: Flat-top box with tote tray. Blow-molded. Stress-free hinge. 2 latches. Folding top handle.
2112 cu. in. of space
Holds tools up to 24 in. long. 26x10 $\frac{1}{2}$ x9 $\frac{1}{2}$ in. high. Tray 22 $\frac{1}{2}$ x7 $\frac{3}{4}$ x2 in. deep. Side handles. Red. 9 GT 65088C—Shpg. wt. 8 lbs.\$36.99
1240 cu. in. of space
Holds tools up to 17 $\frac{1}{4}$ in. long. 20x9 $\frac{1}{2}$ x8 $\frac{1}{2}$ in. high. Tray 16 $\frac{1}{2}$ x7x1 $\frac{1}{4}$ in. deep. Gray. 9 GT 65087—Shpg. wt. 6 lbs.\$19.99
885 cu. in. of space
Holds tools up to 15 in. long. 17x7 $\frac{1}{2}$ x6 $\frac{1}{2}$ in. high. Tray 14 $\frac{1}{2}$ x4 $\frac{1}{2}$ x1 $\frac{1}{4}$ in. high. Gray. 9 GT 65086—Shpg. wt. 4 lbs. 8 oz.\$16.99



Attaché Case

(14) Attaché Tool Case. Holds and organizes tools such as screwdrivers, nut drivers, pliers and wrenches. SIZE: Overall 18 $\frac{1}{2}$ x13x5 $\frac{1}{4}$ in. deep. CONSTRUCTION: Black, pebble-grain, thermoplastic shell with fiber glass-reinforced corners. 2 removable tool pallets with 31 plastic pockets. Dividers for separating larger tools in bottom. Full-length pocket in lid holds miscellaneous items. Extruded aluminum rim. Surface-type steel locks (2 keys included). Padded, steel-core handle. ORDER INFO: Shpg. wt. 10 lbs. 2 oz. 9 GT 65091.....\$99.99



(15) Tool Bag
Cotton canvas with simulated leather bottom 3 inches up side. Steel frame. 24x14 in. high. ORDER INFO: Shpg. wt. 4 lbs. 2 oz. 9 GT 4511.....\$29.99



CRAFTSMAN® Specialty Screwdrivers

CRAFTSMAN® Torx® Screwdriver

Lets you work on newer model automobiles and appliances that use Torx® screws.

CONSTRUCTION: Plastic butyrate handle stores 4 bits. 4-inch long stainless steel shank magnetizes bits when inserted to provide maximum torque, less slippage.

BITS: Vanadium-alloy steel. Sizes: T-15, T-20, T-25, T-30.

ORDER INFO: See warranty on page 127.

9 GT 41401—Shipping weight 4 ounces \$14.99

Replacement Bit Set for Torx® screwdriver above

Includes size T-15, T-20, T-25, T-30 bits.

9 GT 41402—Shpg. wt. 1 oz. Set \$7.49

Individual CRAFTSMAN® Torx® Screwdrivers. 1-pc.

9GT41473-T-10-Wt. 1 oz. 9GT41476-T-25-Wt. 2 oz.

9GT41474-T-15-Wt. 1 oz. 9GT41477-T-30-Wt. 2 oz.

9GT41475-T-20-Wt. 1 oz.

Each \$4.99

(1) Offset, Reversible Ratchet Screwdriver
Nickel-plated steel body, alloy steel blades.

ORDER INFO:

1/4, 3/8-in. slotted bits

9GT4117-Wt. 2 oz. \$4.49

Nos. 1, 2 Phillips bits

9GT4119-Wt. 1 oz. \$4.99

Number 2 Phillips, 1/4-inch slotted bits

9GT4116-Wt. 1 oz. \$4.49

(2) Offset Screwdriver

Use in tight places. Four

1/4-inch chrome-vanadium alloy steel blades.

9 GT 4110—Wt. 3 oz. \$5.99

(3) Screw-holding Starter.

Starts most slotted screws. Alloy steel blade, bit. Aluminum handle.

Magnetic tip on handle.

ORDER INFO:

5 1/2 inches long. Wt. 1 oz.

9 GT 41024 \$3.29

9 1/2 inches long. Wt. 1 oz.

9 GT 41025 \$3.99

(4) 6-piece Precision Screwdriver Set.

Precision-ground. Fine for

hobbyists, ideal for use with

most tiny screws. Case included.

SIZES: 5 blades: .040,

.055, .070, .100-in. slot-

ted; one Phillips.

ORDER INFO: Set 2 oz.

9 GT 4107 \$4.49

(5) Auto-return Screw-

driver. 19 inches long

when extended. Forward

and reverse drive. Chrome-

plated metal parts. Plastic

handle. Imported.

SIZES: 3 alloy steel bits:

No. 2 Phillips, 1/4, 3/8-in.

slotted.

ORD. INFO: Wt. 1 lb. 4 oz.

9 GT 31031 \$12.99

(6) Replacement Bit Set for

(5) and former 9-3101

Imported. Wt. 2 oz.

9 GT 4198 Set \$3.99

3-piece Phillips-type

Replacement Bit Set

Fits (5), former 9-3470, 9-

3101, 9-3103, other au-

to-matic drivers. Imported.

SIZES: Nos. 1, 2, 3 Phil-

lips. 3/32-in. shanks.

ORDER INFO: Wt. 3 oz.

9 GT 4115 Set \$3.99

(7) Pocket-clip Screwdriver

1/2x2-in. slotted blade; 4 in.

long. Butyrate plastic handle.

9 GT 41421—Wt. 1 oz. \$2.99

(8) Screw-holding Drivers

Thumb control holds screws

for one-hand use. Butyrate

plastic handle.

Blade, inches

Catalog Number

Wt. oz.

Each

Slotted

1/8x4 9GT41123 1 \$4.99

1/8x5 9GT41124 3 5.49

Phillips

No. 1 9GT41126 1 \$4.99

No. 2 9GT41127 3 5.49

(9) Wedge-type Screw-holding drivers

Adjusts to wedge in slotted

screw head. Fits sunken

screws. Need clearance of

screw head. Fluted butyrate

plastic handle.

1/8x4 inches

9GT41462-Wt. 1 oz. \$5.49

1/2x6 inches

9GT41463-Wt. 3 oz. \$5.99

(10) Magnetic-tip Screwdriver.

Magnet holds bit and screw

for starting. Chrome-vanadium

alloy steel tips. 4-in. stainless

steel shank. Hollow butyrate

plastic handle stores bits.

SIZES: 4 steel bits: 3/16, 1/4,

5/16-in. slotted; Nos. 1, 2 Phillips.

9GT41467-Wt. 5 oz. \$6.99

Extra Bit Set for (9)

9GT41468-Wt. 10 oz. Set \$3.49

(11) Small Auto-return

Screwdriver. 9 in. extended.

Forward, reverse drive. Locks

when closed. Plastic, nickel-

plated metal. Imported.

SIZES: 6 bits: 5/64, 1/4, 3/8-in.

push drill bits; 3/16, 1/4-in. slot-

ted; Number 2 Phillips.

9GT31021-Wt. 9 oz. \$7.99

6-pc. Bit Set. For (10), former

9-3180, 9-3461, 9-3100

and 9-3102. Imported.

SIZES: 5/64, 1/4, 3/8-in. drill bits;

3/16, 1/4-in. slotted; Number 2

Phillips.

ORD. INFO: Wt. 2 lbs. 4 oz.

9 GT 31022 Set \$2.99

(12) Cotter Key Puller

Chrome-plated steel hook, bu-

tyrate plastic handle.

9 GT 4319—Wt. 4 oz. \$4.29

CRAFTSMAN® Screwdrivers

All backed by our FULL UNLIMITED WARRANTY

See Sears Best
Screwdrivers
on following page



CRAFTSMAN® Screwdriver Sets

21-piece Set **\$44.99** | 18-piece Set **\$39.99** | 9-piece Set **\$22.99**

CONSTRUCTION: Butyrate plastic handle with flutes for more secure grip; grooved thumb rest. Color-coded handle. Chrome-vanadium alloy steel blade with nickel-chrome plating, heat-treated for durability. Square shaft on slotted; round shaft on Phillips. Slotted blades are fully ground on all sides of head for accurate performance.

ORDER INFO: See warranty on page 127.

21-piece Screwdriver Set

SIZES: 11 slotted (1/8x4, 3/16x4, 1/4x4, 5/16x4, 3/8x4, 1/2x4, 5/8x4, 3/4x4, 1x4, 1 1/4x4, 1 3/4x4, 2x4, 2 1/2x4, 3x4, 3 1/2x4, 4x4, 4 1/2x4, 5x4, 5 1/2x4, 6x4, 6 1/2x4, 7x4, 7 1/2x4, 8x4, 9x4, 10x4, 11x4, 12x4, 13x4, 14x4, 15x4, 16x4, 17x4, 18x4, 19x4, 20x4, 21x4, 22x4, 23x4, 24x4, 25x4, 26x4, 27x4, 28x4, 29x4, 30x4, 31x4, 32x4, 33x4, 34x4, 35x4, 36x4, 37x4, 38x4, 39x4, 40x4, 41x4, 42x4, 43x4, 44x4, 45x4, 46x4, 47x4, 48x4, 49x4, 50x4, 51x4, 52x4, 53x4, 54x4, 55x4, 56x4, 57x4, 58x4, 59x4, 60x4, 61x4, 62x4, 63x4, 64x4, 65x4, 66x4, 67x4, 68x4, 69x4, 70x4, 71x4, 72x4, 73x4, 74x4, 75x4, 76x4, 77x4, 78x4, 79x4, 80x4, 81x4, 82x4, 83x4, 84x4, 85x4, 86x4, 87x4, 88x4, 89x4, 90x4, 91x4, 92x4, 93x4, 94x4, 95x4, 96x4, 97x4, 98x4, 99x4, 100x4, 101x4, 102x4, 103x4, 104x4, 105x4, 106x4, 107x4, 108x4, 109x4, 110x4, 111x4, 112x4, 113x4, 114x4, 115x4, 116x4, 117x4, 118x4, 119x4, 120x4, 121x4, 122x4, 123x4, 124x4, 125x4, 126x4, 127x4, 128x4, 129x4, 130x4, 131x4, 132x4, 133x4, 134x4, 135x4, 136x4, 137x4, 138x4, 139x4, 140x4, 141x4, 142x4, 143x4, 144x4, 145x4, 146x4, 147x4, 148x4, 149x4, 150x4, 151x4, 152x4, 153x4, 154x4, 155x4, 156x4, 157x4, 158x4, 159x4, 160x4, 161x4, 162x4, 163x4, 164x4, 165x4, 166x4, 167x4, 168x4, 169x4, 170x4, 171x4, 172x4, 173x4, 174x4, 175x4, 176x4, 177x4, 178x4, 179x4, 180x4, 181x4, 182x4, 183x4, 184x4, 185x4, 186x4, 187x4, 188x4, 189x4, 190x4, 191x4, 192x4, 193x4, 194x4, 195x4, 196x4, 197x4, 198x4, 199x4, 200x4, 201x4, 202x4, 203x4, 204x4, 205x4, 206x4, 207x4, 208x4, 209x4, 210x4, 211x4, 212x4, 213x4, 214x4, 215x4, 216x4, 217x4, 218x4, 219x4, 220x4, 221x4, 222x4, 223x4, 224x4, 225x4, 226x4, 227x4, 228x4, 229x4, 230x4, 231x4, 232x4, 233x4, 234x4, 235x4, 236x4, 237x4, 238x4, 239x4, 240x4, 241x4, 242x4, 243x4, 244x4, 245x4, 246x4, 247x4, 248x4, 249x4, 250x4, 251x4, 252x4, 253x4, 254x4, 255x4, 256x4, 257x4, 258x4, 259x4, 260x4, 261x4, 262x4, 263x4, 264x4, 265x4, 266x4, 267x4, 268x4, 269x4, 270x4, 271x4, 272x4, 273x4, 274x4, 275x4, 276x4, 277x4, 278x4, 279x4, 280x4, 281x4, 282x4, 283x4, 284x4, 285x4, 286x4, 287x4, 288x4, 289x4, 290x4, 291x4, 292x4, 293x4, 294x4, 295x4, 296x4, 297x4, 298x4, 299x4, 300x4, 301x4, 302x4, 303x4, 304x4, 305x4, 306x4, 307x4, 308x4, 309x4, 310x4, 311x4, 312x4, 313x4, 314x4, 315x4, 316x4, 317x4, 318x4, 319x4, 320x4, 321x4, 322x4, 323x4, 324x4, 325x4, 326x4, 327x4, 328x4, 329x4, 330x4, 331x4, 332x4, 333x4, 334x4, 335x4, 336x4, 337x4, 338x4, 339x4, 340x4, 341x4, 342x4, 343x4, 344x4, 345x4, 346x4, 347x4, 348x4, 349x4, 350x4, 351x4, 352x4, 353x4, 354x4, 355x4, 356x4, 357x4, 358x4, 359x4, 360x4, 361x4, 362x4, 363x4, 364x4, 365x4, 366x4, 367x4, 368x4, 369x4, 370x4, 371x4, 372x4, 373x4, 374x4, 375x4, 376x4, 377x4, 378x4, 379x4, 380x4, 381x4, 382x4, 383x4, 384x4, 385x4, 386x4, 387x4, 388x4, 389x4, 390x4, 391x4, 392x4, 393x4, 394x4, 395x4, 396x4, 397x4, 398x4, 399x4, 400x4, 401x4, 402x4, 403x4, 404x4, 405x4, 406x4, 407x4, 408x4, 409x4, 410x4, 411x4, 412x4, 413x4, 414x4, 415x4, 416x4, 417x4, 418x4, 419x4, 420x4, 421x4, 422x4, 423x4, 424x4, 425x4, 426x4, 427x4, 428x4, 429x4, 430x4, 431x4, 432x4, 433x4, 434x4, 435x4, 436x4, 437x4, 438x4, 439x4, 440x4, 441x4, 442x4, 443x4, 444x4, 445x4, 446x4, 447x4, 448x4, 449x4, 450x4, 451x4, 452x4, 453x4, 454x4, 455x4, 456x4, 457x4, 458x4, 459x4, 460x4, 461x4, 462x4, 463x4, 464x4, 465x4, 466x4, 467x4, 468x4, 469x4, 470x4, 471x4, 472x4, 473x4, 474x4, 475x4, 476x4, 477x4, 478x4, 479x4, 480x4, 481x4, 482x4, 483x4, 484x4, 485x4, 486x4, 487x4, 488x4, 489x4, 490x4, 491x4, 492x4, 493x4, 494x4, 495x4, 496x4, 497x4, 498x4, 499x4, 500x4, 501x4, 502x4, 503x4, 504x4, 505x4, 506x4, 507x4, 508x4, 509x4, 510x4, 511x4, 512x4, 513x4, 514x4, 515x4, 516x4, 517x4, 518x4, 519x4, 520x4, 521x4, 522x4, 523x4, 524x4, 525x4, 526x4, 527x4, 528x4, 529x4, 530x4, 531x4, 532x4, 533x4, 534x4, 535x4, 536x4, 537x4, 538x4, 539x4, 540x4, 541x4, 542x4, 543x4, 544x4, 545x4, 546x4, 547x4, 548x4, 549x4, 550x4, 551x4, 552x4, 553x4, 554x4, 555x4, 556x4, 557x4, 558x4, 559x4, 560x4, 561x4, 562x4, 563x4, 564x4, 565x4, 566x4, 567x4, 568x4, 569x4, 570x4, 571x4, 572x4, 573x4, 574x4, 575x4, 576x4, 577x4, 578x4, 579x4, 580x4, 581x4, 582x4, 583x4, 584x4, 585x4, 586x4, 587x4, 588x4, 589x4, 590x4, 591x4, 592x4, 593x4, 594x4, 595x4, 596x4, 597x4, 598x4, 599x4, 600x4, 601x4, 602x4, 603x4, 604x4, 605x4, 606x4, 607x4, 608x4, 609x4, 610x4, 611x4, 612x4, 613x4, 614x4, 615x4, 616x4, 617x4, 618x4, 619x4, 620x4, 621x4, 622x4, 623x4, 624x4, 625x4, 626x4, 627x4, 628x4, 629x4, 630x4, 631x4, 632x4, 633x4, 634x4, 635x4, 636x4, 637x4, 638x4, 639x4, 640x4, 641x4, 642x4, 643x4, 644x4, 645x4, 646x4, 647x4, 648x4, 649x4, 650x4, 651x4, 652x4, 653x4, 654x4, 655x4, 656x4, 657x4, 658x4, 659x4, 660x4, 661x4, 662x4, 663x4, 664x4, 665x4, 666x4, 667x4, 668x4, 669x4, 670x4, 671x4, 672x4, 673x4, 674x4, 675x4, 676x4, 677x4, 678x4, 679x4, 680x4, 681x4, 682x4, 683x4, 684x4, 685x4, 686x4, 687x4, 688x4, 689x4, 690x4, 691x4, 692x4, 693x4, 694x4, 695x4, 696x4, 697x4, 698x4, 699x4, 700x4, 701x4, 702x4, 703x4, 704x4, 705x4, 706x4, 707x4, 708x4, 709x4, 710x4, 711x4, 712x4, 713x4, 714x4, 715x4, 716x4, 717x4, 718x4, 719x4, 720x4, 721x4, 722x4, 723x4, 724x4, 725x4, 726x4, 727x4, 728x4, 729x4, 730x4, 731x4, 732x4, 733x4, 734x4, 735x4, 736x4, 737x4, 738x4, 739x4, 740x4, 741x4, 742x4, 743x4, 744x4, 745x4, 746x4, 747x4, 748x4, 749x4, 750x4, 751x4, 752x4, 753x4, 754x4, 755x4, 756x4, 757x4, 758x4, 759x4, 760x4, 761x4, 762x4, 763x4, 764x4, 765x4, 766x4, 767x4, 768x4, 769x4, 770x4, 771x4, 772x4, 773x4, 774x4, 775x4, 776x4, 777x4, 778x4, 779x4, 780x4, 781x4, 782x4, 783x4, 784x4, 785x4, 786x4, 787x4, 788x4, 789x4, 790x4, 791x4, 792x4, 793x4, 794x4, 795x4, 796x4, 797x4, 798x4, 799x4, 800x4, 801x4, 802x4, 803x4, 804x4, 805x4, 806x4, 807x4, 808x4, 809x4, 810x4, 811x4, 812x4, 813x4, 814x4, 815x4, 816x4, 817x4, 818x4, 819x4, 820x4, 821x4, 822x4, 823x4, 824x4, 825x4, 826x4, 827x4,

New and Only at Sears! Our best Screwdrivers generate more turning power, grip screws better and are more comfortable to use than any other screwdrivers we've ever offered

QUALITY BY DESIGN

...features like these on our best Screwdrivers represent the quality that's built into every CRAFTSMAN® tool

A Large-diameter handle helps generate up to 25% more turning power than conventional screwdrivers to help make your work less tiring...plus, handle is contoured to the shape of your hand for more comfortable use, even in awkward positions

B Chrome-vanadium blade with a high-polished finish withstands high levels of pressure, so it can handle tough jobs and still provide years of dependable service

C Grit-blasted, roughed-up blade tip holds screws better than ordinary screwdrivers, to resist slipping and simplify work on even small or hard-to-reach screws



CONSTR: Large-diameter, contoured butyrate plastic handle has flutes to give you a more secure grip. Handles are color-coded to distinguish slotted from Phillips drivers for quick, easy identification. High-polished, chrome-vanadium alloy steel blade with nickel-chrome plating is heat-treated for max. durability and rust-resistance. Round blade shaft has grit-blasted, roughed-up tip.

ORDER INFO: See our Full Unlimited Warranty on page 127.

Slotted Screwdrivers

Blade, in.	For Screws	Catalog Number	Wt. oz.	Price, Each
1/8 x 4	Ex. small	9GT41594	1	\$3.49
3/16 x 4	Small	9GT41591	2	3.49
1/4 x 4	Medium	9GT41592	4	3.99
1/4 x 6	Medium	9GT41593	4	4.49
5/16 x 8	Large	9GT41595	7	6.49

Phillips Screwdrivers

Size	Blade, in.	For Screws	Catalog Number	Wt. oz.	Price, Each
1	3	Small	9GT41301	2	\$3.49
2	4	Med.	9GT41302	4	3.99
3	6	Large	9GT41303	6	5.49

SEARS, ROEBUCK AND CO.

F7495 M/E, S

SEARS, ROEBUCK AND CO.,
SEARS TOWER
CHICAGO, IL 60684

BULK RATE
U.S. POSTAGE
PAID
SEARS, ROEBUCK AND CO.